This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

**Usage guidelines**

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

**About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

Per. 24761 d. 86/1876

# WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN

# DUBLIN

(INCLUDING THE SUBURBAN DISTRICTS OF RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN),

AND IN THE TOWNS OF

## BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO,

DURING THE YEAR

## 1876.

Published by Authority of the Registrar-General of Births, Deaths, and Marriages in Ireland.

DUBLIN:
PRINTED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET
PRINTER TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE.

1876.

# YEARLY SUMMARY

OF THE

## WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN

# DUBLIN

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN),**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

## 1876.

GENERAL REGISTER OFFICE,
CHARLEMONT HOUSE, *Dublin, 16th January*, 1877.

**Births.**—During the year 1876 there were *registered* in the Dublin Registration District, 9,006 births—4,699 boys and 4,307 girls—being equal to a ratio of 1 in 35, or 29 per 1,000 of the population.* The average number in the preceding ten years was 8,687, or 28 per 1,000.

Of the 9,006 births *registered* in 1876, 3,438, or 32 in every 1,000 of the population,* occurred in that portion of the City situated north of the river Liffey. In that part of the City south of the river the number was 3,921, or 28 per 1,000 of the population.* In the suburban districts of Rathmines, Donnybrook, Blackrock, and Kingstown the number of births *registered* amounted to 1,647, or only 24 in every 1,000 of the population.*

Of the 9,006 births in the entire district, 2,429 were registered during the first quarter, 2,272 in the second, 2,229 in the third, and 2,076 in the fourth, the weekly average being 173.

In London the number of births registered during the year 1876 was 126,999, being equal to a rate of 36 in every 1,000 of the estimated population; in Glasgow the number was 20,961, equal to 38 per 1,000; and in Edinburgh it was 7,047, affording a birth-rate of 33 per 1,000 of the estimated population.

**Deaths.**—8,097 deaths were *registered* in the Dublin Registration District during the year 1876, being equal to 1 in 39, or 25·7 in every 1,000 of the population,* against an average death rate of 26·4 per 1,000 for the previous ten years. Of the persons whose deaths were *registered* last year 4,091 were males, and 4,006 females, the former number being equal to 28·5 in every 1,000 of the male population,* and the latter to 23·4 per 1,000 of the female population.*

On the north side of the river there were *registered* 3,051 deaths, or 28 in every 1,000 of the population,* and on the south side 3,659, or 27 per 1,000 of the population.* In the suburban districts of Rathmines, Donnybrook, Blackrock, and Kingstown, the number of deaths *registered* amounted to 1,387, or only 20 in every 1,000 of the population.*

* According to the Census of 1871.

Of the 8,097 deaths in the entire district, 2,695 were registered in the first quarter, 2,040 in the second, 1,603 in the third, and 1,759 in the fourth, the weekly average being 156.

The deaths *registered* in Belfast during the year afford a ratio of 25 in every 1,000 of the population in 1871; in Cork the ratio afforded by the number of deaths *registered* was 27 per 1,000; in Limerick it was 27, in Londonderry 18, in Waterford 23, in Galway 22, and in Sligo 18 in every 1,000 of the population.

The deaths registered in London during the year 1876 amounted to 77,397, or 22 in every 1,000 of the inhabitants; in Glasgow to 13,759, equal to 25 per 1,000; and in Edinburgh to 4,391, or 20 in every 1,000 of the estimated population.

*Public Institutions.*—Of the 8,097 deaths *registered* in the Dublin Registration District during the year, 1,160 occurred in the various hospitals, prisons, and lunatic asylums; 432 in the North Dublin Union Workhouse, and 740 in the South Dublin Union Workhouse; making a total for public institutions of 2,332, or 29 per cent. of the total deaths registered.

Diseases.—*Dublin Registration District*—(See Table I.)—The number of deaths referred to zymotic diseases was 1,419, or 45·1 in every 10,000 inhabitants, being 468 less than the average annual number for the preceding ten years, and lower than in any of those years except 1873 and 1875, in which deaths from these diseases numbered respectively 1,378 and 1,396.

There were 9 deaths from small-pox registered—1 in the third quarter and 8 in the fourth.

Fever caused 260 deaths, being 13 more than in the preceding year, but 86 under the average annual number for the ten years 1866–75. The deaths from fever were tabulated as follows:—typhus 62, enteric or typhoid 151, and simple continued fever 47. The increase on the number in 1875 was confined to typhus, only 49 deaths from which were registered in that year.

The deaths from scarlet fever number 194, being slightly over the mortality in 1875, but little more than half the average annual number in the years 1866–75, the disease having been very fatal in 1869 and 1874.

Whooping-cough caused 195 deaths, 112 of which were registered in the first quarter; measles proved fatal in 133 instances; croup in 73; diphtheria in 25; quinsy in 7; and erysipelas in 47.

There were 243 deaths ascribed to diarrhœa: this number is 31 under the average for the previous ten years.

Bronchitis proved fatal in 1,282 instances, or 4 per 1,000 of the population. This mortality though over the average is less than that in the year 1875, when 1,379 deaths from bronchitis were registered. Of the 1,282 deaths from this disease, 597 were registered in the first quarter of the year. Pneumonia or inflammation of the lungs caused 242 deaths, pleurisy 22, asthma 17, laryngitis or inflammation of the windpipe 6, and lung disease unspecified 143, the deaths from diseases of the respiratory organs (exclusive of phthisis) thus amounting to 1,712, or 21 per cent. of the deaths from all causes, and equal to 54 in every 10,000 inhabitants, which is considerably over the average, but not so heavy as the mortality in the preceding year.

As many as 594 deaths (almost exclusively children) were ascribed to convulsions.

Apoplexy was assigned as the cause of death in 101 instances, paralysis in 154, cephalitis or inflammation of the brain and its membranes in 52, epilepsy in 30, insanity in 10, chorea or St. Vitus's dance in 2, and brain disease unspecified in 129.

There were 390 deaths referred to heart disease, 34 to aneurism, 7 to pericarditis or inflammation of the heart's covering; 13 to jaundice, 8 to inflammation of the liver, 99 to liver disease; 2 to spleen disease; 33 to nephria or Bright's disease, 8 to inflammation of the bladder, 4 to inflammation of the kidneys, 3 to ischuria, 2 to diabetes, 1 to stone in the bladder, and 83 to kidney disease unspecified.

Phthisis or pulmonary consumption caused 931 deaths; this number, which is equal to 29·6 in every 10,000 of the population, is 57 under the average for the ten years 1866–75, and is less than the mortality in any of those years except 1874, when

[*Continued on page* vi]

## Dublin Registration District.

### Table I.—Causes of Death in the years 1866–76, with the Number of Deaths from each cause to every 10,000 Persons living.

| Names of Diseases. | Number of Deaths Registered. | | | | | | | | | | | | | | | Number of Deaths from each Disease to every 10,000 Persons living. | | Names of Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1866 (52 weeks). | 1867 (52 weeks). | 1868 *(53 weeks). | 1869 (52 weeks). | 1870 (52 weeks). | 1871 (52 weeks). | 1872 (52 weeks). | 1873 *(53 weeks). | 1874 (52 weeks). | 1875 (52 weeks). | Yearly Average, 1866–75. | 1876. | | | | Yearly Average, 1866–75. | 1876. | |
| | | | | | | | | | | | | Total (52 weeks). | 1st Quarter. | 2nd Quarter. | 3rd Quarter. | 4th Quarter. | | |
| **Zymotic Diseases.** | | | | | | | | | | | | | | | | | | **Zymotic Diseases.** |
| Small Pox, | 25 | 2 | 1 | 1 | . | 207 | 1,350 | 16 | 2 | 2 | 161 | 9 | – | – | 1 | 8 | 5·1 | ·3 | Small Pox. |
| Measles, | 54 | 405 | 49 | 159 | 53 | 26 | 202 | 66 | 97 | 122 | 128 | 133 | 42 | 40 | 12 | 39 | 3·9 | 4·2 | Measles. |
| Scarlatina, | 109 | 259 | 424 | 510 | 448 | 253 | 178 | 233 | 334 | 176 | 342 | 194 | 64 | 42 | 42 | 46 | 10·9 | 6·2 | Scarlatina. |
| Diphtheria, | 35 | 19 | 20 | 18 | 22 | 22 | 26 | 38 | 44 | 45 | 29 | 25 | 3 | 7 | 7 | 8 | ·9 | ·8 | Diphtheria. |
| Whooping Cough, | 194 | 178 | 250 | 30 | 136 | 212 | 66 | 250 | 40 | 139 | 149 | 195 | 112 | 37 | 20 | 26 | 4·7 | 6·2 | Whooping Cough. |
| Fever, | 527 | 359 | 313 | 286 | 371 | 398 | 321 | 274 | 352 | 247 | 346 | 260 | 64 | 50 | 52 | 94 | 11·0 | 8·3 | Fever. |
| Dysentery, | 33 | 17 | 26 | 23 | 19 | 19 | 12 | 6 | 13 | 19 | 19 | 8 | 1 | 4 | 2 | 1 | ·6 | ·3 | Dysentery. |
| Diarrhœa, | 313 | 320 | 408 | 248 | 320 | 252 | 196 | 206 | 203 | 278 | 274 | 243 | 33 | 30 | 132 | 48 | 8·7 | 7·7 | Diarrhœa. |
| Cholera, | 1,186 | 38 | 12 | 6 | 13 | 12 | 5 | 5 | 5 | 2 | 128 | 11 | – | 5 | 4 | 2 | 4·1 | ·3 | Cholera. |
| Other Zymotic Diseases, | 345 | 312 | 359 | 285 | 297 | 319 | 266 | 284 | 326 | 366 | 316 | 341 | 121 | 85 | 62 | 73 | 10·1 | 10·8 | Other Zymotic Diseases. |
| Total, | 2,831 | 1,909 | 1,862 | 1,556 | 1,679 | 1,720 | 2,622 | 1,378 | 1,916 | 1,396 | 1,887 | 1,419 | 440 | 300 | 334 | 345 | 60·1 | 45·1 | Total. |
| **Constitutional Diseases.** | | | | | | | | | | | | | | | | | | **Constitutional Diseases.** |
| Phthisis or Pulmonary Consumption, | 984 | 1,049 | 957 | 957 | 974 | 977 | 1,086 | 1,050 | 862 | 977 | 988 | 931 | 293 | 261 | 189 | 188 | 31·5 | 29·6 | Phthisis or Pulmonary Consumption. |
| Other Constitutional Diseases, | 680 | 805 | 733 | 647 | 644 | 650 | 670 | 615 | 590 | 629 | 666 | 604 | 173 | 174 | 136 | 121 | 21·2 | 19·2 | Other Constitutional Diseases. |
| Total, | 1,664 | 1,854 | 1,690 | 1,604 | 1,618 | 1,627 | 1,756 | 1,665 | 1,452 | 1,606 | 1,654 | 1,535 | 466 | 435 | 325 | 309 | 52·7 | 48·8 | Total. |
| **Local Diseases.** | | | | | | | | | | | | | | | | | | **Local Diseases.** |
| Diseases of the Brain and Nervous System, | 1,122 | 1,209 | 1,138 | 978 | 1,021 | 1,046 | 1,074 | 1,093 | 1,112 | 1,126 | 1,092 | 1,072 | 320 | 268 | 238 | 246 | 34·8 | 34·1 | Brain and Nervous System. |
| Diseases of the Heart and Circulatory Organs, | 372 | 377 | 375 | 383 | 367 | 344 | 353 | 443 | 404 | 452 | 387 | 431 | 117 | 117 | 105 | 92 | 12·3 | 13·7 | Heart and Circulatory Organs. |
| Diseases of the Respiratory Organs, | 1,388 | 1,664 | 1,302 | 1,508 | 1,387 | 1,546 | 1,366 | 1,605 | 1,398 | 1,678 | 1,504 | 1,712 | 756 | 424 | 200 | 332 | 47·9 | 54·4 | Respiratory Organs. |
| Diseases of the Digestive Organs, | 322 | 291 | 271 | 335 | 311 | 317 | 263 | 305 | 313 | 303 | 303 | 299 | 83 | 75 | 65 | 76 | 9·6 | 9·5 | Digestive Organs. |
| Diseases of the Urinary Organs, | 142 | 100 | 98 | 120 | 93 | 126 | 124 | 147 | 122 | 135 | 121 | 134 | 40 | 27 | 27 | 40 | 3·9 | 4·3 | Urinary Organs. |
| Diseases of the Organs of Generation, | 23 | 26 | 18 | 13 | 18 | 19 | 10 | 22 | 20 | 27 | 20 | 22 | 4 | 7 | 8 | 3 | ·6 | ·7 | Organs of Generation. |
| Diseases of the Organs of Locomotion, | 16 | 19 | 17 | 20 | 21 | 26 | 15 | 17 | 16 | 16 | 18 | 15 | 5 | 4 | 3 | 3 | ·6 | ·5 | Organs of Locomotion. |
| Diseases of the Integumentary System, | 7 | 9 | 11 | 10 | 8 | 7 | 8 | 14 | 10 | 13 | 9 | 16 | 4 | 4 | 5 | 3 | ·3 | ·5 | Integumentary System. |
| Total, | 3,392 | 3,695 | 3,230 | 3,367 | 3,226 | 3,431 | 3,213 | 3,646 | 3,395 | 3,950 | 3,454 | 3,701 | 1,329 | 926 | 651 | 795 | 110·0 | 117·6 | Total. |
| **Developmental Diseases.** | 846 | 869 | 931 | 853 | 861 | 1,032 | 1,022 | 1,091 | 1,058 | 1,178 | 974 | 1,094 | 376 | 277 | 209 | 232 | 31·0 | 34·8 | **Developmental Diseases.** |
| **Violent Deaths,** | 194 | 194 | 196 | 194 | 218 | 183 | 222 | 224 | 194 | 210 | 203 | 216 | 48 | 62 | 48 | 58 | 6·5 | 6·9 | **Violent Deaths.** |
| **Causes not Specified or Ill-defined,** | 107 | 86 | 95 | 101 | 126 | 151 | 138 | 208 | 175 | 142 | 133 | 133 | 36 | 40 | 36 | 20 | 4·2 | 4·2 | **Causes not Specified or Ill-defined.** |
| **Total Deaths,** | 9,034 | 8,607 | 8,004 | 7,675 | 7,728 | 8,144 | 8,973 | 8,212 | 8,190 | 8,482 | 8,305 | 8,097 | 2,695 | 2,040 | 1,603 | 1,759 | 264·5 | 257·3 | **Total Deaths.** |
| Mean Temperature of the Air (Fahrenheit), | ° 49·2 | ° 49·0 | ° 50·8 | ° 49·8 | ° 49·0 | ° 49·4 | ° 49·5 | ° 48·8 | ° 49·1 | ° 49·6 | ° 49·4 | ° 49·6 | ° 41·6 | ° 51·2 | ° 58·6 | ° 47·0 | — | — | Mean Temperature of the Air (Fahrenheit). |
| Rainfall in inches, | 26·86 | 24·05 | 24·10 | 28·02 | 22·79 | 28·25 | 35·81 | 26·74 | 27·13 | 32·79 | 27·65 | 31·485 | 5·707 | 5·326 | 7·064 | 13·388 | — | — | Rainfall in inches. |

* The numbers for 1868 and 1873 respectively embrace the returns for 53 weeks, this arrangement being occasionally necessary in order that the annual series may correspond with the calendar year.

Yearly Summary.

only 862 deaths from phthisis were recorded. There were 604 deaths from other constitutional diseases, including 171 from hydrocephalus or water on the brain, 127 from mesenteric disease, 51 from scrofula, 142 from cancer, and 6 from gout: the total deaths from this class of diseases being equal to 48·8 in every 10,000 inhabitants, against an average of 52·7 for the preceding ten years.

"Violent deaths" number 216; viz.—192 tabulated as from accident or negligence (including 83 from fractures and contusions, 46 from drowning, and 37 from burns or scalds), 8 cases of homicide, 13 of suicide, and 3 violent deaths which owing to the vagueness of the returns could not be classed.

TABLE II.—Showing by certain Age-Periods, the Population of the Dublin Registration District in 1871, the Number of Deaths *registered* in each of the years 1866–76, and the proportion which the Deaths at each age-period bear to the Population at the same age.

| Years, &c. | | Ages. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | Under 20 years. | | | | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | | | Under 5 years. | 5 and under 15. | 15 and under 20. | Total. | | | | |
| Population in 1871, | | 314,666 | 33,335 | 57,266 | 31,069 | 121,670 | 107,717 | 61,305 | 22,448 | 1,526 |
| Number of Deaths *Registered.* | Year 1866, | 9,034 | 2,406 | 705 | 270 | 3,381 | 1,670 | 1,925 | 1,723 | 335 |
| | „ 1867, | 8,607 | 2,800 | 641 | 212 | 3,653 | 1,409 | 1,560 | 1,672 | 313 |
| | „ 1868,* | 8,004 | 2,648 | 599 | 217 | 3,464 | 1,281 | 1,482 | 1,511 | 266 |
| | „ 1869, | 7,675 | 2,320 | 614 | 201 | 3,135 | 1,253 | 1,423 | 1,561 | 303 |
| | „ 1870, | 7,728 | 2,367 | 541 | 199 | 3,107 | 1,304 | 1,477 | 1,534 | 306 |
| | „ 1871, | 8,144 | 2,511 | 553 | 241 | 3,305 | 1,478 | 1,442 | 1,615 | 304 |
| | „ 1872, | 8,973 | 2,549 | 724 | 394 | 3,667 | 1,822 | 1,525 | 1,634 | 325 |
| | „ 1873,* | 8,212 | 2,381 | 523 | 233 | 3,137 | 1,339 | 1,540 | 1,858 | 338 |
| | „ 1874, | 8,190 | 2,553 | 716 | 204 | 3,473 | 1,267 | 1,475 | 1,672 | 303 |
| | „ 1875, | 8,482 | 2,352 | 428 | 233 | 3,013 | 1,382 | 1,803 | 1,929 | 355 |
| | Yearly average, 1866–75, | 8,305 | 2,489 | 604 | 240 | 3,333 | 1,421 | 1,565 | 1,671 | 315 |
| | Year **1876,** | 8,097 | 2,544 | 452 | 232 | 3,228 | 1,309 | 1,540 | 1,715 | 305 |
| | 1st Quarter, 1876, | 2,695 | 933 | 143 | 57 | 1,133 | 412 | 480 | 566 | 104 |
| | 2nd „ „ | 2,040 | 594 | 117 | 69 | 780 | 358 | 408 | 422 | 72 |
| | 3rd „ „ | 1,603 | 514 | 90 | 47 | 651 | 269 | 303 | 313 | 67 |
| | 4th „ „ | 1,759 | 503 | 102 | 59 | 664 | 270 | 349 | 414 | 62 |
| Number of Deaths at each Age-Period to every 1,000 Persons Living at same Age. | Year 1866, | 28·7 | 72·2 | 12·3 | 8·7 | 27·8 | 15·5 | 31·4 | 76·8 | 219·5 |
| | „ 1867, | 27·4 | 84·0 | 11·2 | 6·8 | 30·0 | 13·1 | 25·4 | 74·5 | 205·1 |
| | „ 1868,* | 25·4 | 79·4 | 10·5 | 7·0 | 28·5 | 11·9 | 24·2 | 67·3 | 174·3 |
| | „ 1869, | 24·4 | 69·6 | 10·7 | 6·5 | 25·8 | 11·6 | 23·2 | 69·5 | 198·6 |
| | „ 1870, | 24·6 | 71·0 | 9·4 | 6·4 | 25·5 | 12·1 | 24·1 | 68·3 | 200·5 |
| | „ 1871, | 25·9 | 75·3 | 9·7 | 7·8 | 27·2 | 13·7 | 23·5 | 71·9 | 199·2 |
| | „ 1872, | 28·5 | 76·5 | 12·6 | 12·7 | 30·1 | 16·9 | 24·9 | 72·8 | 213·0 |
| | „ 1873,* | 26·1 | 71·4 | 9·1 | 7·5 | 25·8 | 12·4 | 25·1 | 82·8 | 221·5 |
| | „ 1874, | 26·0 | 76·6 | 12·5 | 6·6 | 28·5 | 11·8 | 24·1 | 74·5 | 198·6 |
| | „ 1875, | 27·0 | 70·6 | 7·5 | 7·5 | 27·8 | 12·8 | 29·4 | 85·9 | 232·6 |
| | Yearly average, 1866–75, | 26·4 | 74·7 | 10·6 | 7·8 | 27·4 | 13·2 | 25·5 | 74·4 | 206·3 |
| | Year **1876,** | 25·7 | 76·3 | 7·9 | 7·5 | 26·5 | 12·2 | 25·1 | 76·4 | 199 9 |

* See note (*), page v.

**Ages.**—It will be seen from Table II. that in 1876 the mortality amongst young children and persons of advanced age was slightly over the average for the years 1866–75, but that this increase was counterbalanced by a decline in the deaths at the

intermediate ages. Table III. shows that at every period of life the mortality was proportionately lower amongst females than amongst males.

Forty-one persons were stated to have been nonagenarians, and 2 (women) were returned as centenarians.

TABLE III.—Showing by Sexes, and certain Age-Periods, the Population of the Dublin Registration District in 1871; the Number of Deaths at each period *registered* during the year 1876, and the proportion which the Deaths at each Age-Period bear to the population at the same age.

| DUBLIN REGISTRATION DISTRICT. | | AGES. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | Under 20 years. | | | | 20 and under 40. | 40 and under 60. | 60 and under 80 | 80 and upwards. |
| | | | Under 1 year. | Total under 5 years. | 5 and under 15. | 15 and under 20. | Total. | | | | |
| Population in 1871. | Males, . | 143,673 | 3,834 | 16,780 | 28,154 | 14,710 | 59,644 | 48,292 | 26,107 | 9,086 | 544 |
| | Females, . | 170,993 | 3,867 | 16,555 | 29,112 | 16,359 | 62,026 | 59,425 | 35,198 | 13,362 | 982 |
| Deaths *Registered* in the Year 1876. | Males, . | 4,091 | 821 | 1,419 | 235 | 112 | 1,766 | 689 | 732 | 785 | 119 |
| | Females, . | 4,006 | 595 | 1,125 | 217 | 120 | 1,462 | 620 | 808 | 930 | 186 |
| Number of Deaths at each Age-Period to every 1,000 Persons Living at same Age. | Males, . | 28·5 | 214·1 | 84·6 | 8·3 | 7·6 | 29·6 | 14·3 | 28·0 | 86·4 | 218·8 |
| | Females, . | 23·4 | 153·9 | 68·0 | 7·5 | 7·3 | 23·6 | 10·4 | 23·0 | 69·6 | 189·4 |

**Large Town Districts.**—(See Table IV.)—According to the Weekly Returns furnished by the Registrars, there were no deaths from small-pox registered in any of the seven provincial town districts included in this Summary.

The deaths registered in Belfast include 149 from whooping-cough, 105 from fever, 86 from scarlatina, 15 from diphtheria, 13 from measles, and 165 from diarrhœa; these 533 deaths being equal to 12 per cent. of the total deaths, and 2·9 per 1,000 of the population.* In the year 1875 the deaths from the seven principal zymotic diseases were equal to 6·1 per 1,000 persons, scarlatina having caused 356 deaths, and measles 280.

In Cork, last year there were registered 68 deaths from fever, 40 from measles (30 of which were recorded in the first quarter), 30 from whooping-cough, 17 from scarlatina, 6 from diphtheria, and 80 from diarrhœa; the rate afforded by these 241 deaths being 2·6 per 1,000 of the population.*

There were no deaths from diphtheria, measles, or small-pox registered in Limerick during the year. The mortality from the other principal zymotic diseases yields a rate of 2·9 per 1,000 persons,* the number of deaths being 126, viz.—39 from whooping-cough, 34 from fever, 17 from scarlatina, and 36 from diarrhœa.

Of 559 deaths registered in Londonderry, 64 resulted from the principal zymotic diseases, viz., 31 from scarlatina, 11 from whooping-cough, 7 from measles, 4 from fever, 2 from diphtheria, and 9 from diarrhœa. The rate represented by these deaths is 2·1 per 1,000 of the population.*

With the exception of 28 deaths from fever in Waterford, the principal zymotic diseases caused but few deaths in Waterford, Galway, or Sligo during the year.

* According to the Census of 1871.

TABLE IV.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths registered during the Year 1876; the TOTAL Number of BIRTHS and DEATHS registered during the Year, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871. | YEAR 1876 (52 WEEKS). | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered.* | Total DEATHS *registered.* | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . . | 10,050 | 314,666 | 26 | 9,006 | 8,097 | 1,412 | 2,020 | 9 | 133 | 194 | 25 | 195 | 260 | 243 | 216 | 205 | 2,332 |
| BELFAST, . . . | 20,687 | 182,082 | 25 | 6,900 | 4,483 | 912 | 657 | . | 13 | 86 | 15 | 149 | 105 | 165 | 98 | 90 | 658 |
| CORK, . . . | 13,816 | 91,965 | 27 | 2,529 | 2,438 | 333 | 680 | . | 40 | 17 | 6 | 30 | 68 | 80 | 30 | 90 | 775 |
| LIMERICK, . . | 8,509 | 44,209 | 27 | 1,160 | 1,190 | 179 | 366 | . | . | 17 | . | 39 | 34 | 36 | 9 | 50 | 457 |
| LONDONDERRY, . | 21,865 | 30,884 | 18 | 818 | 559 | 90 | 130 | . | 7 | 31 | 2 | 11 | 4 | 9 | 14 | 29 | 82 |
| WATERFORD, . . | 17,209 | 30,626 | 23 | 891 | 691 | 112 | 215 | . | . | 1 | . | . | 28 | 12 | 19 | 49 | 222 |
| GALWAY, . . | 21,358 | 19,692 | 22 | 474 | 431 | 66 | 196 | . | . | 1 | . | . | 7 | 8 | 5 | 11 | 133 |
| SLIGO, . . . | 30,835 | 17,285 | 16 | 425 | 319 | 27 | 134 | . | . | 1 | 1 | . | 7 | 10 | 8 | 15 | 94 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[2095.—300.—12/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD GALWAY, AND SLIGO.

BIBLIOTHECA PLANA

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JANUARY 8, 1876. [No. 1.

*General Register Office, Charlemont House, Dublin, January 10th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 8th January, 1876, represent an annual mortality of 31 in every 1,000 of the population, by the Census of 1871. In London the death rate was 23 in every 1,000 of the estimated population; in Glasgow, 32; and in Edinburgh, 26.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 183—97 boys and 86 girls,—and the deaths to 185—92 males and 93 females. The *average* numbers in the corresponding week of the previous ten years were—births, 165, and deaths, 189.

The number of deaths from zymotic diseases *registered* during the week was 40, of which 8 resulted from fever (1 typhus, 3 typhoid or enteric, and 4 simple continued fever), 5 each from scarlet fever and measles, 4 from croup, 3 each from whooping-cough and diarrhœa, 1 each from erysipelas and pyæmia, &c.

Ten children died from convulsions.

Bronchitis caused 34 deaths (the average number in the corresponding week of the previous ten years was 35), pneumonia or inflammation of the lungs 5, pleurisy 1, asthma 1, and lung disease unspecified 2.

Six deaths were attributed to paralysis, 2 to cephalitis, and 5 to brain disease unspecified.

Heart disease proved fatal in 8 instances, and aneurism in 2.

Nineteen deaths resulted from phthisis or pulmonary consumption, 6 from mesenteric disease, 5 from hydrocephalus or water on the brain, and 2 from cancer.

Six accidental deaths were registered, viz.:—2 from fractures and contusions, 2 from burns, and 1 each from drowning and suffocation.

Sixty of the persons whose deaths were *registered* during the week were under 5 years of age, and 53 were aged 60 and upwards, including 38 persons aged 70 and upwards, of whom 10 were octogenarians, and 1 (a woman) was stated to have been aged 91 years.

Four deaths from scarlet fever and 1 from diarrhœa were *registered* in Belfast.

Three deaths from measles, 2 from diarrhœa, and 1 each from fever and scarlet fever were *registered* in Cork.

Three deaths from scarlet fever and 1 from diphtheria were *registered* in Londonderry.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from Bronchitis. | Consumption. | Convulsions. | Fever. | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 6 | 3 | – | – | 20 |
| | No. 2 ,, | 31,993 | 9 | 3 | 2 | – | 25 |
| | No. 3 ,, | 27,546 | 2 | 3 | 1 | 1 | 28 |
| South Side, | No. 1 District, | 32,184 | 2 | 3 | 1 | 3 | 25 |
| | No. 2 ,, | 29,952 | 2 | 3 | 1 | – | 9 |
| | No. 3 ,, | 38,811 | 6 | 1 | 1 | 2 | 25 |
| | No. 4 ,, | 36,703 | 3 | 2 | 2 | 1 | 19 |
| **Rathmines District,** | | 20,939 | 2 | – | 1 | 1 | 14 |
| **Donnybrook,** | ,, | 21,758 | 2 | 1 | – | – | 13 |
| **Blackrock,** | ,, | 7,182 | – | – | 1 | – | 3 |
| **Kingstown,** | ,, | 18,461 | – | – | – | – | 4 |
| | **Total,** | 314,666 | 34 | 19 | 10 | 6 | 185 |

Thirty-nine of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin, and 8 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 21 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 41 per 1,000; and in No. 3, North City (Blackhall-street), to 53 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 40 per 1,000; in No. 2, South City District (High-street), the ratio was 16 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 33 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 27 per 1,000.

In the Suburban District of Rathmines the annual ratio was 35 per 1,000; in Donnybrook it was 31—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 22; and in Kingstown 11 deaths per 1,000 of the population, by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,446 and the deaths to 1,520 (against an average of 1,749 for corresponding week 1866–75); in Glasgow the births *registered* were 527, and the deaths 335; and in Edinburgh the births were 141, and the deaths 106. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·146 inches. The highest daily mean reading (30·392) occurred on Friday, and the lowest (29·809) on Sunday.

The mean temperature during the week was 42·3° (the average in the corresponding week of the previous ten years was 39·3°); the lowest daily mean (28·8°) occurred on Saturday, and the highest (51·8°) on Monday.

The temperature was highest on Monday, when the thermometer registered 57·1°, and was lowest on Saturday, the mercury having fallen to 21·7°. The highest reading of the barometer during the week (30·473) occurred on Friday, at 9.30 A.M., wind E., and the lowest (29·764) on Sunday, at 3.30 P.M., wind S.W. The mean of the Dry Bulb for the week was 43·4°; and of the Wet Bulb 41·6°. The mean humidity of the air was ·850; complete saturation being represented by 1·0. The rain-fall during the week measured ·094 in.

At Greenwich, the mean temperature of the week was 34·8°; and at Glasgow, 40·4°. The rain-fall during the week at Greenwich measured ·25 in., and at Glasgow 1·00 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876 Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Jan. 2, | 29·809 | 55·5 | 40·0 | 47·7 | 47·2 | 45·8 | ·890 | ·8 | ·020 | S.E. | S.W. | S.W. |
| Monday, „ 3, | 30·006 | 57·1 | 46·4 | 51·8 | 51·7 | 50·1 | ·882 | 1·0 | ·000 | S.W. | S.W. | S. |
| Tuesday, „ 4, | 30·113 | 53·8 | 35·7 | 44·7 | 49·0 | 45·5 | ·760 | ·8 | ·000 | S.W. | S. | S. |
| Wednesday, „ 5, | 30·250 | 53·0 | 37·5 | 45·3 | 43·8 | 42·5 | ·897 | ·8 | ·005 | S. | S.W. | Calm. |
| Thursday, „ 6, | 30·388 | 48·0 | 33·2 | 40·6 | 41·9 | 41·0 | ·927 | ·3 | ·035 | Calm. | Calm. | S.E. |
| Friday, „ 7, | 30·392 | 40·1 | 34·0 | 37·0 | 37·4 | 34·1 | ·724 | ·2 | ·014 | E. | E. | E. |
| Saturday, „ 8, | 30·068 | 36·0 | 21·7 | 28·8 | 33·1 | 31·9 | ·870 | ·3 | ·020 | E. | Calm. | Calm. |
| Mean, . . | 30·146 | 49·1 | 35·5 | 42·3 | 43·4 | 41·6 | ·850 | ·6 | Total, ·094 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Jan. 2, | A.M. Fine. | P.M. Dull. |
| Monday, „ 3, | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 4, | A.M. Fine. | P.M. Fine. |
| Wednesday, „ 5, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 6, | A.M. Fine. | P.M. Dull. |
| Friday, „ 7, | A.M. Fine and pleasant. | P.M. Fine. |
| Saturday, „ 8, | A.M. Dull. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 8th January, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 8TH JANUARY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . | 10,050 | 314,666 | 31 | 183 | 185 | 26 | 53 | . | 5 | 5 | . | 3 | 8 | 3 | 6 | 7 | 39 |
| BELFAST,† . . | 20,687 | 182,082 | 27 | 120 | 96 | 23 | 12 | . | . | 4 | . | . | . | 1 | 2 | 2 | 12 |
| CORK, . . . | 13,816 | 91,565 | 22 | 31 | 39 | 5 | 9 | . | 3 | 1 | . | . | 1 | 2 | 1 | 2 | 10 |
| LIMERICK, . . | 8,509 | 44,209 | 46 | 21 | 39 | 5 | 18 | . | . | . | . | 1 | 1 | 1 | . | . | 15 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 25 | 13 | 15 | 1 | 1 | . | . | 3 | 1 | . | . | . | . | . | 4 |
| WATERFORD, . . | 17,209 | 30,626 | 14 | 24 | 8 | 1 | 1 | . | . | . | . | . | . | . | 2 | 3 | . |
| GALWAY, . . | 21,358 | 19,692 | 29 | 8 | 11 | 3 | 3 | . | . | . | . | . | . | 1 | 2 | 2 | 5 |
| SLIGO, . . . | 30,835 | 17,285 | 36 | 4 | 12 | 1 | 9 | . | . | . | . | . | . | 1 | . | . | 1 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 8th January, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 21 | 8 | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | ,, ,, 2, | 17,938 | 14 | 11 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| | ,, ,, 3, | 39,311 | 16 | 15 | 12 | 3 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 65 | 20 | 24 | 5 | 5 | . | . | . | . | . | . | . | . | 1 | 11 |
| | ,, ,, 5, | 19,616 | 31 | 15 | 13 | 5 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 28 | 25 | 20 | 6 | 3 | . | . | 2 | . | . | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 20 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 45 | 7 | 7 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 16 | 16 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 3 | 3 | 2 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 2, | 11,555 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 31 | 5 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 33 | 1 | 4 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | 2 |
| | ,, ,, 5, | 11,289 | 14 | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 17 | 1 | 5 | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | . |
| | ,, ,, 7, | 7,586 | 35 | 3 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 34 | 6 | 12 | . | 3 | . | 2 | . | . | . | . | 1 | . | 1 | 7 |
| | ,, ,, 9, | 4,790 | 33 | 1 | 3 | . | 1 | . | 1 | . | . | . | . | . | . | . | 1 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 13 | 3 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 110 | 3 | 19 | . | 9 | . | . | . | . | . | 1 | 1 | . | . | 15 |
| | ,, ,, 3, | 11,424 | 23 | 3 | 5 | 2 | 3 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 43 | 12 | 13 | 3 | 4 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 35 | 2 | 6 | 1 | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 27 | 9 | 7 | . | 1 | . | . | 1 | . | . | . | . | . | . | 4 |
| | Glendermot, *W.* | 8,483 | 12 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . |
| WATERFORD, . | Waterford, *W.* | 30,626 | 14 | 24 | 8 | 1 | 1 | . | . | . | . | . | . | . | 2 | 3 | . |
| GALWAY, | Galway, No. 1, | 10,700 | 10 | . | 2 | . | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | ,, ,, 2, *W.* | 8,992 | 52 | 8 | 9 | 3 | 3 | . | . | . | . | . | . | 1 | . | . | 5 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 56 | 2 | 7 | . | 6 | . | . | . | . | . | . | 1 | . | . | 1 |
| | ,, ,, 2, | 10,829 | 24 | 2 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

**Births and Deaths *Registered* in the several Registration Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, during the Week ending Saturday, 8th January, 1876.**

| Names of Diseases, &c. | Registration Districts. | | | | | | | | | | | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 24 | 25 | 8 | 19 | 18 | 31 | 14 | 14 | 19 | 5 | 6 | 183 |
| **Deaths from all Causes,** | 20 | 25 | 28 | 25 | 9 | 25 | 19 | 14 | 13 | 3 | 4 | 185 |
| Zymotic Diseases: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | . | 2 | . | . | . | . | 1 | . | . | 5 |
| Scarlet Fever (Scarlatina), | 1 | 1 | . | . | . | 2 | 1 | . | . | . | . | 5 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 |
| Fever, | . | . | 1 | 3 | . | 2 | 1 | 1 | . | . | . | 8 |
| Diarrhœa, | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 3 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 3 | . | 4 | 5 | . | 3 | . | . | 1 | . | . | 16 |
| Total, | 4 | 3 | 6 | 11 | . | 5 | 4 | 3 | 4 | . | . | 40 |
| Constitutional Diseases: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 3 | 3 | 3 | 3 | 1 | 2 | . | 1 | . | . | 19 |
| Other Constitutional Diseases, | 1 | 3 | 1 | 3 | 1 | 2 | 1 | 4 | 1 | . | | 17 |
| Total, | 4 | 6 | 4 | 6 | 4 | 3 | 3 | 4 | 2 | . | . | 36 |
| Local Diseases: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | 4 | 4 | 3 | 2 | 4 | 2 | 2 | . | 1 | . | 23 |
| Diseases of the Heart and Circulatory Organs, | 1 | 1 | 1 | . | . | 2 | 1 | 1 | 3 | . | . | 10 |
| Diseases of the Respiratory Organs, | 7 | 11 | 4 | 2 | 2 | 7 | 4 | 3 | 2 | . | 1 | 43 |
| Diseases of the Digestive Organs, | . | . | . | . | 1 | . | . | . | . | . | . | 1 |
| Diseases of the Urinary Organs, | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 9 | 16 | 9 | 5 | 5 | 13 | 7 | 7 | 5 | 1 | 1 | 78 |
| Developmental Diseases, | 3 | . | 7 | 3 | . | 2 | 3 | . | 2 | 2 | 3 | 25 |
| Violent Deaths, | . | . | 2 | . | . | 2 | 2 | . | . | . | . | 6 |
| Causes not Specified or Ill-Defined, | . | . | . | . | . | . | . | . | . | . | . | . |
| Annual Rate of Mortality in every 1,000 of the Population, | 21 | 41 | 53 | 40 | 16 | | 27 | 5 | 31 | 22 | 11 | 31 |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | . | 5 | 4 | . | 5 | 1 | . | 6 | . | . | 21 |
| Workhouse Hospitals, | . | . | 10 | 8 | . | . | . | . | . | . | . | 18 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the [illegible] of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the FIRST WEEK, ending Saturday, January 8th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average Temperature and of Deaths in 1st Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, January 8th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jan. 6 1866 | Jan. 5 1867 | Jan. 4 1868 | Jan. 9 1869 | Jan. 8 1870 | Jan. 7 1871 | Jan. 6 1872 | Jan. 4 1873 | Jan. 10 1874 | Jan. 9 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 41·9 | ° 27·5 | ° 34·8 | ° 43·0 | ° 42·1 | ° 38·2 | ° 41·0 | ° 41·8 | ° 36·4 | ° 46·6 | ° 39·3 | ° 42·3 | | | | | | | |
| | **ALL CAUSES,** | 179 | 147 | 196 | 165 | 174 | 221 | 206 | 177 | 150 | 276 | 189·1 | 185 | 60 | 10 | 2 | 26 | 34 | 42 | 11 |
| | **SPECIFIED CAUSES,** | 174 | 145 | 194 | 164 | 172 | 220 | 202 | 174 | 144 | 273 | 186·2 | 185 | 60 | 10 | 2 | 26 | 34 | 42 | 11 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 39 | 27 | 45 | 23 | 36 | 47 | 52 | 33 | 26 | 42 | 37·0 | 40 | 18 | 5 | . | 8 | 5 | 4 | . |
| II. | CONSTITUTIONAL „ | 37 | 36 | 42 | 32 | 38 | 26 | 36 | 30 | 21 | 30 | 32·8 | 36 | 11 | . | 1 | 12 | 6 | 5 | 1 |
| III. | LOCAL „ | 78 | 59 | 77 | 87 | 72 | 105 | 85 | 81 | 56 | 145 | 84·5 | 78 | 22 | 4 | 1 | 4 | 23 | 22 | 2 |
| IV. | DEVELOPMENTAL „ | 16 | 20 | 23 | 19 | 15 | 36 | 26 | 23 | 32 | 49 | 25·9 | 25 | 7 | . | . | . | . | 10 | 8 |
| V. | VIOLENT DEATHS, | 4 | 3 | 7 | 3 | 11 | 6 | 3 | 7 | 9 | 7 | 6·0 | 6 | 2 | 1 | . | 2 | . | 1 | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 36 | 26 | 44 | 23 | 36 | 45 | 52 | 33 | 25 | 40 | 36·0 | 35 | 17 | 5 | . | 8 | 2 | 3 | . |
| | 2. ENTHETIC „ | 1 | . | . | . | . | 1 | . | . | . | 1 | ·3 | 2 | 1 | . | . | . | 1 | . | . |
| | 3. DIETIC „ | 2 | 1 | 1 | . | . | 1 | . | . | 1 | 1 | ·7 | 3 | . | . | . | . | 2 | 1 | . |
| | 4. PARASITIC „ | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 11 | 5 | 6 | 10 | 6 | 5 | 7 | 5 | 2 | 5 | 6·2 | 6 | . | . | . | . | . | 5 | 1 |
| | 2. TUBERCULAR „ | 26 | 31 | 36 | 22 | 32 | 21 | 29 | 25 | 19 | 25 | 26·6 | 30 | 11 | . | 1 | 12 | 6 | . | . |
| III. | DISEASES OF 1. NERVOUS SYSTEM, | 18 | 19 | 22 | 24 | 17 | 21 | 28 | 18 | 26 | 29 | 23·2 | 23 | 11 | . | 1 | . | 5 | 5 | 1 |
| | DISEASES OF 2. ORGANS OF CIRCULATION, | 6 | 8 | 3 | 11 | 10 | 7 | 6 | 6 | 6 | 15 | 7·8 | 10 | . | 2 | . | 3 | 2 | 3 | . |
| | DISEASES OF 3. RESPIRATORY ORGANS, | 41 | 28 | 41 | 37 | 40 | 68 | 45 | 45 | 19 | 88 | 45·2 | 43 | 11 | 2 | . | . | 16 | 13 | 1 |
| | DISEASES OF 4. DIGESTIVE ORGANS, | 10 | 3 | 7 | 12 | 4 | 6 | 2 | 8 | 2 | 8 | 6·2 | 1 | . | . | . | 1 | . | . | . |
| | DISEASES OF 5. URINARY ORGANS, | 2 | 1 | 3 | 1 | 1 | 2 | 4 | 4 | 1 | 4 | 2·3 | 1 | . | . | . | . | . | 1 | . |
| | DISEASES OF 6. ORGANS OF GENERATION, | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | DISEASES OF 7. ORGANS OF LOCOMOTION, | 1 | . | . | 1 | . | 1 | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | DISEASES OF 8. INTEGUMENTARY SYSTEM, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | . | 2 | . | 3 | 2 | 1 | 2 | 1 | . | . | 1·1 | 3 | 3 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | . | 1 | 3 | 2 | . | 2 | 2 | 1 | 1 | . | 1·2 | . | . | . | . | . | . | . | . |
| | 3 „ „ OLD PEOPLE | 9 | 10 | 13 | 10 | 11 | 23 | 15 | 16 | 26 | 28 | 16·1 | 17 | . | . | . | . | 9 | 8 | |
| | 4. DISEASES OF NUTRITION, | 7 | 7 | 7 | 4 | 2 | 10 | 7 | 5 | 5 | 21 | 7·5 | 5 | 4 | . | . | . | 1 | . | |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 3 | 3 | 6 | 2 | 10 | 5 | 3 | 7 | 7 | 7 | 5·3 | 6 | 2 | 1 | . | 2 | . | 1 | . |
| | *2. HOMICIDE, | 1 | . | . | . | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | 1 | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 5 | 2 | 2 | 1 | 1 | 1 | 4 | 2 | 6 | 3 | 2·7 | . | . | . | . | . | . | . | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMI
the FIRST WEEK, ending Saturday, 8th January, 1876; also the Deaths from each Disease Regist

| Class | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 1st Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, January 8th, 1876 | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | |
| | | Jan. 6 1866 | Jan. 5 1867 | Jan. 4 1868 | Jan. 9 1869 | Jan. 8 1870 | Jan. 7 1871 | Jan. 6 1872 | Jan. 4 1873 | Jan. 10 1874 | Jan. 9 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 41·9 | ° 27·5 | ° 34·8 | ° 43·0 | ° 42·1 | ° 38·2 | ° 41·0 | ° 41·8 | ° 36·4 | ° 46·6 | ° 39·3 | ° 42·3 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 36 | 4 | . | . | 4·0 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 1 | 2 | 1 | 1 | . | . | 4 | 2 | 1 | 1·2 | 5 | 4 | 1 | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 2 | 15 | 9 | 13 | 14 | 2 | 3 | 8 | 14 | 8·1 | 5 | 3 | 2 | . | . | . | . | . |
| | 4. Diphtheria, | 3 | 1 | . | . | 2 | . | . | 1 | 1 | 1 | ·9 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 4 | . | 4 | . | 3 | 2 | 2 | 4 | 1 | 1 | 2·1 | 4 | 4 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 7 | 1 | 10 | . | 1 | 14 | . | 7 | 3 | 1 | 4·4 | 3 | 3 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 8 | 2 | . | 2 | 1 | 1 | | 1 | . | . | . | 1 | . | . | . |
| | – Enteric or Typhoid Fever, | 15 | 12 | 4 | 2 | 2 | 3 | 5 | 4 | 4 | 3 | 7·9 | 3 | . | 1 | . | 2 | . | . | . |
| | – Simple continued Fever, | | | | 1 | 1 | 2 | 2 | 1 | 1 | 2 | | 4 | 1 | 1 | . | . | . | . | 2 |
| | 9. Erysipelas, | 1 | 2 | 1 | 2 | . | 2 | . | . | . | 4 | 1·2 | 1 | . | . | . | . | 1 | . | . |
| | 10. Puerperal Fever (Metria), | . | . | 1 | . | . | 2 | . | . | . | . | ·3 | 2 | . | . | . | 2 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | 2 | 2 | . | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 4 | 5 | 3 | 3 | 4 | 2 | 4 | 1 | 3 | 7 | 3·6 | 3 | 2 | . | . | 1 | . | . | . |
| | 15. Simple Cholera, | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18 Rheumatism, | . | . | 1 | 2 | . | 2 | 1 | 1 | . | 2 | ·9 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 19 Other Zymotic Diseases, | . | . | 1 | . | . | . | . | 1 | 1 | 1 | ·4 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | 2 | 1 | . | . | . | 1 | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | 2 | . | . | . | . | . | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | 1 | 1 | . | . | . | . | . | . | 1 | ·3 | 1 | . | . | . | 1 | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 6 | . | 2 | 2 | 2 | 1 | 4 | 3 | . | 2 | 2·2 | 3 | . | . | . | . | 2 | 1 | . |
| | 3. Cancer, | 2 | 5 | 3 | 6 | 4 | 3 | 3 | 1 | 1 | 3 | 3·1 | 2 | . | . | . | . | 2 | . | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 3 | . | 1 | 2 | . | 1 | . | 1 | 1 | . | ·9 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 1 | 6 | . | 1 | 1 | 2 | 2 | 1 | . | 1·5 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 2 | 4 | 2 | 1 | 4 | 3 | 2 | 1 | . | 1 | 2·0 | 6 | 6 | . | . | . | . | . | . |
| | 3. Phthisis, | 20 | 24 | 26 | 17 | 24 | 15 | 23 | 18 | 13 | 21 | 20·1 | 19 | . | 1 | 12 | 6 | . | . | . |
| | 4. Hydrocephalus, | 3 | 2 | 2 | 4 | 3 | 2 | 2 | 4 | 5 | 3 | 3·0 | 5 | 5 | . | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | . | 3 | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 1·4 | 2 | 1 | . | . | 1 | . | . | . |
| | 2. Apoplexy, | 1 | 3 | 4 | 5 | 4 | 1 | 1 | 2 | 3 | 3 | 2·7 | . | . | . | . | . | . | . | . |
| | 3. Paralysis, | 4 | 2 | 3 | 3 | 3 | 6 | 4 | 4 | 4 | 6 | 3·9 | 6 | . | . | . | 3 | 2 | 1 | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | . | . | . | . | . | 2 | 2 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 9 | 12 | 9 | 12 | 7 | 9 | 17 | 5 | 14 | 14 | 10·8 | 10 | 10 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 4 | 2 | 3 | 3 | 1 | 4 | 2 | 3 | 4 | 4 | 3·0 | 5 | . | . | 1 | . | 1 | 3 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | 2 | . | 1 | . | . | . | 1 | ·4 | 2 | . | . | . | 1 | 1 | . | . |
| | 3. *Heart Disease, &c.* | 6 | 8 | 3 | 9 | 10 | 6 | 6 | 6 | 6 | 14 | 7·4 | 8 | . | 2 | . | 2 | 1 | 3 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | 1 | . | . | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 31 | 22 | 33 | 29 | 30 | 53 | 35 | 39 | 13 | 64 | 34·9 | 34 | 10 | . | . | 12 | 11 | 1 | . |
| | 3. Pleurisy, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | 1 | . | 1 | . | . | . | . | . |
| | 4. Pneumonia, | 7 | 3 | 6 | 3 | 5 | 12 | 2 | 2 | 3 | 12 | 5·5 | 5 | 1 | 1 | . | 3 | . | . | . |
| | 5. Asthma, | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | ·6 | 1 | . | . | . | 1 | . | . | . |
| | 6. *Lung Disease, &c.* | 2 | 3 | 2 | 4 | 3 | 2 | 6 | 4 | 1 | 11 | 3·8 | 2 | . | . | . | . | 2 | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | 1 | . | . | . | . | . | . | 1 | 1 | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | 1 | 1 | 2 | . | 1 | . | . | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | Ascites, | . | . | . | . | . | . | . | 1 | . | 2 | ·3 | . | . | . | . | . | . | . | . |
| | Ulceration of Intestines, | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | Hernia, | . | . | . | 1 | 1 | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |

NNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in he corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 1st Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, January 8th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jan. 6 1866 | Jan. 5 1867 | Jan. 4 1868 | Jan. 9 1869 | Jan. 8 1870 | Jan. 7 1871 | Jan. 6 1872 | Jan. 4 1873 | Jan. 10 1874 | Jan. 9 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 41·9 | 27·5 | 34·8 | 43·0 | 42·1 | 38·2 | 41·0 | 41·8 | 36·4 | 46·6 | 39·3 | 42·3 | | | | | | | |
| II. | 7. Ileus, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| ous. | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | . | 4 | . | 1 | . | . | 1 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 6 | 1 | 2 | 7 | 2 | 3 | 2 | 1 | . | 4 | 2·8 | . | . | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 3. Bright's Disease (Nephria), | 2 | . | 1 | . | 1 | . | 2 | 2 | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | . | 1 | 1 | 1 | . | 2 | 1 | 2 | 1 | 4 | 1·3 | . | . | . | . | . | . | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | . | 1 | 1 | . | 2 | . | . | . | ·4 | 3 | 3 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | . | 2 | 1 | 1 | . | 1 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | 1 | 3 | 2 | . | 2 | 2 | 1 | 1 | . | 1·2 | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 9 | 10 | 13 | 10 | 11 | 23 | 15 | 16 | 26 | 28 | 16·1 | 17 | . | . | . | . | . | 9 | 8 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 7 | 7 | 7 | 4 | 2 | 10 | 7 | 5 | 5 | 21 | 7·5 | 5 | 4 | . | . | . | . | 1 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | 1 | 2 | . | 3 | 4 | 2 | 5 | 3 | 1 | 2·1 | 2 | . | . | . | 1 | . | 1 | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 3 | 4 | 2·0 | 2 | 1 | 1 | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | . | 1 | . | 4 | . | . | 1 | . | 1 | ·8 | 1 | . | . | . | 1 | . | . | . |
| | 6. Suffocation, | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE. | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | 1 | . | . | . | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 5 | 2 | 2 | 1 | 1 | 1 | 4 | 2 | 6 | 3 | 2·7 | . | . | . | . | . | . | . | . |

## Comparative Table of Births and Deaths Registered in the Dublin Registration District during the last Twenty-six Weeks.

| Dublin Registration District. | 1875. | | | | | | | | | | | | | | | | | | | | | | | | 1876. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 17. | July 24. | July 31. | Aug. 7. | Aug. 14. | Aug. 21. | Aug. 28. | Sep. 4. | Sep. 11. | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. |
| Births, | 153 | 170 | 188 | 106 | 176 | 220 | 200 | 188 | 140 | 216 | 134 | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 |
| Deaths, | 115 | 144 | 133 | 81 | 111 | 142 | 152 | 129 | 144 | 139 | 143 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 |
| Deaths under 5 years of age, | 38 | 37 | 44 | 22 | 32 | 47 | 61 | 56 | 64 | 62 | 59 | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 |
| Deaths 5–15, | 4 | 12 | 5 | 1 | 8 | 4 | 6 | 8 | 2 | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 |
| Deaths 15–20, | 5 | 7 | 3 | 1 | 2 | 4 | 2 | 2 | 5 | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 |
| Deaths 20–40, | 16 | 26 | 27 | 13 | 23 | 35 | 25 | 20 | 20 | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 |
| Deaths 40–60, | 24 | 29 | 20 | 19 | 24 | 25 | 31 | 21 | 28 | 21 | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 53 | 31 | 40 | 34 |
| Deaths 60–80, | 24 | 30 | 31 | 24 | 19 | 26 | 22 | 22 | 20 | 22 | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 |
| Deaths at 80 years of age and upwards, | 4 | 3 | 3 | 1 | 3 | 1 | 5 | . | 5 | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 1 | 2 | 1 | 1 | 2 | 3 | 5 | 3 | 4 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 3 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 |
| ,, Scarlatina, | 2 | 3 | 4 | 2 | 2 | 2 | . | 2 | 1 | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | | 2 | 1 | 2 | 5 |
| ,, Diphtheria, | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . |
| ,, Whooping Cough, | . | 3 | 3 | 1 | 4 | 5 | 5 | 4 | 3 | 7 | 5 | 5 | 4 | 3 | 7 | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 |
| ,, Fever, | 2 | 3 | 6 | 3 | 2 | 5 | 9 | 1 | 2 | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 |
| ,, Diarrhœa, | 1 | 4 | 3 | 2 | 5 | 15 | 13 | 13 | 19 | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 |
| ,, Phthisis, | 16 | 30 | 19 | 9 | 16 | 16 | 17 | 13 | 12 | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 |
| ,, Bronchitis, | 12 | 8 | 7 | 3 | 8 | 12 | 9 | 6 | 11 | 6 | 4 | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 |
| ,, Pneumonia, | 3 | 3 | 1 | 3 | 6 | 2 | 4 | 5 | 4 | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 3 | 5 | 4 | 3 | . | 4 | 5 |
| ,, Heart Disease, | 2 | 3 | 5 | 4 | 5 | 7 | 11 | 7 | 6 | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 |
| Mean Temperature of the Air | 55·3 | 59·9 | 56·7 | 59·0 | 62·1 | 62·8 | 61·6 | 60·4 | 56·5 | 59·8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 |
| Rain-fall in inches, | ·713 | 1·590 | ·070 | ·570 | 1·375 | ·010 | ·156 | ·798 | ·220 | ·549 | 1·301 | ·584 | ·353 | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·785 | ·861 | ·747 | ·828 | ·863 | ·755 | ·801 | ·804 | ·792 | ·837 | ·906 | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·801 | ·863 | ·845 | ·871 | ·850 |

Dublin: Printed by Alexander Thom, 87 & 88, Abbey-street,
For Her Majesty's Stationery Office.
[3805.—900.—1/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN)

AND IN THE TOWNS OF BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD GALWAY, AND SLIGO.

BIBLIOTECA·BODLEIANA·DUBLINENSIS

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JANUARY 15, 1876. [No. 2.

*General Register Office, Charlemont House, Dublin, January 17th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 15th January, 1876, represent an annual mortality of 33 in every 1,000 of the population, by the Census of 1871. In London the death rate was 24 in every 1,000 of the estimated population; in Glasgow, 27; and in Edinburgh, 31.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 165—87 boys and 78 girls,—and the deaths to 197—82 males and 115 females. The *average* numbers in the corresponding week of the previous ten years were—births, 160, and deaths, 190.

The number of deaths from zymotic diseases *registered* during the week was 34, including 6 from fever (1 typhus, 3 typhoid or enteric, and 2 simple continued fever), 5 from scarlet fever, 7 from whooping-cough, 4 from diarrhœa, 3 each from measles and erysipelas, 1 each from diphtheria, croup, influenza, &c.

Eleven children died from convulsions.

Bronchitis proved fatal in 38 instances, pneumonia or inflammation of the lungs in 7, pleurisy in 1, and lung disease unspecified in 11.

Four deaths were ascribed to apoplexy, 2 to paralysis, 4 to cephalitis, 1 to epilepsy, and 2 to brain disease unspecified.

Heart disease caused 14 deaths, liver disease 3, hepatitis or inflammation of the liver 1, and kidney disease unspecified 1.

Twenty-two persons died from phthisis or pulmonary consumption, 2 from mesenteric disease, 4 from hydrocephalus or water on the brain, and 3 from cancer.

Five accidental deaths were *registered*.

Fifty-four of the persons whose deaths were *registered* during the week were under 5 years of age, and 47 were aged 60 and upwards, including 22 persons aged 70 and upwards, of whom 6 were octogenarians.

Two deaths each from scarlet fever, whooping-cough, and diarrhœa, and 1 from measles were *registered* in Belfast.

Five deaths from scarlet fever, 3 from fever, 2 from whooping-cough, and 1 from measles were *registered* in Cork.

Three deaths from scarlet fever, 2 from whooping-cough, and 1 from measles were *registered* in Londonderry.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from Bronchitis. | Consumption. | Disease of Heart. | Convulsions. | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| Dublin City:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 6 | 1 | – | 2 | 31 |
| | No. 2 ,, | 31,993 | 4 | 3 | 3 | 2 | 19 |
| | No. 3 ,, | 27,546 | 5 | 2 | 2 | 1 | 27 |
| South Side, | No. 1 District, | 32,184 | 7 | 3 | 1 | 1 | 31 |
| | No. 2 ,, | 29,952 | 3 | 2 | 1 | 1 | 12 |
| | No. 3 ,, | 38,811 | 6 | 7 | 2 | – | 25 |
| | No. 4 ,, | 36,703 | 1 | 3 | 1 | – | 16 |
| Rathmines District, | | 20,939 | 3 | – | – | 2 | 17 |
| Donnybrook, ,, | | 21,758 | – | – | 2 | 2 | 10 |
| Blackrock, ,, | | 7,182 | – | – | – | – | 1 |
| Kingstown, ,, | | 18,461 | 3 | 1 | 2 | – | 8 |
| | Total, | 314,666 | 38 | 22 | 14 | 11 | 197 |

Forty-eight of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions: of this number 11 took place in the North Dublin, and 17 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 33 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 31 per 1,000; and in No. 3, North City (Blackhall-street), to 51 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital,* and *Stevens' Hospital,* the deaths *registered* afford an annual ratio of 50 per 1,000; in No. 2, South City District (High-street), the ratio was 21 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 33 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 23 per 1,000.

In the Suburban District of Rathmines the annual ratio was 42 per 1,000; in Donnybrook it was 24—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 7; and in Kingstown 23 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,431 and the deaths to 1,590 (against an average of 1,746 for corresponding week 1866–75); in Glasgow the births *registered* were 392, and the deaths 281; and in Edinburgh the births were 147, and the deaths 128. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·418 inches. The highest daily mean reading (30·599) occurred on Friday, and the lowest (30·208) on Wednesday.

The mean temperature during the week was 34·0° (the average in the corresponding week of the previous ten years was 41·5°); the lowest daily mean (29·2°) occurred on Sunday, and the highest (36·9°) on Wednesday.

The temperature was highest on Wednesday, when the thermometer registered 44·4°, and was lowest on Thursday, the mercury having fallen to 23·0°. The highest reading of the barometer during the week (30·626) occurred on Saturday, at 9.30 A.M., air calm, and the lowest (30·156) on Wednesday, at 9.30 A.M., wind W. The mean of the Dry Bulb for the week was 33·7°; and of the Wet Bulb 32·5°. The mean humidity of the air was ·868; complete saturation being represented by 1·0. The rain-fall during the week measured ·043 in.

At Greenwich, the mean temperature of the week was 30·7°; and the rain-fall measured ·16 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson,* R.E., *by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Jan. 9, | 30·308 | 35·1 | 23·3 | 29·2 | 26·5 | 25·9 | ·873 | ·7 | ·000 | S.E. | E.N.E. | W. |
| Monday, „ 10, | 30·447 | 38·4 | 30·0 | 34·2 | 35·1 | 33·5 | ·853 | ·8 | ·000 | N. | N. | N. |
| Tuesday, „ 11, | 30·320 | 41·8 | 29·5 | 35·6 | 32·2 | 31·0 | ·865 | ·5 | ·033 | N.W. | W. | W. |
| Wednesday, „ 12, | 30·208 | 44·4 | 29·3 | 36·9 | 37·7 | 36·8 | ·916 | ·8 | ·000 | W. | N.W. | N.W. |
| Thursday, „ 13, | 30·463 | 43·0 | 23·0 | 33·0 | 35·5 | 34·1 | ·888 | ·5 | ·000 | N.W. | N.E. | N.E. |
| Friday, „ 14, | 30·599 | 39·4 | 26·0 | 32·7 | 33·7 | 32·1 | ·832 | ·5 | ·000 | Calm. | Calm. | Calm. |
| Saturday, „ 15, | 30·531 | 43·0 | 29·8 | 36·4 | 35·3 | 33·8 | ·850 | ·7 | ·010 | Calm. | S.E. | S.E. |
| Mean, . . | 30·418 | 40·7 | 27·3 | 34·0 | 33·7 | 32·5 | ·868 | ·7 | Total, ·043 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Jan. 9 | A.M. Fine. | P.M. Fine. |
| Monday, „ 10 | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 11 | A.M. Fine. | P.M. Fine. |
| Wednesday, „ 12 | A.M. Fine. | P.M. Fine. |
| Thursday, „ 13 | A.M. Fine. | P.M. Fine. |
| Friday, „ 14 | A.M. Fine. | P.M. Fine. |
| Saturday, „ 15 | A.M. Fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 15th January, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 15TH JANUARY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, | 10,050 | 314,666 | 33 | 165 | 197 | 28 | 47 | . | 3 | 5 | 1 | 7 | 6 | 4 | 5 | 7 | 48 |
| BELFAST,† | 20,687 | 182,082 | 28 | 151 | 97 | 14 | 19 | . | 1 | 2 | . | 2 | . | 2 | . | . | 22 |
| CORK, | 13,816 | 91,565 | 37 | 60 | 65 | 9 | 13 | . | 1 | 5 | . | 2 | 3 | . | 1 | 5 | 16 |
| LIMERICK, | 8,509 | 44,209 | 25 | 17 | 21 | 5 | 6 | . | . | . | . | 2 | . | . | 1 | 2 | 4 |
| LONDONDERRY,‡ | 21,865 | 30,884 | 43 | 14 | 25 | 2 | 5 | . | 1 | 3 | . | 2 | . | . | . | 2 | 1 |
| WATERFORD, | 17,209 | 30,626 | 14 | 15 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | 1 |
| GALWAY, | 21,358 | 19,692 | 16 | 8 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, | 30,835 | 17,285 | 24 | 8 | 8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 15th January, 1876.

| REGISTRARS' DISTRICTS. | | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, | No. 1, | 19,679 | 16 | 10 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 17,938 | 29 | 8 | 10 | . | 5 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, | ,, 3, | 39,311 | 25 | 30 | 19 | 3 | 1 | . | . | 1 | . | 1 | . | . | . | . | . |
| | ,, | ,, 4, *W.* | 19,320 | 70 | 22 | 26 | 4 | 3 | . | . | . | . | . | . | . | . | . | 17 |
| | ,, | ,, 5, | 19,616 | 29 | 7 | 11 | 2 | . | . | . | . | . | 1 | . | 2 | . | . | . |
| | ,, | ,, 6, | 26,652 | 16 | 29 | 11 | 1 | . | . | . | 1 | . | . | . | . | . | . | . |
| | ,, | ,, 9, | 5,296 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 10, | 8,115 | 19 | 17 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | Castlereagh | ,, 1, | 16,155 | 35 | 18 | 11 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . |
| CORK, | Cork, | No. 1, | 10,156 | 20 | 9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 11,555 | 23 | 4 | 5 | . | 1 | . | . | . | . | . | 3 | . | . | . | 4 |
| | ,, | ,, 3, | 6,818 | 92 | 7 | 12 | 4 | 4 | . | . | . | . | 2 | . | . | . | . | . |
| | ,, | ,, 4, | 6,227 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 5, | 11,289 | 69 | 7 | 15 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | 11 |
| | ,, | ,, 6, | 15,230 | 48 | 18 | 14 | . | 4 | . | . | . | . | . | . | . | . | 3 | . |
| | ,, | ,, 7, | 7,586 | 41 | 2 | 6 | 2 | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, | ,, 8, *W.* | 18,364 | 20 | 9 | 7 | 1 | . | . | 1 | 5 | . | . | . | . | . | . | . |
| | ,, | ,, 9, | 4,790 | 11 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| LIMERICK, | Limerick, | No. 1, | 7,918 | 33 | 5 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, *W.* | 8,992 | 52 | 1 | 9 | . | 2 | . | . | . | . | . | . | . | 1 | 2 | 4 |
| | ,, | ,, 3, | 11,424 | 5 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 4, | 15,875 | 20 | 10 | 6 | 4 | 1 | . | . | . | . | 2 | . | . | . | . | . |
| LONDONDERRY, | Londonderry, | No. 1, | 8,832 | 35 | 4 | 6 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, | ,, 2, | 13,569 | 46 | 7 | 12 | . | 3 | . | . | . | . | . | . | . | . | 1 | 1 |
| | Glendermot, | *W.* | 8,483 | 43 | 3 | 7 | 1 | . | . | 1 | 3 | . | 1 | . | . | . | 1 | . |
| WATERFORD. | Waterford, | *W.* | 30,626 | 14 | 15 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | 1 |
| GALWAY, | Galway, | No. 1, | 10,700 | 15 | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, *W.* | 8,992 | 17 | 1 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, | Sligo, | No. 1, *W.* | 6,456 | 32 | 3 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, | ,, 2, | 10,829 | 19 | 5 | 4 | . | 4 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 15th January, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 29 | 24 | 20 | 14 | 19 | 10 | 20 | 7 | 11 | 4 | 7 | 165 |
| **Deaths from all Causes,** | 31 | 19 | 27 | 31 | 12 | 25 | 16 | 17 | 10 | 1 | 8 | 197 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | 1 | 1 | . | . | . | . | . | . | . | 3 |
| Scarlet Fever (Scarlatina), | 2 | . | . | . | . | . | 1 | 2 | . | . | . | 5 |
| Diphtheria, | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Whooping Cough, | 4 | 1 | . | 1 | . | 1 | . | . | . | . | . | 7 |
| Fever, | . | . | . | . | . | 1 | 2 | 2 | 1 | . | . | 6 |
| Diarrhœa, | 1 | . | . | 1 | . | 1 | 1 | . | . | . | . | 4 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 2 | . | 1 | 3 | . | . | 1 | 1 | . | . | . | 8 |
| Total, | 9 | 2 | 2 | 6 | . | 3 | 5 | 6 | 1 | . | . | 34 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 3 | 2 | 3 | 2 | 7 | 3 | . | . | . | 1 | 22 |
| Other Constitutional Diseases, | 2 | . | . | 1 | 1 | . | 1 | 3 | 1 | . | . | 9 |
| Total, | 3 | 3 | 2 | 4 | 3 | 7 | 4 | 3 | 1 | . | 1 | 31 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | 3 | 2 | 3 | 2 | 2 | 3 | 2 | 4 | . | . | 24 |
| Diseases of the Heart and Circulatory Organs, | . | 3 | 2 | 1 | 1 | 2 | 1 | . | 2 | . | 2 | 14 |
| Diseases of the Respiratory Organs, | 6 | 5 | 15 | 9 | 4 | 7 | 2 | 4 | 1 | 1 | 3 | 57 |
| Diseases of the Digestive Organs, | 2 | 1 | 2 | 1 | 2 | . | . | . | 1 | . | 1 | 10 |
| Diseases of the Urinary Organs, | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 12 | 12 | 21 | 14 | 9 | 11 | 6 | 7 | 8 | 1 | 6 | 107 |
| DEVELOPMENTAL DISEASES, | 6 | 1 | 2 | 7 | . | 2 | . | 1 | . | . | 1 | 20 |
| VIOLENT DEATHS, | 1 | 1 | . | . | . | 2 | 1 | . | . | . | . | 5 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | . | . | . | . | . | . | . | . | . |
| Annual Rate of Mortality in every 1,000 of the Population, | 33 | 31 | 51 | 50 | 21 | 33 | 23 | 42 | 24 | 7 | 23 | 33 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 2 | 4 | 2 | . | 10 | 2 | . | . | . | . | 20 |
| Workhouse Hospitals, | . | . | 11 | 17 | . | . | . | . | . | . | . | 28 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the ... of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

... 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand ... street and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the SECOND WEEK, ending Saturday, January 15th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 2nd Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, January 15th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Jan. 13 1866 | Jan. 12 1867 | Jan. 11 1868 | Jan. 16 1869 | Jan. 15 1870 | Jan. 14 1871 | Jan. 13 1872 | Jan. 11 1873 | Jan. 17 1874 | Jan. 16 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 39·9 | ° 36·6 | ° 39·3 | ° 46·9 | ° 39·3 | ° 38·5 | ° 41·5 | ° 46·1 | ° 39·6 | ° 47·2 | ° 41·5 | ° 34·0 | | | | | | | |
| | **ALL CAUSES,** | 191 | 192 | 199 | 148 | 152 | 196 | 248 | 165 | 146 | 261 | 189·8 | 197 | 54 | 9 | 6 | 37 | 44 | 41 | 6 |
| | **SPECIFIED CAUSES,** | 190 | 192 | 197 | 144 | 150 | 196 | 245 | 169 | 143 | 260 | 187·6 | 197 | 54 | 9 | 6 | 37 | 44 | 41 | 6 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 48 | 32 | 53 | 28 | 27 | 40 | 89 | 32 | 36 | 26 | 41·1 | 34 | 19 | 2 | 1 | 4 | 5 | 2 | 1 |
| II. | CONSTITUTIONAL „ | 38 | 41 | 30 | 26 | 21 | 31 | 36 | 24 | 22 | 44 | 31·3 | 31 | 5 | 3 | 3 | 12 | 7 | 1 | . |
| III. | LOCAL „ | 82 | 100 | 89 | 69 | 81 | 88 | 88 | 81 | 62 | 147 | 88·7 | 107 | 23 | 3 | 2 | 19 | 30 | 29 | 1 |
| IV. | DEVELOPMENTAL „ | 22 | 18 | 22 | 17 | 15 | 35 | 26 | 20 | 20 | 39 | 23·4 | 20 | 6 | . | . | . | 2 | 3 | 4 |
| V. | VIOLENT DEATHS, | . | 1 | 3 | 4 | 6 | 2 | 6 | 2 | 3 | 4 | 3·1 | 5 | 1 | 1 | . | 2 | . | 1 | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 47 | 29 | 52 | 28 | 25 | 37 | 38 | 31 | 36 | 22 | 39·5 | 33 | 19 | 2 | 1 | 4 | 4 | 2 | 1 |
| | 2. ENTHETIC „ | 1 | 2 | . | . | 2 | . | . | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | . | . | 1 | . | . | 2 | 1 | . | . | 3 | ·7 | 1 | . | . | . | . | 1 | . | . |
| | 4. PARASITIC „ | . | 1 | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 11 | 6 | 6 | 3 | 4 | 6 | 7 | 1 | 7 | 8 | 5·9 | 3 | . | . | . | . | 2 | 1 | . |
| | 2. TUBERCULAR „ | 37 | 35 | 24 | 23 | 17 | 25 | 29 | 23 | 15 | 36 | 25·4 | 28 | 5 | 3 | 3 | 12 | 5 | . | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 24 | 25 | 29 | 23 | 22 | 20 | 18 | 18 | 25 | 32 | 23·6 | 24 | 13 | 1 | . | 2 | 5 | 3 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 3 | 9 | 9 | 9 | 8 | 8 | 7 | 7 | 6 | 8 | 7·4 | 14 | . | 1 | 1 | 2 | 6 | 3 | 1 |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 47 | 51 | 41 | 30 | 43 | 48 | 54 | 49 | 36 | 94 | 48·3 | 57 | 10 | 1 | . | 12 | 15 | 19 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 7 | 7 | 6 | 5 | 6 | 8 | 5 | 7 | 3 | 10 | 6·4 | 10 | . | . | 1 | 3 | 4 | 2 | . |
| | 5. DISEASES OF URINARY ORGANS, | 1 | 7 | 3 | 2 | 1 | 1 | 3 | . | 2 | 2 | 2·2 | 1 | . | . | . | . | . | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | 1 | 1 | . | . | 3 | . | . | . | 1 | ·6 | 1 | . | . | . | . | . | 1 | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 4 | 2 | . | . | 1 | 5 | 1 | 2 | . | 2 | 1·7 | 3 | 3 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | . | . | 3 | 1 | . | 2 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 3. „ „ OLD PEOPLE | 11 | 9 | 11 | 11 | 9 | 20 | 15 | 15 | 10 | 26 | 13·7 | 12 | . | . | . | . | . | 8 | 4 |
| | 4. DISEASES OF NUTRITION, | 7 | 7 | 8 | 5 | 5 | 8 | 10 | 3 | 10 | 11 | 7·4 | 5 | 3 | . | . | . | 2 | . | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | . | 1 | 2 | 3 | 4 | 2 | 3 | 2 | 3 | 3 | 2·3 | 5 | 1 | 1 | . | 2 | . | 1 | . |
| | [o]2. HOMICIDE, | . | . | 1 | . | . | . | 2 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | 1 | 2 | . | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | . | 1 | 4 | 2 | . | 3 | 6 | 3 | 1 | 2·1 | . | . | . | . | . | . | . | . |

o Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the SECOND WEEK, ending Saturday, 15th January, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and Rainfall in 2nd Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, January 15th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jan. 13 1866 | Jan. 12 1867 | Jan. 11 1868 | Jan. 16 1869 | Jan. 15 1870 | Jan. 14 1871 | Jan. 13 1872 | Jan. 11 1873 | Jan. 17 1874 | Jan. 16 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 39·9 | ° 36·6 | ° 39·3 | ° 46·9 | ° 39·3 | ° 38·5 | ° 41·5 | ° 46·1 | ° 39·6 | ° 47·2 | ° 41·5 | ° 34·0 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 63 | 3 | . | . | 6·6 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 5 | 1 | . | 1 | 2 | 1 | . | 3 | 3 | . | 1·6 | 3 | 3 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 3 | 2 | 8 | 16 | 10 | 4 | 2 | 1 | 18 | 10 | 7·4 | 5 | 4 | . | . | 1 | . | . | . |
| | 4. Diphtheria, | 2 | . | 1 | 1 | . | 2 | 1 | . | . | 1 | ·8 | 1 | . | 1 | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 3 | . | 3 | 1 | . | 1 | 1 | . | 3 | 1 | 1·3 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 11 | . | 22 | 1 | 2 | 13 | 4 | 8 | . | 1 | 6·2 | 7 | 7 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 3 | 2 | 2 | 2 | 4 | 2 | | | 1 | 1 | . | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | 12 | 10 | 11 | 3 | . | 5 | 4 | 2 | 4 | 1 | 8·5 | 3 | . | 1 | . | 1 | 1 | . | . |
| | – Simple continued Fever, | | | | . | 2 | 3 | 3 | 5 | 4 | 1 | | 2 | 1 | . | . | 1 | . | . | . |
| | 9. Erysipelas, | 4 | 3 | . | . | . | 1 | . | . | 1 | 1 | 1·0 | 3 | . | . | . | . | 2 | . | 1 |
| | 10. Puerperal Fever (Metria), | . | . | 1 | . | 1 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | 1 | . | . | . | 1 | 2 | . | . | . | 2 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 13. Dysentery, | 2 | . | . | . | . | 1 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 2 | 5 | 1 | 2 | 4 | 2 | 6 | 2 | 1 | 1 | 2·6 | 4 | 2 | . | 1 | . | 1 | . | . |
| | 15. Simple Cholera, | . | 6 | . | . | . | . | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | 2 | 1 | . | 1 | . | . | . | . | 3 | ·8 | 2 | . | . | . | 1 | 1 | . | . |
| | 19 Other Zymotic Diseases, | 1 | . | 3 | . | . | . | 1 | 1 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | 2 | . | . | 2 | . | . | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | 2 | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | . | 1 | . | . | 2 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 6 | 4 | 3 | 1 | 2 | 1 | 3 | 1 | 3 | 4 | 2·8 | . | . | . | . | . | . | . | . |
| | 3. Cancer, | 5 | 2 | 3 | 2 | 1 | 4 | 2 | . | 4 | 3 | 2·6 | 3 | . | . | . | . | 2 | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | . | . | 1 | 2 | . | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 3 | 2 | 2 | . | 1 | . | 1 | 1 | 1 | 1·3 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 2 | 2 | 4 | 2 | 2 | 4 | 5 | 2 | . | 3 | 2·6 | 2 | 2 | . | . | . | . | . | . |
| | 3. Phthisis, | 18 | 27 | 16 | 17 | 14 | 16 | 22 | 19 | 14 | 29 | 19·2 | 22 | . | 2 | 3 | 12 | 5 | . | . |
| | 4. Hydrocephalus, | 5 | 3 | 2 | 2 | 1 | 4 | 2 | 1 | . | 3 | 2·3 | 4 | 3 | 1 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 1 | . | . | 2 | . | . | 1 | 2 | 1 | ·7 | 4 | 2 | 1 | . | 1 | . | . | . |
| | 2. Apoplexy, | 2 | 2 | 4 | 3 | 4 | 3 | 2 | 3 | 3 | 2 | 2·8 | 4 | . | . | . | . | 2 | 2 | . |
| | 3. Paralysis, | 9 | 7 | 5 | 4 | 4 | 2 | 3 | 2 | 1 | 4 | 4·1 | 2 | . | . | . | . | 1 | 1 | . |
| | 4. Insanity, | 1 | . | . | . | . | . | . | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | . | 2 | . | . | . | 1 | 2 | 3 | . | ·8 | 1 | . | . | . | 1 | . | . | . |
| | 7. Convulsions, | 10 | 9 | 17 | 13 | 10 | 12 | 11 | 8 | 14 | 15 | 11·9 | 11 | 11 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | 6 | 1 | 3 | 2 | 3 | 2 | 3 | 1 | 7 | 3·0 | 2 | . | . | . | . | 2 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | 1 | . | 1 | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | . | 1 | 1 | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 3 | 8 | 9 | 8 | 7 | 7 | 7 | 6 | 6 | 7 | 6·8 | 14 | . | 1 | 1 | 2 | 6 | 3 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | 1 | . | . | 1 | 1 | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 39 | 41 | 33 | 19 | 34 | 40 | 44 | 39 | 19 | 71 | 37·9 | 38 | 7 | . | . | 7 | 10 | 14 | . |
| | 3. Pleurisy, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 4. Pneumonia, | 4 | 5 | 4 | 4 | 6 | 4 | 3 | 4 | 2 | 15 | 5·1 | 7 | 2 | . | . | 3 | 1 | 1 | . |
| | 5. Asthma, | . | 2 | 2 | . | . | 1 | 1 | 1 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 4 | 3 | 2 | 6 | 3 | 3 | 4 | 3 | 4 | 7 | 3·9 | 11 | 1 | 1 | . | 2 | 4 | 3 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | 2 | . | . | . | . | 1 | 1 | . |
| | 2. Enteritis, | . | 2 | 1 | 1 | . | . | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 3. Peritonaitis, | 1 | 1 | . | 1 | . | . | 1 | . | . | 2 | ·6 | 1 | . | . | . | 1 | . | . | . |
| | 4. Ascites, | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 2 | . | . |

**ONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| lass. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 2nd Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, January 15th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jan. 13 1866 | Jan. 12 1867 | Jan. 11 1868 | Jan. 16 1869 | Jan. 15 1870 | Jan. 14 1871 | Jan. 13 1872 | Jan. 11 1873 | Jan. 17 1874 | Jan. 16 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 39·9 | 36·6 | 39·3 | 46·9 | 39·2 | 38·7 | 41·5 | 46·1 | 39·6 | 47·2 | 41·5 | Mean Temp. 34·0 | | | | | | | |
| III | 7. Ileus, | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| con. | 8. Intussusception, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 9. Stricture of Intestines, | · | · | · | · | · | 2 | 1 | · | · | · | ·3 | · | · | · | · | · | · | · | · |
| | 10. Fistula, | · | · | · | · | · | · | · | · | · | · | · | 1 | · | · | · | 1 | · | · | · |
| | 11. *Stomach Disease, &c.* | 1 | 1 | 2 | 2 | · | 2 | 1 | 1 | · | 5 | 1·5 | · | · | · | · | · | · | · | · |
| | 12. *Pancreas Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | 1 | · | · | · | · | · | · | · |
| | 13. Hepatitis, | 1 | · | 1 | · | · | · | · | · | · | · | ·2 | · | · | · | · | 1 | · | · | · |
| | 14. Jaundice, | 1 | · | · | · | · | · | · | · | · | · | ·1 | 3 | · | · | 1 | · | 1 | 1 | · |
| | 15. *Liver Disease, &c.* | 2 | 3 | 2 | 1 | 5 | 3 | 2 | 4 | 1 | 1 | 2·4 | · | · | · | · | · | · | · | · |
| | 16. *Spleen Disease, &c.* | · | · | · | · | · | · | · | · | 2 | · | ·2 | · | · | · | · | · | · | · | · |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | · | · | · | · | 1 | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. Ischuria, | 1 | · | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 3. Bright's Disease (Nephria), | · | 3 | 1 | · | · | · | 2 | · | 1 | · | ·7 | · | · | · | · | · | · | · | · |
| | 4. Diabetes, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Calculus (Stone), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 6. Cystitis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 7. *Kidney Disease, &c.* | · | 4 | 2 | 2 | · | 1 | 1 | · | 1 | 2 | 1·3 | 1 | · | · | · | · | · | 1 | · |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. *Uterus Disease, &c.* | · | · | · | · | 1 | · | 1 | · | · | · | ·2 | · | · | · | · | · | · | · | · |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. *Joint Disease, &c.* | · | · | 1 | · | · | 3 | · | · | · | 1 | ·5 | 1 | · | · | · | · | · | 1 | · |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Ulcer, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. *Skin Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | · | · | · | · | · | 2 | · | 1 | · | 1 | ·4 | 2 | 2 | · | · | · | · | · | · |
| | 2. Cyanosis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Spina Bifida, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Other Malformations, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Teething, | 4 | 2 | · | · | 1 | 3 | 1 | 1 | · | 1 | 1·3 | 1 | 1 | · | · | · | · | · | · |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Childbirth (*see also* Puerperal Fever), | · | · | 3 | 1 | · | 2 | · | · | · | · | ·6 | · | · | · | · | · | · | · | · |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 11 | 9 | 11 | 11 | 9 | 20 | 15 | 15 | 10 | 26 | 13·7 | 12 | · | · | · | · | · | 8 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 7 | 7 | 8 | 5 | 5 | 8 | 10 | 3 | 10 | 11 | 7·4 | 5 | 3 | · | · | · | 2 | · | · |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | · | · | 1 | 1 | 2 | · | 1 | 1 | · | 1 | ·7 | 2 | · | · | · | 2 | · | · | · |
| | 2. Wounds, | · | · | · | · | · | · | · | · | · | · | · | 1 | · | · | · | · | · | 1 | · |
| | 3. Burns and Scalds, | · | · | 1 | 1 | 1 | 1 | 2 | · | · | 1 | ·7 | 1 | 1 | · | · | · | · | · | · |
| | 4. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Drowning, | · | 1 | · | 1 | 1 | · | · | 1 | 1 | 1 | ·6 | 1 | · | 1 | · | · | · | · | · |
| | 6. Suffocation, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 7. Otherwise, | · | · | · | · | · | 1 | · | · | 2 | · | ·3 | · | · | · | · | · | · | · | · |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | · | · | 1 | · | · | · | 2 | · | · | · | ·3 | · | · | · | · | · | · | · | · |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | · | · | · | 1 | 1 | · | · | · | · | · | ·2 | · | · | · | · | · | · | · | · |
| | 2. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3 Drowning, | · | · | · | · | 1 | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 4. Hanging, | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| | 5. Otherwise, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Other Violent Deaths (not classed), | · | · | · | · | · | · | 1 | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| — | Sudden Deaths (Cause unascertained), | · | · | 1 | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | Causes not specified or ill-defined, | 1 | · | 1 | 4 | 2 | · | 3 | 6 | 3 | 1 | 2·1 | · | · | · | · | · | · | · | · |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | | | | | | | | | | | 1876. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 24. | July 31. | Aug. 7. | Aug. 14. | Aug. 21. | Aug. 28. | Sep. 4. | Sep. 11. | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. |
| BIRTHS, | 170 | 188 | 106 | 176 | 220 | 200 | 188 | 140 | 216 | 134 | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 |
| DEATHS, | 144 | 133 | 81 | 111 | 142 | 152 | 129 | 144 | 139 | 143 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 |
| Deaths under 5 years of age, | 57 | 44 | 22 | 32 | 47 | 61 | 56 | 64 | 62 | 59 | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 84 |
| Deaths 5–15, | 12 | 5 | 1 | 8 | 4 | 6 | 8 | 2 | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 |
| Deaths 15–20, | 7 | 3 | 1 | 2 | 4 | 2 | 2 | 5 | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 |
| Deaths 20–40, | 26 | 27 | 13 | 23 | 35 | 25 | 20 | 20 | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 |
| Deaths 40–60, | 29 | 20 | 19 | 24 | 25 | 31 | 21 | 28 | 21 | 24 | 22 | 25 | 26 | 24 | 27 | 29 | 33 | 33 | 23 | 34 | 35 | 23 | 31 | 40 | 34 | 44 |
| Deaths 60–80, | 30 | 31 | 24 | 19 | 26 | 22 | 22 | 20 | 22 | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 27 | 42 | 53 | 50 | 47 | 50 | 42 | 41 |
| Deaths at 80 years of age and upwards, | 3 | 3 | 1 | 3 | 1 | 5 | . | 5 | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 2 | 1 | 1 | 2 | 3 | 5 | 8 | 4 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 8 | 3 |
| ,, Scarlatina, | 8 | 4 | 2 | 2 | 2 | . | 2 | 1 | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 1 | 2 | 1 | 2 | 5 | 5 |
| ,, Diphtheria, | 1 | 1 | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 |
| ,, Whooping Cough, | 3 | 3 | 1 | 4 | 5 | 5 | 4 | 3 | 7 | 5 | 5 | 4 | 3 | 7 | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 |
| ,, Fever, | 3 | 6 | 3 | 2 | 5 | 9 | 1 | 2 | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 |
| ,, Diarrhœa, | 4 | 3 | 2 | 5 | 15 | 13 | 13 | 19 | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 |
| ,, Phthisis, | 30 | 19 | 9 | 16 | 16 | 17 | 13 | 12 | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 |
| ,, Bronchitis, | 8 | 7 | 8 | 8 | 12 | 9 | 6 | 11 | 6 | 4 | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 |
| ,, Pneumonia, | 3 | 1 | 3 | 6 | 2 | 4 | 5 | 4 | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 |
| ,, Heart Disease, | 3 | 5 | 4 | 5 | 7 | 11 | 7 | 6 | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 |
| Mean Temperature of the Air | 59·9 | 56·7 | 59·0 | 62·1 | 62·8 | 61·6 | 60·4 | 56·5 | 59·8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 |
| Rain-fall in inches, | 1·590 | ·070 | ·570 | 1·375 | ·010 | ·156 | ·798 | ·220 | ·549 | 1·301 | ·584 | ·253 | ·385 | 1·580 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·861 | ·747 | ·898 | ·863 | ·755 | ·801 | ·804 | ·792 | ·837 | ·906 | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·834 | ·829 | ·835 | ·801 | ·863 | ·845 | ·871 | ·850 | ·866 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
For Her Majesty's Stationery Office.
[2605.—300.—1/76.]

BIBLIOTHECA BODLEIANA

# WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JANUARY 22, 1876. [No. 3.

*General Register Office, Charlemont House, Dublin, January 24th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 22nd January, 1876, represent an annual mortality of 34 in every 1,000 of the population, by the Census of 1871. In London the death rate was 27 in every 1,000 of the estimated population; in Glasgow, 29; and in Edinburgh, 23.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 166—81 boys and 85 girls,—and the deaths to 203—102 males and 101 females. The *average* numbers in the corresponding week of the previous ten years were—births, 160, and deaths, 185.

Of the deaths *registered* during the week 35 were caused by zymotic diseases, viz.:—4 by fever (2 typhoid or enteric, and 2 simple continued fever), 7 by scarlet fever—5 of which occurred in Rathmines district—10 by whooping-cough, 4 by measles, 1 each by diphtheria, croup, erysipelas, and diarrhœa; &c.

The deaths of 14 children were ascribed to convulsions.

Bronchitis caused 43 deaths (against an average of 40 for the corresponding week of the previous ten years), pneumonia or inflammation of the lungs 7, pleurisy 2, asthma 1, and lung disease unspecified 3.

Three deaths were attributed to apoplexy, 5 to paralysis, 1 to insanity, and 2 to brain disease unspecified.

Four deaths resulted from heart disease, 1 from aneurism, and 1 from kidney disease unspecified.

Phthisis or pulmonary consumption proved fatal in 29 instances, hydrocephalus or water on the brain in 6, and mesenteric disease, scrofula, and cancer, each in 1.

A woman aged 70 years died from the effects of accidental burning.

Fifty-nine of the persons whose deaths were *registered* during the week were under 5 years of age, and 48 were aged 60 and upwards, including 27 persons aged 70 and upwards, of whom 7 were octogenarians.

Two deaths from scarlet fever, and 1 each from diphtheria and whooping-cough were *registered* in Belfast.

Three deaths from measles, and 1 each from fever, scarlet fever, and diarrhœa were *registered* in Cork.

Two deaths from scarlet fever and 1 from measles were *registered* in Londonderry.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from Bronchitis. | Consumption. | Convulsions. | Whooping Cough. | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| DUBLIN CITY:— | | | | | | | |
| North Side | No. 1 District, | 49,137 | 6 | 4 | 3 | 3 | 25 |
| | No. 2 ,, | 31,993 | 3 | 2 | 1 | 1 | 13 |
| | No. 3 ,, | 27,546 | 4 | 6 | 3 | 2 | 29 |
| South Side | No. 1 District, | 32,184 | 8 | 4 | – | 1 | 45 |
| | No. 2 ,, | 29,952 | 8 | 4 | 2 | – | 20 |
| | No. 3 ,, | 38,811 | 5 | 2 | 2 | 1 | 20 |
| | No. 4 ,, | 36,703 | 3 | 1 | 2 | – | 14 |
| RATHMINES DISTRICT, | | 20,939 | 3 | 2 | – | 1 | 14 |
| DONNYBROOK, ,, | | 21,758 | 1 | 4 | 1 | – | 14 |
| BLACKROCK, ,, | | 7,182 | – | – | – | 1 | 5 |
| KINGSTOWN, ,, | | 18,461 | 2 | – | – | – | 4 |
| | Total, | 314,666 | 43 | 29 | 14 | 10 | 203 |

Fifty-six of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin, and 24 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 26 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 21 per 1,000; and in No. 3, North City (Blackhall-street), to 55 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital,* and *Stevens' Hospital,* the deaths *registered* afford an annual ratio of 73 per 1,000; in No. 2, South City District (High-street), the ratio was 35 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 27 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 20 per 1,000.

In the Suburban District of Rathmines the annual ratio was 35 per 1,000; in Donnybrook it was 33—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 36; and in Kingstown 11 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,627 and the deaths to 1,782 (against an average of 1,689 for corresponding week 1866–75); in Glasgow the births *registered* were 392, and the deaths 309; and in Edinburgh the births were 107, and the deaths 95. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·056 inches. The highest daily mean reading (30·429) occurred on Sunday, and the lowest (29·711) on Thursday.

The mean temperature during the week was 41·2° (the average in the corresponding week of the previous ten years was 40·9°); the lowest daily mean (31·2°) occurred on Friday, and the highest (48·9°) on Wednesday.

The temperature was highest on Wednesday, when the thermometer registered 53·5°, and was lowest on Friday, the mercury having fallen to 21·3°. The highest reading of the barometer during the week (30·435) occurred on Sunday, at 9.30 P.M., air calm, and the lowest (29·700) on Thursday, at 9.30 A.M., wind S.W. The mean of the Dry Bulb for the week was 42·1°; and of the Wet Bulb 40·4°. The mean humidity of the air was ·854; complete saturation being represented by 1·0. The rain-fall during the week measured ·145 in.

At Greenwich, the mean temperature of the week was 39·5°; and at Glasgow, 40·3°. The rain-fall at Greenwich measured ·54 in.; and at Glasgow, 1·42 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson,* R.E., *by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Jan. 16, | 30·429 | 44·0 | 31·5 | 37·7 | 41·7 | 40·9 | ·920 | ·8 | ·010 | S.W. | W. | Calm. |
| Monday, „ 17, | 30·126 | 51·0 | 39·0 | 45·0 | 46·4 | 45·2 | ·908 | ·6 | ·050 | Calm. | S.W. | S.W. |
| Tuesday, „ 18, | 30·147 | 51·3 | 42·5 | 46·9 | 44·1 | 41·6 | ·813 | 1·0 | ·010 | W. | Calm. | S.W. |
| Wednesday, „ 19, | 29·815 | 53·5 | 44·2 | 48·9 | 50·0 | 48·2 | ·875 | ·8 | ·055 | S.W. | S.W. | S.W. |
| Thursday, „ 20, | 29·711 | 47·0 | 31·5 | 39·2 | 41·6 | 40·4 | ·898 | ·8 | ·000 | S.W. | W. | W. |
| Friday, „ 21, | 29·990 | 41·0 | 21·3 | 31·2 | 32·8 | 31·0 | ·804 | ·7 | ·000 | N. | N. | Calm. |
| Saturday, „ 22, | 30·177 | 47·8 | 31·8 | 39·8 | 38·5 | 35·8 | ·762 | ·9 | ·020 | Calm. | S.W. | S.W. |
| Mean, . . | 30·056 | 47·9 | 34·5 | 41·2 | 42·1 | 40·4 | ·854 | ·8 | Total, ·145 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Jan. 16, | A.M. Dull. | P.M. Dull, but fine. |
| Monday, „ 17, | A.M. Dull. | P.M. Raining. |
| Tuesday, „ 18, | A.M. Dull, but fine. | P.M. Dull, but fine. |
| Wednesday, „ 19, | A.M. Raining. | P.M. Gloomy. |
| Thursday, „ 20, | A.M. Raining. | P.M. Dull, but fine. |
| Friday, „ 21, | A.M. Fine and pleasant. | P.M. Fine and starlight. |
| Saturday, „ 22, | A.M. Fine and pleasant. | P.M. Gloomy. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 22nd January, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 22ND JANUARY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, | 10,050 | 314,666 | 34 | 166 | 203 | 25 | 48 | . | 4 | 7 | 1 | 10 | 4 | 1 | 1 | 3 | 56 |
| BELFAST,† | 20,687 | 182,082 | 28 | 116 | 99 | 16 | 17 | . | . | 2 | 1 | 1 | . | . | 2 | 2 | 15 |
| CORK, | 13,816 | 91,565 | 41 | 45 | 72 | 12 | 17 | . | 3 | 1 | . | . | 1 | 1 | 1 | 1 | 21 |
| LIMERICK, | 8,509 | 44,209 | 40 | 21 | 34 | 1 | 12 | . | . | . | . | 3 | . | 2 | . | . | 19 |
| LONDONDERRY,‡ | 21,865 | 30,884 | 20 | 16 | 12 | 1 | 1 | . | 1 | 2 | . | . | . | . | 2 | 2 | 1 |
| WATERFORD, | 17,209 | 30,626 | 31 | 18 | 18 | 1 | 6 | . | . | . | . | . | . | . | . | . | 11 |
| GALWAY, | 21,358 | 19,692 | 16 | 11 | 6 | . | 4 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, | 30,835 | 17,285 | 12 | 12 | 4 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | 1 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 22nd January, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 16 | 11 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 35 | 7 | 12 | 1 | 3 | . | . | . | . | . | . | . | 1 | . | 5 |
| | ,, ,, 3, | 39,311 | 29 | 33 | 22 | . | 3 | . | . | 1 | . | . | . | . | . | . | 2 |
| | ,, ,, 4, *W.* | 19,320 | 54 | 14 | 20 | 5 | 4 | . | . | . | . | 1 | . | . | . | . | 6 |
| | ,, ,, 5, | 19,616 | 29 | 9 | 11 | 3 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 20 | 23 | 14 | 3 | 2 | . | . | 1 | . | . | . | . | . | 1 | 2 |
| | ,, ,, 9, | 5,296 | 49 | 3 | 5 | 1 | 2 | . | . | . | . | . | . | . | 1 | 1 | . |
| | ,, ,, 10, | 8,115 | 26 | 4 | 4 | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 16 | 12 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 26 | 6 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, | 11,555 | 18 | 7 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 38 | 4 | 5 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 33 | 2 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 46 | 7 | 10 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | ,, ,, 6, | 15,230 | 37 | 10 | 11 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 21 | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 76 | 2 | 27 | 1 | 11 | . | 2 | 1 | . | . | 1 | 1 | . | . | 19 |
| | ,, ,, 9, | 4,790 | 33 | 3 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 3 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 69 | 5 | 12 | . | 6 | . | . | . | . | 1 | . | 1 | . | . | 10 |
| | ,, ,, 3, | 11,424 | 59 | 5 | 13 | 1 | 3 | . | . | . | . | 1 | . | 1 | . | . | 9 |
| | ,, ,, 4, | 15,875 | 16 | 11 | 5 | . | 2 | . | . | . | . | 1 | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 8 | 3 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . |
| | ,, ,, 2, | 13,569 | 28 | 6 | 6 | 1 | 1 | . | 1 | . | . | . | . | . | 1 | 1 | 1 |
| | Glendermot, *W.* | 8,483 | 18 | 2 | 3 | . | . | . | . | 1 | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 31 | 18 | 18 | 1 | 6 | . | . | . | . | . | . | . | . | . | 11 |
| GALWAY, | Galway, No. 1, | 10,700 | 5 | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 29 | 5 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 8 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 14 | 5 | 3 | 1 | . | . | . | 1 | 1 | . | . | . | . | . | 1 |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

**Births and Deaths *Registered* in the several Registration Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, during the Week ending Saturday, 22nd January, 1876.**

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,982 | 38,611 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 28 | 20 | 13 | 19 | 10 | 20 | 26 | 11 | 9 | 3 | 7 | 166 |
| **Deaths from all Causes,** | 25 | 13 | 29 | 45 | 20 | 20 | 14 | 14 | 14 | 5 | 4 | 203 |
| Zymotic Diseases: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | 1 | . | 1 | . | . | 1 | . | . | 4 |
| Scarlet Fever (Scarlatina), | 1 | . | . | . | . | . | . | 5 | 1 | . | . | 7 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Whooping Cough, | 3 | 1 | 2 | 1 | . | 1 | . | 1 | . | 1 | . | 10 |
| Fever, | 1 | . | . | 3 | . | . | . | . | . | . | . | 4 |
| Diarrhœa, | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | . | 1 | . | 1 | 1 | 1 | 3 | . | 1 | . | . | 8 |
| Total, | 5 | 3 | 3 | 6 | 1 | 3 | 3 | 6 | 3 | 2 | . | 35 |
| Constitutional Diseases: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 4 | 2 | 6 | 4 | 4 | 2 | 1 | 2 | 4 | . | . | 29 |
| Other Constitutional Diseases, | 1 | . | 2 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | . | 13 |
| Total, | 5 | 2 | 8 | 5 | 5 | 5 | 2 | 3 | 5 | 2 | | 42 |
| Local Diseases: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 4 | 1 | 7 | 4 | 2 | 3 | 2 | . | 1 | . | 2 | 26 |
| Diseases of the Heart and Circulatory Organs, | 1 | 1 | . | 2 | 1 | . | . | . | . | . | . | 5 |
| Diseases of the Respiratory Organs, | 7 | 3 | 7 | 12 | 9 | 6 | 3 | 4 | 3 | . | 2 | 56 |
| Diseases of the Digestive Organs, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Urinary Organs, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | 2 |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 12 | 5 | 14 | 21 | 12 | 9 | 5 | 4 | 4 | . | 4 | 90 |
| Developmental Diseases, | 3 | 3 | 3 | 12 | 1 | 3 | 4 | 1 | 2 | 1 | . | 33 |
| Violent Deaths, | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Causes not Specified or Ill-Defined, | . | . | . | 1 | 1 | . | . | . | . | . | . | 2 |
| Annual Rate of Mortality in every 1,000 of the Population, | 26 | 21 | 55 | 73 | 35 | 27 | 20 | 35 | 33 | 36 | 11 | 34 |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | . | 10 | 5 | . | 2 | 3 | . | 5 | . | . | 25 |
| Workhouse Hospitals, | . | . | 7 | 24 | . | . | . | . | . | . | . | 31 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clarbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 52, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street and 19, Donzillo-street.

**HS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, NNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the IRD WEEK, ending Saturday, January 22nd, 1876; also the Number of Deaths from each Class of Diseases, ristered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 3rd Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, January 22nd, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | Jan. 20 1866 | Jan. 19 1867 | Jan. 18 1868 | Jan. 23 1869 | Jan. 22 1870 | Jan. 21 1871 | Jan. 20 1872 | Jan. 18 1873 | Jan. 24 1874 | Jan. 23 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | ° 47·2 | ° 25·4 | ° 46·8 | ° 43·8 | ° 40·4 | ° 36·4 | ° 39·7 | ° 44·7 | ° 40·9 | ° 43·9 | ° 40·9 | ° 41·2 | | | | | | | |
| **ALL CAUSES,** | 187 | 187 | 188 | 171 | 179 | 218 | 187 | 184 | 150 | 202 | 185·3 | 203 | 59 | 13 | 4 | 40 | 39 | 41 | 7 |
| **SPECIFIED CAUSES,** | 184 | 185 | 184 | 170 | 177 | 218 | 186 | 177 | 148 | 196 | 182·5 | 201 | 57 | 13 | 4 | 40 | 39 | 41 | 7 |
| (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| ZYMOTIC DISEASES, | 42 | 33 | 39 | 35 | 48 | 42 | 67 | 22 | 33 | 18 | 37·9 | 35 | 19 | 6 | . | 7 | 2 | 1 | . |
| CONSTITUTIONAL „ | 32 | 34 | 34 | 29 | 29 | 37 | 27 | 47 | 34 | 28 | 33·1 | 42 | 6 | 4 | 4 | 22 | 5 | 1 | . |
| LOCAL „ | 87 | 90 | 90 | 87 | 71 | 105 | 70 | 81 | 61 | 114 | 85·6 | 90 | 25 | 3 | . | 10 | 29 | 21 | 2 |
| DEVELOPMENTAL „ | 17 | 16 | 20 | 15 | 24 | 28 | 21 | 18 | 16 | 34 | 20·9 | 33 | 7 | . | . | 1 | 3 | 17 | 5 |
| VIOLENT DEATHS, | 6 | 12 | 1 | 4 | 5 | 6 | 1 | 9 | 4 | 2 | 5·0 | 1 | . | . | . | . | . | 1 | . |
| (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| 1. MIASMATIC DISEASES, | 41 | 27 | 38 | 35 | 47 | 40 | 67 | 20 | 33 | 16 | 36·4 | 32 | 19 | 6 | . | 4 | 2 | 1 | . |
| 2. ENTHETIC „ | 1 | 1 | 1 | . | . | 2 | . | 1 | . | . | ·6 | 2 | . | . | . | 2 | . | . | . |
| 3. DIETIC „ | . | 5 | . | . | 1 | . | . | 1 | . | 2 | ·9 | 1 | . | . | . | 1 | . | . | . |
| 4. PARASITIC „ | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 1. DIATHETIC DISEASES, | 9 | 3 | 9 | 3 | 6 | 4 | 5 | 12 | 6 | 3 | 6·0 | 5 | 1 | . | . | 2 | 1 | 1 | . |
| 2. TUBERCULAR „ | 23 | 31 | 25 | 26 | 23 | 33 | 22 | 35 | 28 | 25 | 27·1 | 37 | 5 | 4 | 4 | 20 | 4 | . | . |
| 1. DISEASES OF NERVOUS SYSTEM, | 28 | 16 | 19 | 26 | 20 | 34 | 17 | 19 | 14 | 17 | 21·0 | 26 | 14 | 1 | . | 1 | 5 | 4 | 1 |
| 2. DISEASES OF ORGANS OF CIRCULATION, | 10 | 4 | 9 | 12 | 6 | 1 | 7 | 12 | 12 | 7 | 8·0 | 5 | . | 1 | . | 2 | 1 | 1 | . |
| 3. DISEASES OF RESPIRATORY ORGANS, | 40 | 58 | 51 | 41 | 38 | 64 | 37 | 40 | 28 | 84 | 48·1 | 56 | 11 | 1 | . | 6 | 22 | 15 | 1 |
| 4. DISEASES OF DIGESTIVE ORGANS, | 7 | 7 | 6 | 5 | 6 | 4 | 5 | 7 | 3 | 5 | 5·5 | . | . | . | . | . | . | . | . |
| 5. DISEASES OF URINARY ORGANS, | 2 | 3 | 4 | 3 | 1 | 2 | 2 | 1 | 3 | . | 2·1 | 1 | . | . | . | . | 1 | . | . |
| 6. DISEASES OF ORGANS OF GENERATION, | . | 1 | 1 | . | . | . | 1 | . | . | . | ·3 | 2 | . | . | . | 1 | . | 1 | . |
| 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | . | . | . | . | . | 1 | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | 1 | . | . | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| 1. DEV. DISEASES OF CHILDREN, | 1 | . | 1 | . | 1 | 2 | 3 | 2 | 2 | 3 | 1·5 | 2 | 2 | . | . | . | . | . | . |
| 2. „ „ ADULTS, | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 2 | ·9 | 1 | . | . | . | 1 | . | . | . |
| 3 „ „ OLD PEOPLE | 8 | 11 | 11 | 5 | 19 | 17 | 13 | 10 | 12 | 20 | 12·6 | 20 | . | . | . | . | . | 15 | 5 |
| 4. DISEASES OF NUTRITION, | 8 | 5 | 8 | 9 | 3 | 8 | 5 | 3 | 1 | 9 | 5·9 | 10 | 5 | . | . | . | 3 | 2 | . |
| 1. ACCIDENT OR NEGLIGENCE, | 5 | 12 | . | 4 | 5 | 5 | . | 6 | 3 | 2 | 4·2 | 1 | . | . | . | . | . | 1 | . |
| *3. HOMICIDE, | 1 | . | . | . | . | 1 | 1 | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| 4. SUICIDE, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| OTHER VIOLENT DEATHS NOT CLASSED, | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | 3 | 2 | 4 | 1 | 2 | . | 1 | 7 | 2 | 6 | 2·8 | 2 | 2 | . | . | . | . | . | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES the THIRD WEEK, ending Saturday, 22nd January, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 3rd Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, January 22nd, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jan. 20 1866 | Jan. 19 1867 | Jan. 18 1868 | Jan. 23 1869 | Jan. 22 1870 | Jan. 21 1871 | Jan. 20 1872 | Jan. 18 1873 | Jan. 24 1874 | Jan. 23 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 47·2 | ° 25·4 | ° 46·8 | ° 43·8 | ° 40·4 | ° 36·4 | ° 39·7 | ° 44·7 | ° 40·9 | ° 43·9 | ° 40·9 | Mean Temp. ° 41·2 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | . | 41 | . | 1 | . | 4·3 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 3 | . | . | . | 3 | 1 | . | 4 | 3 | . | 1·4 | 4 | 3 | 1 | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 2 | 1 | 7 | 12 | 15 | 10 | 5 | 1 | 12 | 6 | 7·1 | 7 | 5 | 1 | . | 1 | . | . | . |
| | 4. Diphtheria, | 2 | 1 | . | . | . | . | 3 | . | 1 | 1 | ·8 | 1 | 1 | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 2 | 1 | 1 | 5 | 2 | 1 | 4 | 3 | 4 | . | 2·3 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 5 | 2 | 13 | . | 1 | 9 | . | 3 | 2 | 1 | 3·6 | 10 | 8 | 2 | . | . | . | . | . |
| | 8. Typhus, | | | | . | 8 | 1 | 2 | . | 4 | . | | . | . | . | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | 19 | 9 | 10 | 6 | 5 | 8 | 6 | 4 | 2 | 2 | 9·8 | 2 | 1 | . | . | 1 | . | . | . |
| | – Simple continued Fever, | | | | 2 | 2 | 4 | 2 | 1 | 1 | . | | 2 | . | 2 | . | . | . | . | . |
| | 9. Erysipelas, | 1 | 1 | 1 | . | 1 | . | . | 1 | . | 1 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 10. Puerperal Fever (Metria), | 1 | 3 | . | . | 1 | 1 | . | . | . | . | ·6 | 2 | . | . | . | 2 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | 2 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 3 | 8 | 4 | 7 | 5 | 4 | 4 | 3 | 2 | 2 | 4·2 | 1 | . | . | . | . | 1 | . | . |
| | 15. Simple Cholera, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | . | . | 1 | 1 | 1 | . | . | 1 | 1 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 19 Other Zymotic Diseases, | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | 1 | 1 | . | . | 2 | . | 1 | . | . | ·6 | 2 | . | . | . | 2 | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | 3 | . | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | 2 | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 4 | 1 | 4 | 1 | 2 | 1 | 3 | 5 | 3 | . | 2·4 | 4 | 1 | . | . | 2 | 1 | . | . |
| | 3. Cancer, | 3 | 2 | 4 | 2 | 2 | 3 | 2 | 6 | 3 | 3 | 3·0 | 1 | . | . | . | . | . | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 2 | . | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 5 | 1 | 3 | 1 | 4 | 1 | 3 | . | 1 | 2·0 | 1 | . | 1 | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 4 | 6 | 1 | 1 | 2 | 7 | 3 | 2 | 1 | 2 | 2·9 | 1 | 1 | . | . | . | . | . | . |
| | 3. Phthisis, | 15 | 20 | 20 | 18 | 18 | 15 | 16 | 26 | 22 | 19 | 18·9 | 29 | . | 1 | 4 | 20 | 4 | . | . |
| | 4. Hydrocephalus, | 3 | . | 3 | 4 | 2 | 7 | 2 | 4 | 5 | 3 | 3·3 | 6 | 4 | 2 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 1 | 1 | 2 | 1 | 1 | 2 | 1 | . | 1 | 1·0 | 1 | . | 1 | . | . | . | . | . |
| | 2. Apoplexy, | 3 | 2 | 2 | 2 | . | 3 | 2 | 1 | 3 | 3 | 2·1 | 3 | . | . | . | . | 2 | 1 | . |
| | 3. Paralysis, | 7 | 5 | 3 | 3 | 4 | 6 | . | 1 | . | 1 | 3·0 | 5 | . | . | . | . | 1 | 3 | 1 |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | 1 | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | 2 | . | 2 | 2 | . | 2 | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 12 | 5 | 8 | 12 | 10 | 19 | 10 | 14 | 10 | 8 | 10·8 | 14 | 14 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 6 | 2 | 3 | 7 | 3 | 3 | 3 | . | 1 | 3 | 3·1 | 2 | . | . | . | . | 2 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Heart Disease, &c.* | 10 | 4 | 9 | 12 | 6 | 1 | 7 | 12 | 11 | 7 | 7·9 | 4 | . | 1 | . | 2 | . | 1 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 30 | 47 | 41 | 34 | 33 | 56 | 33 | 34 | 22 | 67 | 39·7 | 43 | 11 | . | . | 6 | 17 | 8 | 1 |
| | 3. Pleurisy, | . | 2 | . | . | 1 | . | . | . | 1 | . | ·4 | 2 | . | 1 | . | . | . | 1 | . |
| | 4. Pneumonia, | 5 | 2 | 4 | 3 | 2 | 2 | 1 | 1 | 3 | 6 | 2·9 | 7 | . | . | . | . | 2 | 5 | . |
| | 5. Asthma, | . | . | 1 | . | . | 2 | . | 1 | . | 1 | ·5 | 1 | . | . | . | . | 1 | . | . |
| | 6. *Lung Disease, &c.* | 5 | 7 | 4 | 4 | 2 | 4 | 3 | 3 | 2 | 10 | 4·4 | 3 | . | . | . | . | 2 | 1 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | . | 1 | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | 1 | . | . | . | . | . | 2 | . | . | . | ·3 | . | . | . | . | . | . | . | . |

**NNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in he corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 3rd Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, January 22nd, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Jan. 20 1866 | Jan. 19 1867 | Jan. 18 1868 | Jan. 23 1869 | Jan. 22 1870 | Jan. 21 1871 | Jan. 20 1872 | Jan. 18 1873 | Jan. 24 1874 | Jan. 23 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 47·2 | 25·4 | 46·8 | 43·8 | 40·4 | 36·4 | 39·7 | 44·7 | 40·9 | 43·9 | 40·9 | 41·2 | | | | | | | |
| II. | 7. Ileus, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 2 | . | . | 2 | . | . | 2 | . | 2 | ·9 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 2 | 5 | 4 | 4 | 3 | 3 | 3 | 3 | 2 | 1 | 3·0 | . | . | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | 1 | . | 1 | 1 | 1 | . | . | 2 | . | ·6 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | 2 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 2 | 2 | 1 | 1 | . | . | 2 | . | 1 | . | ·9 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | 1 | . | . | . | . | . | . | . | ·1 | 2 | . | . | . | 1 | . | 1 | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | . | . | 1 | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | . | 1 | 1 | 2 | 1 | . | 2 | ·8 | 1 | 1 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | . | 1 | . | . | 1 | 1 | . | 2 | 1 | ·6 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesis, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | . | . | 1 | 1 | 1 | . | 2 | 1 | 2 | ·8 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 8 | 11 | 11 | 5 | 19 | 17 | 13 | 10 | 12 | 20 | 12·6 | 20 | . | . | . | . | . | 15 | 5 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 8 | 5 | 8 | 9 | 3 | 8 | 5 | 3 | 1 | 9 | 5·9 | 10 | 5 | . | . | . | 3 | 2 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | 3 | . | 2 | 3 | . | . | 2 | 1 | . | 1·3 | . | . | . | . | . | . | . | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | 4 | . | 1 | 1 | 3 | . | 1 | . | 1 | 1·2 | 1 | . | . | . | . | . | 1 | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 2 | 1 | . | 1 | . | 2 | . | 3 | 1 | . | 1·0 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | 2 | . | . | 1 | . | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | 2 | . | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | 1 | . | . | . | . | 1 | 1 | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 3 | 2 | 4 | 1 | 2 | . | 1 | 7 | 2 | 6 | 2·8 | 2 | 2 | . | . | . | . | . | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. July 31. | Aug. 7. | Aug. 14. | Aug. 21. | Aug. 28. | Sep. 4. | Sep. 11. | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | 1876. Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BIRTHS, . . . . | 188 | 106 | 176 | 220 | 200 | 188 | 140 | 216 | 134 | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 |
| DEATHS, . . . . . | 133 | 81 | 111 | 142 | 152 | 129 | 144 | 139 | 143 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 |
| Deaths under 5 years of age, . | 44 | 22 | 32 | 47 | 61 | 56 | 64 | 62 | 59 | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 |
| Deaths 5–15, . . . . | 5 | 1 | 8 | 4 | 6 | 8 | 2 | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 |
| Deaths 15–20, . . . . | 3 | 1 | 2 | 4 | 2 | 2 | 5 | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 |
| Deaths 20–40, . . . . | 27 | 13 | 23 | 35 | 25 | 20 | 20 | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 |
| Deaths 40–60, . . . . | 20 | 19 | 24 | 25 | 31 | 21 | 28 | 21 | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 34 | 44 | 39 |
| Deaths 60–80, . . . . | 31 | 24 | 19 | 26 | 22 | 22 | 20 | 22 | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 |
| Deaths at 80 years of age and upwards, . . . . | 3 | 1 | 3 | 1 | 5 | . | 5 | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . . | 1 | 1 | 2 | 3 | 5 | 8 | 4 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 |
| ,, Scarlatina, . | 4 | 2 | 2 | 2 | . | 2 | 1 | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 |
| ,, Diphtheria, . | 1 | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 |
| ,, Whooping Cough, | 3 | 1 | 4 | 5 | 5 | 4 | 3 | 7 | 5 | 5 | 4 | 3 | . | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 |
| ,, Fever. . . | 6 | 3 | 2 | 5 | 9 | 1 | 2 | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 |
| ,, Diarrhœa, . . | 3 | 2 | 5 | 15 | 13 | 13 | 19 | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 |
| ,, Phthisis, . . | 19 | 9 | 16 | 16 | 17 | 13 | 12 | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 |
| ,, Bronchitis, . | 7 | 8 | 8 | 12 | 9 | 6 | 11 | 6 | 4 | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 |
| ,, Pneumonia, . | 1 | 3 | 6 | 2 | 4 | 5 | 4 | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 |
| ,, Heart Disease, . | 5 | 4 | 5 | 7 | 11 | 7 | 6 | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 |
| Mean Temperature of the Air | 56·7 | 59·0 | 62·1 | 62·8 | 61·6 | 60·4 | 56·5 | 59·8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 46·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 |
| Rain-fall in inches, . . | ·070 | ·570 | 1·375 | ·010 | ·156 | ·798 | ·220 | ·549 | 1·301 | ·584 | ·353 | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·747 | ·822 | ·863 | ·755 | ·801 | ·894 | ·792 | ·837 | ·906 | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·862 | ·824 | ·829 | ·825 | ·801 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
For Her Majesty's Stationery Office.
[2605.—300.—1/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN,)

AND IN THE TOWNS OF BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

BIBLIOTECA NACIONAL

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JANUARY 29, 1876. [No. 4.

*General Register Office, Charlemont House, Dublin, January 31st, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 29th January, 1876, represent an annual mortality of 35 in every 1,000 of the population, by the Census of 1871. In London the death rate was 24 in every 1,000 of the estimated population; in Glasgow, 29; and in Edinburgh, 23.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 182—86 boys and 96 girls,—and the deaths to 209—122 males and 87 females. The *average* numbers in the corresponding week of the previous ten years were—births, 181, and deaths, 203.

The number of deaths from zymotic diseases *registered* during the week was 35, including 6 from fever (2 typhus, 3 typhoid or enteric, and 1 simple continued fever), 7 from scarlet fever —3 of which occurred in the city, 2 in Rathmines district, and 2 in Donnybrook district—8 from whooping-cough, 4 from diarrhœa, 2 each from measles, croup, and erysipelas, 1 from influenza, &c. Fourteen children died from convulsions.

Bronchitis proved fatal in 40 instances (against an average of 42 deaths for the corresponding week of the previous ten years), pneumonia or inflammation of the lungs in 7, pleurisy and asthma each in 1, and lung disease unspecified in 8.

Five deaths were attributed to paralysis, 5 to cephalitis, or inflammation of the brain, 1 to epilepsy, and 2 to brain disease unspecified. Heart disease caused 8 deaths, liver disease 5, jaundice 1, nephria or Bright's disease 2, and kidney disease unspecified 7. Seventeen deaths resulted from phthisis or pulmonary consumption, 5 from hydrocephalus or water on the brain, 2 from mesenteric disease, and 1 from cancer. Two deaths were caused by accidental burning.

Fifty-seven of the persons whose deaths were *registered* during the week were under 5 years of age, and 59 were aged 60 and upwards, including 33 persons aged 70 and upwards, of whom 9 were octogenarians, and 4 (females) were stated to have been aged, respectively, 90, 90, 98, and 102 years.

Three deaths from scarlet fever, 2 from fever, and 1 each from diphtheria, measles, and diarrhœa were *registered* in Belfast. Three deaths from diarrhœa, and 2 each from measles and whooping-cough were *registered* in Cork. Two deaths from whooping-cough, and 1 each from fever and diarrhœa were *registered* in Limerick. Two deaths from scarlet fever, and 1 each from measles and diarrhœa were *registered* in Londonderry. Four deaths from fever were *registered* in Waterford.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Convulsions. | Whooping Cough. | |
| Dublin City:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 8 | 3 | 2 | 4 | 39 |
| | No. 2 ,, | 31,993 | 2 | 1 | 2 | 2 | 14 |
| | No. 3 ,, | 27,546 | 4 | – | – | – | 19 |
| South Side, | No. 1 District, | 32,184 | 8 | 5 | 1 | – | 42 |
| | No. 2 ,, | 29,952 | 4 | – | 2 | – | 13 |
| | No. 3 ,, | 38,811 | 6 | 2 | 3 | 2 | 26 |
| | No. 4 ,, | 36,703 | 5 | 3 | 3 | – | 19 |
| Rathmines District, | | 20,939 | 2 | 1 | – | – | 18 |
| Donnybrook, ,, | | 21,758 | 1 | 1 | 1 | – | 11 |
| Blackrock, ,, | | 7,182 | – | – | – | – | 1 |
| Kingstown, ,, | | 18,461 | – | 1 | – | – | 7 |
| | Total, | 314,666 | 40 | 17 | 14 | 8 | 209 |

Seventy of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin, and 21 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 41 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 23 per 1,000; and in No. 3, North City (Blackhall-street), to 36 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 68 per 1,000; in No. 2, South City District (High-street), the ratio was 23 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 35 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 27 per 1,000.

In the Suburban District of Rathmines the annual ratio was 45 per 1,000; in Donnybrook it was 26—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 7; and in Kingstown 20 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,733 and the deaths to 1,637 (against an average of 1,666 for corresponding week 1866–75); in Glasgow the births *registered* were 395, and the deaths 303; and in Edinburgh the births were 150, and the deaths 95. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·163 inches. The highest daily mean reading (30·342) occurred on Monday, and the lowest (30·100) on Thursday.

The mean temperature during the week was 48·2° (the average in the corresponding week of the previous ten years was 40·5°); the lowest daily mean (46·3°) occurred on Friday, and the highest (51·0°) on Wednesday.

The temperature was highest on Wednesday, when the thermometer registered 56·5°, and was lowest on Thursday, the mercury having fallen to 40·8°. The highest reading of the barometer during the week (30·367) occurred on Monday, at 9.30 P.M., wind S.W., and the lowest (30·078) on Saturday, at 9.30 P.M., wind S. The mean of the Dry Bulb for the week was 48·3°; and of the Wet Bulb 45·9°. The mean humidity of the air was ·829; complete saturation being represented by 1·0. The rain-fall during the week measured ·025 in.

At Greenwich, the mean temperature of the week was 40·2°; at Glasgow, 45·2°; and at Edinburgh, 45·9°. The rain-fall at Glasgow measured ·70 in. There was not any rain at Greenwich during the week.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876 Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Jan. 23, | 30·124 | 50·5 | 44·5 | 47·5 | 45·5 | 42·3 | ·832 | ·5 | ·005 | S.W. | S.W. | S.W. |
| Monday, „ 24, | 30·342 | 53·5 | 42·5 | 48·0 | 48·0 | 46·1 | ·856 | 1·0 | ·000 | W.S.W | S.W. | S.W. |
| Tuesday, „ 25, | 30·185 | 54·8 | 41·3 | 48·0 | 47·3 | 44·5 | ·794 | ·7 | ·000 | S.W. | S.E. | S.E. |
| Wednesday, „ 26, | 30·133 | 56·5 | 45·5 | 51·0 | 50·9 | 47·7 | ·782 | ·8 | ·000 | S.W. | S.S.W. | S.S.W. |
| Thursday, „ 27, | 30·100 | 55·5 | 40·8 | 48·2 | 50·3 | 47·2 | ·789 | ·6 | ·000 | S.S.W. | S.S.W. | S.S.W. |
| Friday, „ 28, | 30·149 | 51·0 | 41·0 | 46·3 | 47·0 | 46·2 | ·934 | ·8 | ·000 | S.W. | W. | S. |
| Saturday, „ 29, | 30·112 | 52·0 | 45·2 | 48·6 | 49·0 | 46·8 | ·807 | ·9 | ·020 | S.S.E. | S.E. | S. |
| Mean, . . | 30·163 | 53·5 | 42·9 | 48·2 | 48·3 | 45·9 | ·829 | ·8 | Total, ·025 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Jan. 23, | A.M. Dull stormy morning. | P.M. Gloomy. |
| Monday, „ 24, | A.M. Fine. | P.M. Gloomy. |
| Tuesday, „ 25, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |
| Wednesday, „ 26, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 27, | A.M. Fine. | P.M. Fine. |
| Friday, „ 28, | A.M. Fine. | P.M. Fine, starlight. |
| Saturday, „ 29, | A.M. Fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 29th January, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 29TH JANUARY, 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, | 10,050 | 314,666 | 35 | 182 | 209 | 35 | 59 | . | 2 | 7 | . | 8 | 6 | 4 | 2 | 1 | 70 |
| BELFAST,† | 20,687 | 182,082 | 27 | 128 | 96 | 15 | 18 | . | 1 | 3 | 1 | . | 2 | 1 | 7 | 7 | 16 |
| CORK, | 13,816 | 91,965 | 33 | 43 | 58 | 7 | 20 | . | 2 | . | . | 2 | . | 3 | . | 1 | 16 |
| LIMERICK, | 8,509 | 44,209 | 28 | 18 | 24 | . | 9 | . | . | . | . | 2 | 1 | 1 | . | 1 | 10 |
| LONDONDERRY,‡ | 21,865 | 30,884 | 34 | 20 | 20 | 5 | 5 | . | 1 | 2 | . | . | . | 1 | . | . | 9 |
| WATERFORD, | 17,209 | 30,626 | 20 | 14 | 12 | 2 | 4 | . | . | . | . | . | 4 | . | 1 | 1 | 4 |
| GALWAY, | 21,358 | 19,692 | 26 | 16 | 10 | 3 | 5 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, | 30,835 | 17,285 | 18 | 10 | 6 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | 3 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 29th January, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 21 | 15 | 8 | 1 | 2 | . | . | . | 1 | . | . | . | . | . | . |
| | " " 2, | 17,938 | 49 | 16 | 17 | 3 | 3 | . | . | . | . | . | . | . | 7 | 7 | 7 |
| | " " 3, | 39,311 | 16 | 27 | 12 | 2 | 2 | . | 1 | . | . | . | 1 | . | . | . | . |
| | " " 4, *W.* | 19,320 | 46 | 19 | 17 | 2 | 6 | . | . | . | . | . | . | . | . | . | 9 |
| | " " 5, | 19,616 | 29 | 10 | 11 | 1 | 3 | . | . | . | . | . | . | 1 | . | . | . |
| | " " 6, | 36,652 | 16 | 17 | 11 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 9, | 5,296 | 10 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | " " 10, | 8,115 | 26 | 8 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh " 1, | 16,155 | 48 | 11 | 15 | 5 | 1 | . | . | 3 | . | . | 1 | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 36 | 7 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | 1 | . |
| | " " 2, | 11,555 | 14 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | " " 3, | 6,818 | 46 | 7 | 6 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | " " 4, | 6,227 | 33 | 6 | 4 | 1 | 1 | . | 1 | . | . | 1 | . | . | . | . | . |
| | " " 5, | 11,289 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | " " 6, | 15,230 | 27 | 8 | 8 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | " " 7, | 7,536 | 28 | 7 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| | " " 8, *W.* | 18,364 | 59 | 8 | 21 | 1 | 11 | . | . | . | . | . | . | 1 | . | . | 15 |
| | " " 9, | 4,790 | 54 | . | 5 | . | 2 | . | 1 | . | . | . | . | 1 | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 13 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, *W.* | 8,992 | 64 | 3 | 11 | . | 5 | . | . | . | . | . | 1 | 1 | . | . | 9 |
| | " " 3, | 11,424 | 14 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 |
| | " " 4, | 15,875 | 26 | 7 | 8 | . | 2 | . | . | . | . | 2 | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | " " 2, | 13,569 | 23 | 11 | 6 | 1 | 1 | . | 1 | 1 | . | . | . | 1 | . | . | . |
| | Glendermot, *W.* | 8,485 | 68 | 7 | 11 | 2 | 4 | . | . | 1 | . | . | . | . | . | . | 3 |
| WATERFORD, | Waterford, *W.* | 30,626 | 20 | 14 | 12 | 2 | 4 | . | . | . | . | . | 4 | . | 1 | 1 | 4 |
| GALWAY, | Galway, No. 1, | 10,700 | 15 | 6 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, *W.* | 8,992 | 40 | 10 | 7 | 2 | 3 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 24 | 4 | 3 | . | 2 | . | . | . | . | . | . | 1 | . | . | 3 |
| | " " 2, | 10,829 | 14 | 6 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District

**Births and Deaths *Registered* in the several Registration Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, during the Week ending Saturday, 29th January, 1876.**

| Names of Diseases, &c. | Registration Districts. | | | | | | | | | | | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 22 | 33 | 19 | 23 | 12 | 27 | 24 | 8 | 10 | 1 | 3 | 182 |
| **Deaths from all Causes,** | 39 | 14 | 19 | 42 | 13 | 26 | 19 | 18 | 11 | 1 | 7 | 209 |
| Zymotic Diseases: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | . | . | . | . | . | . | 1 | 2 |
| Scarlet Fever (Scarlatina), | 2 | . | . | . | 1 | . | . | 2 | 2 | . | . | 7 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 4 | 2 | . | . | . | 2 | . | . | . | . | . | 8 |
| Fever, | 2 | . | . | 2 | . | . | 1 | 1 | . | . | . | 6 |
| Diarrhœa, | . | 1 | 1 | 1 | . | 1 | . | . | . | . | . | 4 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 1 | 1 | . | 2 | . | 2 | 1 | . | . | . | 1 | 8 |
| Total, | 9 | 4 | 1 | 6 | 1 | 5 | 2 | 3 | 2 | . | 2 | 35 |
| Constitutional Diseases: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 1 | . | 5 | . | 2 | 3 | 1 | 1 | . | 1 | 17 |
| Other Constitutional Diseases, | 1 | 1 | . | 2 | 1 | 3 | 1 | 1 | . | . | . | 10 |
| Total, | 4 | 2 | . | 7 | 1 | 5 | 4 | 2 | 1 | . | 1 | 27 |
| Local Diseases: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 5 | 2 | 1 | 5 | 4 | 3 | 4 | . | 3 | . | . | 27 |
| Diseases of the Heart and Circulatory Organs, | 2 | . | 2 | 1 | . | . | . | 1 | 1 | . | 1 | 8 |
| Diseases of the Respiratory Organs, | 12 | 2 | 7 | 12 | 5 | 8 | 7 | 3 | 1 | . | . | 57 |
| Diseases of the Digestive Organs, | 2 | . | 3 | 1 | . | 1 | 1 | 1 | . | . | . | 9 |
| Diseases of the Urinary Organs, | . | . | . | 2 | 1 | 2 | . | 1 | 1 | . | 2 | 9 |
| Diseases of the Organs of Generation, | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | 22 | 4 | 13 | 22 | 10 | 14 | 12 | 6 | 6 | . | 3 | 112 |
| Developmental Diseases, | 3 | 4 | 4 | 5 | 1 | 2 | 1 | 7 | 2 | 1 | 1 | 31 |
| Violent Deaths, | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 |
| Causes not Specified or Ill-Defined, | . | . | . | 2 | . | . | . | . | . | . | . | 2 |
| Annual Rate of Mortality in every 1,000 of the Population, | 41 | 23 | 36 | 68 | 23 | 35 | 27 | 45 | 26 | 7 | 20 | 35 |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 16 | 4 | 5 | 2 | . | 8 | . | . | 1 | . | 3 | 39 |
| Workhouse Hospitals, | . | . | 10 | 21 | . | . | . | . | . | . | . | 31 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the FOURTH WEEK, ending Saturday, January 29th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Ages. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 4th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, January 29th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Jan. 27 1866 | Jan. 26 1867 | Jan. 25 1868 | Jan. 30 1869 | Jan. 29 1870 | Jan. 28 1871 | Jan. 27 1872 | Jan. 25 1873 | Jan. 31 1874 | Jan. 30 1875 | | Deaths of Persons of the Ages | | | | | | | |
| | | | | | | | | | | | | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 44·9 | ° 41·6 | ° 40·1 | ° 43·0 | ° 37·9 | ° 34·3 | ° 39·2 | ° 35·7 | ° 42·6 | ° 45·5 | ° 40·5 | ° 48·2 | | | | | | | |
| | **ALL CAUSES,** | 162 | 263 | 227 | 199 | 184 | 206 | 215 | 156 | 183 | 234 | 202·9 | 209 | 57 | 13 | 7 | 30 | 43 | 46 | 13 |
| | **SPECIFIED CAUSES,** | 161 | 262 | 227 | 195 | 182 | 204 | 213 | 150 | 182 | 230 | 200·6 | 207 | 56 | 13 | 7 | 30 | 43 | 45 | 13 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 37 | 39 | 50 | 30 | 31 | 48 | 53 | 12 | 48 | 36 | 38·4 | 35 | 17 | 7 | 1 | 4 | 3 | 3 | . |
| II. | CONSTITUTIONAL „ | 34 | 47 | 45 | 33 | 36 | 23 | 41 | 37 | 26 | 32 | 35·4 | 27 | 7 | 1 | 2 | 10 | 4 | 3 | . |
| III. | LOCAL „ | 77 | 141 | 92 | 106 | 93 | 104 | 85 | 74 | 77 | 124 | 97·3 | 112 | 26 | 4 | 4 | 15 | 34 | 23 | 6 |
| IV. | DEVELOPMENTAL „ | 11 | 30 | 37 | 23 | 18 | 27 | 29 | 21 | 26 | 31 | 25·3 | 31 | 6 | . | . | 1 | 1 | 16 | 7 |
| V. | VIOLENT DEATHS, | 2 | 5 | 3 | 3 | 4 | 2 | 5 | 6 | 5 | 7 | 4·2 | 2 | . | 1 | . | . | 1 | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 36 | 36 | 45 | 30 | 31 | 46 | 53 | 12 | 45 | 36 | 37·0 | 34 | 17 | 7 | 1 | 4 | 2 | 3 | . |
| | 2. ENTHETIC „ | . | 1 | 1 | . | . | 2 | . | . | 1 | . | ·5 | 1 | . | . | . | . | 1 | . | . |
| | 3. DIETIC „ | 1 | 2 | 3 | . | . | . | . | . | 2 | . | ·8 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC „ | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 7 | 9 | 11 | 5 | 8 | 6 | 9 | 1 | 3 | 5 | 6·4 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 2. TUBERCULAR „ | 27 | 38 | 34 | 28 | 28 | 17 | 32 | 36 | 23 | 27 | 29·0 | 24 | 7 | 1 | 2 | 9 | 3 | 2 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 22 | 34 | 23 | 29 | 22 | 24 | 19 | 17 | 24 | 19 | 23·3 | 27 | 15 | 1 | 2 | 2 | 3 | 4 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 5 | 7 | 11 | 16 | 16 | 9 | 6 | 10 | 8 | 11 | 9·9 | 8 | . | . | . | 1 | 4 | 2 | 1 |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 39 | 91 | 50 | 51 | 43 | 61 | 46 | 32 | 30 | 84 | 52·7 | 57 | 10 | 3 | 2 | 9 | 19 | 10 | 4 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 8 | 6 | 6 | 6 | 7 | 3 | 5 | 8 | 12 | 8 | 6·9 | 9 | 1 | . | . | 1 | 3 | 4 | . |
| | 5. DISEASES OF URINARY ORGANS, | 3 | 2 | 2 | 3 | 5 | 6 | 8 | 6 | 3 | 2 | 4·0 | 9 | . | . | . | 2 | 3 | 3 | 1 |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | . | 1 | . | 1 | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | . | 2 | 3 | 1 | 2 | 1 | 1 | 2 | . | 1 | 1·3 | 3 | 3 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | 2 | 2 | 2 | . | 1 | 2 | 2 | 1 | . | 2 | 1·4 | 1 | . | . | . | 1 | . | . | . |
| | 3 „ „ OLD PEOPLE | 4 | 16 | 17 | 15 | 9 | 19 | 19 | 18 | 19 | 21 | 15·7 | 22 | . | . | . | . | . | 15 | 7 |
| | 4. DISEASES OF NUTRITION, | 5 | 10 | 15 | 7 | 6 | 5 | 7 | . | 7 | 7 | 6·9 | 5 | 3 | . | . | . | 1 | 1 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 1 | 5 | 2 | 2 | 4 | 2 | 5 | 6 | 5 | 7 | 3·9 | 2 | . | 1 | . | . | 1 | . | . |
| | *3. HOMICIDE, | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | 1 | . | 4 | 2 | 2 | 2 | 6 | 1 | 4 | 2·3 | 2 | 1 | . | . | . | . | 1 | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES the FOURTH WEEK, ending Saturday, 29th January, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 4th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, January 29th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jan. 27 1866 | Jan. 26 1867 | Jan. 25 1868 | Jan. 30 1869 | Jan. 29 1870 | Jan. 28 1871 | Jan. 27 1872 | Jan. 25 1873 | Jan. 31 1874 | Jan. 30 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 44·9 | ° 41·6 | ° 40·1 | ° 43·0 | ° 37·9 | ° 34·3 | ° 39·2 | ° 35·7 | ° 42·6 | ° 45·5 | ° 40·5 | Mean Temp. ° 48·2 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 40 | 1 | . | . | 4·1 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 3 | 5 | 2 | . | 2 | 1 | 1 | 2 | 4 | 1 | 2·1 | 2 | 2 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 4 | 14 | 17 | 10 | 8 | 1 | 1 | 16 | 4 | 7·6 | 7 | 3 | 3 | . | 1 | . | . | . |
| | 4. Diphtheria, | 2 | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 3 | 1·1 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | 3 | 1 | . | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | 2 | 5 | 2 | . | . | 2 | 2 | 1 | 2 | 1·6 | 2 | 2 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 11 | 1 | 14 | 1 | 1 | 10 | 1 | 2 | 2 | 2 | 4·5 | 8 | 7 | 1 | . | . | . | . | . |
| | 8. Typhus, | | | | . | 3 | 7 | 2 | 1 | 6 | 3 | | 2 | . | . | . | 2 | . | . | . |
| | – Enteric or Typhoid Fever, | 10 | 13 | 2 | 3 | 5 | 7 | 1 | 1 | 5 | 3 | 8·6 | 3 | . | 2 | . | 1 | . | . | . |
| | – Simple continued Fever, | | | | . | 5 | 2 | 2 | . | 1 | 4 | | 1 | . | 1 | . | . | . | . | . |
| | 9. Erysipelas, | . | 1 | . | 1 | . | 2 | 1 | . | 2 | 6 | 1·3 | 2 | 1 | . | . | . | . | 1 | . |
| | 10. Puerperal Fever (Metria), | 4 | 1 | 1 | 2 | 1 | . | . | . | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | 12. Influenza, | . | 1 | 1 | . | . | . | 1 | . | . | . | ·3 | 1 | . | . | . | . | . | 1 | . |
| | 13. Dysentery, | . | . | 1 | . | 1 | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 5 | 4 | 4 | 2 | 1 | 2 | 1 | 1 | 4 | 3 | 2·7 | 4 | 2 | . | . | . | 2 | . | . |
| | 15. Simple Cholera, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | . | 1 | 3 | . | . | 2 | 3 | ·9 | 1 | . | . | 1 | . | . | . | . |
| | 19 Other Zymotic Diseases, | . | . | . | . | . | 1 | . | . | 1 | 2 | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | 1 | 1 | . | . | 2 | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | 1 | . | . | . | . | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | 1 | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 1 | 4 | 5 | 3 | 1 | 2 | 3 | 1 | 2 | 1 | 2·3 | 2 | . | . | . | 1 | . | 1 | . |
| | 3. Cancer, | 4 | 5 | 4 | 2 | 7 | 3 | 4 | . | . | 3 | 3·2 | 1 | . | . | . | . | 1 | . | . |
| | 4. Cancrum Oris (Noma), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 2 | . | 1 | . | . | . | 2 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 4 | 1 | 1 | 2 | . | . | 2 | . | . | 3 | 1·0 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 2 | 3 | 5 | 1 | 5 | 2 | . | 1 | 3 | 3 | 2·5 | 2 | 2 | . | . | . | . | . | . |
| | 3. Phthisis, | 19 | 26 | 21 | 23 | 19 | 14 | 29 | 32 | 17 | 24 | 22·4 | 17 | . | 1 | 2 | 9 | 3 | 2 | . |
| | 4. Hydrocephalus, | 2 | 8 | 7 | 2 | 4 | 1 | 1 | 3 | 3 | . | 3·1 | 5 | 5 | . | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | 6 | 9 | 2 | 1 | 1 | 1 | . | 2 | 3 | 2·6 | 5 | . | 1 | 2 | . | 2 | . | . |
| | 2. Apoplexy, | 1 | 4 | 3 | 3 | 4 | 2 | 4 | 2 | 7 | 2 | 3·2 | . | . | . | . | . | . | . | . |
| | 3. Paralysis, | 3 | 10 | 3 | 6 | 3 | 6 | 3 | 6 | 5 | 1 | 4·6 | 5 | . | . | . | . | 1 | 4 | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | . | . | 1 | . | . | . | . | 1 | ·3 | 1 | . | . | . | 1 | . | . | . |
| | 7. Convulsions, | 14 | 9 | 5 | 13 | 9 | 11 | 8 | 9 | 7 | 8 | 9·3 | 14 | 14 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 3 | 4 | 3 | 4 | 4 | 4 | 3 | . | 3 | 3 | 3·1 | 2 | 1 | . | . | 1 | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | . | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | 1 | 1 | 1 | 2 | 1 | 1 | . | 1 | . | ·8 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 5 | 6 | 9 | 15 | 14 | 8 | 5 | 9 | 7 | 10 | 8·8 | 8 | . | . | . | 1 | 4 | 2 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 31 | 80 | 39 | 33 | 31 | 53 | 42 | 25 | 25 | 63 | 42·2 | 40 | 9 | 3 | 1 | 5 | 14 | 6 | 2 |
| | 3. Pleurisy, | 1 | 3 | 2 | . | . | 1 | . | 1 | 2 | 1 | 1·1 | 1 | . | . | . | . | 1 | . | . |
| | 4. Pneumonia, | 7 | 3 | 4 | 11 | 3 | 5 | 2 | 1 | 2 | 16 | 5·4 | 7 | 1 | . | . | . | 4 | 1 | 1 |
| | 5. Asthma, | . | 1 | 1 | 2 | 4 | . | 1 | . | . | . | ·9 | 1 | . | . | . | 1 | . | . | . |
| | 6. *Lung Disease, &c.* | . | 4 | 4 | 4 | 5 | 2 | 1 | 5 | 1 | 4 | 3·0 | 8 | . | . | 1 | 3 | . | 3 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | . | 1 | . | . | 1 | . | . | 2 | . | ·5 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | 2 | . | 1 | . | . | 1 | 2 | 2 | 2 | 1·0 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | 1 | . | . | 2 | . | . | 3 | . | . | . | ·6 | . | . | . | . | . | . | . | . |

ONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 4th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, January 29th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Jan. 27 1866 | Jan. 26 1867 | Jan. 25 1868 | Jan. 30 1869 | Jan. 29 1870 | Jan. 28 1871 | Jan. 27 1872 | Jan. 25 1873 | Jan. 31 1874 | Jan. 30 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 44·9 | ° 41·6 | ° 40·1 | ° 43·0 | ° 37·9 | ° 31·3 | ° 39·2 | ° 35·7 | ° 42·6 | ° 45·5 | ° 40·5 | ° 48·2 | | | | | | | |
| III. | 7. Ileus, | 1 | . | 1 | . | . | . | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 1 | 2 | . | 2 | 1 | 1 | 2 | 1 | 3 | 1·4 | 2 | . | . | . | . | . | 2 | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 3 | 3 | . | 2 | 4 | 1 | . | 3 | 3 | 2 | 2·1 | 5 | . | . | . | 1 | 2 | 2 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | 1 | 1 | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | 1 | . | 1 | . | 3 | 5 | 1 | 2 | 1 | 1·5 | 2 | . | . | . | 1 | 1 | . | . |
| | 4. Diabetes, | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | 1 | 1 | 1 | 3 | 2 | 3 | 4 | . | 1 | 1·7 | 7 | . | . | . | 1 | 2 | 3 | 1 |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 2. *Uterus Disease, &c.* | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 1 | . | . | 1 | . | 2 | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | 2 | . | 2 | . | 1 | . | . | . | ·8 | 2 | 2 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | 1 | 2 | 2 | . | 1 | 2 | 2 | 1 | . | 1 | 1·2 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 4 | 16 | 17 | 15 | 9 | 19 | 19 | 18 | 19 | 21 | 15·7 | 22 | . | . | . | . | . | 15 | 7 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 5 | 10 | 15 | 7 | 6 | 5 | 7 | . | 7 | 7 | 6·9 | 5 | 3 | . | . | . | 1 | 1 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | 2 | . | 2 | 2 | 2 | . | . | 1 | 2 | 1·1 | . | . | . | . | . | . | . | . |
| | 2. Wounds, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 2 | 2 | . | 1 | . | . | 1 | 3 | 1 | 1·0 | 2 | . | 1 | . | . | 1 | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | . | . | . | 1 | . | 3 | 4 | 1 | 1 | 1·1 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | 1 | . | . | . | . | 2 | . | . | 3 | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 1 | . | 4 | 2 | 2 | 2 | 6 | 1 | 4 | 2·3 | 2 | 1 | . | . | . | . | 1 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | | | | | | | | | | | | 1876. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 7. | Aug. 14. | Aug. 21. | Aug. 28. | Sep. 4. | Sep. 11. | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. |
| BIRTHS, . . . . | 106 | 176 | 220 | 200 | 188 | 140 | 216 | 134 | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 |
| DEATHS, . . . . | 81 | 111 | 142 | 152 | 129 | 114 | 139 | 143 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 |
| Deaths under 5 years of age, . | 22 | 32 | 47 | 61 | 56 | 64 | 62 | 59 | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 |
| Deaths 5–15, . . . . | 1 | 8 | 4 | 6 | 8 | 2 | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 |
| Deaths 15–20, . . . . | 1 | 2 | 4 | 2 | 2 | 5 | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 |
| Deaths 20–40, . . . . | 13 | 23 | 35 | 25 | 20 | 20 | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 |
| Deaths 40–60, . . . . | 19 | 24 | 25 | 31 | 21 | 28 | 21 | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 31 | 44 | 39 | 43 |
| Deaths 60–80, . . . . | 24 | 19 | 26 | 22 | 22 | 20 | 22 | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 |
| Deaths at 80 years of age and upwards, . . . . | 1 | 3 | 1 | 5 | . | 5 | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . | 1 | 2 | 3 | 5 | 8 | 4 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 |
| ,, Scarlatina, . | 2 | 2 | 2 | . | 2 | 1 | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 |
| ,, Diphtheria, . | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . |
| ,, Whooping Cough, | 1 | 4 | 5 | 5 | 4 | 3 | 7 | 5 | 5 | 4 | 3 | . | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 |
| ,, Fever, . . | 3 | 2 | 5 | 9 | 1 | 2 | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 |
| ,, Diarrhœa, . . | 2 | 5 | 15 | 13 | 13 | 19 | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 |
| ,, Phthisis, . . | 9 | 16 | 16 | 17 | 13 | 12 | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 |
| ,, Bronchitis, . | 8 | 8 | 12 | 9 | 6 | 11 | 6 | 4 | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 |
| ,, Pneumonia, . | 3 | 6 | 2 | 4 | 5 | 4 | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 |
| ,, Heart Disease, . | 4 | 5 | 7 | 11 | 7 | 6 | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 |
| Mean Temperature of the Air | 59·0 | 62·1 | 63·8 | 61·6 | 60·4 | 56·5 | 59·8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 |
| Rain-fall in inches, . . | ·570 | 1·375 | ·010 | ·156 | ·728 | ·220 | ·549 | 1·301 | ·584 | ·353 | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·828 | ·863 | ·755 | ·801 | ·804 | ·792 | ·837 | ·906 | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·839 |

DUBLIN: Printed by ALEXANDER THOM, Abbey-street,
Printer to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.
[2605.—800.—1/76.]

BIBLIOTHECA BODLEIANA

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

*By Authority of the Registrar-General.*

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, FEBRUARY 5, 1876. [No. 5.

*General Register Office, Charlemont House, Dublin, February 7th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 5th February, 1876, represent an annual mortality of 27 in every 1,000 of the population, by the Census of 1871. In London the death rate was 26 in every 1,000 of the estimated population; in Glasgow, 26; and in Edinburgh, 24.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 200—109 boys and 91 girls,—and the deaths to 163—69 males and 94 females. The *average* numbers in the corresponding week of the previous ten years were—births, 187, and deaths, 202.

The number of deaths from zymotic diseases *registered* during the week was 24, viz., 2 from fever (1 typhus and 1 typhoid or enteric), 8 from whooping-cough, 4 from measles, 3 each from scarlet fever and croup, 1 each from erysipelas, diarrhœa, &c.

Seventeen children died from convulsions.

Bronchitis caused 33 deaths (against an average of 41 for the fifth week of the years 1866-75), and pneumonia or inflammation of the lungs 4.

Three deaths were ascribed to paralysis, one each to apoplexy and insanity, and 2 each to epilepsy and brain disease unspecified.

Six deaths resulted from heart disease, 1 each from aneurism, hepatitis or inflammation of the liver, and liver disease, and 2 from kidney disease unspecified.

Phthisis or pulmonary consumption caused 16 deaths, mesenteric disease 5, and hydrocephalus or water on the brain 3.

Four accidental deaths were *registered*.

Sixty-three of the persons whose deaths were *registered* during the week were under 5 years of age, and 40 were aged 60 and upwards, including 25 persons aged 70 and upwards, of whom 9 were octogenarians, and 1 (a male) was stated to have been aged 92 years.

Three deaths each from scarlet fever and diarrhœa, 2 each from fever and whooping-cough, and 1 from measles were *registered* in Belfast.

Three deaths from fever, 2 from measles, and 1 from whooping-cough were *registered* in Cork.

Two deaths from whooping-cough were *registered* in Limerick.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from Bronchitis. | Convulsions. | Consumption. | Whooping Cough. | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 4 | 4 | 3 | 1 | 28 |
| | No. 2 ,, | 31,993 | 5 | 1 | – | 1 | 19 |
| | No. 3 ,, | 27,546 | 4 | 1 | 1 | – | 15 |
| South Side, | No. 1 District, | 32,184 | 3 | 2 | 4 | 2 | 26 |
| | No. 2 ,, | 29,952 | 2 | 2 | 1 | 1 | 8 |
| | No. 3 ,, | 38,811 | 5 | 3 | 2 | 2 | 21 |
| | No. 4 ,, | 36,703 | 5 | 1 | 1 | – | 16 |
| Rathmines District, | . | 20,939 | 1 | 1 | 2 | 1 | 12 |
| Donnybrook, ,, | . | 21,758 | 2 | 1 | 2 | – | 11 |
| Blackrock, ,, | . | 7,182 | 2 | – | – | – | 2 |
| Kingstown, ,, | . | 18,461 | – | 1 | – | – | 5 |
| | Total, . | 314,666 | 33 | 17 | 16 | 8 | 163 |

Forty of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin, and 15 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 30 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 31 per 1,000; and in No. 3, North City (Blackhall-street), to 28 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 42 per 1,000; in No. 2, South City District (High-street), the ratio was 14 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 28 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 23 per 1,000.

In the Suburban District of Rathmines the annual ratio was 30 per 1,000; in Donnybrook it was 26—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 14; and in Kingstown 14 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,577 and the deaths to 1,771 (against an average of 1,637 for corresponding week 1866–75); in Glasgow the births *registered* were 364, and the deaths 275; and in Edinburgh the births were 143, and the deaths 98. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·075 inches. The highest daily mean reading (30·179) occurred on Friday, and the lowest (29·917) on Tuesday.

The mean temperature during the week was 43·3° (which was also the average in the corresponding week of the previous ten years); the lowest daily mean (33·5°) occurred on Saturday, and the highest (52·0°) on Sunday.

The temperature was highest on Sunday, when the thermometer registered 57·4°, and was lowest on Saturday, the mercury having fallen to 23·7°. The highest reading of the barometer during the week (30·204) occurred on Friday, at 9.30 P.M., wind N.W., and the lowest (29·892) on Tuesday, at 3.30 P.M., wind W. The mean of the Dry Bulb for the week was 43·5°; and of the Wet Bulb 41·7°. The mean humidity of the air was ·862; complete saturation being represented by 1·0. The rain-fall during the week measured ·105 in.

At Greenwich, the mean temperature of the week was 41·6°; at Glasgow, 41·0°; and at Edinburgh, 42·3°. The rain-fall during the week at Greenwich measured ·20 in, and at Glasgow, ·55 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Jan. 30, | 30·082 | 57·4 | 46·6 | 52·0 | 53·3 | 50·9 | ·897 | 1·0 | ·000 | S.W. | S.W. | S.W. |
| Monday, „ 31, | 30·083 | 56·0 | 46·5 | 51·2 | 51·3 | 49·5 | ·875 | ·9 | ·002 | S.W. | S. | S. |
| Tuesday, Feb. 1, | 29·917 | 53·1 | 35·0 | 44·0 | 43·7 | 42·6 | ·913 | 1·0 | ·090 | S.W. | W. | Calm. |
| Wednesday, „ 2, | 30·083 | 48·8 | 39·1 | 43·9 | 42·6 | 40·4 | ·825 | 1·0 | ·008 | S.W. | S.W. | S.W. |
| Thursday, „ 3, | 30·060 | 48·0 | 34·2 | 41·1 | 42·8 | 40·9 | ·875 | ·9 | ·005 | S.W. | W. | W. |
| Friday, „ 4, | 30·179 | 46·1 | 28·6 | 37·3 | 37·6 | 35·6 | ·819 | ·8 | ·000 | N.W. | N.N.W | N.W. |
| Saturday, „ 5, | 30·123 | 43·3 | 23·7 | 33·5 | 34·0 | 32·3 | ·836 | ·8 | ·000 | N.N.W | N.N.W | N.N.W |
| Mean, . . | 30·075 | 50·4 | 36·2 | 43·3 | 43·5 | 41·7 | ·862 | ·9 | Total, ·105 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. |
|---|---|
| Sunday, Jan. 30, | A.M. Fine. P.M. Fine. |
| Monday, „ 31, | A.M. Fine. P.M. Fine. |
| Tuesday, Feb. 1, | A.M. Fine. P.M. Fine. |
| Wednesday, „ 2, | A.M. Fine. P.M. Fine. |
| Thursday, „ 3, | A.M. Fine. P.M. Fine. |
| Friday, „ 4, | A.M. Fine P.M. Fine. |
| Saturday, „ 5, | A.M. Fine. P.M. Fine. |

* The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 5th February, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 5TH FEBRUARY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,060 | 314,666 | 27 | 200 | 163 | 30 | 40 | . | 4 | 3 | . | 8 | 2 | 1 | 4 | . | 40 |
| BELFAST,† . . | 20,687 | 182,082 | 30 | 131 | 106 | 24 | 16 | . | 1 | 3 | . | 2 | 2 | 3 | 1 | . | 15 |
| CORK, . . . | 13,816 | 91,565 | 32 | 65 | 57 | 11 | 17 | . | 2 | . | . | 1 | 3 | . | . | 1 | 20 |
| LIMERICK, . . | 8,509 | 44,209 | 29 | 14 | 25 | 2 | 8 | . | . | . | . | 3 | . | . | . | . | 12 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 13 | 13 | 8 | 1 | 1 | . | 1 | . | . | . | . | 1 | . | . | . |
| WATERFORD, . . | 17,309 | 30,626 | 17 | 17 | 10 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 16 | 4 | 6 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| SLIGO, . . . | 30,838 | 17,285 | 36 | 7 | 12 | . | 3 | . | . | . | . | . | . | . | . | . | 2 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 5th February, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 18 | 11 | 7 | 5 | . | . | . | 1 | . | . | . | . | 1 | . | 2 |
| | ,, ,, 2, | 17,938 | 23 | 14 | 8 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 39,311 | 19 | 22 | 14 | 3 | 3 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 78 | 32 | 29 | 7 | 10 | . | . | . | . | . | 1 | . | . | . | 3 |
| | ,, ,, 5, | 19,616 | 29 | 7 | 11 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 20 | 21 | 14 | 5 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 29 | 5 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 45 | 10 | 7 | 1 | . | . | . | . | . | 2 | 1 | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 42 | 9 | 13 | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 5 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,585 | 18 | 9 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 31 | 5 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 58 | 6 | 7 | . | 6 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 5, | 11,289 | 51 | 9 | 11 | 1 | 4 | . | . | . | . | . | 2 | . | 1 | . | 1 |
| | ,, ,, 6, | 15,230 | 31 | 17 | 9 | 1 | 2 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 7, | 7,586 | 21 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 48 | 11 | 17 | 6 | 5 | . | 2 | . | . | 1 | 1 | . | . | . | 10 |
| | ,, ,, 9, | 4,790 | 11 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 13 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 93 | 3 | 16 | 1 | 7 | . | . | . | . | 1 | . | . | . | . | 12 |
| | ,, ,, 3, | 11,424 | 14 | 2 | 3 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 4, | 15,375 | 13 | 6 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,332 | 12 | 2 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 19 | 9 | 5 | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | Glendermot, *W.* | 8,483 | 6 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 17 | 17 | 10 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 10 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 23 | 2 | 4 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 40 | 4 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 2, | 10,829 | 34 | 3 | 7 | . | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 5th February, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 36 | 36 | 11 | 23 | 15 | 29 | 21 | 16 | 5 | 1 | 7 | 200 |
| **Deaths from all Causes,** | 28 | 19 | 15 | 26 | 8 | 21 | 16 | 12 | 11 | 2 | 5 | 163 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 2 | . | 1 | . | . | . | . | . | . | . | 4 |
| Scarlet Fever (Scarlatina), | . | . | . | . | . | . | . | 1 | . | . | 2 | 3 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | 1 | . | 2 | 1 | 2 | . | 1 | . | . | . | 8 |
| Fever, | . | . | . | . | . | 2 | . | . | . | . | . | 2 |
| Diarrhœa, | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 2 | 1 | . | . | 1 | 1 | 1 | . | . | . | . | 6 |
| Total, | 4 | 4 | . | 3 | 2 | 5 | 1 | 3 | . | . | 2 | 24 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | . | 1 | 4 | 1 | 2 | 1 | 2 | 2 | . | . | 16 |
| Other Constitutional Diseases, | 2 | 2 | . | . | 1 | 2 | 2 | . | . | . | . | 9 |
| Total, | 5 | 2 | 1 | 4 | 2 | 4 | 3 | 2 | 2 | . | . | 25 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 6 | 1 | 2 | 6 | 2 | 3 | 1 | 2 | 1 | . | 2 | 26 |
| Diseases of the Heart and Circulatory Organs, | 1 | 1 | 2 | 2 | . | 1 | . | . | . | . | . | 7 |
| Diseases of the Respiratory Organs, | 4 | 5 | 5 | 3 | 2 | 6 | 5 | 2 | 3 | 2 | . | 37 |
| Diseases of the Digestive Organs, | 2 | . | . | . | . | . | 2 | . | . | . | . | 4 |
| Diseases of the Urinary Organs, | . | . | . | 1 | . | . | . | . | 1 | . | . | 2 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 13 | 7 | 9 | 12 | 4 | 10 | 8 | 4 | 5 | 2 | 2 | 76 |
| DEVELOPMENTAL DISEASES, | 4 | 4 | 3 | 7 | . | 1 | 2 | 3 | 4 | . | 1 | 29 |
| VIOLENT DEATHS, | . | 1 | 1 | . | . | 1 | 1 | . | . | . | . | 4 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | 2 | 1 | 1 | . | . | . | 1 | . | . | . | . | 5 |
| **Annual Rate of Mortality in every 1,000 of the Population,** | 30 | 31 | 28 | 42 | 14 | 28 | 23 | 30 | 26 | 14 | 14 | 27 |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 2 | 7 | . | . | 6 | 5 | . | . | . | . | 20 |
| Workhouse Hospitals, | . | . | 5 | 15 | . | . | . | . | . | . | . | 20 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the west of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand-street and 19, Denzille-street.

**Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in the Fifth Week, ending Saturday, February 5th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 5th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 5th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Feb. 3 1866 | Feb. 2 1867 | Feb. 1 1868 | Feb. 6 1869 | Feb. 5 1870 | Feb. 4 1871 | Feb. 3 1872 | Feb. 1 1873 | Feb. 7 1874 | Feb. 6 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 43·6 | ° 46·1 | ° 45·6 | ° 48·6 | ° 43·3 | ° 38·9 | ° 47·2 | ° 38·4 | ° 39·3 | ° 41·9 | ° 43·3 | Mean Temp. ° 43·3 | | | | | | | |
| | **ALL CAUSES,** | 171 | 286 | 206 | 193 | 207 | 222 | 232 | 164 | 154 | 189 | 202·4 | 163 | 63 | 8 | . | 20 | 52 | 30 | 10 |
| | **SPECIFIED CAUSES,** | 169 | 286 | 206 | 189 | 204 | 218 | 229 | 161 | 153 | 186 | 200·1 | 158 | 61 | 8 | . | 19 | 30 | 30 | 10 |
| | (Classes.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 40 | 25 | 52 | 43 | 35 | 34 | 67 | 31 | 35 | 21 | 38·3 | 24 | 18 | 2 | . | 1 | 1 | 2 | . |
| II. | CONSTITUTIONAL „ | 35 | 54 | 40 | 39 | 39 | 50 | 40 | 32 | 30 | 23 | 38·2 | 25 | 8 | 1 | . | 9 | 6 | 1 | . |
| III. | LOCAL „ | 80 | 158 | 88 | 77 | 93 | 106 | 88 | 74 | 66 | 109 | 93·9 | 76 | 27 | 5 | . | 6 | 21 | 16 | 1 |
| IV. | DEVELOPMENTAL „ | 11 | 46 | 24 | 27 | 35 | 22 | 27 | 22 | 19 | 31 | 26·4 | 29 | 5 | . | . | 3 | 2 | 10 | 9 |
| V. | VIOLENT DEATHS, | 3 | 3 | 2 | 3 | 2 | 6 | 7 | 2 | 3 | 2 | 3·3 | 4 | 3 | . | . | . | . | 1 | . |
| | (Orders.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. Miasmatic Diseases, | 37 | 22 | 49 | 35 | 35 | 32 | 66 | 28 | 35 | 21 | 36·0 | 22 | 17 | 2 | . | 1 | 1 | 1 | . |
| | 2. Enthetic „ | . | 2 | . | 6 | . | . | . | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 3. Dietic „ | 2 | 1 | 2 | 2 | . | 2 | 1 | 3 | . | . | 1·3 | 1 | . | . | . | . | . | 1 | . |
| | 4. Parasitic „ | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| II. | 1. Diathetic Diseases, | 7 | 15 | 8 | 7 | 11 | 11 | 5 | 3 | 10 | 5 | 8·2 | 1 | . | . | . | . | 1 | . | . |
| | 2. Tubercular „ | 28 | 39 | 32 | 32 | 28 | 39 | 35 | 29 | 20 | 18 | 30·0 | 24 | 8 | 1 | . | 9 | 5 | 1 | . |
| III. | 1. Diseases of Nervous System, | 22 | 22 | 27 | 21 | 28 | 22 | 26 | 21 | 18 | 22 | 22·9 | 26 | 15 | 3 | . | 2 | 2 | 3 | 1 |
| | 2. Diseases of Organs of Circulation, | 12 | 13 | 5 | 13 | 5 | 5 | 11 | 12 | 8 | 13 | 9·7 | 7 | . | 1 | . | 1 | 5 | . | . |
| | 3. Diseases of Respiratory Organs, | 38 | 118 | 41 | 32 | 54 | 67 | 41 | 29 | 30 | 62 | 51·2 | 37 | 11 | 1 | . | 2 | 12 | 11 | . |
| | 4. Diseases of Digestive Organs, | 6 | 1 | 8 | 7 | 4 | 7 | 7 | 6 | 6 | 8 | 6·0 | 4 | 1 | . | . | 1 | 1 | 1 | . |
| | 5. Diseases of Urinary Organs, | 1 | 3 | 3 | 1 | . | 3 | 2 | 6 | 4 | 1 | 2·4 | 2 | . | . | . | . | 1 | 1 | . |
| | 6. Diseases of Organs of Generation, | 1 | . | 1 | . | 1 | 1 | 1 | . | . | 2 | ·7 | . | . | . | . | . | . | . | . |
| | 7. Diseases of Organs of Locomotion, | . | 1 | 1 | 1 | 1 | 1 | . | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 8. Diseases of Integumentary System, | . | . | 2 | 2 | . | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| IV. | 1. Dev. Diseases of Children, | . | 2 | 3 | 1 | 1 | 2 | 1 | 1 | 3 | 2 | 1·6 | 4 | 4 | . | . | . | . | . | . |
| | 2. „ „ Adults, | 1 | 3 | 2 | 1 | 2 | 1 | 1 | . | . | 1 | 1·2 | 3 | . | . | . | 3 | . | . | . |
| | 3 „ „ Old People | 7 | 31 | 9 | 16 | 22 | 15 | 18 | 17 | 12 | 21 | 16·8 | 19 | . | . | . | . | . | 10 | 9 |
| | 4. Diseases of Nutrition, | 3 | 10 | 10 | 9 | 10 | 4 | 7 | 4 | 4 | 7 | 6·8 | 3 | 1 | . | . | . | 2 | . | . |
| V. | 1. Accident or Negligence, | 1 | 3 | 1 | 3 | 2 | 4 | 5 | 1 | 2 | 2 | 2·4 | 4 | 3 | . | . | . | . | 1 | . |
| | 2. Homicide, | . | . | . | . | . | . | 1 | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Suicide, | . | . | . | . | . | 2 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Execution, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths not classed, | 2 | . | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 2 | . | . | 4 | 3 | 4 | 3 | 3 | 1 | 3 | 2·3 | 5 | 2 | . | . | 1 | 2 | . | . |

* Order 2, comprising Violent Deaths in Battle is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the FIFTH WEEK, ending Saturday, 5th February, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Feb. 3 1866 | Feb. 2 1867 | Feb. 1 1868 | Feb. 6 1869 | Feb. 5 1870 | Feb. 4 1871 | Feb. 3 1872 | Feb. 1 1873 | Feb. 7 1874 | Feb. 6 1875 | Average of Temperature and of Deaths in 5th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, February 5th, 1876. ALL AGES. | Deaths of Persons of the Age: Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 43·6 | ° 46·1 | ° 45·6 | ° 48·6 | ° 43·3 | ° 38·9 | ° 47·2 | ° 38·4 | ° 39·3 | ° 41·9 | ° 43·3 | Mean Temp. ° 45·3 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 45 | . | . | . | 4·5 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 2 | . | . | 1 | . | 2 | 3 | 1 | 3 | 1·3 | 4 | 4 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 2 | 1 | 8 | 19 | 10 | 11 | 6 | 6 | 12 | 5 | 8·0 | 3 | 2 | 1 | . | . | . | . | . |
| | 4. Diphtheria, | . | 2 | . | . | 1 | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | 1 | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | 1 | 1 | 2 | 2 | 1 | . | 4 | 3 | 4 | 1·8 | 3 | 2 | 1 | . | . | . | . | . |
| | 7. Whooping Cough, | 4 | . | 15 | . | 2 | 10 | . | 6 | 2 | . | 3·9 | 3 | 3 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 2 | 3 | 1 | 1 | 5 | . | | 1 | . | . | . | . | 1 | . | . |
| | – Enteric or Typhoid Fever, | 20 | 5 | 17 | 2 | 3 | 2 | 4 | 6 | 4 | 1 | 9·1 | 1 | . | . | . | 1 | . | . | . |
| | – Simple continued Fever, | | | | 2 | 4 | 3 | . | 2 | 2 | 1 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | . | . | 1 | . | 3 | . | 1 | . | 1 | 2 | ·8 | 1 | . | . | . | . | . | 1 | . |
| | 10. Puerperal Fever (Metria), | . | 1 | . | . | . | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | 1 | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | 2 | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | 1 | . | 2 | . | . | . | . | . | 2 | ·6 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 5 | 5 | 5 | 3 | 5 | 1 | 4 | . | 4 | 1 | 3·3 | 1 | 1 | . | . | . | . | . | . |
| | 15. Simple Cholera, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 3 | . | 1 | 2 | 1 | . | . | . | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | 1 | 1 | . | . | 1 | . | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | 2 | . | 6 | . | . | . | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | 2 | 1 | . | . | . | . | . | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | 2 | . | . | . | 1 | . | . | . | ·3 | 1 | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 5 | 2 | 3 | 3 | 6 | 2 | 1 | 6 | 3 | 3·4 | 1 | . | . | . | . | 1 | . | . |
| | 3. Cancer, | 3 | 4 | 4 | 4 | 7 | 4 | 2 | 2 | 3 | 1 | 3·4 | . | . | . | . | . | . | . | . |
| | 4. Cancrum Oris (Noma), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | 5 | 1 | . | 1 | 1 | 1 | . | 1 | . | 1·1 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 2 | 1 | 1 | . | . | 2 | 2 | 2 | 1 | 1·3 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 3 | . | 4 | 2 | 2 | . | 1 | 1 | 2 | . | 1·5 | 5 | 5 | . | . | . | . | . | . |
| | 3. Phthisis, | 20 | 32 | 21 | 23 | 24 | 36 | 25 | 22 | 14 | 13 | 23·0 | 16 | . | 1 | . | 9 | 5 | 1 | . |
| | 4. Hydrocephalus, | 3 | 5 | 6 | 6 | 2 | 3 | 7 | 4 | 2 | 4 | 4·2 | 3 | 3 | . | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | 3 | . | . | 2 | . | 2 | . | 2 | 3 | 1·3 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 6 | 4 | 5 | 4 | 2 | . | 4 | 3 | 1 | . | 2·9 | 1 | . | . | . | . | 1 | . | . |
| | 3. Paralysis, | 8 | 4 | 5 | 4 | 5 | 6 | 4 | . | 3 | 5 | 3·9 | 3 | . | . | . | . | 1 | 2 | . |
| | 4. Insanity, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | . | . | 1·2 | 2 | . | . | . | 1 | 1 | . | . |
| | 7. Convulsions, | 10 | 9 | 12 | 9 | 14 | 11 | 11 | 14 | 9 | 12 | 11·1 | 17 | 15 | 2 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 3 | 3 | 2 | 2·4 | 2 | . | 1 | . | . | . | . | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | 1 | . | . | 1 | 2 | . | 1 | ·5 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Heart Disease, &c.* | 12 | 13 | 5 | 12 | 5 | 5 | 9 | 10 | 8 | 12 | 9·1 | 6 | . | 1 | . | 1 | 4 | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | 1 | . | . | 1 | . | . | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 30 | 102 | 27 | 22 | 46 | 57 | 34 | 23 | 24 | 48 | 41·3 | 33 | 11 | 1 | . | 1 | 10 | 10 | . |
| | 3. Pleurisy, | . | . | 2 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 2 | 9 | 6 | 6 | 3 | 5 | 4 | 4 | 1 | 5 | 4·5 | 4 | . | . | . | 1 | 2 | 1 | . |
| | 5. Asthma, | 1 | 1 | . | 1 | . | . | . | 1 | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 4 | 5 | 6 | 3 | 4 | 4 | 3 | 1 | 2 | 9 | 4·1 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | . | 1 | 1 | . | . | . | 1 | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | 1 | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | . | 1 | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | 1 | 1 | 1 | . | 1 | . | 1 | . | 1 | ·6 | 1 | . | . | . | . | . | 1 | . |

DENYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| ass. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 5th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 5th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Feb. 3 1866 | Feb. 2 1867 | Feb. 1 1868 | Feb. 6 1869 | Feb. 5 1870 | Feb. 4 1871 | Feb. 3 1872 | Feb. 1 1873 | Feb. 7 1874 | Feb. 6 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, . . | ° 43·6 | ° 46·1 | ° 45·6 | ° 48·6 | ° 43·3 | ° 38·9 | ° 47·2 | ° 38·4 | ° 39·3 | ° 41·9 | ° 43·3 | ° 43·3 | | | | | | | |
| III. con. | 7. Ileus, . . . . | 2 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, . | 1 | . | . | . | 1 | . | 1 | . | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 10. Fistula, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* . | 1 | . | 3 | 1 | . | . | 2 | 1 | 3 | 1 | 1·2 | 1 | . | . | . | . | 1 | . | . |
| | 12. *Pancreas Disease, &c.* . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, . . . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 14. Jaundice, . . . | . | . | 1 | 1 | . | 1 | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* . | 1 | . | 2 | 2 | 1 | 4 | 3 | 1 | 2 | 4 | 2·0 | 1 | 1 | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, . . . . | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, . . . . | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), . | 1 | 1 | . | . | . | . | . | 1 | 2 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), . . | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, . . . . | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* . | . | 1 | 2 | . | . | 3 | 2 | 4 | 1 | . | 1·3 | 2 | . | . | . | . | 1 | 1 | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, . . | . | . | 1 | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* . | 1 | . | . | . | 1 | . | 1 | . | . | 2 | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), . | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, . . . . | . | . | 2 | 2 | . | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, . . | . | 1 | 1 | . | 1 | 1 | 1 | . | 2 | 1 | ·8 | 3 | 3 | . | . | . | . | . | . |
| | 2. Cyanosis, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, . . . . | . | 1 | 2 | 1 | . | 1 | . | 1 | 1 | 1 | ·8 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Parasmenia, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), . . . . | 1 | 3 | 2 | 1 | 2 | 1 | 1 | . | . | 1 | 1·2 | 3 | . | . | . | 3 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, . . . . | 7 | 31 | 9 | 16 | 22 | 15 | 18 | 17 | 12 | 21 | 16·8 | 19 | . | . | . | . | . | 10 | 9 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, . | 3 | 10 | 10 | 9 | 10 | 4 | 7 | 4 | 4 | 7 | 6·8 | 3 | 1 | . | . | . | 2 | . | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, . | . | 1 | 1 | 1 | 1 | 1 | 1 | . | . | . | ·6 | 1 | . | . | . | . | . | 1 | . |
| | 2. Wounds, . . . . | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, . . | . | . | . | 1 | 1 | 2 | 1 | 1 | . | 1 | ·7 | 2 | 2 | . | . | . | . | . | . |
| | 4. Poison, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, . . . . | 1 | 1 | . | 1 | . | 1 | 3 | . | 1 | . | ·8 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, . . . . | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, . | . | . | . | . | . | . | 1 | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | { Cut, Stab, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, . . . . | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Hanging, . . . . | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Other Violent Deaths (not classed), | 2 | . | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 2 | . | . | 4 | 3 | 4 | 3 | 3 | 1 | 3 | 2·3 | 5 | 2 | . | . | 1 | 2 | . | . |

## Comparative Table of Births and Deaths Registered in the Dublin Registration District during the last Twenty-six Weeks.

| Dublin Registration District. | 1875. | | | | | | | | | | | | | | | | | | | 1876. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 14. | Aug. 21. | Aug. 28. | Sep. 4. | Sep. 11. | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. |
| Births, | 176 | 220 | 200 | 188 | 140 | 216 | 134 | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 |
| Deaths, | 111 | 142 | 152 | 129 | 144 | 139 | 119 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 |
| Deaths under 5 years of age, | 32 | 47 | 61 | 56 | 64 | 62 | 59 | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 |
| Deaths 5–15, | 8 | 4 | 6 | 8 | 2 | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 |
| Deaths 15–20, | 2 | 4 | 2 | 2 | 5 | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . |
| Deaths 20–40, | 23 | 35 | 25 | 20 | 20 | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 |
| Deaths 40–60, | 24 | 25 | 31 | 21 | 23 | 21 | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 31 | 44 | 39 | 43 | 32 |
| Deaths 60–80, | 19 | 26 | 22 | 22 | 20 | 22 | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 |
| Deaths at 80 years of age and upwards, | 3 | 1 | 5 | . | 5 | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 2 | 3 | 5 | 8 | 4 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 |
| ,, Scarlatina, | 2 | 2 | . | 2 | 1 | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 |
| ,, Diphtheria, | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . |
| ,, Whooping Cough, | 4 | 5 | 5 | 4 | 3 | 7 | 5 | 5 | 4 | 3 | | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 |
| ,, Fever, | 2 | 5 | 9 | 1 | 2 | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 |
| ,, Diarrhœa, | 5 | 15 | 13 | 13 | 19 | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 |
| ,, Phthisis, | 16 | 16 | 17 | 13 | 12 | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 |
| ,, Bronchitis, | 8 | 12 | 9 | 6 | 11 | 6 | 4 | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 |
| ,, Pneumonia, | 6 | 2 | 4 | 5 | 4 | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 |
| ,, Heart Disease, | 5 | 7 | 11 | 7 | 6 | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 |
| Mean Temperature of the Air | 62·1 | 62·8 | 61·6 | 60·4 | 56·5 | 59 8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38 7 | 34 3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 |
| Rain-fall in inches, | 1·375 | ·010 | ·156 | ·798 | ·220 | ·549 | 1·301 | ·584 | ·353 | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 |
| Humidity of the Air, completo saturation being represented by 1·0. | ·863 | ·755 | ·801 | ·804 | ·792 | ·837 | ·906 | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·839 | ·862 |

Dublin: Printed by Alexander Thom, Abbey-street,
For Her Majesty's Stationery Office.
[2605.—200.—1/76.]

BIBLIOTHECA BODLEIANA

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, FEBRUARY 12, 1876. [No. 6

*General Register Office, Charlemont House, Dublin, February 14th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 12th February, 1876, represent an annual mortality of 37 in every 1,000 of the population, by the Census of 1871. In London the death rate was 24 in every 1,000 of the estimated population; in Glasgow, 28; and in Edinburgh, 22.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 188—95 boys and 93 girls,—and the deaths to 225—117 males and 108 females. The *average* numbers in the corresponding week of the previous ten years were—births, 171, and deaths, 198.

The number of deaths from zymotic diseases amounted to 32, including 1 from typhoid fever, 13 from whooping-cough, 7 from measles, 3 from scarlet fever, 2 from diarrhœa, &c.

Seventeen children died from convulsions.

Fifty-three deaths resulted from bronchitis, 3 from pneumonia or inflammation of the lungs, 1 from asthma, and 6 from lung disease unspecified.

Three deaths were ascribed to apoplexy, 4 to paralysis, one each to cephalitis and insanity.

Heart disease proved fatal in 8 instances, liver disease in 1, and kidney disease in 2.

Twenty-four persons died from phthisis or pulmonary consumption, 6 from mesenteric disease, 5 from hydrocephalus or water on the brain, 3 from scrofula, and 1 from cancer.

Ten deaths were caused by accidents, and 1 was homicidal.

Seventy-five of the persons whose deaths were *registered* during the week were under 5 years of age, and 59 were aged 60 and upwards, including 34 persons aged 70 and upwards, of whom 10 were octogenarians, and 1 (a female) was stated to have been aged 94 years.

Three deaths from diarrhœa, 1 each from scarlet fever and diphtheria, and 2 each from fever and whooping-cough were *registered* in Belfast.

Five deaths from measles, 3 from whooping-cough, and 1 from fever were *registered* in Cork.

Five deaths from whooping-cough, and 2 from diarrhœa were *registered* in Limerick.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Convulsions. | Whooping Cough. | |
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 10 | 2 | 5 | 2 | 36 |
| | No. 2 ,, | 31,993 | 4 | – | – | 1 | 15 |
| | No. 3 ,, | 27,546 | 6 | 4 | 3 | 3 | 41 |
| South Side, | No. 1 District, | 32,184 | 5 | 7 | 1 | – | 38 |
| | No. 2 ,, | 29,952 | 8 | 1 | 1 | 2 | 16 |
| | No. 3 ,, | 38,811 | 7 | 2 | 2 | 4 | 28 |
| | No. 4 ,, | 36,703 | 5 | 3 | 1 | – | 20 |
| Rathmines District, | . | 20,939 | 1 | 2 | 3 | 1 | 12 |
| Donnybrook, | ,, . | 21,758 | 5 | 2 | 1 | – | 12 |
| Blackrock, | ,, . | 7,182 | 1 | – | – | – | 3 |
| Kingstown, | ,, . | 18,461 | 1 | 1 | – | – | 4 |
| | Total, . | 314,666 | 53 | 24 | 17 | 13 | 225 |

Sixty-two of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin, and 23 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 38 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 24 per 1,000; and in No. 3, North City (Blackhall-street), to 77 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital,* and *Stevens' Hospital,* the deaths *registered* afford an annual ratio of 61 per 1,000; in No. 2, South City District (High-street), the ratio was 28 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 38 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 28 per 1,000.

In the Suburban District of Rathmines the annual ratio was 30 per 1,000; in Donnybrook it was 29—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 22; and in Kingstown 11 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,446 and the deaths to 1,610 (against an average of 1,650 for corresponding week 1866–75); in Glasgow the births *registered* were 406, and the deaths 295; and in Edinburgh the births were 121, and the deaths 92. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·983 inches. The highest daily mean reading (30·128) occurred on Sunday, and the lowest (29·836) on Saturday.

The mean temperature during the week was 35·9° (the average in the corresponding week of the previous ten years was 42·2°); the lowest daily mean (34·0°) occurred on Friday, and the highest (37·5°) on Monday.

The temperature was highest on Sunday and Saturday, when the thermometer registered 43·1°, and was lowest on Friday, the mercury having fallen to 26·0°. The highest reading of the barometer during the week (30·136) occurred on Sunday, at 9.30 P.M., wind N.E., and the lowest (29·799) on Saturday, at 9.30 P.M., wind S.E. The mean of the Dry Bulb for the week was 34·8°; and of the Wet Bulb 33·8°. The mean humidity of the air was ·885; complete saturation being represented by 1·0. The rain-fall during the week measured ·585 in.

At Greenwich, the mean temperature of the week was 31·5°; at Glasgow, 32·7°; and at Edinburgh, 33·9°. The rain-fall during the week at Greenwich measured ·03 in, and at Glasgow, ·02 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson,* R.E., *by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | THERMOMETER. Maximum. | THERMOMETER. Minimum. | THERMOMETER. Mean. | HYGROMETER. Dry Bulb. | HYGROMETER. Wet Bulb. | HYGROMETER. Degree of Humidity, complete saturation being represented by 1·0. | Ozone. 1·0. | Rain Gauge. | Direction of the Wind. 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Feb. 6, | 30·128 | 43·1 | 28·5 | 35·8 | 34·8 | 33·0 | ·832 | ·4 | ·000 | N. | N.E. | N.E. |
| Monday, „ 7, | 30·100 | 42·5 | 33·5 | 37·5 | 35·8 | 31·8 | ·918 | ·3 | ·060 | N.E. | N.E. | N.E. |
| Tuesday, „ 8, | 30·070 | 38·5 | 31·8 | 35·1 | 33·9 | 33·4 | ·909 | ·3 | ·000 | E. | Calm. | Calm. |
| Wednesday, „ 9, | 29·923 | 41·3 | 32·0 | 36·7 | 35·5 | 34·4 | ·914 | ·2 | ·090 | Calm. | Calm. | Calm. |
| Thursday, „ 10, | 29·927 | 38·8 | 31·7 | 35·2 | 36·2 | 35·9 | ·938 | ·2 | ·235 | E. | E.S.E. | E.S.E. |
| Friday, „ 11, | 29·900 | 42·0 | 26·0 | 34·0 | 32·5 | 30·7 | ·763 | ·3 | ·000 | E. | E. | Calm. |
| Saturday, „ 12, | 29·836 | 43·1 | 31·0 | 37·0 | 35·0 | 34·3 | ·919 | ·3 | ·200 | Calm. | S.E. | S.E. |
| Mean, . . | 29·983 | 41·3 | 30·5 | 35·9 | 34·8 | 33·8 | ·885 | ·3 | Total, ·585 | Prevailing wind, N.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Feb. 6, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |
| Monday, „ 7, | A.M. Fine and pleasant. | P.M. Dull. |
| Tuesday, „ 8, | A.M. Sleeting. | P.M. Dull, but fine. |
| Wednesday, „ 9, | A.M. Dull. | P.M. Snowing. |
| Thursday, „ 10, | A.M. Sleeting. | P.M. Raining. |
| [illegible]day, „ 11, | A.M. Fine | P.M. Fine, moonlight. |
| [illegible]ay, „ 12, | A.M. Fine. | P.M. Raining. |

The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.
* furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 12th February, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 12TH FEBRUARY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 37 | 188 | 225 | 40 | 59 | . | 7 | 3 | . | 13 | 1 | 2 | 11 | 13 | 62 |
| BELFAST,† . . | 20,687 | 182,082 | 27 | 155 | 96 | 18 | 15 | . | . | 1 | 1 | 2 | 2 | 3 | 2 | 1 | 19 |
| CORK, . . . | 13,816 | 91,565 | 32 | 48 | 56 | 9 | 9 | . | 5 | . | . | 3 | 1 | . | . | . | 10 |
| LIMERICK, . . | 8,509 | 44,209 | 44 | 15 | 37 | 6 | 10 | . | . | . | . | 5 | . | 2 | . | . | 15 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 22 | 10 | 13 | . | 7 | . | . | 1 | . | . | . | . | 1 | 2 | 5 |
| WATERFORD, . . | 17,209 | 30,626 | 34 | 16 | 20 | 1 | 13 | . | . | . | . | . | . | . | . | . | 12 |
| GALWAY, . . | 21,358 | 19,692 | 13 | 1 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, . . . | 30,835 | 17,285 | 21 | 11 | 7 | . | 3 | . | . | . | . | . | 1 | . | . | . | 2 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 12th February, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 8 | 12 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 38 | 17 | 13 | 3 | 2 | . | . | . | 1 | . | 1 | . | 1 | . | 5 |
| | ,, ,, 3, | 39,311 | 24 | 38 | 18 | 4 | 1 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 65 | 29 | 24 | 2 | 7 | . | . | . | . | . | . | . | . | . | 14 |
| | ,, ,, 5, | 19,616 | 29 | 10 | 11 | 3 | 1 | . | . | . | . | 1 | . | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 21 | 32 | 15 | 2 | 3 | . | . | 1 | . | . | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 20 | 4 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 13 | 5 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Castlereagh ,, 1, | 16,155 | 26 | 8 | 8 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 3 | 3 | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 45 | 12 | 10 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 53 | 7 | 7 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 25 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 5, | 11,289 | 28 | 5 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 17 | 7 | 5 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,536 | 14 | 2 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 51 | 7 | 18 | 1 | 4 | . | 1 | . | . | 2 | . | . | . | . | 9 |
| | ,, ,, 9, | 4,790 | 22 | 3 | 2 | 2 | . | . | 1 | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 33 | 3 | 5 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 75 | 5 | 13 | 1 | 7 | . | . | . | . | 2 | . | 2 | . | . | 11 |
| | ,, ,, 3, | 11,424 | 41 | 2 | 9 | 2 | 1 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, ,, 4, | 15,875 | 33 | 5 | 10 | 2 | 1 | . | . | . | . | 2 | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 15 | 6 | 4 | . | 2 | . | . | 1 | . | . | . | . | 1 | 2 | . |
| | Glendermot, *W.* | 8,483 | 37 | 3 | 6 | . | 5 | . | . | . | . | . | . | . | . | . | 5 |
| WATERFORD, | Waterford, *W.* | 30,626 | 34 | 16 | 20 | 1 | 13 | . | . | . | . | . | . | . | . | . | 12 |
| GALWAY, | Galway, No. 1, | 10,700 | 15 | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 12 | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 24 | 5 | 3 | . | 1 | . | . | . | . | . | 1 | . | . | . | 2 |
| | ,, ,, 2, | 10,829 | 19 | 6 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 12th February, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. | | | SOUTH CITY. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | Districts. | | | Districts. | | | | | | | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,962 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,636 |
| **Births,** | 23 | 30 | 23 | 17 | 9 | 26 | 22 | 12 | 15 | 3 | 7 | 188 |
| **Deaths from all Causes,** | 36 | 15 | 41 | 38 | 16 | 28 | 20 | 12 | 12 | 3 | 4 | 225 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 3 | 2 | . | . | . | . | . | . | . | . | 7 |
| Scarlet Fever (Scarlatina), | 3 | . | . | . | . | . | . | . | . | . | . | 3 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 3 | 1 | 3 | . | 2 | 4 | . | 1 | . | . | . | 13 |
| Fever, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diarrhœa, | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 1 | 3 | . | . | 1 | . | 1 | . | . | . | . | 6 |
| Total, | 8 | 7 | 5 | 1 | 3 | 4 | 2 | 1 | 1 | . | . | 32 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | . | 4 | 7 | 1 | 2 | 3 | 2 | 2 | . | 1 | 24 |
| Other Constitutional Diseases, | 1 | 2 | 4 | 4 | . | 2 | 4 | 2 | . | 1 | . | 20 |
| Total, | 3 | 2 | 8 | 11 | 1 | 4 | 7 | 4 | 2 | 1 | 1 | 44 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 6 | . | 6 | 3 | 1 | 3 | 1 | 3 | 2 | . | 1 | 26 |
| Diseases of the Heart and Circulatory Organs, | 1 | . | 1 | 2 | . | 3 | 1 | . | . | . | . | 8 |
| Diseases of the Respiratory Organs, | 11 | 4 | 12 | 7 | 8 | 7 | 5 | 1 | 5 | 1 | 2 | 63 |
| Diseases of the Digestive Organs, | . | . | 3 | . | . | . | . | 1 | 1 | 1 | . | 6 |
| Diseases of the Urinary Organs, | 1 | . | . | . | 1 | . | . | . | . | . | . | 2 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 19 | 4 | 22 | 12 | 10 | 13 | 7 | 5 | 8 | 2 | 3 | 105 |
| DEVELOPMENTAL DISEASES, | 4 | 2 | 6 | 13 | 2 | 3 | 1 | 1 | 1 | . | . | 33 |
| VIOLENT DEATHS, | 2 | . | . | 1 | . | 4 | 3 | 1 | . | . | . | 11 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED. | . | . | . | . | . | . | . | . | . | . | . | . |
| Annual Rate of Mortality in every 1,000 of the Population, | 38 | 24 | 77 | 61 | 28 | 38 | 28 | 30 | 29 | 22 | 11 | 37 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 3 | 6 | 1 | . | 6 | 3 | . | . | . | . | 19 |
| Workhouse Hospitals, | . | . | 20 | 23 | . | . | . | . | . | . | . | 43 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street and 19, Dearille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the SIXTH WEEK, ending Saturday, February 12th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Feb. 10 1866 | Feb. 9 1867 | Feb. 8 1868 | Feb. 13 1869 | Feb. 12 1870 | Feb. 11 1871 | Feb. 10 1872 | Feb. 8 1873 | Feb. 14 1874 | Feb. 13 1875 | Average of Ten Years and Deaths in 6th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 12th, 1876. Deaths of Persons of the Ages — ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 45·5 | ° 43·5 | ° 41·5 | ° 46·4 | ° 37·0 | ° 44·5 | ° 46·1 | ° 33·5 | ° 40·4 | ° 43·7 | ° 42·2 | ° 35·9 | | | | | | | |
| | **ALL CAUSES,** | 186 | 229 | 196 | 164 | 162 | 199 | 231 | 260 | 160 | 192 | 197·9 | 225 | 75 | 11 | 5 | 36 | 39 | 48 | 11 |
| | **SPECIFIED CAUSES,** | 186 | 226 | 195 | 164 | 160 | 194 | 227 | 256 | 157 | 191 | 195·6 | 225 | 75 | 11 | 5 | 36 | 39 | 48 | 11 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 39 | 26 | 48 | 25 | 27 | 36 | 68 | 30 | 33 | 23 | 35·5 | 32 | 21 | 4 | 1 | 6 | . | . | . |
| II. | CONSTITUTIONAL „ | 47 | 57 | 33 | 36 | 29 | 29 | 37 | 48 | 26 | 28 | 37·0 | 44 | 12 | 4 | 3 | 13 | 10 | 2 | . |
| III. | LOCAL „ | 83 | 122 | 82 | 84 | 81 | 108 | 88 | 123 | 69 | 103 | 94·3 | 105 | 33 | 2 | 1 | 10 | 25 | 32 | 2 |
| IV. | DEVELOPMENTAL „ | 15 | 16 | 31 | 16 | 19 | 18 | 31 | 51 | 21 | 34 | 25·2 | 33 | 6 | . | . | 1 | 3 | 14 | 9 |
| V. | VIOLENT DEATHS, | 2 | 5 | 1 | 3 | 4 | 3 | 3 | 4 | 8 | 3 | 3·6 | 11 | 3 | 1 | . | 6 | 1 | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 36 | 21 | 45 | 25 | 27 | 36 | 65 | 30 | 31 | 22 | 33·8 | 32 | 21 | 4 | 1 | 6 | . | . | . |
| | 2. ENTHETIC „ | 2 | 3 | 1 | . | . | . | . | . | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | 1 | 2 | 2 | . | . | . | 1 | . | 2 | . | ·8 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC „ | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 11 | 12 | 1 | 7 | 4 | 4 | 3 | 11 | 2 | 1 | 5·6 | 6 | . | . | 1 | 1 | 2 | 2 | . |
| | 2. TUBERCULAR „ | 36 | 45 | 32 | 29 | 25 | 25 | 34 | 37 | 24 | 27 | 31·4 | 38 | 12 | 4 | 2 | 12 | 8 | . | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 25 | 34 | 24 | 23 | 21 | 24 | 32 | 38 | 23 | 24 | 26·8 | 26 | 17 | . | 1 | . | 5 | 2 | 1 |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 16 | 8 | 10 | 8 | 7 | 11 | 10 | 13 | 9 | 13 | 10·5 | 8 | . | . | . | 1 | 5 | 2 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 34 | 72 | 36 | 44 | 44 | 62 | 40 | 63 | 30 | 58 | 48·3 | 63 | 16 | 2 | . | 9 | 12 | 23 | 1 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 3 | 6 | 6 | 5 | 5 | 5 | 6 | 2 | 6 | 4 | 4·8 | 6 | . | . | . | . | 2 | 4 | . |
| | 5. DISEASES OF URINARY ORGANS, | 3 | 1 | 4 | 3 | 2 | 4 | . | 3 | 1 | 3 | 2·4 | 2 | . | . | . | . | 1 | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | 1 | 1 | . | 1 | 1 | 1 | . | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | 1 | . | . | . | 1 | 1 | . | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | 2 | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | . | 1 | 3 | 2 | 5 | 1 | 5 | 2 | 1 | . | 2·0 | . | . | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | . | . | 1 | . | 1 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3 „ „ OLD PEOPLE | 13 | 11 | 13 | 11 | 9 | 9 | 12 | 39 | 11 | 27 | 15·5 | 23 | . | . | . | . | 14 | 9 | |
| | 4. DISEASES OF NUTRITION, | 2 | 4 | 14 | 3 | 4 | 8 | 13 | 10 | 9 | 7 | 7·4 | 10 | 6 | . | . | 1 | 3 | . | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 2 | 4 | . | 3 | 4 | 3 | 2 | 2 | 7 | 3 | 3·0 | 10 | 3 | 1 | . | 6 | . | . | . |
| | *2. HOMICIDE, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 4. SUICIDE, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | 3 | 1 | . | 1 | 4 | 4 | 4 | 3 | 1 | 2·1 | . | . | . | . | . | . | . | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the SIXTH WEEK, ending Saturday, 12th February, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 6th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, February 12th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | |
| | | Feb. 10 1866 | Feb. 9 1867 | Feb. 8 1868 | Feb. 13 1869 | Feb. 12 1870 | Feb. 11 1871 | Feb. 10 1872 | Feb. 8 1873 | Feb. 14 1874 | Feb. 13 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 45·5 | 43·5 | 41·5 | 46·4 | 37·0 | 44·5 | 46·1 | 23·5 | 40·4 | 43·7 | 42·2 | 35·9 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | 1 | . | . | . | . | 47 | . | . | . | 4·8 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 4 | 1 | 1 | . | 2 | 2 | 2 | 2 | 3 | 1 | 1·8 | 7 | 6 | 1 | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 3 | 2 | 17 | 14 | 4 | 4 | 2 | 6 | 12 | 3 | 6·7 | 3 | 1 | 2 | . | . | . | . | . |
| | 4. Diphtheria, | 1 | 1 | . | . | . | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | 4 | 3 | 3 | 2 | 3 | 1 | 4 | 2 | 2 | 2·5 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 3 | . | 9 | 1 | 2 | 17 | . | 7 | 1 | . | 4·0 | 13 | 12 | 1 | . | . | . | . | . |
| | 8. Typhus, | | | | . | 3 | 1 | 3 | . | 3 | 1 | | | | | | | | | |
| | – Enteric or Typhoid Fever, | 15 | 5 | 9 | 1 | 1 | 2 | 6 | 3 | 1 | 8 | 6·7 | 1 | 1 | . | . | . | . | . | . |
| | – Simple continued Fever, | | | | . | 3 | 1 | . | . | . | 2 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1·3 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | 4 | . | . | 1 | 3 | . | . | . |
| | 11. Carbuncle, | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | 1 | . | 1 | . | 2 | . | . | 3 | 1 | . | ·8 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 3 | 2 | . | . | . | . | . | . | . | 2 | ·7 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 3 | 3 | 2 | 4 | 4 | 4 | 1 | 4 | 4 | 1 | 3·0 | 2 | 1 | . | . | 1 | . | . | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | . | . | 1 | 1 | . | . | . | 1 | 1 | ·5 | 2 | . | . | . | 2 | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 2 | 3 | 1 | . | . | . | . | . | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | 1 | 1 | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | 1 | . | . | 1 | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 6 | 5 | . | 1 | 2 | 1 | 1 | 3 | 1 | 1 | 2·1 | 4 | . | . | 1 | . | 2 | 1 | . |
| | 3. Cancer, | 2 | 7 | . | 5 | 2 | 3 | 2 | 7 | . | . | 2·8 | 1 | . | . | . | 1 | . | . | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 2 | . | 1 | 1 | . | . | . | 1 | . | . | ·5 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | . | 1·4 | 3 | 2 | . | . | 1 | . | . | . |
| | 2. Tabes Mesenterica, | 5 | 5 | 6 | 1 | 1 | 1 | 2 | . | . | 5 | 2·8 | 6 | 6 | . | . | . | . | . | . |
| | 3. Phthisis, | 26 | 33 | 22 | 23 | 19 | 17 | 28 | 28 | 21 | 19 | 23·6 | 24 | . | 3 | 2 | 11 | 8 | . | . |
| | 4. Hydrocephalus, | 3 | 5 | 3 | 3 | 3 | 5 | 3 | 6 | 2 | 3 | 3·6 | 5 | 4 | 1 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 2 | 6 | 3 | 2 | 3 | 2 | 3 | 1 | 3 | 2·5 | 1 | . | . | 1 | . | . | . | . |
| | 2. Apoplexy, | 5 | 3 | 3 | 2 | 2 | 3 | 2 | 4 | 1 | 1 | 2·6 | 3 | . | . | . | . | 3 | . | . |
| | 3. Paralysis, | 2 | 7 | 2 | 6 | 5 | 4 | 2 | 8 | 4 | 3 | 4·3 | 4 | . | . | . | . | 2 | 1 | 1 |
| | 4. Insanity, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 2 | 2 | 2 | 3 | . | 4 | 4 | 1 | 1 | 1·9 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 16 | 17 | 11 | 7 | 7 | 9 | 18 | 11 | 15 | 13 | 12·4 | 17 | 17 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | 3 | . | 3 | 2 | 4 | 4 | 8 | 1 | 2 | 2·9 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 2 | . | . | . | . | . | 2 | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 14 | 8 | 9 | 8 | 7 | 11 | 8 | 13 | 9 | 12 | 9·9 | 8 | . | . | . | 1 | 5 | 2 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 28 | 58 | 26 | 28 | 40 | 45 | 31 | 54 | 24 | 53 | 38·4 | 52 | 13 | 2 | . | 5 | 11 | 21 | 1 |
| | 3. Pleurisy, | . | 1 | 1 | 2 | . | . | 1 | 1 | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 8 | 4 | 6 | 6 | 3 | 10 | 3 | . | 2 | 3 | 4·5 | 3 | . | . | . | 2 | 1 | . | . |
| | 5. Asthma, | . | 3 | . | 1 | . | 1 | 1 | . | 2 | . | ·8 | 1 | . | . | . | . | . | 1 | . |
| | 6. *Lung Disease, &c.* | 1 | 6 | 3 | 7 | 1 | 5 | 4 | 8 | 1 | 2 | 3·8 | 6 | 3 | . | . | 2 | . | 1 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | [illegible] | 1 | . | . | 2 | 1 | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | | . | 1 | . | . | . | . | 2 | . | 2 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | [illegible]stines, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . |
| | | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |

**YBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 6th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 12th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | Feb. 10 1866 | Feb. 9 1867 | Feb. 8 1868 | Feb. 13 1869 | Feb. 12 1870 | Feb. 11 1871 | Feb. 10 1872 | Feb. 8 1873 | Feb. 14 1874 | Feb. 13 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | 45·5 | 43·5 | 41·5 | 46·4 | 37·0 | 44·5 | 46·1 | 33·5 | 40·4 | 43·7 | 42·2 | 35·9 | | | | | | | |
| 7. Ileus, | · | · | · | 1 | · | 1 | · | 1 | · | · | ·3 | · | · | · | · | · | · | · | · |
| 8. Intussusception, | · | · | · | · | · | · | · | · | 1 | · | ·1 | 1 | · | · | · | · | 1 | · | · |
| 9. Stricture of Intestines, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 10. Fistula, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 11. *Stomach Disease, &c.* | 1 | · | · | 1 | 1 | · | 2 | · | 1 | · | ·6 | 2 | · | · | · | · | · | 2 | · |
| 12. *Pancreas Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 13. Hepatitis, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| 14. Jaundice, | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| 15. *Liver Disease, &c.* | 1 | 4 | 5 | · | 3 | 3 | 2 | · | 2 | 1 | 2·1 | 1 | · | · | · | · | · | 1 | · |
| 16. *Spleen Disease, &c.* | · | · | 1 | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| ORDER 5. | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis, | · | · | · | · | · | · | · | · | 1 | · | ·1 | · | · | · | · | · | · | · | · |
| 2. Ischuria, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 3. Bright's Disease (Nephria), | 2 | · | 2 | 1 | · | 1 | · | 1 | · | · | ·7 | · | · | · | · | · | · | · | · |
| 4. Diabetes, | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| 5. Calculus (Stone), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 6. Cystitis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 7. *Kidney Disease, &c.* | 1 | 1 | 2 | 2 | 2 | 3 | · | 2 | · | 2 | 1·5 | 2 | · | · | · | · | 1 | 1 | · |
| ORDER 6. | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy, | 1 | · | · | · | 1 | 1 | · | · | · | · | ·3 | · | · | · | · | · | · | · | · |
| 2. *Uterus Disease, &c.* | · | 1 | · | 1 | · | · | · | 1 | · | 1 | ·4 | · | · | · | · | · | · | · | · |
| ORDER 7. | | | | | | | | | | | | | | | | | | | |
| 1. Synovitis (Arthritis), | · | · | · | · | · | 1 | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| 2. *Joint Disease, &c.* | 1 | · | · | · | 1 | · | · | 2 | · | · | ·4 | · | · | · | · | · | · | · | · |
| ORDER 8. | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon, | · | · | 1 | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| 2. Ulcer, | · | · | 1 | · | · | · | · | 1 | · | · | ·2 | · | · | · | · | · | · | · | · |
| 3. *Skin Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| ORDER 1. | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth, | · | · | 1 | · | · | · | 3 | 1 | · | · | ·5 | · | · | · | · | · | · | · | · |
| 2. Cyanosis, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| 3. Spina Bifida, | · | · | · | · | · | · | · | 1 | · | · | ·1 | · | · | · | · | · | · | · | · |
| 4. Other Malformations, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 5. Teething, | · | · | 2 | 2 | 5 | 1 | 2 | · | 1 | · | 1·3 | · | · | · | · | · | · | · | · |
| ORDER 2. | | | | | | | | | | | | | | | | | | | |
| 1. Paramœnia, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 2. Childbirth (*see also* Puerperal Fever), | · | · | 1 | · | 1 | · | 1 | · | · | · | ·3 | · | · | · | · | · | · | · | · |
| ORDER 3. | | | | | | | | | | | | | | | | | | | |
| 1. Old Age, | 13 | 11 | 13 | 11 | 9 | 9 | 12 | 39 | 11 | 27 | 15·5 | 23 | · | · | · | · | · | 14 | 9 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility, | 2 | 4 | 14 | 3 | 4 | 8 | 13 | 10 | 9 | 7 | 7·4 | 10 | 6 | · | · | 1 | 3 | · | · |
| ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions, | · | 1 | · | 1 | 1 | · | 2 | 2 | 1 | · | ·8 | 3 | · | · | · | 3 | · | · | · |
| 2. Wounds, | · | · | · | · | · | · | · | · | 1 | · | ·1 | · | · | · | · | · | · | · | · |
| 3. Burns and Scalds, | 2 | 2 | · | 1 | 2 | 2 | · | · | 3 | 1 | 1·3 | 2 | 1 | 1 | · | · | · | · | · |
| 4. Poison, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| 5. Drowning, | · | · | · | 1 | 1 | 1 | · | · | 1 | 2 | ·6 | 3 | 1 | · | · | 2 | · | · | · |
| 6. Suffocation, | · | · | · | · | · | · | · | · | 1 | · | ·1 | 2 | 1 | · | · | 1 | · | · | · |
| 7. Otherwise, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Murder and Manslaughter, | · | · | · | · | · | · | 1 | · | 1 | · | ·2 | 1 | · | · | · | · | 1 | · | · |
| ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Wounds, { Gunshot, | · | · | · | · | · | · | · | 1 | · | · | ·1 | · | · | · | · | · | · | · | · |
| { Cut, Stab, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 2. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 3. Drowning, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 4. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| 5. Otherwise, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| 1. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| Other Violent Deaths (not classed), | · | · | 1 | · | · | · | · | 1 | · | · | ·2 | · | · | · | · | · | · | · | · |
| Sudden Deaths (Cause unascertained), | · | · | · | · | 1 | 1 | · | · | · | · | ·2 | · | · | · | · | · | · | · | · |
| Causes not specified or ill-defined, | · | 3 | 1 | · | 1 | 4 | 4 | 4 | 3 | 1 | 2·1 | · | · | · | · | · | · | · | · |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | | | | | | | | | 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 21. | Aug. 28. | Sep. 4. | Sep. 11. | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. |
| BIRTHS, . . . . | 220 | 200 | 188 | 140 | 216 | 134 | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 189 |
| DEATHS, . . . . | 142 | 152 | 129 | 144 | 139 | 148 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 |
| Deaths under 5 years of age, . | 47 | 61 | 56 | 64 | 62 | 59 | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 |
| Deaths 5–15, . . . . | 4 | 6 | 8 | 2 | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 |
| Deaths 15–20, . . . . | 4 | 2 | 2 | 5 | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 |
| Deaths 20–40, . . . . | 35 | 25 | 20 | 20 | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 |
| Deaths 40–60, . . . . | 25 | 31 | 21 | 28 | 21 | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 31 | 44 | 39 | 43 | 32 | 39 |
| Deaths 60–80, . . . . | 26 | 22 | 22 | 20 | 22 | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 |
| Deaths at 80 years of age and upwards, . . . . | 1 | 5 | . | 5 | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . | 3 | 5 | 3 | 4 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 |
| ,, Scarlatina, . | 2 | . | 2 | 1 | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 |
| ,, Diphtheria, . | 1 | 1 | 1 | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . |
| ,, Whooping Cough, | 5 | 5 | 4 | 3 | 7 | 5 | 5 | 4 | 3 | | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 |
| ,, Fever, . . | 5 | 9 | 1 | 2 | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 |
| ,, Diarrhœa, . . | 15 | 13 | 13 | 19 | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 |
| ,, Phthisis, . | 16 | 17 | 13 | 12 | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 |
| ,, Bronchitis, . | 12 | 9 | 6 | 11 | 6 | 4 | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 |
| ,, Pneumonia, . | 2 | 4 | 5 | 4 | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 |
| ,, Heart Disease, . | 7 | 11 | 7 | 6 | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 |
| Mean Temperature of the Air | 62·8 | 61·6 | 60·4 | 56·5 | 59·8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 |
| Rain-fall in inches, . . | ·010 | ·156 | ·798 | ·220 | ·549 | 1·301 | ·584 | ·353 | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·755 | ·801 | ·804 | ·792 | ·837 | ·906 | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·801 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 |

DUBLIN: Printed by ALEXANDER THOM, Abbey-street,
For Her Majesty's Stationery Office.
[2605.—800.—1/76.]

DUBLIN · BIBLIOTHECA · B

# WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, FEBRUARY 19, 1876. [No. 7.

*General Register Office, Charlemont House, Dublin, February 21st, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 19th February, 1876, represent an annual mortality of 44 in every 1,000 of the population, by the Census of 1871. In London the death rate was 30 in every 1,000 of the estimated population; in Glasgow, 34; and in Edinburgh, 28.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 208—96 boys and 112 girls,—and the deaths to 269—129 males and 140 females. The *average* numbers in the corresponding week of the previous ten years were—births, 178, and deaths, 191.

The number of deaths from zymotic diseases *registered* during the week was 41, including 5 from fever (4 typhoid or enteric, and 1 simple continued fever), 13 from whooping-cough, 7 from scarlet fever—5 of which occurred in No. 1, North City (Summer-hill) District; 4 from croup; 2 each from erysipelas, influenza, and diarrhœa; 1 from measles, &c.

Sixteen children died from convulsions.

Bronchitis caused 73 deaths (against an average of 38 for the corresponding week of the previous ten years), pneumonia or inflammation of the lungs 9, pleurisy 1, asthma 1, and lung disease unspecified 7.

Six deaths were attributed to paralysis, 1 each to apoplexy and epilepsy, and 3 to brain disease unspecified.

Eight deaths resulted from heart disease; 3 each from liver disease and nephria or Bright's disease; and 1 from kidney disease unspecified.

Phthisis or pulmonary consumption caused 32 deaths (being 10 over the average for the seventh week of the ten years 1866–75), hydrocephalus or water on the brain 4, mesenteric disease 2, scrofula 1, and cancer 3.

Six accidental deaths were *registered*, viz.:—3 from burns, 1 from scalds, and 2 from fractures and contusions.

Eighty-nine of the persons whose deaths were *registered* during the week were under 5 years of age, and 69 were aged 60 and upwards, including 34 persons aged 70 and upwards, of whom 6 were octogenarians, and 1 (a male) was stated to have been aged 94 years.

Two deaths from fever, 2 from whooping-cough, and 1 each from scarlet fever and diarrhœa, were *registered* in Belfast.

Four deaths from measles and 1 from whooping-cough were *registered* in Cork.

Five deaths from whooping-cough and 1 from diarrhœa were *registered* in Limerick.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from Bronchitis. | Consumption. | Convulsions. | Whooping Cough. | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| Dublin City:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 10 | 3 | 3 | 2 | 31 |
| | No. 2 ,, | 31,993 | 12 | – | 1 | 2 | 23 |
| | No. 3 ,, | 27,546 | 10 | 10 | 1 | 2 | 49 |
| South Side, | No. 1 District, | 32,184 | 9 | 4 | 3 | – | 44 |
| | No. 2 ,, | 29,952 | 6 | 1 | 2 | 2 | 17 |
| | No. 3 ,, | 38,811 | 9 | 2 | 1 | 2 | 32 |
| | No. 4 ,, | 36,703 | 8 | 6 | 3 | 1 | 32 |
| Rathmines District, | | 20,939 | 4 | 3 | – | 1 | 13 |
| Donnybrook, ,, | | 21,758 | 2 | 1 | 1 | 1 | 9 |
| Blackrock, ,, | | 7,182 | 1 | – | – | – | 4 |
| Kingstown, ,, | | 18,461 | 2 | 2 | 1 | – | 15 |
| | Total | 314,666 | 73 | 32 | 16 | 13 | 269 |

Sixty-six of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin, and 23 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 33 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 37 per 1,000; and in No. 3, North City (Blackhall-street), to 92 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 71 per 1,000; in No. 2, South City District (High-street), the ratio was 30 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 43 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 45 per 1,000.

In the Suburban District of Rathmines the annual ratio was 32 per 1,000; in Donnybrook it was 22—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 29; and in Kingstown 42 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,475 and the deaths to 2,005 (against an average of 1,632 for corresponding week 1866–75); in Glasgow the births *registered* were 387, and the deaths 361; and in Edinburgh the births were 128, and the deaths 114. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·400 inches. The highest daily mean reading (29·556) occurred on Wednesday, and the lowest (29·079) on Friday.

The mean temperature during the week was 44·0° (the average in the corresponding week of the previous ten years was 42·6°); the lowest daily mean (35·3°) occurred on Sunday, and the highest (51·1°) on Thursday.

The temperature was highest on Thursday, when the thermometer registered 59·8°, and was lowest on Saturday, the mercury having fallen to 26·0°. The highest reading of the barometer during the week (29·598) occurred on Wednesday, at 9.30 P.M., wind S.W., and the lowest (29·058) on Friday, at 9.30 A.M., wind S.W. The mean of the Dry Bulb for the week was 44·0°; and of the Wet Bulb 42·4°. The mean humidity of the air was ·873; complete saturation being represented by 1·0. The rain-fall during the week measured ·962 in.

At Greenwich, the mean temperature of the week was 44·5°; at Glasgow, 37·1°; and at Edinburgh, 38·5°. The rain-fall during the week at Greenwich measured ·61 in., and at Glasgow, 1·05 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | THERMOMETER. Maximum. | Minimum. | Mean. | HYGROMETER. Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | Ozone. 1·0. | Rain Gauge. | Direction of the Wind. 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Feb. 13, | 29·477 | 38·4 | 31·2 | 35·3 | 37·0 | 36·5 | ·931 | ·5 | ·365 | S.E. | S.E. | S.E. |
| Monday, ,, 14, | 29·439 | 50·1 | 37·0 | 43·6 | 39·9 | 39·5 | ·968 | ·8 | ·235 | N.W. | E. | Calm. |
| Tuesday, ,, 15, | 29·302 | 53·1 | 40·8 | 47·9 | 47·0 | 44·0 | ·778 | 1·0 | ·085 | S.W. | S.W. | S.W. |
| Wednesday, ,, 16, | 29·556 | 52·1 | 40·8 | 46·4 | 46·2 | 43·9 | ·822 | ·5 | ·148 | S.W. | S.W. | S.W. |
| Thursday, ,, 17, | 29·512 | 59·8 | 42·5 | 51·1 | 50·2 | 49·3 | ·934 | 1·0 | ·110 | Calm. | S.W. | S.W. |
| Friday, ,, 18, | 29·079 | 56·5 | 36·6 | 46·6 | 49·7 | 47·9 | ·875 | 1·0 | ·010 | S.W. | S.W. | S.W. |
| Saturday, ,, 19, | 29·439 | 48·5 | 26·0 | 37·2 | 38·1 | 35·5 | ·786 | ·8 | ·009 | W. | W. | Calm. |
| Mean, . . | 29·400 | 51·5 | 36·5 | 44·0 | 44·0 | 42·4 | ·873 | ·8 | Total, ·962 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Feb. 13, | A.M. Raining. | P.M. Raining. |
| Monday, ,, 14, | A.M. Fine. | P.M. Dull. |
| Tuesday, ,, 15, | A.M. Fine and pleasant. | P.M. Fine. |
| Wednesday, ,, 16, | A.M. Fine and pleasant. | P.M. Fine. |
| Thursday, ,, 17, | A.M. Raining. | P.M. Raining. |
| Friday, ,, 18, | A.M. Fine | P.M. Fine. |
| Saturday, ,, 19, | A.M. Fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 19th February, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 19TH FEBRUARY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 44 | 208 | 269 | 49 | 69 | . | 1 | 7 | . | 13 | 5 | 2 | 6 | 4 | 66 |
| BELFAST,† . . | 20,687 | 182,082 | 28 | 124 | 99 | 10 | 28 | . | . | 1 | . | 2 | 2 | 1 | . | . | 15 |
| CORK, . . . | 13,816 | 91,965 | 32 | 50 | 56 | 9 | 14 | . | 4 | . | . | 1 | . | . | . | 2 | 3 |
| LIMERICK, . . | 6,509 | 44,209 | 51 | 20 | 43 | 5 | 16 | . | . | . | . | 5 | . | 1 | . | 2 | 16 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 29 | 22 | 17 | 3 | 5 | . | . | 1 | . | 1 | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 37 | 24 | 22 | 2 | 6 | . | . | . | . | . | . | . | . | 2 | 5 |
| GALWAY, . . | 21,358 | 19,692 | 21 | 5 | 8 | 1 | 2 | . | . | . | . | . | . | . | . | . | 4 |
| SLIGO, . . . | 30,635 | 17,285 | 27 | 8 | 9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 19th February, 1876.

| REGISTRARS' DISTRICTS. | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, Belfast, No. 1, | 19,679 | 21 | 8 | 8 | 1 | 3 | . | . | . | . | . | 1 | 1 | . | . | . |
| ,, ,, 2, | 17,938 | 35 | 6 | 12 | 1 | 3 | . | . | . | . | . | . | . | . | . | 2 |
| ,, ,, 3, | 39,311 | 20 | 41 | 15 | 1 | 3 | . | . | . | . | 2 | 1 | . | . | . | . |
| ,, ,, 4, *W.* | 19,320 | 86 | 16 | 32 | 1 | 13 | . | . | 1 | . | . | . | . | . | . | 13 |
| ,, ,, 5, | 19,616 | 24 | 11 | 9 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 6, | 36,652 | 17 | 26 | 12 | 3 | 2 | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 9, | 5,296 | 20 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 10, | 8,115 | 26 | 7 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| Castlereagh ,, 1, | 16,155 | 16 | 7 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| CORK, Cork, No. 1, | 10,156 | 36 | 3 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 2, | 11,555 | 32 | 9 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 3, | 6,818 | 61 | 8 | 8 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . |
| ,, ,, 4, | 6,227 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 5, | 11,389 | 32 | 12 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 |
| ,, ,, 6, | 15,230 | 10 | 1 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 7, | 7,536 | 41 | 2 | 6 | . | 2 | . | . | . | . | . | . | . | . | 1 | 2 |
| ,, ,, 8, *W.* | 18,364 | 45 | 8 | 16 | 3 | 1 | . | 3 | . | . | 1 | . | . | . | 1 | . |
| ,, ,, 9, | 4,790 | 22 | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, Limerick, No. 1, | 7,918 | 13 | 2 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 2, *W.* | 8,992 | 162 | 4 | 28 | 3 | 14 | . | . | . | . | 2 | . | 1 | . | 2 | 16 |
| ,, ,, 3, | 11,424 | 18 | 5 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 4, | 15,875 | 29 | 9 | 9 | 1 | 1 | . | . | . | . | 3 | . | . | . | . | . |
| LONDONDERRY, Londonderry, No. 1, | 8,832 | 29 | 5 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| ,, ,, 2, | 13,569 | 34 | 15 | 9 | 1 | 3 | . | . | 1 | . | . | . | . | . | . | . |
| Glendermot, *W.* | 8,483 | 18 | 2 | 3 | 1 | . | . | . | . | . | 1 | . | . | . | . | . |
| WATERFORD, . Waterford, *W.* | 30,626 | 37 | 24 | 22 | 2 | 6 | . | . | . | . | . | . | . | . | 2 | 5 |
| GALWAY, . Galway, No. 1, | 10,700 | 19 | 3 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| ,, ,, 2, *W.* | 8,992 | 23 | 2 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, . Sligo, No. 1, *W.* | 6,456 | 40 | 1 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | 1 |
| ,, ,, 2, | 10,829 | 19 | 7 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 19th February, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. | | | SOUTH CITY. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | Districts. | | | Districts. | | | | | | | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 32 | 38 | 13 | 19 | 8 | 29 | 37 | 7 | 9 | 2 | 14 | 208 |
| **Deaths from all Causes,** | 31 | 23 | 49 | 44 | 17 | 32 | 32 | 13 | 9 | 4 | 15 | 269 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Scarlet Fever (Scarlatina), | 5 | 1 | . | . | 1 | . | . | . | . | . | . | 7 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 2 | 2 | 2 | . | 2 | 2 | 1 | 1 | 1 | . | . | 13 |
| Fever, | . | 2 | . | 2 | 1 | . | . | . | . | . | . | 5 |
| Diarrhœa, | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | . | . | 4 | 5 | . | 1 | 3 | . | . | . | . | 13 |
| Total, | 9 | 5 | 7 | 7 | 4 | 3 | 4 | 1 | 1 | . | . | 41 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | . | 10 | 4 | 1 | 2 | 6 | 3 | 1 | . | 2 | 32 |
| Other Constitutional Diseases, | 1 | 2 | 4 | 1 | . | . | 2 | 1 | . | . | 2 | 13 |
| Total, | 4 | 2 | 14 | 5 | 1 | 2 | 8 | 4 | 1 | . | 4 | 45 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | 1 | 4 | 5 | 3 | 4 | 3 | 1 | 2 | . | 1 | 27 |
| Diseases of the Heart and Circulatory Organs, | . | 1 | 1 | 1 | . | 2 | 1 | . | . | . | 2 | 8 |
| Diseases of the Respiratory Organs, | 10 | 12 | 16 | 14 | 7 | 11 | 9 | 6 | 2 | 1 | 3 | 91 |
| Diseases of the Digestive Organs, | . | 1 | 3 | 1 | . | 3 | 1 | . | 1 | 2 | . | 12 |
| Diseases of the Urinary Organs, | . | . | . | 1 | . | 1 | 2 | . | . | . | . | 4 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| Total, | 13 | 15 | 24 | 22 | 10 | 21 | 16 | 7 | 6 | 3 | 6 | 143 |
| DEVELOPMENTAL DISEASES, | 4 | 1 | 3 | 5 | 2 | 3 | 2 | 1 | 1 | 1 | 3 | 26 |
| VIOLENT DEATHS, | . | . | . | 1 | . | 3 | . | . | . | . | 2 | 6 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | . | 1 | 4 | . | . | 2 | . | . | . | . | 8 |
| ANNUAL RATE of Mortality in every 1,000 of the Population, | 33 | 37 | 92 | 71 | 30 | 43 | 45 | 32 | 22 | 29 | 42 | 44 |

## NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | . | 10 | 1 | . | 9 | 4 | . | . | . | . | 25 |
| Workhouse Hospitals, | . | . | 18 | 23 | . | . | . | . | . | . | . | 41 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 30, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the *Municipal* Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 52, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the SEVENTH WEEK, ending Saturday, February 19th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Feb. 17 1866 | Feb. 16 1867 | Feb. 15 1868 | Feb. 20 1869 | Feb. 19 1870 | Feb. 18 1871 | Feb. 17 1872 | Feb. 15 1873 | Feb. 21 1874 | Feb. 20 1875 | Average Temperature and of Deaths in 7th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 19th, 1876. Deaths of Persons of the Ages — ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 38·2 | ° 45·7 | ° 44·2 | ° 47·1 | ° 37·5 | ° 48·3 | ° 44·7 | ° 39·9 | ° 41·6 | ° 38·5 | ° 42·6 | Mean Temp. ° 44·0 | | | | | | | |
| | **ALL CAUSES,** | 177 | 207 | 158 | 167 | 161 | 244 | 244 | 180 | 166 | 202 | 190·6 | 269 | 89 | 16 | 6 | 38 | 51 | 62 | 7 |
| | **SPECIFIED CAUSES,** | 174 | 204 | 156 | 165 | 160 | 242 | 241 | 178 | 162 | 199 | 188·1 | 261 | 85 | 16 | 6 | 38 | 50 | 59 | 7 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 34 | 37 | 38 | 30 | 30 | 42 | 81 | 22 | 30 | 22 | 36·6 | 41 | 25 | 7 | . | 4 | 1 | 4 | . |
| II. | CONSTITUTIONAL „ | 29 | 44 | 15 | 36 | 35 | 45 | 44 | 36 | 38 | 42 | 36·4 | 45 | 7 | 3 | 4 | 11 | 14 | 6 | . |
| III. | LOCAL „ | 76 | 111 | 75 | 67 | 74 | 109 | 92 | 97 | 63 | 99 | 86·3 | 143 | 48 | 3 | 2 | 20 | 35 | 34 | 1 |
| IV. | DEVELOPMENTAL „ | 29 | 10 | 24 | 25 | 20 | 41 | 23 | 16 | 25 | 32 | 24·5 | 26 | 3 | . | . | 3 | . | 14 | 6 |
| V. | VIOLENT DEATHS, | 6 | 2 | 4 | 7 | 1 | 5 | 1 | 7 | 6 | 4 | 4·3 | 6 | 2 | 3 | . | . | . | 1 | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 31 | 35 | 36 | 28 | 28 | 38 | 76 | 20 | 28 | 21 | 34·1 | 40 | 25 | 7 | . | 4 | . | 4 | . |
| | 2. ENTHETIC „ | 2 | 1 | . | 1 | . | 1 | 2 | . | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | . | 1 | 1 | 1 | 2 | 3 | 3 | 2 | 2 | . | 1·5 | 1 | . | . | . | . | 1 | . | . |
| | 4. PARASITIC „ | 1 | . | 1 | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 5 | 7 | 3 | 8 | 2 | 13 | 7 | 6 | 7 | 5 | 6·3 | 6 | . | . | . | 1 | 3 | 2 | . |
| | 2. TUBERCULAR „ | 24 | 37 | 12 | 28 | 33 | 32 | 37 | 30 | 31 | 37 | 30·1 | 39 | 7 | 3 | 4 | 10 | 11 | 4 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 23 | 26 | 22 | 17 | 15 | 35 | 25 | 20 | 20 | 27 | 23·0 | 27 | 16 | 1 | 1 | 3 | 2 | 4 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 4 | 5 | 8 | 6 | 2 | 8 | 9 | 12 | 7 | 11 | 7·2 | 8 | . | . | 1 | 2 | 2 | 3 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 40 | 71 | 35 | 31 | 47 | 58 | 44 | 52 | 29 | 52 | 45·9 | 91 | 30 | 2 | . | 11 | 25 | 22 | 1 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 6 | 7 | 6 | 10 | 6 | 6 | 9 | 5 | 7 | 4 | 6·6 | 12 | 1 | . | . | 4 | 4 | 3 | . |
| | 5. DISEASES OF URINARY ORGANS, | 3 | . | 1 | 3 | 3 | 1 | 4 | 6 | . | 5 | 2·6 | 4 | . | . | . | . | 2 | 2 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | 2 | 1 | . | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | 2 | . | . | 1 | . | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | . | . | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1·3 | 3 | 3 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | 1 | . | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | ·9 | 3 | . | . | . | 3 | . | . | . |
| | 3. „ „ OLD PEOPLE | 18 | 4 | 9 | 15 | 17 | 26 | 15 | 12 | 16 | 17 | 14·9 | 19 | . | . | . | . | . | 13 | 6 |
| | 4. DISEASES OF NUTRITION, | 10 | 6 | 10 | 8 | 2 | 13 | 6 | 2 | 6 | 12 | 7·4 | 1 | . | . | . | . | . | 1. | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 5 | 2 | 4 | 6 | 1 | 4 | 1 | 7 | 6 | 2 | 3·8 | 6 | 2 | 3 | . | . | . | 1 | . |
| | 2. HOMICIDE, | 1 | . | . | 1 | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 2 | 3 | 2 | 2 | 1 | 2 | 3 | 2 | 4 | 3 | 2·4 | 8 | 4 | . | . | . | 1 | 3 | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

**Births and Deaths *Registered* in the several Registration Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, during the Week ending Saturday, 12th February, 1876.**

| Names of Diseases, &c. | Registration Districts. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | Total. |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,706 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,962 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,636 |
| **Births,** | 23 | 30 | 23 | 17 | 9 | 26 | 23 | 12 | 15 | 3 | 7 | 188 |
| **Deaths from all Causes,** | 36 | 15 | 41 | 38 | 16 | 29 | 20 | 12 | 12 | 3 | 4 | 225 |
| Zymotic Diseases: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 3 | 2 | . | . | . | . | . | . | . | . | 7 |
| Scarlet Fever (Scarlatina), | 3 | . | . | . | . | . | . | . | . | . | . | 3 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 2 | 1 | 3 | . | 2 | 4 | . | 1 | . | . | . | 13 |
| Fever, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diarrhœa, | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 1 | 3 | . | . | 1 | . | 1 | . | . | . | . | 6 |
| Total, | 8 | 7 | 5 | 1 | 3 | 4 | 2 | 1 | 1 | . | . | 32 |
| Constitutional Diseases: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | . | 4 | 7 | 1 | 2 | 3 | 2 | 2 | . | 1 | 24 |
| Other Constitutional Diseases, | 1 | 2 | 4 | 4 | . | 2 | 4 | 2 | . | 1 | . | 20 |
| Total, | 3 | 2 | 8 | 11 | 1 | 4 | 7 | 4 | 2 | 1 | 1 | 44 |
| Local Diseases: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 6 | . | 6 | 3 | 1 | 3 | 1 | 3 | 2 | . | 1 | 26 |
| Diseases of the Heart and Circulatory Organs, | 1 | . | 1 | 2 | . | 3 | 1 | . | . | . | . | 8 |
| Diseases of the Respiratory Organs, | 11 | 4 | 12 | 7 | 8 | 7 | 5 | 1 | 5 | 1 | 2 | 63 |
| Diseases of the Digestive Organs, | . | . | 3 | . | . | . | . | 1 | 1 | 1 | . | 6 |
| Diseases of the Urinary Organs, | 1 | . | . | . | 1 | . | . | . | . | . | . | 2 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 19 | 4 | 22 | 12 | 10 | 13 | 7 | 5 | 8 | 3 | 3 | 105 |
| Developmental Diseases, | 4 | 2 | 6 | 13 | 2 | 3 | 1 | 1 | 1 | . | . | 33 |
| Violent Deaths, | 2 | . | . | 1 | . | 4 | 3 | 1 | . | . | . | 11 |
| Causes not Specified or Ill-Defined. | . | . | . | . | . | . | . | . | . | . | . | . |
| Annual Rate of Mortality in every 1,000 of the Population, | 38 | 24 | 77 | 61 | 28 | 38 | 28 | 30 | 29 | 22 | 11 | 37 |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 3 | 6 | 1 | . | 6 | 3 | . | . | . | . | 19 |
| Workhouse Hospitals, | . | . | 20 | 23 | . | . | . | . | . | . | . | 43 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Great Britain-street, Bereaford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen's-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 52, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the SIXTH WEEK, ending Saturday, February 12th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| No. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Feb. 10 1866 | Feb. 9 1867 | Feb. 8 1868 | Feb. 13 1869 | Feb. 12 1870 | Feb. 11 1871 | Feb. 10 1872 | Feb. 8 1873 | Feb. 14 1874 | Feb. 13 1875 | Average of Temperature and of Deaths in 6th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 12th, 1876. Deaths of Persons of the Ages: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 45·5 | ° 43·8 | ° 41·5 | ° 46·4 | ° 37·0 | ° 44·5 | ° 46·1 | ° 33·5 | ° 40·4 | ° 43·7 | ° 42·2 | ° 35·9 | | | | | | | |
| | **ALL CAUSES,** | 186 | 229 | 196 | 164 | 162 | 199 | 221 | 260 | 160 | 192 | 197·9 | 225 | 75 | 11 | 5 | 36 | 39 | 48 | 11 |
| | **SPECIFIED CAUSES,** | 186 | 226 | 195 | 164 | 160 | 194 | 227 | 256 | 157 | 191 | 195·6 | 225 | 75 | 11 | 5 | 36 | 39 | 48 | 11 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 39 | 26 | 48 | 25 | 27 | 36 | 68 | 30 | 33 | 23 | 35·5 | 32 | 21 | 4 | 1 | 6 | . | . | . |
| II. | CONSTITUTIONAL „ | 47 | 57 | 33 | 36 | 29 | 29 | 37 | 48 | 26 | 28 | 37·0 | 44 | 12 | 4 | 3 | 13 | 10 | 2 | . |
| III. | LOCAL „ | 83 | 122 | 82 | 84 | 81 | 108 | 88 | 123 | 69 | 103 | 94·3 | 105 | 33 | 2 | 1 | 10 | 25 | 32 | 2 |
| IV. | DEVELOPMENTAL „ | 15 | 16 | 31 | 16 | 19 | 18 | 31 | 51 | 21 | 34 | 25·2 | 33 | 6 | . | . | 1 | 3 | 14 | 9 |
| V. | VIOLENT DEATHS, | 2 | 5 | 1 | 3 | 4 | 3 | 3 | 4 | 3 | 3 | 3·6 | 11 | 3 | 1 | . | 6 | 1 | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 36 | 21 | 45 | 25 | 27 | 36 | 65 | 30 | 31 | 22 | 33·8 | 32 | 21 | 4 | 1 | 6 | . | . | . |
| | 2. ENTHETIC „ | 2 | 3 | 1 | . | . | . | . | . | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | 1 | 2 | 2 | . | . | . | 1 | . | 2 | . | ·8 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC „ | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 11 | 13 | 1 | 7 | 4 | 4 | 3 | 11 | 2 | 1 | 5·6 | 6 | . | . | 1 | 1 | 2 | 2 | . |
| | 2. TUBERCULAR „ | 36 | 45 | 32 | 29 | 25 | 25 | 34 | 37 | 24 | 27 | 31·4 | 38 | 12 | 4 | 2 | 12 | 8 | . | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 25 | 34 | 24 | 23 | 21 | 24 | 32 | 38 | 23 | 24 | 26·8 | 26 | 17 | . | 1 | . | 5 | 2 | 1 |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 16 | 8 | 10 | 8 | 7 | 11 | 10 | 13 | 9 | 13 | 10·5 | 8 | . | . | . | 1 | 5 | 2 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 34 | 72 | 36 | 44 | 44 | 62 | 40 | 63 | 30 | 58 | 48·3 | 63 | 16 | 2 | . | 9 | 12 | 23 | 1 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 3 | 6 | 6 | 5 | 5 | 5 | 6 | 2 | 6 | 4 | 4·8 | 6 | . | . | . | . | 2 | 4 | . |
| | 5. DISEASES OF URINARY ORGANS, | 3 | 1 | 4 | 3 | 2 | 4 | . | 3 | 1 | 3 | 2·4 | 2 | . | . | . | . | 1 | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | 1 | 1 | . | 1 | 1 | 1 | . | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | 1 | . | . | . | 1 | 1 | . | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | 2 | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | . | 1 | 3 | 2 | 5 | 1 | 5 | 2 | 1 | . | 2·0 | . | . | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | . | . | 1 | . | 1 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3 „ „ OLD PEOPLE | 13 | 11 | 13 | 11 | 9 | 9 | 12 | 39 | 11 | 27 | 15·5 | 23 | . | . | . | . | 14 | 9 | |
| | 4. DISEASES OF NUTRITION, | 2 | 4 | 14 | 3 | 4 | 8 | 13 | 10 | 9 | 7 | 7·4 | 10 | 6 | . | . | 1 | 3 | . | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 2 | 4 | . | 3 | 4 | 3 | 2 | 2 | 7 | 3 | 3·0 | 10 | 3 | 1 | . | 6 | . | . | . |
| | *2. HOMICIDE, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 4. SUICIDE, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | 3 | 1 | . | 1 | 4 | 4 | 4 | 3 | 1 | 2·1 | . | . | . | . | . | . | . | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, RATHGAR, and PEMBROKE, during the SIXTH WEEK, ending Saturday, 12th February, 1876; also the Deaths from each Disease Registered in the Week ending Saturday, February 12th, 1876.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 6th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, February 12th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Feb. 10 1866 | Feb. 9 1867 | Feb. 8 1868 | Feb. 13 1869 | Feb. 12 1870 | Feb. 11 1871 | Feb. 10 1872 | Feb. 8 1873 | Feb. 14 1874 | Feb. 13 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 45·5 | ° 43·5 | ° 41·5 | ° 46·4 | ° 37·0 | ° 44·5 | ° 46·1 | ° 33·5 | ° 40·4 | ° 43·7 | ° 42·2 | Mean Temp. ° 35·9 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | 1 | . | . | . | . | 47 | . | . | . | 4·8 | . | . | . | . | . | . | . | |
| | 2. Measles, | 4 | 1 | 1 | . | 2 | 2 | 2 | 2 | 3 | 1 | 1·8 | 7 | 6 | 1 | . | . | . | . | |
| | 3. Scarlet Fever (Scarlatina), | 3 | 2 | 17 | 14 | 4 | 4 | 2 | 6 | 12 | 3 | 6·7 | 3 | 1 | 2 | . | . | . | . | |
| | 4. Diphtheria, | 1 | 1 | . | . | . | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | |
| | 5. Quinsy, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | |
| | 6. Croup, | 1 | 4 | 3 | 3 | 2 | 3 | 1 | 4 | 2 | 2 | 2·5 | . | . | . | . | . | . | . | |
| | 7. Whooping Cough, | 3 | . | 9 | 1 | 2 | 17 | . | 7 | 1 | . | 4·0 | 13 | 12 | 1 | . | . | . | . | |
| | 8. Typhus, | | | | . | 3 | 1 | 3 | | 3 | 1 | | | | | | | | | |
| | — Enteric or Typhoid Fever, | 15 | 5 | 9 | 1 | 1 | 2 | 6 | 2 | 1 | 8 | 6·7 | 1 | 1 | . | . | . | . | . | |
| | — Simple continued Fever, | | | | . | 3 | 1 | . | . | . | 2 | | . | . | . | . | . | . | . | |
| | 9. Erysipelas, | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1·3 | . | . | . | . | . | . | . | |
| | 10. Puerperal Fever (Metria), | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | 4 | . | . | 1 | 3 | . | . | |
| | 11. Carbuncle, | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | |
| | 12. Influenza, | 1 | . | 1 | . | 2 | . | . | 3 | 1 | . | ·8 | . | . | . | . | . | . | . | |
| | 13. Dysentery, | 3 | 2 | . | . | . | . | . | . | . | 2 | ·7 | . | . | . | . | . | . | . | |
| | 14. Diarrhœa, | 3 | 3 | 2 | 4 | 4 | 4 | 1 | 4 | 4 | 1 | 3·0 | 2 | 1 | . | 1 | . | . | . | |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 18. Rheumatism, | 1 | . | . | 1 | 1 | . | . | . | 1 | 1 | ·5 | 2 | . | . | . | 2 | . | . | |
| | 19. Other Zymotic Diseases, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 2 | 3 | 1 | . | . | . | . | . | . | 1 | ·7 | . | . | . | . | . | . | . | |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | |
| | 3. Purpura and Scurvy, | 1 | 1 | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | |
| | 4. Alcoholism, { Delirium Tremens | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 4. Alcoholism, { Intemperance, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | |
| | 2. Dropsy, | 6 | 5 | . | 1 | 2 | 1 | 1 | 3 | 1 | 1 | 2·1 | 4 | . | . | 1 | . | 2 | 1 | |
| | 3. Cancer, | 2 | 7 | . | 5 | 2 | 3 | 2 | 7 | , | . | 2·8 | 1 | . | . | . | 1 | . | . | |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 5. Mortification, | 2 | . | 1 | 1 | . | . | . | 1 | . | . | ·5 | 1 | . | . | . | . | . | 1 | |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | . | 1·4 | 3 | 2 | . | . | 1 | . | . | |
| | 2. Tabes Mesenterica, | 5 | 5 | 6 | 1 | 1 | 1 | 2 | 2 | . | 5 | 2·8 | 6 | 6 | . | . | . | . | . | |
| | 3. Phthisis, | 26 | 33 | 22 | 23 | 19 | 17 | 28 | 28 | 21 | 19 | 23·6 | 24 | . | 3 | 2 | 11 | 8 | . | |
| | 4. Hydrocephalus, | 3 | 5 | 3 | 3 | 3 | 5 | 3 | 6 | 2 | 3 | 3·6 | 5 | 4 | 1 | . | . | . | . | |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 2 | 6 | 3 | 2 | 3 | 2 | 3 | 1 | 3 | 2·5 | 1 | . | . | 1 | . | . | . | |
| | 2. Apoplexy, | 5 | 3 | 3 | 2 | 2 | 3 | 2 | 4 | 1 | 1 | 2·6 | 3 | . | . | . | . | 3 | . | |
| | 3. Paralysis, | 2 | 7 | 2 | 6 | 5 | 4 | 2 | 8 | 4 | 3 | 4·3 | 4 | . | . | . | . | 2 | 1 | 1 |
| | 4. Insanity, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 6. Epilepsy, | . | 2 | 2 | 2 | 3 | . | 4 | 4 | 1 | 1 | 1·9 | . | . | . | . | . | . | . | |
| | 7. Convulsions, | 16 | 17 | 11 | 7 | 7 | 9 | 18 | 11 | 15 | 13 | 12·4 | 17 | 17 | . | . | . | . | . | |
| | 8. *Brain Disease, &c.* | 2 | 3 | . | 3 | 2 | 4 | 4 | 8 | 1 | 2 | 2·9 | . | . | . | . | . | . | . | |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 2. Aneurism, | 2 | . | . | . | . | . | 2 | . | . | 1 | ·5 | . | . | . | . | . | . | . | |
| | 3. *Heart Disease, &c.* | 14 | 8 | 9 | 8 | 7 | 11 | 8 | 13 | 9 | 12 | 9·9 | 8 | . | . | . | 1 | 5 | 2 | |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 2. Bronchitis, | 25 | 38 | 26 | 28 | 40 | 45 | 31 | 54 | 24 | 53 | 38·4 | 53 | 13 | 2 | . | 5 | 11 | 21 | 1 |
| | 3. Pleurisy, | . | 1 | 1 | 2 | . | . | 1 | 1 | 1 | . | ·7 | . | . | . | . | . | . | . | |
| | 4. Pneumonia, | 8 | 4 | 6 | 6 | 3 | 10 | 3 | . | 2 | 3 | 4·5 | 3 | . | . | . | 2 | 1 | . | |
| | 5. Asthma, | . | 3 | . | 1 | . | 1 | 1 | . | 2 | . | ·8 | 1 | . | . | . | . | . | 1 | |
| | 6. *Lung Disease, &c.* | 1 | 6 | 3 | 7 | 1 | 5 | 4 | 8 | 1 | 2 | 3·8 | 6 | 3 | . | . | 2 | . | 1 | |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Enteritis, | 1 | . | . | 2 | 1 | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | |
| | 3. Peritonitis, | . | 1 | . | . | . | . | 2 | . | 2 | 1 | ·6 | . | . | . | . | . | . | . | |
| | 4. Ascites, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 1 | |
| | 6. Hernia, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | |

NYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in he corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 6th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 12th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | Feb. 10 1866 | Feb. 9 1867 | Feb. 8 1868 | Feb. 13 1869 | Feb. 12 1870 | Feb. 11 1871 | Feb. 10 1872 | Feb. 8 1873 | Feb. 14 1874 | Feb. 13 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | 45·5 | 43·8 | 41·8 | 46·4 | 37·0 | 44·3 | 46·1 | 33·5 | 40·4 | 43·7 | 42·2 | Mean Temp. 35·9 | | | | | | | |
| 7. Ileus, | . | . | . | 1 | . | 1 | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| 8. Intussusception, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 11. *Stomach Disease, &c.* | 1 | . | . | 1 | 1 | . | 2 | . | 1 | . | ·6 | 2 | . | . | . | . | . | 2 | . |
| 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13. Hepatitis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 14. Jaundice, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 15. *Liver Disease, &c.* | 1 | 4 | 5 | . | 3 | 3 | 2 | . | 2 | 1 | 2·1 | 1 | . | . | . | . | 1 | . | . |
| 16. *Spleen Disease, &c.* | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 5. | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Bright's Disease (Nephria), | 2 | . | 2 | 1 | . | 1 | . | 1 | . | . | ·7 | . | . | . | . | . | . | . | . |
| 4. Diabetes, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7. *Kidney Disease, &c.* | 1 | 1 | 2 | 2 | 2 | 3 | . | 2 | . | 2 | 1·5 | 2 | . | . | . | . | 1 | 1 | . |
| ORDER 6. | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy, | 1 | . | . | . | 1 | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| 2. *Uterus Disease, &c.* | . | 1 | . | 1 | . | . | . | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| ORDER 7. | | | | | | | | | | | | | | | | | | | |
| 1. Synovitis (Arthritis), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. *Joint Disease, &c.* | 1 | . | . | . | 1 | . | . | 2 | . | . | ·4 | . | . | . | . | . | . | . | . |
| ORDER 8. | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Ulcer, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 1. | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth, | . | . | 1 | . | . | . | 3 | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| 2. Cyanosis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Spina Bifida, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Teething, | . | . | 2 | 2 | 5 | 1 | 2 | . | 1 | . | 1·3 | . | . | . | . | . | . | . | . |
| ORDER 2. | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Childbirth (*see also* Puerperal Fever), | . | . | 1 | . | 1 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| ORDER 3. | | | | | | | | | | | | | | | | | | | |
| 1. Old Age, | 13 | 11 | 13 | 11 | 9 | 9 | 12 | 39 | 11 | 27 | 15·5 | 23 | . | . | . | . | . | 14 | 9 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility, | 2 | 4 | 14 | 3 | 4 | 8 | 13 | 10 | 9 | 7 | 7·4 | 10 | 6 | . | . | 1 | 3 | . | . |
| ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions, | . | 1 | . | 1 | 1 | . | 2 | 2 | 1 | . | ·8 | 3 | . | . | . | 3 | . | . | . |
| 2. Wounds, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Burns and Scalds, | 2 | 2 | . | 1 | 2 | 2 | . | . | 3 | 1 | 1·3 | 2 | 1 | 1 | . | . | . | . | . |
| 4. Poison, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 5. Drowning, | . | . | . | 1 | 1 | 1 | . | . | 1 | 2 | ·6 | 3 | 1 | . | . | 2 | . | . | . |
| 6. Suffocation, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 2 | 1 | . | . | 1 | . | . | . |
| 7. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Murder and Manslaughter, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Otherwise, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Violent Deaths (not classed), | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| Sudden Deaths (Cause unascertained), | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Causes not specified or ill-defined, | . | 3 | 1 | . | 1 | 4 | 4 | 4 | 3 | 1 | 2·1 | . | . | . | . | . | . | . | . |

Fifty-four of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 49 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 42 per 1,000; and in No. 3, North City (Blackhall-street), to 60 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital,* and *Stevens' Hospital,* the deaths *registered* afford an annual ratio of 36 per 1,000; in No. 2, South City District (High-street), the ratio was 24 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 39 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 44 per 1,000.

In the Suburban District of Rathmines the annual ratio was 17 per 1,000; in Donnybrook it was 14—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 14; and in Kingstown 20 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,445 and the deaths to 1,691 (against an average of 1,709 for corresponding week 1866–75); in Glasgow the births *registered* were 401, and the deaths 325; and in Edinburgh the births were 121, and the deaths 105. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·643 inches. The highest daily mean reading (30·045) occurred on Thursday, and the lowest (29·293) on Saturday.

The mean temperature during the week was 45·6° (the average in the corresponding week of the previous ten years was 42·5°); the lowest daily mean (38·8°) occurred on Wednesday, and the highest (50·6°) on Monday.

The temperature was highest on Monday, when the thermometer registered 58·0°, and was lowest on Wednesday, the mercury having fallen to 31·3°. The highest reading of the barometer during the week (30·113) occurred on Thursday, at 9.30 A.M., wind W., and the lowest (29·168) on Saturday, at 3.30 P.M., wind S.W. The mean of the Dry Bulb for the week was 44·3°; and of the Wet Bulb 42·9°. The mean humidity of the air was ·899; complete saturation being represented by 1·0. The rain-fall during the week measured 1·238 in.

At Greenwich, the mean temperature of the week was 44·6°; and at Edinburgh, 38·4°. The rain-fall during the week at Greenwich measured ·54 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson,* R.E., *by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, Feb. 20, | 29·657 | 53·0 | 36·0 | 44·5 | 39·7 | 38·9 | ·932 | ·7 | ·245 | W. | S.E. | Calm. |
| Monday, „ 21, | 29·525 | 58·0 | 43·2 | 50·6 | 49·5 | 48·7 | ·945 | 1·0 | ·225 | S.W. | W. | W. |
| Tuesday, „ 22, | 29·573 | 54·6 | 38·3 | 46·4 | 48·2 | 46·2 | ·850 | 1·0 | ·185 | S.W. | S.W. | S.W. |
| Wednesday, „ 23, | 29·867 | 46·3 | 31·3 | 38·8 | 37·9 | 37·3 | ·944 | 1·0 | ·078 | W. | W. | W. |
| Thursday, „ 24, | 30·045 | 48·8 | 37·3 | 43·0 | 39·8 | 37·7 | ·851 | ·7 | ·185 | W. | W. | E. |
| Friday, „ 25, | 29·542 | 54·6 | 42·0 | 48·3 | 48·5 | 47·0 | ·893 | 1·0 | ·060 | S.W. | S.W. | Calm. |
| Saturday, „ 26, | 29·293 | 54·6 | 41·1 | 47·8 | 46·6 | 45·1 | ·883 | 1·0 | ·260 | S.W. | S.W. | S.W. |
| Mean, . . | 29·643 | 52·8 | 38·4 | 45·6 | 44·3 | 42·9 | ·899 | ·9 | Total, 1·238 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Feb. 20, | A.M. Raining. | P.M. Dull. |
| Monday, „ 21, | A.M. Raining. | P.M. Fine. |
| Tuesday, „ 22, | A.M. Fine. | P.M. Raining. |
| Wednesday, „ 23, | A.M. Raining. | P.M. Fine. |
| Thursday, „ 24, | A.M. Fine. | P.M. Raining. |
| Friday, „ 25, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 26, | A.M. Fine. | P.M. Dull. |

*.—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. indly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 26th February, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 26TH FEBRUARY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 37 | 223 | 222 | 52 | 37 | . | 1 | 5 | . | 16 | 6 | 3 | 5 | 3 | 54 |
| BELFAST,† . . | 20,687 | 182,082 | 27 | 161 | 93 | 22 | 14 | . | . | 1 | . | 2 | . | 2 | 2 | 1 | 8 |
| CORK, . . . | 13,816 | 91,565 | 37 | 59 | 66 | 8 | 20 | . | 1 | 1 | . | . | 2 | . | . | 2 | 20 |
| LIMERICK, . . | 8,509 | 44,209 | 39 | 16 | 33 | 4 | 11 | . | . | 1 | . | 1 | . | . | . | 1 | 10 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 15 | 14 | 9 | 1 | 2 | . | . | 1 | . | . | . | . | . | 1 | . |
| WATERFORD, . . | 17,209 | 30,626 | 24 | 19 | 14 | 3 | 3 | . | . | . | . | . | 2 | 1 | . | 1 | 1 |
| GALWAY, . . | 21,358 | 19,692 | 21 | 10 | 8 | 1 | 4 | . | . | . | . | . | . | . | 1 | 1 | 3 |
| SLIGO, . . . | 30,835 | 17,285 | 15 | 10 | 5 | 1 | 4 | . | . | . | . | . | . | . | . | . | . |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 26th February, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 16 | 19 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 29 | 11 | 10 | 2 | 1 | . | . | . | . | . | . | . | 2 | . | 4 |
| | ,, ,, 3, | 39,311 | 28 | 39 | 21 | 6 | 3 | . | . | . | . | 1 | . | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 19 | 18 | 7 | 1 | 3 | . | . | 1 | . | . | . | . | . | 1 | 2 |
| | ,, ,, 5, | 19,616 | 24 | 14 | 9 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 31 | 33 | 22 | 5 | 3 | . | . | . | . | . | . | 1 | . | . | 1 |
| | ,, ,, 9, | 5,296 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 58 | 6 | 9 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | Castlereagh ,, 1, | 16,155 | 29 | 13 | 9 | 5 | . | . | . | . | . | 1 | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 26 | 7 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 9 | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 53 | 5 | 7 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 4, | 6,227 | 8 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 18 | 1 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 6, | 15,230 | 34 | 12 | 10 | 1 | 4 | . | . | . | . | . | . | . | . | 1 | 1 |
| | ,, ,, 7, | 7,586 | 41 | 5 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 82 | 20 | 29 | 4 | 9 | . | . | 1 | . | . | 1 | . | . | . | 19 |
| | ,, ,, 9, | 4,790 | 22 | . | 2 | . | . | . | 1 | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 46 | 2 | 7 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 69 | 3 | 12 | . | 4 | . | . | . | . | . | . | . | . | 1 | 10 |
| | ,, ,, 3, | 11,424 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 46 | 11 | 14 | 2 | 5 | . | . | 1 | . | . | . | . | . | 3 | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 2, | 13,569 | 23 | 8 | 6 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 24 | 19 | 14 | 3 | 3 | . | . | . | . | . | 2 | 1 | . | 1 | 1 |
| GALWAY, | Galway, No. 1, | 10,700 | 24 | 7 | 5 | 1 | 1 | . | . | . | . | . | . | . | 1 | 1 | . |
| | ,, ,, 2, *W.* | 8,992 | 39 | 3 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 24 | 5 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 10 | 5 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

**Births and Deaths** *Registered* in the several **Registration Districts** of the **City** of **Dublin** (Municipal Boundary), and in the **Suburban Districts** of **Rathmines, Donnybrook, Blackrock,** and **Kingstown,** during the Week ending Saturday, 26th February, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,625 |
| Births, | 21 | 51 | 15 | 20 | 18 | 40 | 24 | 9 | 10 | 2 | 13 | 223 |
| **Deaths from all Causes,** | 46 | 26 | 32 | 22 | 14 | 29 | 31 | 7 | 6 | 2 | 7 | 222 |
| Zymotic Diseases: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | 1 | . | . | . | . | . | . | 1 |
| Scarlet Fever (Scarlatina), | 3 | . | . | . | . | 1 | . | 1 | . | . | . | 5 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 6 | . | 1 | . | 1 | 2 | 3 | 1 | 2 | . | . | 16 |
| Fever, | 1 | 1 | 1 | 2 | . | 1 | . | . | . | . | . | 6 |
| Diarrhœa, | . | 1 | 2 | . | . | . | . | . | . | . | . | 3 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 2 | 3 | 2 | 3 | . | 1 | . | . | 1 | 1 | . | 13 |
| Total, | 12 | 5 | 6 | 5 | 2 | 5 | 3 | 2 | 3 | 1 | . | 44 |
| Constitutional Diseases: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 2 | 3 | 2 | . | 4 | 4 | 1 | . | 1 | 1 | 19 |
| Other Constitutional Diseases, | 4 | 1 | 2 | . | 1 | . | 3 | 1 | . | . | 1 | 13 |
| Total, | 5 | 3 | 5 | 2 | 1 | 4 | 7 | 2 | . | 1 | 2 | 32 |
| Local Diseases: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 2 | 2 | 4 | 4 | 2 | 3 | 5 | . | . | . | 1 | 23 |
| Diseases of the Heart and Circulatory Organs, | 3 | 3 | 1 | 3 | . | 2 | . | . | 1 | . | . | 13 |
| Diseases of the Respiratory Organs, | 17 | 9 | 9 | 7 | 5 | 9 | 7 | 3 | 1 | . | 3 | 70 |
| Diseases of the Digestive Organs, | 3 | . | . | . | . | 2 | 2 | . | . | . | 1 | 8 |
| Diseases of the Urinary Organs, | . | . | 1 | 1 | . | 1 | . | . | . | . | . | 3 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 25 | 14 | 15 | 15 | 7 | 17 | 14 | 3 | 2 | . | 5 | 117 |
| Developmental Diseases, | 2 | 4 | 6 | . | 2 | 1 | 4 | . | . | . | . | 19 |
| Violent Deaths, | 2 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 |
| Causes not Specified or Ill-Defined, | . | . | . | . | 1 | 1 | 2 | . | 1 | . | . | 5 |
| Annual Rate of Mortality in every 1,000 of the Population, | 49 | 42 | 60 | 36 | 24 | 39 | 44 | 17 | 14 | 14 | 20 | 37 |

**Number** of the above **Deaths** which occurred in **Hospitals, Prisons, Lunatic Asylums,** and **Workhouse Hospitals.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 13 | 6 | 13 | 7 | . | 4 | 3 | . | . | . | . | 46 |
| Workhouse Hospitals, | . | . | 8 | . | . | . | . | . | . | . | . | 8 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 52, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

**Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in the Eighth Week, ending Saturday, February 26th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average Temperature and of Deaths in 8th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 26th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Feb. 24 1866 | Feb. 23 1867 | Feb. 22 1868 | Feb. 27 1869 | Feb. 26 1870 | Feb. 25 1871 | Feb. 24 1872 | Feb. 22 1873 | Feb. 28 1874 | Feb. 27 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, . | ° 38·1 | ° 48·2 | ° 43·5 | ° 44·0 | ° 40·1 | ° 45·6 | ° 45·6 | ° 39·8 | ° 44·0 | ° 36·1 | ° 42·5 | ° 45·6 | | | | | | | | |
| | **ALL CAUSES,** . . . | 179 | 211 | 204 | 180 | 198 | 183 | 176 | 245 | 177 | 177 | 193·0 | 222 | 87 | 13 | 5 | 43 | 37 | 32 | 5 |
| | **SPECIFIED CAUSES,** | 178 | 209 | 203 | 178 | 193 | 180 | 173 | 237 | 173 | 173 | 189·7 | 217 | 86 | 11 | 5 | 43 | 36 | 31 | 5 |
| | (Classes.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, . . | 31 | 31 | 35 | 36 | 31 | 30 | 49 | 33 | 44 | 21 | 34·1 | 44 | 23 | 3 | 1 | 13 | 3 | 1 | . |
| II. | CONSTITUTIONAL „ . . | 33 | 37 | 43 | 40 | 28 | 34 | 32 | 36 | 42 | 27 | 35·2 | 32 | 7 | 4 | 1 | 16 | 3 | 1 | . |
| III. | LOCAL „ . | 83 | 113 | 91 | 74 | 98 | 84 | 69 | 111 | 66 | 95 | 88·4 | 117 | 45 | 3 | 3 | 12 | 30 | 22 | 2 |
| IV. | DEVELOPMENTAL „ . . | 24 | 25 | 26 | 22 | 22 | 27 | 20 | 53 | 18 | 23 | 26·0 | 19 | 10 | . | . | 1 | . | 6 | 2 |
| V. | VIOLENT DEATHS, . . | 7 | 3 | 8 | 6 | 14 | 5 | 3 | 4 | 3 | 7 | 6·0 | 5 | 1 | 1 | . | 1 | . | 1 | 1 |
| | (Orders.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. Miasmatic Diseases, . . | 28 | 31 | 34 | 33 | 30 | 29 | 49 | 31 | 43 | 17 | 33·5 | 41 | 22 | 3 | 1 | 11 | 3 | 1 | . |
| | 2. Enthetic „ . . | 1 | . | 1 | 1 | . | . | . | 1 | 1 | 4 | ·9 | 2 | 1 | . | . | 1 | . | . | . |
| | 3. Dietic „ . . | 1 | . | . | 2 | . | 1 | . | 1 | . | . | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 4. Parasitic „ . | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | 1. Diathetic Diseases, . | 6 | 7 | 6 | 9 | 3 | 3 | 3 | 8 | 11 | 3 | 5·9 | 3 | . | 1 | . | . | 1 | 1 | . |
| | 2. Tubercular „ . . | 27 | 30 | 37 | 31 | 25 | 31 | 29 | 28 | 31 | 24 | 29·3 | 29 | 7 | 3 | 1 | 16 | 2 | . | . |
| III. | 1. Nervous System, . | 23 | 25 | 29 | 22 | 22 | 21 | 16 | 39 | 15 | 21 | 23·2 | 23 | 15 | . | 1 | 3 | 2 | 2 | . |
| | 2. Organs of Circulation, | 6 | 6 | 4 | 8 | 13 | 10 | 6 | 9 | 12 | 8 | 8·2 | 13 | . | 2 | 1 | 3 | 4 | 3 | . |
| | 3. Respiratory Organs, . | 39 | 70 | 47 | 33 | 57 | 42 | 40 | 50 | 38 | 50 | 45·6 | 70 | 30 | . | 1 | 4 | 19 | 14 | 2 |
| | 4. Digestive Organs, . | 7 | 10 | 7 | 8 | 4 | 6 | 5 | 7 | 7 | 11 | 7·2 | 8 | . | 1 | . | 1 | 3 | 3 | . |
| | 5. Urinary Organs, . | 6 | . | 3 | 3 | 1 | 3 | 3 | 5 | 3 | 5 | 3·2 | 3 | . | . | . | 1 | 2 | . | . |
| | 6. Organs of Generation, | 1 | 2 | . | . | . | . | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 7. Organs of Locomotion, | 1 | . | . | . | . | 2 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 8. Integumentary System, | . | . | 1 | . | 1 | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| IV. | 1. Dev. Diseases of Children, | 1 | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 3 | 3 | 2·1 | 2 | 2 | . | . | . | . | . | . |
| | 2. „ „ Adults, . | . | 3 | 1 | 2 | 1 | . | . | 1 | . | 2 | 1·0 | 1 | . | . | . | 1 | . | . | . |
| | 3 „ „ Old People | 14 | 14 | 7 | 13 | 12 | 16 | 13 | 35 | 10 | 12 | 14·6 | 8 | . | . | . | . | . | 6 | 2 |
| | 4. Diseases of Nutrition, . | 9 | 6 | 16 | 4 | 8 | 9 | 5 | 15 | 5 | 6 | 8·3 | 8 | 8 | . | . | . | . | . | . |
| V. | 1. Accident or Negligence, . | 7 | 3 | 7 | 5 | 12 | 4 | 3 | 4 | 2 | 6 | 5·3 | 4 | . | 1 | . | 1 | . | 1 | 1 |
| | *2. Homicide, . . . . | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 4. Suicide, . . . . | . | . | . | . | 1 | 1 | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 5. Execution, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths not classed, . . . . | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, . . . . | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, . . . . | 1 | 2 | 1 | 2 | 4 | 3 | 3 | 8 | 4 | 4 | 3·2 | 5 | 1 | 2 | . | . | 1 | 1 | . |

* Order 2, comprising Violent Deaths in Battle is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the EIGHTH WEEK, ending Saturday, 26th February, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 8th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, February 26th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Feb. 24 1866 | Feb. 23 1867 | Feb. 22 1868 | Feb. 27 1869 | Feb. 26 1870 | Feb. 25 1871 | Feb. 24 1872 | Feb. 22 1873 | Feb. 28 1874 | Feb. 27 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 38·1 | ° 48·2 | ° 43·5 | ° 44·0 | ° 40·1 | ° 45·6 | ° 45·6 | ° 39·8 | ° 44·0 | ° 36·1 | ° 42·5 | ° 45·6 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | . | 33 | . | 1 | . | 3·5 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 4 | 1 | . | 1 | 2 | . | 4 | 2 | 2 | 1·7 | 1 | 1 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 2 | 5 | 7 | 16 | 8 | 7 | 3 | 3 | 15 | 1 | 6·7 | 5 | 3 | 1 | . | 1 | . | . | . |
| | 4. Diphtheria, | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | 1 | 1 | 1 | 4 | 2 | 3 | 3 | 6 | 1 | 2·3 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 6 | 1 | 12 | . | 1 | 5 | 2 | 9 | 1 | . | 3·7 | 16 | 14 | 2 | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 3 | 5 | . | . | 2 | . | | 3 | . | . | . | 2 | 1 | . | . |
| | – Enteric or Typhoid Fever, | 7 | 12 | 4 | 2 | 1 | 3 | 6 | 2 | 4 | 4 | 7·2 | 3 | 2 | . | 1 | . | . | . | . |
| | – Simple continued Fever, | | | | 4 | 3 | 1 | 1 | 1 | 2 | 4 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 1 | 1 | 2 | 1 | 1 | . | . | . | 1 | . | ·7 | 3 | . | . | . | 2 | 1 | . | . |
| | 10. Puerperal Fever (Metria), | 3 | 1 | 2 | . | 1 | 1 | . | . | 1 | 1 | 1·0 | 3 | . | . | . | 3 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | 1 | . | . | 3 | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | 1 | . | . | 2 | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 4 | 3 | 2 | 5 | 4 | 1 | 1 | 2 | 5 | 1 | 2·8 | 3 | 1 | . | . | 2 | . | . | . |
| | 15. Simple Cholera, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | . | 1 | . | 1 | . | 3 | . | . | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 19. Other Zymotic Diseases, | . | . | 2 | 1 | . | . | . | . | . | 2 | ·5 | 2 | . | . | . | 1 | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | . | 1 | 1 | . | . | . | 1 | 1 | 4 | ·9 | 2 | 1 | . | . | 1 | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens / Intemperance, | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | . | 2 | 3 | 1 | 2 | 2 | 2 | 3 | 4 | . | 1·9 | 3 | . | 1 | . | . | 1 | 1 | . |
| | 3. Cancer, | 6 | 4 | 2 | 7 | 1 | 1 | 1 | 3 | 7 | 2 | 3·4 | . | . | . | . | . | . | . | . |
| | 4. Cancrum Oris (Noma), | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | 1 | . | . | . | 2 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 3 | 2 | 1 | 3 | 1 | 3 | 3 | 2 | 2 | . | 2·0 | 1 | . | . | . | 1 | . | . | . |
| | 2. Tabes Mesenterica, | 5 | 5 | 7 | . | 2 | 2 | 2 | 2 | 1 | 2 | 2·8 | 2 | 1 | 1 | . | . | . | . | . |
| | 3. Phthisis, | 19 | 18 | 24 | 24 | 20 | 17 | 17 | 22 | 24 | 19 | 20·1 | 19 | . | 1 | 1 | 15 | 2 | . | . |
| | 4. Hydrocephalus, | . | 5 | 5 | 4 | 2 | 9 | 7 | 2 | 7 | 3 | 4·4 | 7 | 6 | 1 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 4 | 3 | 1 | . | . | . | 2 | 1 | . | 1·1 | 1 | . | . | . | 1 | . | . | . |
| | 2. Apoplexy, | 2 | 4 | 2 | 2 | 5 | 1 | . | 3 | 1 | 1 | 2·1 | 3 | . | . | . | 2 | . | 1 | . |
| | 3. Paralysis, | 6 | . | 3 | 1 | 6 | 4 | 3 | 5 | 3 | 3 | 3·4 | 2 | . | . | . | . | 1 | 1 | . |
| | 4. Insanity, | 1 | . | . | 1 | 1 | . | . | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | 1 | 2 | . | 1 | 1 | . | . | 1 | ·7 | 1 | . | . | 1 | . | . | . | . |
| | 7. Convulsions, | 8 | 11 | 14 | 12 | 9 | 14 | 8 | 22 | 8 | 14 | 12·0 | 15 | 15 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 6 | 5 | 6 | 3 | 1 | 1 | 3 | 7 | 2 | 2 | 3·6 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | 1 | . | 1 | 1 | . | . | ·3 | 2 | . | 2 | . | . | . | . | . |
| | 2. Aneurism, | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 6 | 5 | 3 | 7 | 12 | 9 | 4 | 6 | 12 | 8 | 7·2 | 11 | . | . | 1 | 3 | 4 | 3 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 35 | 62 | 41 | 20 | 48 | 34 | 36 | 42 | 24 | 42 | 38·4 | 62 | 27 | . | 1 | 3 | 18 | 11 | 3 |
| | 3. Pleurisy, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 4. Pneumonia, | 4 | 3 | 3 | 8 | 7 | 3 | 2 | 5 | 3 | 7 | 4·5 | 5 | 3 | . | 1 | . | 1 | 1 | . |
| | 5. Asthma, | . | 1 | 2 | . | . | 1 | 1 | . | . | . | ·5 | 1 | . | . | . | . | . | 1 | . |
| | 6. *Lung Disease, &c.* | . | 3 | 1 | 5 | 2 | 4 | . | 3 | 1 | 1 | 2·0 | 1 | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | 1 | . | 2 | . | 1 | 1 | . | . | 2 | . | ·7 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | | | 2 | . | . | 1 | . | . | 1 | 1 | ·8 | 1 | . | . | . | . | 1 | . | . |
| | 3. Peritonitis, | | | 2 | . | 1 | 1 | . | 1 | . | . | ·7 | 2 | . | 1 | 1 | . | . | . | . |
| | 4. Ascites, | | | | . | . | . | . | 2 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | | | | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in n the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Feb. 24 1866 | Feb. 23 1867 | Feb. 22 1868 | Feb. 27 1869 | Feb. 26 1870 | Feb. 25 1871 | Feb. 24 1872 | Feb. 22 1873 | Feb. 28 1874 | Feb. 27 1875 | Average of Ten preceding and of Deaths in 10th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 26th, 1876. Deaths of Persons of the Ages — ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 38·1 | ° 48·2 | ° 43·5 | ° 44·0 | ° 40·1 | ° 45·6 | ° 15·6 | ° 39·8 | ° 44·0 | ° 36·1 | ° 42·5 | ° 45·6 | | | | | | | |
| III. con. | 7. Ileus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | 3 | 1 | . | 1 | . | 2 | 1 | . | 1 | ·9 | 1 | . | . | . | . | 1 | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | 1 | 1 | 1 | . | 1 | 1 | ·5 | 1 | . | . | . | . | . | 1 | . |
| | 15. *Liver Disease, &c.* | 3 | 3 | . | 6 | . | 2 | 2 | 3 | 2 | 8 | 2·9 | 3 | . | . | . | . | 2 | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 4 | . | 2 | . | . | . | . | 2 | 1 | 3 | 1·2 | 1 | . | . | . | 1 | . | . | . |
| | 4. Diabetes, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 7. *Kidney Disease, &c.* | 1 | . | 1 | 3 | 1 | 3 | 3 | 1 | 1 | 2 | 1·6 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | 1 | . | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | 1 | . | 1 | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 2 | 1 | . | 1 | 1 | . | 2 | . | ·7 | 2 | 2 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | . | 2 | 1 | 1 | 1 | 2 | 1 | 3 | 1·3 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | 3 | 1 | 2 | 1 | . | . | 1 | . | 2 | 1·0 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 14 | 14 | 7 | 13 | 12 | 16 | 13 | 35 | 10 | 12 | 14·6 | 8 | . | . | . | . | . | 6 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 9 | 6 | 16 | 4 | 8 | 9 | 5 | 15 | 5 | 6 | 8·3 | 8 | 8 | . | . | . | . | . | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | 1 | 1 | . | 4 | 1 | 1 | 1 | 1 | 4 | 1·6 | 2 | . | . | . | 1 | . | . | 1 |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 4 | . | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 1·5 | 1 | . | 1 | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 2 | 5 | 4 | 5 | 1 | 1 | . | . | . | 1·9 | 1 | . | . | . | . | . | 1 | . |
| | 6. Suffocation, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | 2 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | 1 | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 2 | 1 | 2 | 4 | 3 | 3 | 8 | 4 | 4 | 3·2 | 5 | 1 | 2 | . | . | 1 | 1 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | | | | | | | | 1876. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sep. 4. | Sep. 11. | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. |
| BIRTHS, . . . . | 188 | 140 | 216 | 134 | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 |
| DEATHS, . . . . . | 129 | 144 | 139 | 143 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 |
| Deaths under 5 years of age, . | 56 | 64 | 62 | 59 | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 |
| Deaths 5–15, . . . . | 8 | 2 | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 |
| Deaths 15–20, . . . . | 2 | 5 | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 |
| Deaths 20–40, . . . . | 20 | 20 | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 |
| Deaths 40–60, . . . . | 21 | 28 | 21 | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 53 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 |
| Deaths 60–80, . . . . | 22 | 20 | 22 | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 |
| Deaths at 80 years of age and upwards, . . . . | . | 5 | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . | 3 | 4 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 |
| ,, Scarlatina, . | 2 | 1 | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 |
| ,, Diphtheria, . | 1 | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| ,, Whooping Cough, | 4 | 3 | 7 | 5 | 5 | 4 | 3 | | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 |
| ,, Fever. . . | 1 | 2 | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 |
| ,, Diarrhœa, . . | 13 | 19 | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 |
| ,, Phthisis, . . | 13 | 12 | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 |
| ,, Bronchitis, . | 6 | 11 | 6 | 4 | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 |
| ,, Pneumonia, . | 5 | 4 | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 |
| ,, Heart Disease, . | 7 | 6 | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 |
| Mean Temperature of the Air | 60·4 | 56·5 | 59·8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 |
| Rain-fall in inches, . . | ·798 | ·220 | ·549 | 1·301 | ·584 | ·353 | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·804 | ·792 | ·837 | ·906 | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 |

DUBLIN: Printed by ALEXANDER THOM, Abbey-street,
For Her Majesty's Stationery Office.
[2604.—200.—1/76.]

BIBLIOTHECA BODLEIANA

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, MARCH 4, 1876. [No. 9.

*General Register Office, Charlemont House, Dublin, March 6th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 4th March, 1876, represent an annual mortality of 39 in every 1,000 of the population, by the Census of 1871. In London the death rate was 23 in every 1,000 of the estimated population; in Glasgow, 34; and in Edinburgh, 25.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 193—97 boys and 96 girls,—and the deaths to 233—109 males and 124 females. The *average* numbers in the corresponding week of the previous ten years were—births, 177, and deaths, 181.

Zymotic diseases caused 32 deaths. Of these, 8 were ascribed to fever (2 typhus, 4 typhoid, and 2 simple continued fever), 11 to whooping-cough, 3 to scarlet fever, 2 to croup, and 1 each to measles, erysipelas, influenza, diarrhœa, &c.

Twenty-one children died from convulsions.

Forty-nine deaths resulted from bronchitis, 7 from pneumonia or inflammation of the lungs, 2 from pleurisy, and 8 from lung disease unspecified.

Paralysis caused 3 deaths, apoplexy 1, and brain disease unspecified 4.

Heart disease proved fatal in 12 instances, aneurism in 2; kidney disease unspecified, nephria or Bright's disease, cystitis, hepatitis, and jaundice, each in 1, and liver disease unspecified in 2.

Phthisis or pulmonary consumption was the cause of 22 deaths, hydrocephalus or water on the brain of 5, and mesenteric disease of 3.

One death was the result of an accident, and another was suicidal.

Eighty-seven of the persons whose deaths were *registered* during the week were under 5 years of age, and 59 were aged 60 and upwards, including 36 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a female) was stated to have been aged 95 years.

Five deaths from scarlet fever, 2 each from fever and diphtheria, and 1 from diarrhœa were *registered* in Belfast.

Four deaths from fever, and 1 each from scarlet fever, diphtheria, measles, whooping-cough, and diarrhœa were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Convulsions. | Disease of Heart. | |
| Dublin City:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 7 | 3 | 2 | 2 | 31 |
| | No. 2 ,, | 31,993 | 8 | 1 | 4 | 1 | 20 |
| | No. 3 ,, | 27,546 | 3 | 3 | 4 | 4 | 33 |
| South Side, | No. 1 District, | 32,184 | 12 | 8 | 2 | – | 62 |
| | No. 2 ,, | 29,952 | 7 | 1 | 3 | – | 18 |
| | No. 3 ,, | 38,811 | 6 | – | 2 | 1 | 22 |
| | No. 4 ,, | 36,703 | 3 | 1 | 1 | – | 12 |
| Rathmines District, | | 20,939 | – | – | – | – | 4 |
| Donnybrook, ,, | | 21,758 | 1 | 4 | 2 | 4 | 23 |
| Blackrock, ,, | | 7,182 | 1 | – | – | – | 4 |
| Kingstown, ,, | | 18,461 | 1 | 1 | 1 | – | 4 |
| | Total, | 314,666 | 49 | 22 | 21 | 12 | |

Sixty-seven of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin, and 42 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 33 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 33 per 1,000; and in No. 3, North City (Blackhall-street), to 62 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 100 per 1,000; in No. 2, South City District (High-street), the ratio was 31 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 29 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 17 per 1,000.

In the Suburban District of Rathmines the annual ratio was 10 per 1,000; in Donnybrook it was 55—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 29; and in Kingstown 11 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,504 and the deaths to 1,544 (against an average of 1,661 for corresponding week 1866–75); in Glasgow the births *registered* were 419, and the deaths 357; and in Edinburgh the births were 149, and the deaths 104. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·569 inches. The highest daily mean reading (29·709) occurred on Monday, and the lowest (29·385) on Friday.

The mean temperature during the week was 47·7° (the average in the corresponding week of the previous ten years was 42·3°); the lowest daily mean (43·0°) occurred on Saturday, and the highest (50·9°) on Monday.

The temperature was highest on Friday, when the thermometer registered 59·3°, and was lowest on Wednesday, the mercury having fallen to 36·3°. The highest reading of the barometer during the week (29·736) occurred on Monday, at 3.30 P.M., wind S.W., and the lowest (29·339) on Friday, at 3.30 P.M., wind S.W. The mean of the Dry Bulb for the week was 46·7°; and of the Wet Bulb 44·5°. The mean humidity of the air was ·837; complete saturation being represented by 1·0. The rain-fall during the week measured ·610 in.

At Greenwich, the mean temperature of the week was 47·3°; and at Edinburgh, 43·2°. The rain-fall during the week at Greenwich measured ·58 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876 Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, Feb. 27, | 29·415 | 54·6 | 41·0 | 47·8 | 47·7 | 45·2 | ·825 | 1·0 | ·070 | W. | W. | W. |
| Monday, „ 28, | 29·709 | 56·7 | 45·0 | 50·9 | 51·9 | 50·3 | ·896 | 1·0 | ·115 | S.W. | S.W. | W. |
| Tuesday, „ 29, | 29·670 | 56·5 | 42·3 | 49·4 | 47·8 | 45·3 | ·822 | 1·0 | ·020 | W. | W. | S.W. |
| Wednesday, Mar 1, | 29·496 | 54·7 | 36·3 | 45·5 | 43·7 | 41·5 | ·831 | 1·0 | ·075 | S.W. | W.S.W. | S.W. |
| Thursday, „ 2, | 29·657 | 56·1 | 42·3 | 49·2 | 44·9 | 43·1 | ·859 | 1·0 | ·155 | W.S.W. | S.W. | S.W. |
| Friday, „ 3, | 29·385 | 59·3 | 37·0 | 48·1 | 49·6 | 47·6 | ·853 | 1·0 | ·050 | S.W. | S.W. | S.W. |
| Saturday, „ 4, | 29·648 | 49·4 | 36·6 | 43·0 | 41·4 | 38·8 | ·774 | 1·0 | ·125 | W. | S.W. | S.W. |
| Mean, . . | 29·569 | 55·4 | 40·0 | 47·7 | 46·7 | 44·5 | ·837 | 1·0 | Total, ·610 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Feb. 27, | A.M. Fine. | P.M. Fine. |
| Monday, „ 28, | A.M. Fine. | P.M. Raining. |
| Tuesday, „ 29, | A.M. Fine. | P.M. Fine. |
| Wednesday, Mar. 1, | A.M. Fine and pleasant. | P.M. Fine. |
| Thursday, „ 2, | A.M. Fine. | P.M. Raining. |
| Friday, „ 3, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 4, | A.M. Fine. | P.M. Fine. |

*The Information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. y furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 4th March, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 4TH MARCH, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 39 | 193 | 233 | 45 | 59 | . | 1 | 3 | . | 11 | 8 | 1 | 2 | 4 | 67 |
| BELFAST,† . . | 20,687 | 182,082 | 30 | 140 | 105 | 16 | 22 | . | . | 5 | 2 | . | 2 | 1 | . | . | 13 |
| CORK, . . . | 13,816 | 91,565 | 35 | 42 | 62 | 10 | 18 | . | 1 | 1 | 1 | 1 | 4 | 1 | . | 1 | 13 |
| LIMERICK, . . | 8,509 | 44,309 | 28 | 30 | 32 | 3 | 7 | . | . | . | . | 1 | 1 | . | . | 2 | 3 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 12 | 25 | 7 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 25 | 1 | 15 | 4 | 5 | . | . | . | . | . | . | . | 1 | 2 | . |
| GALWAY, . . | 21,358 | 19,692 | 21 | 7 | 8 | . | 6 | . | . | . | . | . | . | . | 1 | 2 | . |
| SLIGO, . . . | 30,835 | 17,285 | 15 | 10 | 5 | . | 3 | . | . | . | . | . | 1 | . | . | . | 1 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 4th March, 1876.

| REGISTRARS' DISTRICTS. | | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, | No. 1, | 19,679 | 21 | 10 | 8 | 1 | 1 | . | . | . | 1 | . | . | . | . | . | . |
| | ,, | ,, 2, | 17,938 | 32 | 13 | 11 | 1 | 4 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, | ,, 3, | 39,311 | 21 | 32 | 16 | 3 | 3 | . | . | 1 | 1 | . | . | 1 | . | . | . |
| | ,, | ,, 4, *W.* | 19,320 | 70 | 29 | 26 | 1 | 3 | . | . | 1 | . | . | 2 | . | . | . | 11 |
| | ,, | ,, 5, | 19,616 | 29 | 11 | 11 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 6, | 36,652 | 23 | 19 | 16 | 2 | 6 | . | . | 1 | . | . | . | . | . | . | . |
| | ,, | ,, 9, | 5,296 | 10 | 5 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 10, | 8,115 | 32 | 9 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh | ,, 1, | 16,155 | 35 | 12 | 11 | 4 | 1 | . | . | 2 | . | . | . | . | . | . | . |
| CORK, | Cork, | No. 1, | 10,156 | 31 | 4 | 6 | 3 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 11,555 | 18 | 5 | 4 | . | . | . | . | . | . | . | 2 | . | . | . | . |
| | ,, | ,, 3, | 6,818 | 38 | 5 | 5 | 1 | 2 | . | 1 | . | . | . | . | 1 | . | . | . |
| | ,, | ,, 4, | 6,227 | 50 | 3 | 6 | . | 3 | . | . | . | 1 | . | . | . | . | . | 2 |
| | ,, | ,, 5, | 11,389 | 23 | 5 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 6, | 15,230 | 34 | 1 | 10 | . | 2 | . | . | 1 | . | . | . | . | . | 1 | . |
| | ,, | ,, 7, | 7,586 | 41 | 5 | 6 | 2 | 2 | . | . | . | . | . | 2 | . | . | . | . |
| | ,, | ,, 8, *W.* | 18,364 | 51 | 13 | 18 | 2 | 6 | . | . | . | . | 1 | . | . | . | . | 11 |
| | ,, | ,, 9, | 4,790 | 22 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, | No. 1, | 7,918 | 13 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, *W.* | 8,992 | 58 | 4 | 10 | 1 | 2 | . | . | . | . | . | 1 | . | . | 1 | 3 |
| | ,, | ,, 3, | 11,424 | 41 | 7 | 9 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 4, | 15,875 | 36 | 11 | 11 | . | 4 | . | . | . | . | 1 | . | . | . | 1 | . |
| LONDONDERRY, | Londonderry, | No. 1, | 8,832 | 24 | 4 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 13,569 | 11 | 13 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, | *W.* | 8,483 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, | *W.* | 30,626 | 25 | 16 | 15 | 4 | 5 | . | . | . | . | . | . | . | 1 | 2 | . |
| GALWAY, | Galway, | No. 1, | 10,700 | 24 | 7 | 5 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | . |
| | ,, | ,, 2, *W.* | 8,992 | 17 | . | 3 | . | 2 | . | . | . | . | . | . | . | . | 1 | . |
| SLIGO, | Sligo, | No. 1, *W.* | 6,456 | 16 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, | ,, 2, | 10,829 | 14 | 6 | 3 | . | 2 | . | . | . | . | . | 1 | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 4th March, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,686 |
| **Births,** | 31 | 31 | 19 | 22 | 15 | 17 | 15 | 18 | 10 | 3 | 12 | 193 |
| **Deaths from all Causes,** | 31 | 20 | 33 | 62 | 18 | 22 | 12 | 4 | 23 | 4 | 4 | 233 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Scarlet Fever (Scarlatina), | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 3 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 3 | 1 | 2 | 3 | . | 2 | . | . | . | . | . | 11 |
| Fever, | 2 | . | 1 | 1 | 1 | . | . | 1 | 2 | . | . | 8 |
| Diarrhœa, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 1 | 1 | . | 4 | . | 1 | 1 | . | . | . | . | 8 |
| Total, | 8 | 2 | 3 | 10 | 1 | 3 | 1 | 1 | 3 | . | . | 32 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 1 | 3 | 8 | 1 | . | 1 | . | 4 | . | 1 | 22 |
| Other Constitutional Diseases, | . | 1 | 1 | 2 | 4 | 2 | . | . | . | 1 | . | 11 |
| Total, | 3 | 2 | 4 | 10 | 5 | 2 | 1 | . | 4 | 1 | 1 | 33 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 2 | 5 | 6 | 5 | 3 | 2 | 1 | . | 4 | . | 1 | 29 |
| Diseases of the Heart and Circulatory Organs, | 2 | 1 | 4 | . | . | 2 | . | . | 5 | . | . | 14 |
| Diseases of the Respiratory Organs, | 10 | 8 | 11 | 12 | 7 | 10 | 4 | . | 1 | 2 | 1 | 66 |
| Diseases of the Digestive Organs, | 1 | 1 | . | 3 | . | 1 | . | 1 | 3 | . | 1 | 11 |
| Diseases of the Urinary Organs, | . | 1 | . | . | . | . | 1 | 1 | . | . | . | 3 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 15 | 16 | 22 | 20 | 10 | 15 | 6 | 2 | 13 | 2 | 3 | 124 |
| DEVELOPMENTAL DISEASES, | 4 | . | 4 | 17 | 2 | . | 4 | 1 | 3 | 1 | . | 36 |
| VIOLENT DEATHS, | . | . | . | . | . | 2 | . | . | . | . | . | 2 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED | 1 | . | . | 5 | . | . | . | . | . | . | . | 6 |
| **Annual Rate of Mortality in every 1,000 of the Population,** | 33 | 33 | 62 | 100 | 31 | 29 | 17 | 10 | 55 | 29 | 11 | 39 |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 1 | 4 | . | . | 2 | 2 | . | 5 | . | 1 | 16 |
| Workhouse Hospitals, | . | . | 9 | 42 | . | . | . | . | . | . | . | 51 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Grattan-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clarabrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 63, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal street, and 19, Denzille-street.

THS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, ONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the INTH WEEK, ending Saturday, March 4th, 1876; also the Number of Deaths from each Class of Diseases, egistered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 9th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, March 4th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | Mar 3 1866 | Mar 2 1867 | Feb. 29 1868 | Mar 6 1869 | Mar 5 1870 | Mar 4 1871 | Mar 2 1872 | Mar 1 1873 | Mar 7 1874 | Mar 6 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | ° 34·3 | ° 39·5 | ° 48·1 | ° 41·1 | ° 41·4 | ° 48·5 | ° 46·8 | ° 38·3 | ° 45·7 | ° 38·7 | ° 42·3 | Mean Temp. ° 47·7 | | | | | | | |
| **ALL CAUSES,** | 196 | 189 | 167 | 140 | 181 | 209 | 183 | 162 | 170 | 213 | 181·0 | 233 | 87 | 12 | 2 | 32 | 41 | 51 | 8 |
| **SPECIFIED CAUSES,** | 194 | 188 | 166 | 138 | 179 | 204 | 181 | 157 | 164 | 207 | 177·8 | 227 | 82 | 12 | 2 | 32 | 41 | 50 | 8 |
| (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. ZYMOTIC DISEASES, | 34 | 32 | 40 | 25 | 30 | 24 | 56 | 19 | 38 | 20 | 31·8 | 32 | 20 | 2 | 1 | 5 | 4 | . | . |
| II. CONSTITUTIONAL „ | 40 | 36 | 32 | 34 | 36 | 36 | 31 | 25 | 33 | 51 | 35·4 | 33 | 5 | 7 | 1 | 14 | 4 | 2 | . |
| III. LOCAL „ | 97 | 101 | 66 | 62 | 91 | 108 | 68 | 87 | 72 | 109 | 86·1 | 124 | 51 | 3 | . | 12 | 32 | 25 | 1 |
| IV. DEVELOPMENTAL „ | 19 | 16 | 24 | 13 | 16 | 28 | 24 | 25 | 21 | 22 | 20·8 | 36 | 6 | . | . | . | . | 23 | 7 |
| V. VIOLENT DEATHS, | 4 | 3 | 4 | 4 | 6 | 8 | 2 | 1 | . | 5 | 3·7 | 2 | . | . | . | 1 | 1 | . | . |
| (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. 1. MIASMATIC DISEASES, | 32 | 30 | 39 | 25 | 29 | 23 | 54 | 19 | 35 | 19 | 30·6 | 29 | 19 | 2 | 1 | 4 | 3 | . | . |
| 2. ENTHETIC „ | 2 | . | 1 | . | . | . | 1 | . | 1 | 1 | ·6 | 1 | 1 | . | . | . | . | . | . |
| 3. DIETIC „ | . | 2 | . | . | 1 | 1 | 1 | . | 1 | . | ·6 | 2 | . | . | . | 1 | 1 | . | . |
| 4. PARASITIC „ | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. 1. DIATHETIC DISEASES, | 10 | 7 | 4 | 7 | 9 | 10 | 3 | 3 | 6 | 4 | 6·3 | 3 | . | . | . | 1 | 1 | 1 | . |
| 2. TUBERCULAR „ | 30 | 29 | 28 | 27 | 27 | 26 | 28 | 22 | 27 | 47 | 29·1 | 30 | 5 | 7 | 1 | 13 | 3 | 1 | . |
| III. 1. DISEASES OF NERVOUS SYSTEM, | 19 | 32 | 30 | 15 | 24 | 21 | 24 | 27 | 25 | 19 | 23·6 | 29 | 20 | 2 | . | . | 4 | 3 | . |
| 2. DISEASES OF ORGANS OF CIRCULATION, | 9 | 11 | 7 | 6 | 10 | 11 | 11 | 6 | 6 | 7 | 8·4 | 14 | . | . | . | 2 | 7 | 4 | 1 |
| 3. DISEASES OF RESPIRATORY ORGANS, | 52 | 46 | 21 | 33 | 47 | 63 | 28 | 48 | 31 | 71 | 41·0 | 66 | 29 | 1 | . | 5 | 18 | 13 | . |
| 4. DISEASES OF DIGESTIVE ORGANS, | 13 | 9 | 5 | 5 | 5 | 11 | 3 | 3 | 4 | 5 | 6·3 | 11 | 2 | . | . | 2 | 2 | 5 | . |
| 5. DISEASES OF URINARY ORGANS, | 3 | 3 | 2 | 3 | 4 | 2 | 2 | 2 | 6 | 4 | 3·1 | 3 | . | . | . | 2 | 1 | . | . |
| 6. DISEASES OF ORGANS OF GENERATION, | 1 | . | 1 | . | 1 | . | . | 1 | . | 2 | ·6 | . | . | . | . | . | . | . | . |
| 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | 1 | . | . | . |
| 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| V. 1. DEV. DISEASES OF CHILDREN, | 1 | 1 | 1 | 2 | . | 1 | . | 1 | 2 | 2 | 1·1 | 4 | 4 | . | . | . | . | . | . |
| 2. „ „ ADULTS, | . | 2 | 1 | . | . | 1 | 1 | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| 3 „ „ OLD PEOPLE | 14 | 8 | 13 | 6 | 10 | 19 | 11 | 16 | 16 | 13 | 12·6 | 29 | . | . | . | . | . | 22 | 7 |
| 4. DISEASES OF NUTRITION, | 4 | 5 | 9 | 5 | 6 | 7 | 12 | 7 | 3 | 6 | 6·4 | 3 | 2 | . | . | . | . | 1 | . |
| V. 1. ACCIDENT OR NEGLIGENCE, | 3 | 3 | 3 | 3 | 6 | 8 | 2 | 1 | . | 5 | 3·4 | 1 | . | . | . | . | 1 | . | . |
| *2. HOMICIDE, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 4. SUICIDE, | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | 2 | 1 | 1 | 2 | 2 | 5 | 2 | 4 | 6 | 5 | 3·0 | 6 | 5 | . | . | . | . | 1 | . |

* Order 9, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

**Births and Deaths** *Registered* in the several **Registration Districts** of the **City** of **Dublin** (Municipal Boundary), and in the **Suburban Districts** of **Rathmines, Donnybrook, Blackrock,** and **Kingstown,** during the Week ending Saturday, 26th February, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,754 | 7,182 | 18,461 | 314,626 |
| Births, | 21 | 51 | 15 | 20 | 18 | 40 | 24 | 9 | 10 | 2 | 13 | 223 |
| **Deaths from all Causes,** | 46 | 26 | 32 | 22 | 14 | 29 | 31 | 7 | 6 | 2 | 7 | 223 |
| Zymotic Diseases: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | 1 | . | . | . | . | . | . | 1 |
| Scarlet Fever (Scarlatina), | 3 | . | . | . | . | 1 | . | 1 | . | . | . | 5 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 6 | . | 1 | . | 1 | 2 | 3 | 1 | 2 | . | . | 16 |
| Fever, | 1 | 1 | 1 | 2 | . | 1 | . | . | . | . | . | 6 |
| Diarrhœa, | . | 1 | 2 | . | . | . | . | . | . | . | . | 3 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 2 | 3 | 2 | 3 | . | 1 | . | . | 1 | 1 | . | 13 |
| Total, | 12 | 5 | 6 | 5 | 2 | 5 | 3 | 2 | 3 | 1 | . | 44 |
| Constitutional Diseases: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 2 | 3 | 2 | . | 4 | 4 | 1 | . | 1 | 1 | 19 |
| Other Constitutional Diseases, | 4 | 1 | 2 | . | 1 | . | 3 | 1 | . | . | 1 | 13 |
| Total, | 5 | 3 | 5 | 2 | 1 | 4 | 7 | 2 | . | 1 | 2 | 32 |
| Local Diseases: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 2 | 2 | 4 | 4 | 2 | 3 | 5 | . | . | . | 1 | 23 |
| Diseases of the Heart and Circulatory Organs, | 3 | 3 | 1 | 3 | . | 2 | . | . | 1 | . | . | 13 |
| Diseases of the Respiratory Organs, | 17 | 9 | 9 | 7 | 5 | 9 | 7 | 3 | 1 | . | 3 | 70 |
| Diseases of the Digestive Organs, | 3 | . | . | . | . | 2 | 2 | . | . | . | 1 | 8 |
| Diseases of the Urinary Organs, | . | . | 1 | 1 | . | 1 | . | . | . | . | . | 3 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 25 | 14 | 15 | 15 | 7 | 17 | 14 | 3 | 2 | . | 5 | 117 |
| Developmental Diseases, | 2 | 4 | 6 | . | 2 | 1 | 4 | . | . | . | . | 19 |
| Violent Deaths, | 2 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 |
| Causes not Specified or Ill-Defined, | . | . | . | . | 1 | 1 | 2 | . | 1 | . | . | 5 |
| Annual Rate of Mortality in every 1,000 of the Population, | 49 | 42 | 60 | 36 | 24 | 39 | 44 | 17 | 14 | 14 | 20 | 37 |

**Number** of the above **Deaths** which occurred in **Hospitals, Prisons, Lunatic Asylums,** and **Workhouse Hospitals.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 13 | 6 | 13 | 7 | . | 4 | 3 | . | . | . | . | 46 |
| Workhouse Hospitals, | . | . | 8 | . | . | . | . | . | . | . | . | 8 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

**Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in the Eighth Week, ending Saturday, February 26th, 1876; also the Number of Deaths from each Class of Disease Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 8th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 26th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Feb. 24 1866 | Feb. 23 1867 | Feb. 22 1868 | Feb. 27 1869 | Feb. 26 1870 | Feb. 25 1871 | Feb. 24 1872 | Feb. 22 1873 | Feb. 28 1874 | Feb. 27 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 38·1 | 48·2 | 43·5 | 44·0 | 40·1 | 45·6 | 45·6 | 39·8 | 44·0 | 36·1 | 42·5 | 45·6 | | | | | | | |
| | **ALL CAUSES,** | 179 | 211 | 204 | 180 | 198 | 183 | 176 | 245 | 177 | 177 | 193·0 | 222 | 87 | 13 | 5 | 43 | 37 | 32 | 5 |
| | **SPECIFIED CAUSES,** | 178 | 209 | 203 | 178 | 193 | 180 | 173 | 237 | 173 | 173 | 189·7 | 217 | 86 | 11 | 5 | 43 | 36 | 31 | 5 |
| | (Classes.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 31 | 31 | 35 | 36 | 31 | 30 | 49 | 33 | 44 | 21 | 34·1 | 44 | 23 | 3 | 1 | 13 | 3 | 1 | . |
| II. | CONSTITUTIONAL „ | 33 | 37 | 43 | 40 | 28 | 34 | 32 | 36 | 42 | 27 | 35·2 | 32 | 7 | 4 | 1 | 16 | 3 | 1 | . |
| III. | LOCAL „ | 83 | 113 | 91 | 74 | 98 | 84 | 69 | 111 | 66 | 95 | 88·4 | 117 | 45 | 3 | 3 | 12 | 30 | 22 | 2 |
| IV. | DEVELOPMENTAL „ | 24 | 25 | 26 | 22 | 22 | 27 | 20 | 53 | 18 | 23 | 26·0 | 19 | 10 | . | . | 1 | . | 6 | 2 |
| V. | VIOLENT DEATHS, | 7 | 3 | 8 | 6 | 14 | 5 | 3 | 4 | 3 | 7 | 6·0 | 5 | 1 | 1 | . | 1 | . | 1 | 1 |
| | (Orders.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. Miasmatic Diseases, | 28 | 31 | 34 | 33 | 30 | 29 | 49 | 31 | 43 | 17 | 33·5 | 41 | 22 | 3 | 1 | 11 | 3 | 1 | . |
| | 2. Enthetic „ | 1 | . | 1 | 1 | . | . | . | 1 | 1 | 4 | ·9 | 2 | 1 | . | . | 1 | . | . | . |
| | 3. Dietic „ | 1 | . | . | 2 | . | 1 | . | 1 | . | . | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 4. Parasitic „ | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | 1. Diathetic Diseases, | 6 | 7 | 6 | 9 | 3 | 3 | 3 | 8 | 11 | 3 | 5·9 | 3 | . | 1 | . | . | 1 | 1 | . |
| | 2. Tubercular „ | 27 | 30 | 37 | 31 | 25 | 31 | 29 | 28 | 31 | 24 | 29·3 | 29 | 7 | 3 | 1 | 16 | 2 | . | . |
| III. | 1. Diseases of Nervous System, | 23 | 25 | 29 | 22 | 22 | 21 | 15 | 39 | 15 | 21 | 23·2 | 23 | 15 | . | 1 | 3 | 2 | 2 | . |
| | 2. Diseases of Organs of Circulation, | 6 | 6 | 4 | 8 | 13 | 10 | 6 | 9 | 12 | 8 | 8·2 | 13 | . | 2 | 1 | 3 | 4 | 3 | . |
| | 3. Diseases of Respiratory Organs, | 39 | 70 | 47 | 33 | 57 | 42 | 40 | 50 | 28 | 50 | 45·6 | 70 | 30 | . | 1 | 4 | 19 | 14 | 2 |
| | 4. Diseases of Digestive Organs, | 7 | 10 | 7 | 8 | 4 | 6 | 5 | 7 | 7 | 11 | 7·2 | 8 | . | 1 | . | 1 | 3 | 3 | . |
| | 5. Diseases of Urinary Organs, | 6 | . | 3 | 3 | 1 | 3 | 3 | 5 | 3 | 5 | 3·2 | 3 | . | . | . | 1 | 2 | . | . |
| | 6. Diseases of Organs of Generation, | 1 | 2 | . | . | . | . | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 7. Diseases of Organs of Locomotion, | 1 | . | . | . | . | 2 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 8. Diseases of Integumentary System, | . | . | 1 | . | 1 | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| IV. | 1. Dev. Diseases of Children, | 1 | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 3 | 3 | 2·1 | 2 | 2 | . | . | . | . | . | . |
| | 2. „ „ Adults, | . | 3 | 1 | 2 | 1 | . | . | 1 | . | 2 | 1·0 | 1 | . | . | . | 1 | . | . | . |
| | 3 „ „ Old People | 14 | 14 | 7 | 13 | 12 | 16 | 13 | 35 | 10 | 12 | 14·6 | 8 | . | . | . | . | . | 6 | 2 |
| | 4. Diseases of Nutrition, | 9 | 6 | 16 | 4 | 8 | 9 | 5 | 15 | 5 | 6 | 8·3 | 8 | 8 | . | . | . | . | . | . |
| V. | 1. Accident or Negligence, | 7 | 3 | 7 | 5 | 12 | 4 | 3 | 4 | 2 | 6 | 5·3 | 4 | . | 1 | . | 1 | . | 1 | 1 |
| | *3. Homicide, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 4. Suicide, | . | . | . | . | 1 | 1 | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 5. Execution, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths not classed, | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 2 | 1 | 2 | 4 | 3 | 3 | 8 | 4 | 4 | 3·2 | 5 | 1 | 2 | . | . | 1 | 1 | |

* Order 2, comprising Violent Deaths in Battle is omitted, as inapplicable to the civil population.

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | | | 1876. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sep. 11. | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. |
| BIRTHS, | 140 | 216 | 134 | 168 | 169 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 189 | 200 | 188 | 208 | 223 | 193 |
| DEATHS, | 144 | 139 | 143 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 208 | 209 | 163 | 225 | 269 | 232 | 233 |
| Deaths under 5 years of age, | 64 | 62 | 59 | 63 | 62 | 64 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 84 | 85 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 67 | 87 |
| Deaths 5–15, | 2 | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 |
| Deaths 15–20, | 5 | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 |
| Deaths 20–40, | 20 | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 33 |
| Deaths 40–60, | 28 | 21 | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 20 | 33 | 33 | 34 | 35 | 53 | 31 | 40 | 31 | 44 | 39 | 43 | 33 | 39 | 51 | 37 | 41 |
| Deaths 60–80, | 20 | 22 | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 53 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 63 | 32 | 51 |
| Deaths at 80 years of age and upwards, | 5 | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 4 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 |
| ,, Scarlatina, | 1 | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 3 | 6 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 |
| ,, Diphtheria, | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| ,, Whooping Cough, | 3 | 7 | 5 | 5 | 4 | 3 | . | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 18 | 16 | 11 |
| ,, Fever, | 2 | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 |
| ,, Diarrhœa, | 19 | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 |
| ,, Phthisis, | 12 | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 24 | 18 | 14 | 14 | 16 | 19 | 22 | 22 | 17 | 16 | 24 | 32 | 19 | 22 |
| ,, Bronchitis, | 11 | 6 | 4 | 3 | 13 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 |
| ,, Pneumonia, | 4 | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 |
| ,, Heart Disease, | 6 | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 |
| Mean Temperature of the Air | 56·5 | 59·8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 50·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·3 | 45·1 | 45·0 | 43·3 | 34·0 | 41·2 | 48·2 | 43·3 | 39·9 | 44·0 | 45·6 | 47·7 |
| Rain-fall in inches, | ·220 | ·649 | 1·301 | ·584 | ·853 | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·250 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·792 | ·857 | ·906 | ·884 | ·783 | ·846 | ·874 | ·893 | ·886 | ·868 | ·824 | ·829 | ·825 | ·801 | ·863 | ·848 | ·871 | ·860 | ·868 | ·864 | ·859 | ·862 | ·885 | ·873 | ·869 | ·837 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty,
For Her Majesty's Stationery Office.
[2605.—200.—1/76.]

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in n the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Feb. 24 1866 | Feb. 23 1867 | Feb. 22 1868 | Feb. 27 1869 | Feb. 26 1870 | Feb. 25 1871 | Feb. 24 1872 | Feb. 22 1873 | Feb. 28 1874 | Feb. 27 1875 | Average of Temperature and of Deaths in 8th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, February 26th, 1876. Deaths of Persons of the Ages — ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 38·1 | 48·2 | 43·5 | 44·0 | 40·1 | 45·6 | 45·6 | 39·8 | 44·0 | 36·1 | 42·5 | 45·6 | | | | | | | |
| III. con. | 7. Ileus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | 3 | 1 | . | 1 | . | 2 | 1 | . | 1 | ·9 | 1 | . | . | . | . | 1 | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | 1 | 1 | 1 | . | 1 | 1 | ·5 | 1 | . | . | . | . | . | 1 | . |
| | 15. *Liver Disease, &c.* | 3 | 3 | . | 6 | . | 2 | 2 | 3 | 2 | 8 | 2·9 | 3 | . | . | . | . | 2 | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 4 | . | 2 | . | . | . | . | 2 | 1 | 3 | 1·2 | 1 | . | . | . | 1 | . | . | . |
| | 4. Diabetes, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 7. *Kidney Disease, &c.* | 1 | . | 1 | 3 | 1 | 3 | 3 | 1 | 1 | 2 | 1·6 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | 1 | . | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | 1 | . | 1 | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 2 | 1 | . | 1 | 1 | . | 2 | . | ·7 | 2 | 2 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | . | 2 | 1 | 1 | 1 | 2 | 1 | 3 | 1·3 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | 3 | 1 | 2 | 1 | . | . | 1 | . | 2 | 1·0 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 14 | 14 | 7 | 13 | 12 | 16 | 13 | 35 | 10 | 12 | 14·6 | 8 | . | . | . | . | . | 6 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 9 | 6 | 16 | 4 | 8 | 9 | 5 | 15 | 5 | 6 | 8·3 | 8 | 8 | . | . | . | . | . | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | 1 | 1 | . | 4 | 1 | 1 | 1 | 1 | 4 | 1·6 | 2 | . | . | . | 1 | . | . | 1 |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 4 | . | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 1·5 | 1 | . | 1 | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 2 | 5 | 4 | 5 | 1 | 1 | . | . | . | 1·9 | 1 | . | . | . | . | . | 1 | . |
| | 6. Suffocation, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | 2 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | 1 | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Other Violent Deaths (not classed), | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 2 | 1 | 2 | 4 | 3 | 3 | 8 | 4 | 4 | 3·2 | 5 | 1 | 2 | . | . | 1 | 1 | . |

Forty-six of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin, and 9 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 30 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 23 per 1,000; and in No. 3, North City (Blackhall-street), to 75 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Steevens' Hospital*, the deaths *registered* afford an annual ratio of 57 per 1,000; in No. 2, South City District (High-street), the ratio was 31 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 27 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 24 per 1,000.

In the Suburban District of Rathmines the annual ratio was 30 per 1,000; in Donnybrook it was 22—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 51; and in Kingstown 20 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,549 and the deaths to 1,455 (against an average of 1,686 for corresponding week 1866–75); in Glasgow the births *registered* were 370, and the deaths 280; and in Edinburgh the births were 145, and the deaths 109. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·262 inches. The highest daily mean reading (29·804) occurred on Tuesday, and the lowest (28·660) on Thursday.

The mean temperature during the week was 40·6° (the average in the corresponding week of the previous ten years was 41·9°); the lowest daily mean (35·6°) occurred on Thursday and the highest (46·3°) on Sunday.

The temperature was highest on Sunday, when the thermometer registered 53·0°, and was lowest on Wednesday, the mercury having fallen to 28·8°. The highest reading of the barometer during the week (29·827) occurred on Tuesday, at 3.30 P.M., wind W., and the lowest (28·611) on Thursday, at 3.30 P.M., wind W. The mean of the Dry Bulb for the week was 40·8°; and of the Wet Bulb 39·4°. The mean humidity of the air was ·873; complete saturation being represented by 1·0. The rain-fall during the week measured ·866 in.

At Greenwich, the mean temperature of the week was 42·4°; at Glasgow, 39·1°; and at Edinburgh, 41·2°. The rain-fall during the week at Greenwich measured ·46 in., and at Glasgow, 2·13 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Mar. 5, | 29·629 | 53·0 | 39·7 | 46·3 | 50·4 | 50·0 | ·979 | 1·0 | ·380 | W. | W. | W.S.W. |
| Monday, „ 6, | 29·653 | 48·5 | 32·1 | 40·3 | 41·4 | 39·4 | ·840 | 1·0 | ·063 | W. | W. | S.W. |
| Tuesday, „ 7, | 29·814 | 46·0 | 36·3 | 41·2 | 38·3 | 37·4 | ·921 | 1·0 | ·115 | W. | W. | S.W. |
| Wednesday, „ 8, | 29·083 | 52·1 | 28·8 | 40·4 | 42·9 | 41·6 | ·898 | 1·0 | ·300 | S. | S.W. | S.W. |
| Thursday, „ 9, | 28·660 | 41·1 | 30·1 | 35·6 | 33·8 | 32·5 | ·803 | ·9 | ·010 | S.W. | W. | S.W. |
| Friday, „ 10, | 28·822 | 49·5 | 32·3 | 40·9 | 39·3 | 37·5 | ·847 | 1·0 | ·020 | S.W. | W. | W. |
| Saturday, „ 11, | 29·186 | 50·0 | 30·0 | 40·0 | 39·9 | 37·5 | ·818 | ·8 | ·000 | W. | N.W. | Calm. |
| Mean, . . | 29·262 | 48·6 | 32·7 | 40·6 | 40·8 | 39·4 | ·872 | ·9 | Total, ·866 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Mar. 5, | A.M. Raining. | P.M. Dropping rain. |
| Monday, „ 6, | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 7, | A.M. Fine. | P.M. Raining. |
| Wednesday, „ 8, | A.M. Raining. | P.M. Raining. |
| Thursday, „ 9, | A.M. Snowing. | P.M. Fine. |
| Friday, „ 10, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 11, | A.M. Fine. | P.M. Fine. |

—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. daily furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 11th March, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 11TH MARCH, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 34 | 163 | 207 | 42 | 59 | . | . | 8 | 1 | 9 | 8 | 2 | 1 | 1 | 46 |
| BELFAST,† . . | 20,687 | 182,082 | 26 | 124 | 90 | 15 | 15 | . | . | 3 | . | 2 | . | 1 | . | . | 15 |
| CORK, . . . | 13,816 | 91,965 | 31 | 41 | 55 | 5 | 16 | . | 3 | 2 | . | 3 | 1 | . | . | . | 10 |
| LIMERICK, . . | 8,509 | 44,309 | 34 | 36 | 29 | 6 | 10 | . | . | . | . | 5 | . | 2 | . | 1 | 11 |
| LONDONDERRY,‡ . | 21,865 | 80,884 | 13 | 17 | 8 | 1 | 1 | . | . | 4 | 1 | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 8 | 9 | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 45 | 26 | 17 | 3 | 6 | . | . | . | . | . | 1 | . | . | 1 | 5 |
| SLIGO, . . . | 30,835 | 17,285 | 24 | 14 | 8 | . | 1 | . | . | . | . | . | . | . | . | . | 4 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 11th March, 1876.

| REGISTRARS' DISTRICTS. | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, Belfast, No. 1, | 19,679 | 31 | 8 | 8 | 1 | 2 | . | . | 1 | . | . | . | 1 | . | . | . |
| " " 2, | 17,938 | 23 | 10 | 8 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| " " 3, | 39,311 | 17 | 29 | 13 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| " " 4, *W.* | 19,320 | 73 | 24 | 27 | 3 | 5 | . | . | . | . | . | . | . | . | . | 14 |
| " " 5, | 19,616 | 16 | 5 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| " " 6, | 36,652 | 17 | 25 | 12 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| " " 9, | 5,296 | 20 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| " " 10, | 8,115 | 26 | 5 | 4 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . |
| Castlereagh " 1, | 16,155 | 32 | 12 | 10 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | . |
| CORK, Cork, No. 1, | 10,156 | 31 | 9 | 6 | 2 | 4 | . | . | . | . | . | . | . | . | . | . |
| " " 2, | 11,555 | 14 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | 6,818 | 76 | 6 | 10 | 1 | 3 | . | 1 | . | . | 1 | . | . | . | . | . |
| " " 4, | 6,227 | 42 | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 5, | 11,289 | 23 | . | 5 | . | 2 | . | . | 1 | . | . | . | . | . | . | . |
| " " 6, | 15,230 | 3 | 8 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| " " 7, | 7,536 | 28 | 6 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| " " 8, *W.* | 18,364 | 59 | 6 | 21 | 1 | 4 | . | 2 | 1 | . | 2 | 1 | . | . | . | 10 |
| " " 9, | 4,790 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, Limerick, No. 1, | 7,918 | 7 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 2, *W.* | 8,992 | 52 | 4 | 9 | 2 | 4 | . | . | . | . | . | . | 1 | . | . | 8 |
| " " 3, | 11,424 | 32 | 8 | 7 | 1 | 3 | . | . | . | . | . | . | 1 | . | . | 3 |
| " " 4, | 18,875 | 39 | 20 | 12 | 3 | 3 | . | . | . | . | 5 | . | . | . | 1 | . |
| LONDONDERRY, Londonderry, No. 1, | 8,832 | 29 | 9 | 5 | . | 1 | . | . | 3 | 1 | . | . | . | . | . | . |
| " " 2, | 13,569 | 8 | 7 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . |
| Glendermot, *W.* | 8,483 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . Waterford, *W.* | 30,626 | 8 | 9 | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . Galway, No. 1, | 10,700 | 29 | 7 | 6 | 2 | 3 | . | . | . | . | . | . | . | . | . | . |
| " " 2, *W.* | 8,992 | 64 | 19 | 11 | 1 | 3 | . | . | . | . | . | 1 | . | . | 1 | 5 |
| SLIGO, . Sligo, No. 1, *W.* | 6,456 | 48 | 4 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | 4 |
| " " 2, | 10,829 | 10 | 10 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 11th March, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. | | | SOUTH CITY. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | Districts. | | | Districts. | | | | | | | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,963 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,623 |
| Births, | 20 | 35 | 12 | 16 | 12 | 28 | 18 | 4 | 10 | 2 | 6 | 163 |
| Deaths from all Causes, | 28 | 14 | 40 | 35 | 18 | 20 | 17 | 12 | 9 | 7 | 7 | 207 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | 1 | 1 | 1 | . | . | 2 | . | 3 | . | . | . | 8 |
| Diphtheria, | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Whooping Cough, | 1 | 1 | 3 | 1 | . | . | 3 | . | . | . | . | 9 |
| Fever, | 2 | . | 1 | 1 | . | 1 | . | . | . | . | . | 5 |
| Diarrhœa, | . | . | 2 | . | . | . | . | . | . | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | . | 2 | 1 | 1 | . | 2 | 2 | 1 | . | . | . | 9 |
| Total, | 4 | 4 | 8 | 3 | . | 5 | 6 | 4 | . | . | . | 34 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 3 | 5 | 2 | 4 | . | 2 | 1 | 1 | . | . | 20 |
| Other Constitutional Diseases, | 1 | . | 2 | 2 | 3 | . | 2 | 2 | 2 | 1 | 1 | 16 |
| Total, | 3 | 3 | 7 | 4 | 7 | . | 4 | 3 | 3 | 1 | 1 | 36 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | 2 | 5 | 7 | 2 | 1 | 1 | . | 1 | 1 | 1 | 22 |
| Diseases of the Heart and Circulatory Organs, | 2 | . | 3 | . | 1 | . | . | 2 | . | 2 | . | 10 |
| Diseases of the Respiratory Organs, | 12 | 5 | 11 | 14 | 3 | 7 | 2 | 1 | 3 | 1 | 1 | 60 |
| Diseases of the Digestive Organs, | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . | 4 |
| Diseases of the Urinary Organs, | 1 | . | 1 | . | 2 | . | . | . | . | . | . | 4 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 16 | 7 | 21 | 22 | 8 | 10 | 3 | 3 | 5 | 4 | 2 | 101 |
| DEVELOPMENTAL DISEASES, | 5 | . | 4 | 5 | 3 | 4 | 4 | 2 | 1 | 2 | 4 | 34 |
| VIOLENT DEATHS, | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED. | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Annual Rate of Mortality in every 1,000 of the Population, | 30 | 23 | 75 | 57 | 31 | 27 | 24 | 30 | 22 | 31 | 20 | 34 |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 6 | 2 | 6 | 2 | . | 6 | . | . | . | . | . | 22 |
| Workhouse Hospitals, | . | . | 15 | 9 | . | . | . | . | . | . | . | 24 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Grosk-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office. 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office. 52, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

**Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in the Tenth Week, ending Saturday, March 11th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 10th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, March 11th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Mar 10 1866 | Mar 9 1867 | Mar 7 1868 | Mar 13 1869 | Mar 12 1870 | Mar 11 1871 | Mar 9 1872 | Mar 8 1873 | Mar 14 1874 | Mar 13 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 34·8 | ° 39·0 | ° 46·3 | ° 38·1 | ° 40·2 | ° 46·2 | ° 48·0 | ° 44·7 | ° 39·0 | ° 42·9 | ° 41·9 | ° 40·6 | | | | | | | |
| | **ALL CAUSES,** | 212 | 187 | 165 | 191 | 188 | 176 | 220 | 303 | 178 | 200 | 202·0 | 207 | 77 | 15 | 2 | 26 | 28 | 49 | 10 |
| | **SPECIFIED CAUSES,** | 210 | 187 | 165 | 191 | 185 | 172 | 213 | 296 | 175 | 196 | 199·0 | 206 | 76 | 15 | 2 | 26 | 28 | 49 | 10 |
| | (Classes.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 33 | 25 | 49 | 28 | 33 | 42 | 63 | 39 | 47 | 24 | 38·3 | 34 | 18 | 6 | . | 5 | 4 | . | 1 |
| II. | CONSTITUTIONAL „ | 54 | 47 | 36 | 39 | 37 | 33 | 46 | 55 | 29 | 40 | 41·6 | 36 | 10 | 4 | 1 | 10 | 9 | 2 | . |
| III. | LOCAL „ | 97 | 87 | 64 | 101 | 87 | 76 | 73 | 164 | 76 | 105 | 93·0 | 101 | 39 | 5 | 1 | 11 | 12 | 31 | 2 |
| IV. | DEVELOPMENTAL „ | 19 | 20 | 14 | 21 | 22 | 16 | 27 | 33 | 23 | 22 | 21·9 | 34 | 9 | . | . | . | 2 | 16 | 7 |
| V. | VIOLENT DEATHS, | 7 | 8 | 2 | 2 | 6 | 3 | 4 | 5 | . | 5 | 4·2 | 1 | . | . | . | . | 1 | . | . |
| | (Orders.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 30 | 24 | 47 | 27 | 29 | 39 | 62 | 38 | 47 | 23 | 36·6 | 32 | 17 | 6 | . | 5 | 3 | . | 1 |
| | 2. ENTHETIC „ | 1 | . | 1 | 1 | 2 | 1 | . | 1 | . | 1 | ·8 | 2 | 1 | . | . | . | 1 | . | . |
| | 3. DIETIC „ | 2 | 1 | . | . | 2 | 2 | 1 | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC „ | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 6 | 8 | 6 | 9 | 7 | 6 | 5 | 13 | 5 | 6 | 7·1 | 5 | 1 | . | . | 1 | 2 | 1 | . |
| | 2. TUBERCULAR „ | 48 | 39 | 30 | 30 | 30 | 27 | 41 | 42 | 24 | 34 | 34·5 | 31 | 9 | 4 | 1 | 9 | 7 | 1 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 23 | 34 | 19 | 22 | 20 | 16 | 26 | 32 | 24 | 25 | 24·1 | 22 | 16 | . | 1 | 2 | . | 3 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 10 | 4 | 6 | 10 | 10 | 9 | 5 | 16 | 6 | 13 | 8·9 | 10 | . | . | . | 2 | 1 | 6 | 1 |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 56 | 36 | 25 | 58 | 46 | 41 | 35 | 99 | 36 | 57 | 48·9 | 60 | 23 | 4 | . | 5 | 7 | 20 | 1 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 6 | 12 | 9 | 6 | 4 | 9 | 5 | 6 | 7 | 7 | 7·1 | 4 | . | . | . | 1 | 2 | 1 | . |
| | 5. DISEASES OF URINARY ORGANS, | 2 | 1 | 3 | 4 | 5 | 1 | 1 | 7 | 2 | 2 | 2·8 | 4 | . | . | . | 1 | 2 | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | . | 1 | . | 1 | . | . | 3 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | 1 | . | 1 | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | 1 | 1 | . | . | . | 1 | 1 | 1 | ·5 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 2 | 2 | 1 | 2 | 3 | 4 | 2 | 4 | 3 | 2 | 2·5 | 5 | 5 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | 1 | 1 | 1 | . | 1 | . | . | 1 | 2 | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 3. „ „ OLD PEOPLE | 9 | 9 | 8 | 11 | 7 | 13 | 14 | 19 | 16 | 16 | 12·2 | 22 | . | . | . | . | . | 16 | 7 |
| | 4. DISEASES OF NUTRITION, | 7 | 8 | 4 | 8 | 11 | 1 | 11 | 9 | 2 | 3 | 6·4 | 6 | 4 | . | . | . | 2 | . | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 6 | 7 | 2 | 2 | 6 | 3 | 4 | 5 | . | 4 | 3·9 | 1 | . | . | . | . | 1 | . | . |
| | 2. HOMICIDE, | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 2 | . | . | . | 3 | 3 | 7 | 7 | 3 | 4 | 2·9 | 1 | 1 | . | . | . | . | . | . |

* Order 2, comprising Violent Deaths in Battle is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TENTH WEEK, ending Saturday, 11th March, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Mar 10 1866 | Mar 9 1867 | Mar 7 1868 | Mar 13 1869 | Mar 12 1870 | Mar 11 1871 | Mar 9 1872 | Mar 8 1873 | Mar 14 1874 | Mar 11 1875 | Average of Temperature and of Deaths in 11th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, March 11th, 1876. Deaths of Persons of the Ages — ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 34·8 | ° 39·0 | ° 46·3 | ° 38·1 | ° 40·3 | ° 46·2 | ° 48·0 | ° 44·7 | ° 39·0 | ° 41·9 | ° 41·9 | ° 40·6 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | 1 | . | . | 1 | 41 | . | . | . | 4·3 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 1 | 1 | 1 | . | 3 | 4 | 2 | 3 | . | 1·6 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | . | 1 | 10 | 8 | 6 | 6 | 3 | 2 | 23 | 2 | 6·1 | 8 | 6 | 2 | . | . | . | . | . |
| | 4. Diphtheria, | . | . | 3 | . | 1 | . | . | 1 | 4 | 1 | 1·0 | 1 | . | 1 | . | . | . | . | . |
| | 5. Quinsy, | . | 2 | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 4 | 2 | 1 | 2·3 | 2 | 1 | 1 | . | . | . | . | . |
| | 7. Whooping Cough, | 6 | 3 | 9 | 1 | 3 | 7 | 1 | 6 | 2 | 1 | 3·9 | 9 | 8 | 1 | . | . | 1 | . | . |
| | 8. Typhus, | 12 | 7 | 13 | . | 1 | 6 | 1 | . | 5 | 1 | 8·7 | 1 | . | . | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | | | | 2 | 5 | 4 | 3 | 4 | 4 | 6 | | 2 | . | . | . | 2 | . | . | . |
| | – Simple continued Fever, | | | | 1 | 4 | 2 | 2 | 1 | 2 | 1 | | 2 | 1 | . | . | . | 1 | . | . |
| | 9. Erysipelas, | 3 | 1 | 3 | 2 | 1 | 1 | . | . | 1 | . | 1·2 | 1 | . | . | . | . | . | . | 1 |
| | 10. Puerperal Fever (Metria | 1 | 1 | 1 | . | 1 | 1 | 1 | 1 | . | 1 | ·8 | 2 | . | . | . | 2 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | 2 | . | 1 | 7 | . | . | 1·0 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 3 | 4 | 3 | 7 | 2 | 4 | 1 | 9 | 1 | 5 | 4·1 | 2 | 1 | . | . | 1 | . | . | . |
| | 15. Simple Cholera, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 18. Rheumatism, | . | 1 | 1 | . | 1 | 1 | 1 | . | . | 3 | ·8 | . | . | . | . | . | . | . | . |
| | 19 Other Zymotic Diseases, | . | . | . | . | . | . | 1 | 1 | . | 1 | ·3 | 1 | . | 1 | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | . | 1 | 1 | 2 | 1 | . | . | . | 1 | ·7 | 1 | 1 | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | 1 | . | . | 1 | 1 | 1 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | 1 | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 5 | 5 | 4 | 4 | 2 | 1 | 2 | 6 | . | 4 | 3·3 | 1 | 1 | . | . | . | . | . | . |
| | 3. Cancer, | . | 2 | 1 | 4 | 3 | 5 | 1 | 5 | 3 | 1 | 2·5 | 2 | . | . | . | . | 1 | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | 1 | 1 | 1 | 2 | . | 1 | 2 | . | 1 | 1·0 | 2 | . | . | . | 1 | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 1 | 3 | . | 2 | 1 | 3 | 2 | 4 | . | 1·8 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 3 | 6 | 3 | 3 | 3 | 2 | 1 | 4 | . | 2 | 2·7 | 5 | 4 | 1 | . | . | . | . | . |
| | 3. Phthisis, | 40 | 26 | 20 | 25 | 21 | 31 | 33 | 34 | 17 | 28 | 26·5 | 20 | 2 | . | 1 | 9 | 7 | 1 | . |
| | 4. Hydrocephalus, | 3 | 6 | 4 | 2 | 4 | 3 | 4 | 2 | 3 | 4 | 3·5 | 6 | 3 | 3 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 2 | 6 | 4 | 2 | . | 4 | 3 | . | 3 | 2·4 | 2 | . | . | 1 | 1 | . | . | . |
| | 2. Apoplexy, | 5 | 7 | 2 | 2 | 1 | 4 | 2 | 2 | 2 | 2 | 2·9 | 3 | . | . | . | . | . | 2 | . |
| | 3. Paralysis, | 2 | 4 | 2 | 2 | 1 | 4 | 3 | 7 | 6 | 4 | 3·5 | . | . | . | . | . | . | . | . |
| | 4. Insanity, | . | 1 | 1 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | . | . | 1 | 3 | 2 | 4 | 1 | . | 1 | 1·2 | 1 | . | . | . | 1 | . | . | . |
| | 7. Convulsions, | 11 | 19 | 7 | 10 | 10 | 3 | 11 | 11 | 13 | 13 | 10·8 | 16 | 16 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 4 | 1 | 1 | 3 | 3 | 2 | 2 | 8 | 3 | 2 | 2·9 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | 1 | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | 1 | 1 | . | . | . | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 10 | 4 | 5 | 9 | 9 | 8 | 5 | 15 | 6 | 11 | 8·2 | 10 | . | . | . | 2 | 1 | 6 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | . | . | . | . | . | . | 2 | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 50 | 32 | 20 | 49 | 40 | 35 | 31 | 81 | 28 | 47 | 41·3 | 47 | 20 | 2 | . | 5 | 6 | 13 | 1 |
| | 3. Pleurisy, | 1 | . | 1 | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 3 | 2 | 1 | 2 | 4 | 4 | 3 | 6 | 1 | 8 | 3·4 | 7 | 3 | 2 | . | . | . | 2 | . |
| | 5. Asthma, | . | 2 | . | 3 | . | . | 1 | 2 | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | . | 3 | 4 | 2 | 2 | . | 8 | 5 | 2 | 2·7 | 6 | . | . | . | . | 1 | 5 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | 1 | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | 1 | 1 | 1 | . | 2 | . | . | 1 | . | ·7 | 2 | . | . | 1 | 1 | . | . | . |
| | 3. Peritonitis, | 1 | 1 | 1 | 1 | . | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | 1 | 1 | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | 2 | . | . | 1 | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 10[1] Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, March 11th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Mar 10 1866 | Mar 9 1867 | Mar 7 1868 | Mar 13 1869 | Mar 12 1870 | Mar 11 1871 | Mar 9 1872 | Mar 8 1873 | Mar 14 1874 | Mar 11 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 34·8 | 39·0 | 46·3 | 38·1 | 40·3 | 46·2 | 48·0 | 44·7 | 39·0 | 42·9 | 41·9 | 40·6 | | | | | | | |
| III. con. | 7. Ileus, | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| | 8. Intussusception, | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| | 9. Stricture of Intestines, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 10. Fistula, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 11. *Stomach Disease, &c.* | · | 2 | 2 | · | 1 | 1 | · | · | 2 | · | ·8 | · | · | · | · | · | · | · | · |
| | 12. *Pancreas Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 13. Hepatitis, | · | · | · | · | · | 1 | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 14. Jaundice, | 1 | 2 | · | 1 | · | 1 | · | · | · | · | ·5 | · | · | · | · | · | · | · | · |
| | 15. *Liver Disease, &c.* | 3 | 3 | 2 | 2 | 3 | 3 | 2 | 6 | 3 | 4 | 3·1 | 2 | · | · | · | · | 1 | 1 | · |
| | 16. *Spleen Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Ischuria, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Bright's Disease (Nephria), | 1 | · | 1 | 1 | 1 | · | · | 4 | · | · | ·8 | · | · | · | · | · | · | · | · |
| | 4. Diabetes, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Calculus (Stone), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 6. Cystitis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 7. *Kidney Disease, &c.* | 1 | 1 | 2 | 3 | 4 | 1 | 1 | 3 | 2 | 2 | 2·0 | 4 | · | · | · | 1 | 2 | 1 | · |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | · | · | · | · | · | · | · | 1 | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. *Uterus Disease, &c.* | · | · | 1 | · | 1 | · | · | 2 | · | · | ·4 | · | · | · | · | · | · | · | · |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | · | · | · | · | · | · | 1 | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. *Joint Disease, &c.* | · | · | · | · | 1 | · | · | · | · | · | ·1 | 1 | · | 1 | · | · | · | · | · |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| | 2. Ulcer, | · | · | · | · | · | · | · | · | 1 | · | ·1 | · | · | · | · | · | · | · | · |
| | 3. *Skin Disease, &c.* | · | · | 1 | 1 | · | · | · | 1 | · | · | ·3 | · | · | · | · | · | · | · | · |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | · | · | 1 | 1 | 3 | · | 1 | 2 | 2 | 2 | 1·2 | 2 | 2 | · | · | · | · | · | · |
| | 2. Cyanosis, | · | · | · | · | · | · | · | · | · | · | · | 1 | 1 | · | · | · | · | · | · |
| | 3. Spina Bifida, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Other Malformations, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Teething, | 2 | 2 | · | 1 | · | 4 | 1 | 2 | 1 | · | 1·3 | 2 | 2 | · | · | · | · | · | · |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Parasmenia, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Childbirth (*see also* Puerperal Fever), | 1 | 1 | 1 | · | 1 | · | · | 1 | 2 | 1 | ·8 | · | · | · | · | · | · | · | · |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 9 | 9 | 8 | 11 | 7 | 13 | 14 | 19 | 16 | 16 | 13·2 | 23 | · | · | · | · | · | 16 | 7 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 7 | 8 | 4 | 8 | 11 | 1 | 11 | 9 | 2 | 3 | 6·4 | 6 | 4 | · | · | · | 2 | · | · |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 4 | 5 | · | 2 | 3 | 1 | · | 1 | · | 2 | 1·8 | 1 | · | · | · | · | 1 | · | · |
| | 2. Wounds, | · | · | 1 | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 3. Burns and Scalds, | 2 | · | 1 | · | 3 | · | 1 | 2 | · | 1 | 1·0 | · | · | · | · | · | · | · | · |
| | 4. Poison, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 5. Drowning, | · | 1 | · | · | · | 2 | 2 | 1 | · | · | ·6 | · | · | · | · | · | · | · | · |
| | 6. Suffocation, | · | · | · | · | · | · | 1 | 1 | · | · | ·2 | · | · | · | · | · | · | · | · |
| | 7. Otherwise, | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | · | 1 | · | · | · | · | · | · | · | 1 | ·2 | · | · | · | · | · | · | · | · |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Drowning, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Otherwise, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Other Violent Deaths (not classed), | 1 | · | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| — | Sudden Deaths (Cause unascertained), | · | · | · | · | 1 | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | Causes not specified or ill-defined, | 2 | · | · | · | 3 | 3 | 7 | 7 | 3 | 4 | 2·9 | 1 | 1 | · | | | | | |

**Comparative Table of Births and Deaths Registered in the Dublin Registration District during the last Twenty-six Weeks.**

| Dublin Registration District. | 1875. | | | | | | | | | | | | 1876. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sep. 18. | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. |
| Births, | 316 | 134 | 166 | 139 | 164 | 129 | 136 | 171 | 160 | 160 | 168 | 163 | 173 | 167 | 135 | 196 | 183 | 185 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 |
| Deaths, | 139 | 143 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 164 | 169 | 163 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 223 | 223 | 207 |
| Deaths under 5 years of age, | 63 | 59 | 63 | 67 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 |
| Deaths 5–15, | 6 | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 13 | 15 |
| Deaths 15–30, | 1 | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 3 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 3 | 2 |
| Deaths 30–40, | 20 | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 28 | 26 | 27 | 40 | 20 | 20 | 26 | 38 | 43 | 33 | 26 |
| Deaths 40–60, | 21 | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 33 | 24 | 35 | 53 | 31 | 40 | 34 | 44 | 29 | 43 | 32 | 39 | 51 | 57 | 41 | 28 |
| Deaths 60–80, | 22 | 22 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 43 | 52 | 50 | 47 | 50 | 43 | 41 | 41 | 46 | 30 | 48 | 63 | 53 | 51 | 49 |
| Deaths at 80 years of age and upwards, | 7 | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 4 | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 13 | 10 | 5 | 7 | 6 | 1 | 6 | 2 | 8 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . |
| ,, Scarlatina, | . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 3 | 5 | 5 | 7 | 7 | 7 | 3 | 7 | 5 | 3 | 8 |
| ,, Diphtheria, | . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | 2 | . | 1 | 1 | . | . | . | . | . | . | 1 |
| ,, Whooping Cough, | 7 | 5 | 5 | 4 | 3 | 2 | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 |
| ,, Fever, | 3 | 5 | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 8 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 |
| ,, Diarrhœa, | 19 | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 |
| ,, Phthisis, | 7 | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 23 | 18 | 14 | 14 | 16 | 19 | 23 | 29 | 17 | 16 | 24 | 22 | 19 | 23 | 20 |
| ,, Bronchitis, | 6 | 4 | 3 | 13 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 20 | 46 | 33 | 45 | 34 | 33 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 |
| ,, Pneumonia, | 3 | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | 7 | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 |
| ,, Heart Disease, | 11 | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 7 | 8 | 6 | 8 | 8 | 11 | 13 | 10 |
| Mean Temperature of the Air | 59·8 | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 43·1 | 45·0 | 43·3 | 34·0 | 41·2 | 48·2 | 43·3 | 36·9 | 44·0 | 45·6 | 47·7 | 40·6 |
| Rain-fall in inches, | ·549 | 1·301 | ·864 | ·283 | ·385 | 1·680 | 4·033 | ·699 | 2·065 | ·485 | ·350 | ·805 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·963 | 1·288 | ·510 | ·288 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·837 | ·906 | ·864 | ·783 | ·846 | ·874 | ·895 | ·836 | ·868 | ·834 | ·829 | ·825 | ·801 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·865 | ·873 | ·869 | ·827 | ·873 |

Dublin: Printed by Alexander Thom, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[2605.—200.—1/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, MARCH 18, 1876. [No. 11.

*General Register Office, Charlemont House, Dublin, March 20th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 18th March, 1876, represent an annual mortality of 29 in every 1,000 of the population, by the Census of 1871. In London the death rate was 23 in every 1,000 of the estimated population; in Glasgow, 29; and in Edinburgh, 23.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 172—84 boys and 88 girls,—and the deaths to 174—82 males and 92 females. The *average* numbers in the corresponding week of the previous ten years were—births, 181, and deaths, 179.

There were only 20 deaths caused by zymotic diseases, being 14 under the number in the preceding week, and 11 less than the average for the corresponding week of the ten years 1866–75. Of the deaths from these diseases *registered* last week, 2 each were from typhoid fever, scarlet fever, whooping-cough, croup, and erysipelas, 3 from diarrhœa, 1 each from measles, pyæmia, &c.

Eleven children died from convulsions.

Thirty-seven deaths resulted from bronchitis (against 47 in the preceding week), 9 from pneumonia or inflammation of the lungs, and 4 from lung disease unspecified.

Five deaths were attributed to paralysis, 1 each to chorea and epilepsy, and 2 to brain disease unspecified.

Heart disease caused 5 deaths, liver disease 1, ischuria 1, and kidney disease unspecified 2.

Phthisis or pulmonary consumption proved fatal in 23 instances, hydrocephalus or water on the brain in 6, scrofula and mesenteric disease each in 2, and cancer in 1.

One accidental death was *registered*.

Sixty of the persons whose deaths were *registered* during the week were under 5 years of age, and 47 were aged 60 and upwards, including 31 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a female) was stated to have been aged 91 years.

Two deaths from scarlet fever, 2 from whooping-cough, and 1 each from fever and diarrhœa were *registered* in Belfast.

Two deaths each from fever and measles, and 1 each from scarlet fever, whooping-cough, and diarrhœa, were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Convulsions. | Inflammation of the Lungs. | |
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 6 | 2 | 2 | 3 | 20 |
| | No. 2 ,, | 31,993 | – | 3 | 1 | – | 7 |
| | No. 3 ,, | 27,546 | 4 | 3 | 2 | – | 21 |
| South Side, | No. 1 District, | 32,184 | 4 | 3 | – | 1 | 30 |
| | No. 2 ,, | 29,952 | 7 | 3 | 2 | – | 18 |
| | No. 3 ,, | 38,811 | 4 | 1 | 3 | – | 20 |
| | No. 4 ,, | 36,703 | 2 | 2 | 1 | 2 | 23 |
| Rathmines District, | | 20,939 | 2 | 2 | – | 1 | 14 |
| Donnybrook, ,, | | 21,758 | 3 | 2 | – | 2 | 1 |
| Blackrock, ,, | | 7,182 | – | 1 | – | – | |
| Kingstown, ,, | | 18,461 | 5 | 1 | – | – | |
| | Total . | 314,666 | 37 | 23 | 11 | 9 | 17 |

Forty-four of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin, and 19 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 21 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 11 per 1,000; and in No. 3, North City (Blackhall-street), to 40 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Steevens' Hospital*, the deaths *registered* afford an annual ratio of 48 per 1,000; in No. 2, South City District (High-street), the ratio was 31 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 27 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 33 per 1,000.

In the Suburban District of Rathmines the annual ratio was 35 per 1,000; in Donnybrook it was 24—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 14; and in Kingstown 25 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,523 and the deaths to 1,546 (against an average of 1,668 for corresponding week 1866–75); in Glasgow the births *registered* were 430, and the deaths 300; and in Edinburgh the births were 125, and the deaths 96. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·602 inches. The highest daily mean reading (30·182) occurred on Saturday, and the lowest (29·213) on Sunday.

The mean temperature during the week was 37·8° (the average in the corresponding week of the previous ten years was 42·9°); the lowest daily mean (33·7°) occurred on Saturday and the highest (43·3°) on Monday.

The temperature was highest on Tuesday, when the thermometer registered 51·0°, and was lowest on Saturday, the mercury having fallen to 25·0°. The highest reading of the barometer during the week (30·238) occurred on Saturday, at 9.30 P.M., wind N.W., and the lowest (29·023) on Sunday, at 9.30 A.M., wind N.N.W. The mean of the Dry Bulb for the week was 38·6°; and of the Wet Bulb 36·5°. The mean humidity of the air was ·843; complete saturation being represented by 1·0. The rain-fall during the week measured ·402 in.

At Greenwich, the mean temperature of the week was 39·0°; at Glasgow, 34·7°; and at Edinburgh, 35·7°. The rain-fall during the week at Greenwich measured ·83 in., and at Glasgow, ·97 in.*

---

**Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Mar. 12, | 29·213 | 47·0 | 27·5 | 37·2 | 37·3 | 36·1 | ·890 | 1·0 | ·105 | N.N.W | N.W. | N.W. |
| Monday, „ 13, | 29·517 | 49·5 | 37·0 | 43·3 | 40·2 | 38·2 | ·903 | 1·0 | ·070 | W. | S.W. | S.W. |
| Tuesday, „ 14, | 29·355 | 51·0 | 34·0 | 42·5 | 47·0 | 44·1 | ·835 | 1·0 | ·177 | W. | W. | S.W. |
| Wednesday, „ 15, | 29·343 | 45·1 | 31·0 | 38·0 | 39·4 | 37·5 | ·856 | 1·0 | ·050 | W. | W. | W. |
| Thursday, „ 16, | 29·689 | 43·2 | 28·8 | 35·8 | 37·3 | 34·1 | ·740 | 1·0 | ·000 | W. | W. | W. |
| Friday, „ 17, | 29·917 | 40·0 | 29·0 | 34·5 | 34·9 | 32·9 | ·816 | 1·0 | ·000 | W. | N.W. | N.W. |
| Saturday, „ 18, | 30·182 | 42·5 | 25·0 | 33·7 | 34·1 | 32·9 | ·859 | 1·0 | ·000 | N.W. | N.W. | N.W. |
| Mean, . . | 29·602 | 45·4 | 30·2 | 37·8 | 38·6 | 36·5 | ·843 | 1·0 | Total, ·402 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Mar. 12, | A.M. Fine and pleasant. | P.M. Fine. |
| Monday, „ 13, | A.M. Fine. | P.M. Gloomy. |
| Tuesday, „ 14, | A.M. Fine. | P.M. Raining. |
| Wednesday, „ 15, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 16, | A.M. Fine. | P.M. Gloomy. |
| Friday, „ 17, | A.M. Fine. | P.M. Fine starlight. |
| Saturday, „ 18, | A.M. Fine. | P.M. Fine. |

—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M., ly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 18th March, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 18TH MARCH, 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,060 | 314,666 | 29 | 172 | 174 | 40 | 47 | . | 1 | 2 | . | 2 | 2 | 3 | 1 | 2 | 44 |
| BELFAST,† . . | 20,687 | 182,082 | 24 | 130 | 83 | 17 | 8 | . | . | 2 | . | 2 | 1 | 1 | 3 | 2 | 9 |
| CORK, . . . | 13,816 | 91,565 | 37 | 42 | 66 | 5 | 22 | . | 2 | 1 | . | 1 | 2 | 1 | 1 | 1 | 26 |
| LIMERICK, . . | 8,509 | 44,209 | 40 | 25 | 34 | 2 | 10 | . | . | . | . | 3 | 3 | . | . | 4 | 15 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 20 | 13 | 12 | 1 | . | . | 1 | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,309 | 30,626 | 39 | 22 | 23 | 3 | 15 | . | . | . | . | . | . | . | . | . | 17 |
| GALWAY, . . | 21,358 | 19,692 | 45 | 5 | 17 | 4 | 7 | . | . | . | . | . | . | . | . | . | 6 |
| SLIGO, . . . | 30,835 | 17,285 | 21 | 8 | 7 | . | 6 | . | . | . | . | . | . | . | . | . | 4 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 18th March, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 24 | 11 | 9 | 4 | 1 | . | . | . | . | . | . | . | 1 | 1 | . |
| | ,, ,, 2, | 17,938 | 35 | 16 | 12 | 1 | 1 | . | . | . | . | . | . | . | 2 | . | . |
| | ,, ,, 3, | 39,311 | 17 | 35 | 13 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 30 | 9 | 11 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 19,616 | 21 | 11 | 8 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 21 | 28 | 15 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 10, | 8,115 | 38 | 9 | 6 | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 26 | 9 | 8 | 4 | . | . | . | 2 | . | 2 | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 41 | 7 | 8 | 2 | 2 | . | . | 1 | . | 1 | . | . | . | . | 2 |
| | ,, ,, 2, | 11,555 | 27 | 6 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 38 | 3 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 25 | 1 | 3 | . | 2 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 5, | 11,289 | 18 | 6 | 4 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 17 | 5 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 41 | 4 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 59 | 7 | 21 | . | 8 | . | . | . | . | . | 1 | 1 | 1 | 1 | 16 |
| | ,, ,, 9, | 4,790 | 87 | 3 | 8 | . | . | . | . | . | . | . | . | . | . | . | 8 |
| LIMERICK, | Limerick, No. 1, | 7,918 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 37 | 5 | 15 | . | 6 | . | . | . | . | 1 | 3 | . | . | . | 14 |
| | ,, ,, 3, | 11,424 | 32 | 9 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | 4 | 1 |
| | ,, ,, 4, | 15,875 | 39 | 10 | 12 | . | 2 | . | . | . | . | 2 | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 23 | 3 | 6 | 1 | . | . | 1 | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 25 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 39 | 22 | 23 | 3 | 15 | . | . | . | . | . | . | . | . | . | 17 |
| GALWAY, | Galway, No. 1, | 10,700 | 39 | 2 | 8 | 2 | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 52 | 3 | 9 | 2 | 4 | . | . | . | . | . | . | . | . | . | 6 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 40 | 2 | 5 | . | 4 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, ,, 2, | 10,829 | 10 | 6 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 18th March, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 33,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| Births, | 20 | 30 | 6 | 17 | 15 | 26 | 11 | 16 | 15 | 6 | 10 | 172 |
| Deaths from all Causes, | 20 | 7 | 21 | 30 | 18 | 20 | 23 | 14 | 10 | 2 | 9 | 174 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Scarlet Fever (Scarlatina), | . | . | 1 | . | . | 1 | . | . | . | . | . | 2 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | 1 | . | . | 1 | . | . | . | . | . | 2 |
| Fever, | . | . | 1 | . | . | . | 1 | . | . | . | . | 2 |
| Diarrhœa, | . | . | . | 2 | . | . | 1 | . | . | . | . | 3 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 2 | . | 2 | 1 | . | 1 | 3 | 1 | . | . | . | 10 |
| Total, | 2 | . | 5 | 3 | . | 3 | 5 | 2 | . | . | . | 20 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 3 | 3 | 3 | 3 | 1 | 2 | 2 | 2 | 1 | 1 | 22 |
| Other Constitutional Diseases, | 1 | 2 | 1 | 3 | . | . | 4 | . | 1 | 1 | 1 | 13 |
| Total, | 3 | 5 | 4 | 6 | 3 | 1 | 6 | 2 | 3 | 1 | 2 | 36 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 4 | 1 | 2 | 5 | 2 | 4 | 1 | 1 | . | . | . | 20 |
| Diseases of the Heart and Circulatory Organs, | . | . | 1 | . | 2 | . | 1 | 1 | . | . | . | 5 |
| Diseases of the Respiratory Organs, | 9 | . | 4 | 5 | 3 | 5 | 6 | 3 | 5 | . | 5 | 50 |
| Diseases of the Digestive Organs, | . | 1 | 1 | . | . | . | 1 | 1 | 1 | . | . | 5 |
| Diseases of the Urinary Organs, | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 3 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | 13 | 2 | 8 | 12 | 12 | 10 | 9 | 7 | 6 | 1 | 5 | 85 |
| DEVELOPMENTAL DISEASES, | 2 | . | 4 | 6 | 3 | 6 | 3 | 3 | 1 | . | 1 | 29 |
| VIOLENT DEATHS, | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 3 | . | . | . | . | . | . | . | 3 |
| Annual Rate of Mortality in every 1,000 of the Population, | 21 | 11 | 40 | 48 | 31 | 27 | 33 | 35 | 24 | 14 | 25 | 29 |

## NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | . | 4 | 5 | . | . | 6 | . | 4 | . | . | 19 |
| Workhouse Hospitals | . | . | 6 | 19 | . | . | . | . | . | . | . | 25 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the ELEVENTH WEEK, ending Saturday, March 18th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 11th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, March 18th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Mar 17 1866 | Mar 16 1867 | Mar 14 1868 | Mar 20 1869 | Mar 19 1870 | Mar 18 1871 | Mar 16 1872 | Mar 15 1873 | Mar 21 1874 | Mar 20 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 42·0 | 34·4 | 45·5 | 41·6 | 45·3 | 42·4 | 46·0 | 38·3 | 48·3 | 42·9 | 42·9 | 37·8 | | | | | | | |
| | **ALL CAUSES,** | 192 | 185 | 150 | 169 | 170 | 159 | 230 | 195 | 170 | 174 | 179·4 | 174 | 60 | 6 | 2 | 28 | 31 | 43 | 4 |
| | **SPECIFIED CAUSES,** | 187 | 183 | 149 | 168 | 168 | 156 | 230 | 189 | 165 | 172 | 176·7 | 171 | 59 | 6 | 2 | 28 | 30 | 42 | 4 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 25 | 27 | 28 | 27 | 26 | 20 | 35 | 20 | 32 | 24 | 31·4 | 20 | 8 | 2 | . | 3 | 2 | 5 | . |
| II. | CONSTITUTIONAL ,, | 36 | 38 | 37 | 30 | 33 | 29 | 38 | 38 | 23 | 26 | 32·8 | 36 | 6 | 4 | 2 | 13 | 10 | 1 | . |
| III. | *LOCAL* ,, | 107 | 95 | 69 | 89 | 88 | 75 | 81 | 100 | 98 | 104 | 89·6 | 85 | 39 | . | . | 10 | 17 | 19 | . |
| IV. | DEVELOPMENTAL ,, | 18 | 22 | 14 | 19 | 18 | 23 | 21 | 27 | 16 | 17 | 19·5 | 29 | 6 | . | . | 1 | 1 | 17 | 4 |
| V. | VIOLENT DEATHS, | 1 | 1 | 1 | 3 | 3 | 9 | 5 | 4 | 6 | 1 | 3·4 | 1 | . | . | . | 1 | . | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 24 | 25 | 24 | 24 | 21 | 20 | 31 | 18 | 29 | 23 | 23·9 | 17 | 7 | 2 | . | 2 | 1 | 5 | . |
| | 2. ENTHETIC ,, | . | . | 1 | 1 | 5 | . | 1 | 1 | 2 | . | 1·1 | 3 | 1 | . | . | 1 | 1 | . | . |
| | 3. DIETIC ,, | 1 | 1 | 3 | . | . | . | 3 | 1 | . | 1 | 1·0 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC ,, | . | 1 | . | 2 | . | . | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 2 | 7 | 6 | 7 | 8 | 2 | 8 | 5 | 2 | 2 | 4·9 | 3 | . | . | . | . | 3 | . | . |
| | 2. TUBERCULAR ,, | 34 | 31 | 31 | 23 | 25 | 27 | 30 | 33 | 21 | 24 | 27·9 | 33 | 6 | 4 | 2 | 13 | 7 | 1 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 25 | 32 | 22 | 25 | 20 | 28 | 20 | 30 | 24 | 19 | 24·5 | 20 | 11 | . | . | 1 | 4 | 4 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 7 | 11 | 13 | 4 | 13 | 4 | 9 | 6 | 8 | 7 | 8·0 | 5 | . | . | . | 2 | . | 3 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 62 | 45 | 29 | 51 | 47 | 26 | 38 | 46 | 50 | 66 | 46·0 | 50 | 26 | . | . | 5 | 8 | 11 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 6 | 4 | 4 | 5 | 5 | 14 | 11 | 10 | 4 | 7 | 7·0 | 5 | 1 | . | . | . | 3 | 1 | . |
| | 5. DISEASES OF URINARY ORGANS, | 3 | 2 | 2 | 4 | 2 | 2 | 3 | 3 | 1 | 4 | 2·6 | 3 | 1 | . | . | 1 | 1 | . | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | 2 | . | . | . | 1 | 1 | . | 1 | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | . | . | 1 | . | . | 2 | . | 1 | ·4 | 1 | . | . | . | 1 | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | 2 | 1 | . | . | . | . | . | 2 | . | . | ·5 | 1 | . | . | . | . | 1 | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 1 | . | 1 | 3 | . | 3 | . | . | 2 | . | 1·0 | . | . | . | . | . | . | . | . |
| | 2. ,, ,, ADULTS, | . | . | . | . | 1 | . | 3 | 2 | . | 1 | ·7 | 1 | . | . | . | 1 | . | . | . |
| | 3 ,, ,, OLD PEOPLE | 15 | 6 | 5 | 13 | 14 | 16 | 8 | 19 | 7 | 9 | 11·2 | 20 | . | . | . | . | . | 16 | 4 |
| | 4. DISEASES OF NUTRITION, | 2 | 16 | 3 | 3 | 3 | 4 | 10 | 6 | 7 | 7 | 6·6 | 3 | 3 | . | . | . | 1 | 1 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 1 | 1 | 1 | 2 | 3 | 9 | 5 | 3 | 6 | 1 | 3·2 | 1 | . | . | . | 1 | . | . | . |
| | *2. HOMICIDE, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 5 | 2 | 1 | 1 | 2 | 3 | . | 6 | 4 | 2 | 2·6 | 3 | 1 | . | . | . | 1 | 1 | . |

* Order 2, comprising Violent Death in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the ELEVENTH WEEK, ending Saturday, 18th March, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 11th Week of the 10 years 1865-74. | *Registered* in the Week ending Saturday, March 18th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | |
| | | Mar 17 1866 | Mar 16 1867 | Mar 14 1868 | Mar 20 1869 | Mar 19 1870 | Mar 18 1871 | Mar 16 1872 | Mar 15 1873 | Mar 21 1874 | Mar 20 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and upwards. |
| | Mean Temperature, | ° 42·0 | ° 34·4 | ° 45·5 | ° 41·6 | ° 45·3 | ° 42·4 | ° 48·0 | ° 38·3 | ° 48·3 | ° 42·9 | ° 42·9 | ° 37·8 | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 54 | . | . | 1 | 5·4 | . | . | . | . | . | . | . |
| | 2. Measles, | . | 6 | 2 | . | 2 | 1 | 2 | . | . | 1 | 1·4 | 1 | 1 | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 2 | 3 | 10 | 8 | 6 | 4 | 3 | 8 | 8 | 5·2 | 2 | 1 | . | . | 1 | . | . |
| | 4. Diphtheria, | 1 | 1 | . | . | 1 | . | 2 | . | 1 | 1 | ·7 | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | . | 3 | 4 | . | . | 2 | 2 | 1 | 6 | 1·8 | 2 | 1 | 1 | . | . | . | . |
| | 7. Whooping Cough, | 6 | 1 | 6 | . | 1 | 1 | . | 5 | 3 | . | 2·3 | 2 | 2 | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 1 | . | 4 | . | 2 | 2 | | | | | | | | |
| | – Enteric or Typhoid Fever, | 9 | 11 | 6 | 2 | 1 | 3 | 4 | 3 | 8 | 2 | 7·2 | 2 | 1 | 1 | . | . | . | . |
| | – Simple continued Fever, | | | | 1 | 2 | 4 | 3 | 1 | 1 | 1 | | | | | | | | |
| | 9. Erysipelas, | 3 | 1 | 1 | . | 1 | . | 2 | 1 | . | . | ·9 | 2 | . | . | . | . | 2 | . |
| | 10. Puerperal Fever (Metria), | 1 | . | . | 1 | 2 | 1 | . | . | . | . | ·5 | 1 | . | . | . | 1 | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | 1 | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | . | . | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 5 | 2 | 2·1 | 3 | 1 | . | . | . | 1 | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | 1 | . | . | . | . | 1 | . |
| | 19. Other Zymotic Diseases, | . | 1 | 2 | 1 | . | 1 | 1 | . | . | . | ·6 | 1 | . | . | . | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | 1 | 1 | 5 | . | 1 | 1 | 2 | . | 1·1 | 3 | 1 | . | . | 1 | 1 | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | 1 | 1 | 1 | . | . | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . |
| | { Intemperance, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | 2 | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | . | 2 | 1 | 3 | 2 | 1 | 2 | 3 | 1 | 2 | 1·7 | 1 | . | . | . | . | 1 | . |
| | 3. Cancer, | 1 | 3 | 3 | 3 | 6 | 1 | 5 | 1 | 1 | . | 2·4 | 1 | . | . | . | . | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | 2 | 2 | 1 | . | . | 1 | 1 | . | . | ·8 | 1 | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 2 | . | 2 | 2 | 1 | 1 | 1 | 1 | . | 1·1 | 3 | . | 1 | . | 1 | . | . |
| | 2. Tabes Mesenterica, | 4 | 2 | 3 | 4 | 2 | 2 | 4 | 1 | 3 | 1 | 2·6 | 2 | 1 | 1 | . | . | . | . |
| | 3. Phthisis, | 27 | 25 | 24 | 15 | 17 | 18 | 22 | 24 | 14 | 22 | 20·8 | 23 | . | 1 | 2 | 12 | 7 | 1 |
| | 4. Hydrocephalus, | 2 | 2 | 4 | 2 | 4 | 6 | 3 | 7 | 3 | 1 | 3·4 | 6 | 5 | 1 | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 8 | 5 | 3 | 4 | 4 | 2 | 2 | 1 | 1 | 3·0 | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 1 | 3 | 4 | 4 | 3 | 2 | 5 | 1 | 5 | 1 | 2·9 | . | . | . | . | . | . | . |
| | 3. Paralysis, | 5 | 3 | 2 | 9 | 2 | 4 | 5 | 8 | 2 | 3 | 4·3 | 5 | . | . | . | . | 3 | 2 |
| | 4. Insanity, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | 6. Epilepsy, | . | . | 1 | . | 2 | . | 1 | 2 | 1 | . | ·7 | 1 | . | . | . | 1 | . | . |
| | 7. Convulsions, | 12 | 16 | 9 | 6 | 8 | 14 | 6 | 13 | 13 | 10 | 10·7 | 11 | 11 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 7 | 2 | 1 | 3 | 1 | 4 | 1 | 4 | 1 | 4 | 2·8 | 2 | . | . | . | . | 1 | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | 1 | 2 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 7 | 10 | 9 | 4 | 12 | 4 | 9 | 6 | 8 | 6 | 7·5 | 5 | . | . | . | 2 | . | 3 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 33 | 34 | 27 | 44 | 42 | 20 | 26 | 32 | 35 | 57 | 37·0 | 37 | 19 | . | . | 3 | 6 | 9 |
| | 3. Pleurisy, | 1 | 1 | . | 1 | . | . | 2 | . | . | . | ·5 | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 5 | 4 | 1 | 2 | 1 | 3 | 5 | 9 | 5 | 5 | 4·0 | 9 | 6 | . | . | 1 | 1 | 1 |
| | 5. Asthma, | 1 | 1 | 1 | 1 | . | . | . | 1 | 1 | 1 | ·7 | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 5 | . | 3 | 4 | 3 | 4 | 4 | 9 | 3 | 3·6 | 4 | 1 | . | . | 1 | 1 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| | 2. Enteritis, | 3 | . | . | . | . | . | 2 | . | 1 | 1 | ·7 | 1 | 1 | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | . | . | 2 | 1 | 1 | . | 2 | ·6 | 2 | . | . | . | 2 | . | . |
| | 4. Ascites, | . | . | 2 | 1 | 1 | . | 1 | . | . | . | ·5 | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | 1 | . | . | 2 | . | . | ·3 | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | 2 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | A average of Temperature and of Deaths in 11th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, March 18th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Mar 17 1866 | Mar 16 1867 | Mar 14 1868 | Mar 20 1869 | Mar 19 1870 | Mar 18 1871 | Mar 16 1872 | Mar 15 1873 | Mar 21 1874 | Mar 20 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 42·0 | ° 34·4 | ° 45·5 | ° 41·6 | ° 45·3 | ° 42·4 | ° 48·0 | ° 38·3 | ° 48·3 | ° 42·9 | ° 42·9 | ° 37·8 | | | | | | | |
| III. con. | 7. Ileus, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | . | 2 | . | . | 3 | 2 | 2 | 1 | 2 | 1·3 | 1 | . | . | . | . | 1 | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | . | 1 | 1 | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 4 | . | 3 | 3 | 5 | 3 | 4 | 2 | 1 | 2·6 | 1 | . | . | . | . | . | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | . | 1 | 2 | 1 | 2 | 1 | 3 | . | 1 | 1·2 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | 2 | 1 | 2 | 1 | . | 2 | . | . | 3 | 1·2 | 2 | . | . | . | 1 | 1 | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | 1 | . | . | . | . | 1 | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | . | . | . | 1 | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Skin Disease, &c.* | 1 | 1 | . | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | . | . | 2 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | . | 1 | 2 | . | 1 | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | . | . | . | 1 | . | 3 | 2 | . | 1 | ·7 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 15 | 6 | 5 | 13 | 14 | 16 | 8 | 19 | 7 | 9 | 11·2 | 20 | . | . | . | . | . | 16 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 2 | 16 | 8 | 3 | 3 | 4 | 10 | 6 | 7 | 7 | 6·6 | 8 | 6 | . | . | . | 1 | 1 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | . | . | 1 | . | 2 | 2 | . | 4 | . | ·9 | 1 | . | . | . | 1 | . | . | . |
| | 2. Wounds, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | 1 | 1 | . | 1 | 4 | . | . | 1 | . | ·9 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | . | . | 1 | 2 | 2 | 2 | . | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | 2 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | 1 | 2 | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or Ill-defined, | 5 | 2 | 1 | 1 | 2 | 3 | . | 6 | 4 | 2 | 2·6 | 3 | 1 | . | . | . | 1 | 1 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | | | | | 1876. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sep. 25. | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. |
| BIRTHS, . . . . | 134 | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 |
| DEATHS, . . . . | 143 | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 223 | 207 | 174 |
| Deaths under 5 years of age, . | 59 | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 |
| Deaths 5–15, . . . . | 5 | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 |
| Deaths 15–20, . . . . | 3 | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 |
| Deaths 20–40, . . . . | 16 | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 |
| Deaths 40–60, . . . . | 24 | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 53 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 |
| Deaths 60–80, . . . . | 32 | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 |
| Deaths at 80 years of age and upwards, . . . . | 4 | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . | 4 | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 |
| ,, Scarlatina, . | 1 | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 8 | 3 | 8 | 2 |
| ,, Diphtheria, . | 1 | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . |
| ,, Whooping Cough, | 5 | 5 | 4 | 3 | . | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 |
| ,, Fever, . . | 5 | 3 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 |
| ,, Diarrhœa, . . | 19 | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 |
| ,, Phthisis, . . | 13 | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 22 |
| ,, Bronchitis, . | 4 | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 38 | 53 | 73 | 62 | 49 | 47 | 37 |
| ,, Pneumonia, . | 1 | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 |
| ,, Heart Disease, . | 4 | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 |
| Mean Temperature of the Air | 57·4 | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 |
| Rain-fall in inches, . . | 1·301 | ·584 | ·358 | ·385 | 1·680 | 4·038 | ·699 | 2·065 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·906 | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·839 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

BIBLIOTHECA BODLEIANA

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, MARCH 25, 1876. [No. 12.

*General Register Office, Charlemont House, Dublin, March 27th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 25th March, 1876, represent an annual mortality of 34 in every 1,000 of the population, by the Census of 1871. In London the death rate was 24 in every 1,000 of the estimated population; in Glasgow, 35; and in Edinburgh, 26.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 174—87 boys and 87 girls,—and the deaths to 204—100 males and 104 females. The *average* numbers in the corresponding week of the previous ten years were—births, 186, and deaths, 185.

The number of deaths from zymotic diseases *registered* during the week was 36, including 7 from fever (5 typhoid or enteric, and 2 simple continued fever), 4 from scarlet fever, 6 from measles (5 of which occurred in Donnybrook District), 6 from whooping cough, 3 from croup, 2 from diarrhœa, one each from dysentery, quinsy, erysipelas, &c.

Fifteen children died from convulsions.

Bronchitis proved fatal to 50 persons, of whom 32 were children under 5 years of age. Ten deaths were referred to pneumonia or inflammation of the lungs, and 3 to lung disease unspecified.

Three deaths were ascribed to paralysis, and one each to insanity, epilepsy, and brain disease unspecified.

Five deaths resulted from heart disease, one each from aneurism, liver disease, and cystitis or inflammation of the bladder, and 2 from kidney disease unspecified.

Phthisis or pulmonary consumption caused 20 deaths, hydrocephalus or water on the brain 5, mesenteric disease 3, and cancer 2.

Two accidental deaths were *registered*.

Ninety-six of the persons whose deaths were *registered* during the week were under 5 years of age (60 being infants under 1 year old), and 46 were aged 60 and upwards, including 26 persons aged 70 and upwards, of whom 8 were octogenarians.

Three deaths from fever, 3 from whooping-cough, and 1 each from scarlet fever, diphtheria, and diarrhœa were *registered* in Belfast.

Three deaths from measles, 2 each from fever and diarrhœa, and 1 from whooping-cough, were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Convulsions. | Inflammation of the Lungs. | |
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 11 | 2 | 3 | 1 | 28 |
| | No. 2 ,, | 31,993 | 4 | – | – | – | 13 |
| | No. 3 ,, | 27,546 | 5 | 4 | 1 | 1 | 28 |
| South Side, | No. 1 District, | 32,184 | 10 | 2 | – | 4 | 41 |
| | No. 2 ,, | 29,952 | 3 | – | 4 | – | 12 |
| | No. 3 ,, | 38,811 | 1 | 5 | 3 | 1 | 20 |
| | No. 4 ,, | 36,703 | 6 | 3 | 1 | – | 18 |
| Rathmines District, | . | 20,939 | 3 | 3 | – | 1 | 13 |
| Donnybrook, ,, | . | 21,758 | 2 | 1 | 1 | 2 | 18 |
| Blackrock, ,, | . | 7,182 | 1 | – | 1 | – | 4 |
| Kingstown, ,, | . | 18,461 | 4 | – | 1 | – | 9 |
| | Total . | 314,666 | 50 | 20 | 15 | 10 | 204 |

Fifty-eight of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin, and 24 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 30 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 21 per 1,000; and in No. 3, North City (Blackhall-street), to 53 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 66 per 1,000; in No. 2, South City District (High-street), the ratio was 21 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 27 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 26 per 1,000.

In the Suburban District of Rathmines the annual ratio was 32 per 1,000; in Donnybrook it was 43—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 29; and in Kingstown 25 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,595 and the deaths to 1,615 (against an average of 1,574 for corresponding week 1866–75); in Glasgow the births *registered* were 465, and the deaths 366; and in Edinburgh the births were 136, and the deaths 109. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·924 inches. The highest daily mean reading (30·253) occurred on Sunday, and the lowest (29·496) on Friday.

The mean temperature during the week was 38·8° (the average in the corresponding week of the previous ten years was 43·4°); the lowest daily mean (34·5°) occurred on Sunday and the highest (44·2°) on Thursday.

The temperature was highest on Saturday, when the thermometer registered 50·7°, and was lowest on Wednesday, the mercury having fallen to 26·5°. The highest reading of the barometer during the week (30·260) occurred on Sunday, at 9.30 P.M., wind N., and the lowest (29·423) on Friday, at 3.30 P.M., wind W. The mean of the Dry Bulb for the week was 39·5°; and of the Wet Bulb 37·3°. The mean humidity of the air was ·842; complete saturation being represented by 1·0. The rain-fall during the week measured ·260 in.

At Greenwich, the mean temperature of the week was 35·7°; and at Edinburgh, 38·0°. The rain-fall during the week at Greenwich measured ·18 in.

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, Mar. 19, | 30·253 | 40·0 | 29·0 | 34·5 | 34·8 | 32·5 | ·784 | ·9 | ·005 | N.W. | N.W. | N. |
| Monday, ,, 20, | 30·134 | 41·0 | 32·3 | 36·6 | 36·6 | 34·0 | ·868 | ·3 | ·150 | N.W. | Calm. | Calm. |
| Tuesday, ,, 21, | 29·866 | 41·0 | 30·2 | 35·6 | 37·5 | 36·1 | ·882 | ·3 | ·040 | S.E. | E. | N.E. |
| Wednesday, ,, 22, | 30·082 | 43·0 | 26·5 | 34·8 | 36·1 | 33·7 | ·899 | ·4 | ·000 | N.E. | E. | Calm. |
| Thursday, ,, 23, | 29·872 | 49·5 | 39·0 | 44·2 | 42·4 | 40·0 | ·818 | ·3 | ·000 | W. | S.W. | W. |
| Friday, ,, 24, | 29·496 | 48·5 | 36·5 | 42·5 | 44·2 | 42·3 | ·857 | ·4 | ·065 | S. | W. | S.E. |
| Saturday, ,, 25, | 29·762 | 50·7 | 36·0 | 43·3 | 44·5 | 41·6 | ·787 | ·5 | ·000 | S.E. | N.E. | N.E. |
| Mean, . . | 29·924 | 44·8 | 32·8 | 38·8 | 39·5 | 37·3 | ·842 | ·5 | Total, ·260 | Prevailing wind, N.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Mar. 19, | A.M. Fine. | P.M. Fine. |
| Monday, ,, 20, | A.M. Fine and pleasant. | P.M. Dull. |
| Tuesday, ,, 21, | A.M. Dropping Rain. | P.M. Fine. |
| Wednesday, ,, 22, | A.M. Fine. | P.M. Fine starlight. |
| Thursday, ,, 23, | A.M. Fine. | P.M. Overcast. |
| Friday, ,, 24, | A.M. Dropping Rain. | P.M. Fine. |
| Saturday, ,, 25, | A.M. Fine. | P.M. Fine starlight. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrar-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 25th March, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 25TH MARCH, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 34 | 174 | 204 | 60 | 46 | . | 6 | 4 | . | 6 | 7 | 2 | 2 | . | 58 |
| BELFAST,† . . | 20,687 | 182,082 | 31 | 183 | 107 | 24 | 21 | . | . | 1 | 1 | 3 | 3 | 1 | 1 | . | 20 |
| CORK, . . . | 13,816 | 91,965 | 36 | 51 | 63 | 6 | 24 | . | 3 | . | . | 1 | 2 | 2 | . | 3 | 25 |
| LIMERICK, . . | 8,509 | 44,209 | 38 | 22 | 32 | 4 | 12 | . | . | 1 | . | 1 | . | 1 | . | . | 12 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 12 | 10 | 7 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 14 | 17 | 8 | 1 | 1 | . | . | . | . | . | 2 | . | . | 2 | . |
| GALWAY, . . | 21,358 | 19,692 | 18 | 4 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 30,835 | 17,285 | 15 | 13 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 25th March, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 32 | 11 | 12 | 4 | 1 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 2, | 17,938 | 23 | 18 | 8 | 1 | 4 | . | . | . | . | 1 | . | . | 1 | . | 4 |
| | ,, ,, 3, | 39,311 | 17 | 38 | 13 | 5 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 62 | 36 | 23 | 2 | 5 | . | . | . | . | 1 | 1 | . | . | . | 16 |
| | ,, ,, 5, | 19,616 | 24 | 8 | 9 | 2 | 2 | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 28 | 24 | 20 | 4 | 3 | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 51 | 12 | 8 | . | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 42 | 28 | 13 | 6 | 2 | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 20 | 3 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 61 | 6 | 8 | 3 | 3 | . | 2 | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 50 | 3 | 6 | . | 1 | . | . | . | . | . | . | 1 | . | . | 6 |
| | ,, ,, 5, | 11,289 | 18 | 4 | 4 | . | 1 | . | . | . | . | . | 1 | . | . | 2 | 1 |
| | ,, ,, 6, | 15,230 | 14 | 9 | 4 | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 35 | 10 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 71 | 10 | 25 | 1 | 14 | . | . | . | . | 1 | 1 | 1 | . | 1 | 16 |
| | ,, ,, 9, | 4,790 | 65 | 5 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | 2 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 20 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 58 | 3 | 10 | 1 | 7 | . | . | . | . | . | 1 | . | . | . | 8 |
| | ,, ,, 3, | 11,424 | 27 | 3 | 6 | . | 1 | . | . | . | . | 1 | . | . | . | . | 4 |
| | ,, ,, 4, | 15,875 | 43 | 11 | 13 | 2 | 4 | . | . | 1 | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 19 | 8 | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 14 | 17 | 8 | 1 | 1 | . | . | . | . | . | 2 | . | . | 2 | . |
| GALWAY, | Galway, No. 1, | 10,700 | 24 | 3 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 12 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 8 | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, | 10,829 | 19 | 9 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 25th March, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 22 | 25 | 11 | 19 | 6 | 28 | 28 | 9 | 12 | 8 | 6 | 174 |
| **Deaths from all Causes,** | 28 | 13 | 28 | 41 | 12 | 20 | 18 | 13 | 18 | 4 | 9 | 204 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | . | . | . | . | 5 | . | . | 6 |
| Scarlet Fever (Scarlatina), | 1 | 2 | . | . | . | . | . | 1 | . | . | . | 4 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | . | . | 1 | . | 1 | 1 | 1 | 1 | . | . | 6 |
| Fever, | 1 | . | . | 3 | 1 | 1 | 1 | . | . | . | . | 7 |
| Diarrhœa, | . | . | . | 1 | . | . | . | . | 1 | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 3 | 3 | 2 | 1 | . | . | 1 | . | 1 | . | . | 11 |
| Total, | 6 | 5 | 2 | 7 | 1 | 2 | 3 | 2 | 8 | . | . | 36 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | . | 4 | 2 | . | 5 | 3 | 3 | 1 | . | . | 20 |
| Other Constitutional Diseases, | 3 | . | 4 | 3 | . | . | . | . | . | . | . | 10 |
| Total, | 5 | . | 8 | 5 | . | 5 | 3 | 3 | 1 | . | . | 30 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | . | 3 | 1 | 4 | 3 | 2 | . | 1 | 1 | 3 | 21 |
| Diseases of the Heart and Circulatory Organs, | . | . | 2 | . | 2 | 1 | . | . | 1 | . | . | 6 |
| Diseases of the Respiratory Organs, | 13 | 4 | 7 | 14 | 3 | 2 | 7 | 4 | 4 | 1 | 4 | 63 |
| Diseases of the Digestive Organs, | . | . | . | . | . | 3 | . | . | 1 | . | . | 4 |
| Diseases of the Urinary Organs, | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 3 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | 16 | 4 | 13 | 16 | 9 | 10 | 9 | 5 | 7 | 2 | 8 | 99 |
| DEVELOPMENTAL DISEASES, | 1 | 4 | 5 | 10 | 2 | 2 | 3 | 3 | 2 | 2 | 1 | 35 |
| VIOLENT DEATHS, | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 2 | . | . | . | . | . | . | . | 2 |
| Annual Rate of Mortality in every 1,000 of the Population, | 30 | 21 | 53 | 66 | 21 | 27 | 26 | 32 | 43 | 29 | 25 | 34 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 6 | 5 | 3 | . | 7 | . | . | . | . | . | 21 |
| Workhouse Hospitals | . | . | 13 | 24 | . | . | . | . | . | . | . | 37 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 30, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 33, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonnam-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

**Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in the Twelfth Week, ending Saturday, March 25th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average Temperature and Deaths in 13th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, March 25th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Mar 24 1866 | Mar 23 1867 | Mar 21 1868 | Mar 27 1869 | Mar 26 1870 | Mar 25 1871 | Mar 23 1872 | Mar 22 1873 | Mar 28 1874 | Mar 27 1875 | Average. | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 41·5 | ° 39·1 | ° 46·8 | ° 40·2 | ° 41·3 | ° 48·8 | ° 40·0 | ° 39·1 | ° 50·1 | ° 47·3 | ° 43·4 | ° 38·8 | | | | | | | |
| | **ALL CAUSES,** | 197 | 214 | 146 | 202 | 151 | 188 | 187 | 203 | 167 | 198 | 185·3 | 204 | 96 | 8 | 7 | 26 | 21 | 38 | 8 |
| | **SPECIFIED CAUSES,** | 194 | 211 | 143 | 194 | 148 | 181 | 186 | 195 | 163 | 194 | 181·1 | 202 | 95 | 8 | 7 | 26 | 21 | 37 | 8 |
| | (Classes.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 26 | 35 | 40 | 21 | 20 | 38 | 55 | 17 | 25 | 16 | 29·3 | 36 | 22 | 2 | 1 | 7 | 3 | 1 | . |
| II. | CONSTITUTIONAL „ | 38 | 47 | 30 | 42 | 31 | 27 | 36 | 30 | 31 | 38 | 35·0 | 30 | 8 | 2 | 4 | 10 | 3 | 3 | . |
| III. | LOCAL „ | 99 | 101 | 50 | 105 | 74 | 82 | 61 | 107 | 35 | 98 | 86·2 | 99 | 52 | 4 | 2 | 9 | 13 | 17 | 2 |
| IV. | DEVELOPMENTAL „ | 23 | 23 | 23 | 24 | 21 | 30 | 26 | 35 | 14 | 35 | 25·4 | 35 | 12 | . | . | . | 1 | 16 | 6 |
| V. | VIOLENT DEATHS, | 8 | 5 | 2 | 2 | 2 | 4 | 8 | 6 | 8 | 7 | 5·2 | 2 | 1 | . | . | . | 1 | . | . |
| | (Orders.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. Miasmatic Diseases, | 24 | 35 | 36 | 19 | 17 | 33 | 54 | 15 | 25 | 16 | 27·4 | 35 | 21 | 2 | 1 | 7 | 3 | 1 | . |
| | 2. Enthetic „ | 1 | . | 2 | 1 | 2 | 1 | . | 1 | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 3. Dietic „ | 1 | . | 2 | 1 | 1 | 4 | 1 | 1 | . | . | 1·1 | 1 | 1 | . | . | . | . | . | . |
| | 4. Parasitic „ | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | 1. Diathetic Diseases, | 5 | 8 | 6 | 8 | 6 | 4 | 8 | 3 | 4 | 3 | 5·5 | 2 | . | . | . | . | . | 2 | . |
| | 2. Tubercular „ | 33 | 39 | 24 | 34 | 25 | 23 | 28 | 27 | 27 | 35 | 29·5 | 28 | 8 | 2 | 4 | 10 | 3 | 1 | . |
| III. | 1. Diseases of Nervous System, | 25 | 39 | 17 | 28 | 26 | 20 | 24 | 23 | 22 | 24 | 24·8 | 21 | 14 | 1 | 1 | 1 | 1 | 2 | 1 |
| | 2. Diseases of Organs of Circulation, | 8 | 7 | 6 | 9 | 8 | 7 | 7 | 6 | 7 | 15 | 8·0 | 6 | . | . | . | 1 | 2 | 3 | . |
| | 3. Diseases of Respiratory Organs, | 57 | 47 | 22 | 57 | 31 | 38 | 25 | 73 | 41 | 47 | 43·8 | 63 | 38 | 2 | 1 | 5 | 8 | 8 | 1 |
| | 4. Diseases of Digestive Organs, | 4 | 6 | 2 | 9 | 7 | 10 | 4 | 4 | 8 | 9 | 6·3 | 4 | . | . | . | 2 | 1 | 1 | . |
| | 5. Diseases of Urinary Organs, | 3 | 2 | 2 | 2 | 2 | 6 | 1 | . | 5 | 3 | 2·6 | 3 | . | . | . | . | . | 3 | . |
| | 6. Diseases of Organs of Generation, | 2 | . | . | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 7. Diseases of Organs of Locomotion, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | 1 | . | . | . | . | . |
| | 8. Diseases of Integumentary System, | . | . | 1 | . | . | . | . | 1 | 1 | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| IV. | 1. Dev. Diseases of Children, | 1 | 2 | 1 | 2 | 3 | 2 | 1 | 4 | 2 | 2 | 2·0 | 1 | 1 | . | . | . | . | . | . |
| | 2. „ „ Adults, | 1 | 2 | . | . | 3 | 3 | 2 | 3 | 1 | 2 | 1·7 | . | . | . | . | . | . | . | . |
| | 3 „ „ Old People | 13 | 12 | 10 | 19 | 11 | 16 | 10 | 18 | 6 | 27 | 14·2 | 21 | . | . | . | . | 15 | 6 | |
| | 4. Diseases of Nutrition, | 8 | 7 | 12 | 3 | 4 | 9 | 13 | 10 | 5 | 4 | 7·5 | 13 | 11 | . | . | . | 1 | 1 | . |
| V. | 1. Accident or Negligence, | 7 | 3 | 1 | 2 | 2 | 3 | 6 | 6 | 7 | 5 | 4·2 | 2 | 1 | . | . | . | 1 | . | . |
| | *2. Homicide, | . | 1 | 1 | . | . | 1 | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 4. Suicide, | . | 1 | . | . | . | . | 1 | . | 1 | 2 | ·5 | . | . | . | . | . | . | . | . |
| | 5. Execution, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths not classed, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 3 | 3 | 1 | 8 | 3 | 7 | 1 | 8 | 4 | 3 | 4·1 | 2 | 1 | . | . | . | . | 1 | . |

* Order 2, comprising Violent Deaths in Battle is omitted, as inapplicable to the civil population.

EATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TWELFTH WEEK, ending Saturday, 25th March, 1876; also the Deaths from each Disease Registered

| lass. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 12th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, March 25th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | | |
| | | Mar 24 1866 | Mar 23 1867 | Mar 21 1868 | Mar 27 1869 | Mar 26 1870 | Mar 25 1871 | Mar 23 1872 | Mar 22 1873 | Mar 28 1874 | Mar 27 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 41·5 | ° 39·1 | ° 46·8 | ° 40·2 | ° 41·3 | ° 48·8 | ° 40·0 | ° 39·1 | ° 50·1 | ° 47·3 | ° 43·4 | ° 38·8 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 1 | 32 | 1 | . | . | 3·4 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 2 | 12 | 1 | . | . | . | 2 | 2 | 1 | . | 2·0 | 6 | 6 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 2 | 11 | 6 | 3 | 9 | 7 | 3 | 11 | 4 | 5·6 | 4 | 2 | 2 | . | . | . | . | . |
| | 4. Diphtheria, | 1 | . | 2 | . | . | 1 | . | . | . | 2 | ·6 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | 2 | . | . | . | . | . | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 6. Croup, | 1 | . | . | 3 | 1 | 2 | 2 | 2 | 1 | 1 | 1·3 | 3 | 3 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 1 | 4 | 4 | . | 2 | 4 | 1 | 3 | 1 | 1 | 2·1 | 6 | 6 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 2 | 2 | 1 | 3 | 2 | . | 2 | | | | | | | | | |
| | – Enteric or Typhoid Fever, | 7 | 9 | 10 | 3 | 2 | 4 | 3 | 1 | 2 | 2 | 6·3 | 5 | 2 | . | . | 2 | 1 | . | . |
| | – Simple continued Fever, | | | | 2 | 2 | 1 | 2 | . | 1 | . | | 2 | . | . | 1 | . | 1 | . | . |
| | 9. Erysipelas, | 2 | . | . | . | . | 4 | . | . | 2 | 1 | ·9 | 1 | . | . | . | 1 | . | . | . |
| | 10. Puerperal Fever (Metria), | 1 | . | 3 | . | . | 3 | . | 1 | . | . | ·8 | 4 | . | . | . | 4 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | . | 1 | . | . | . | . | 1 | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 14. Diarrhœa, | 6 | 7 | 3 | 2 | 1 | 1 | 1 | . | 3 | 1 | 2·5 | 2 | 1 | . | . | . | 1 | . | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | . | 1 | 3 | 2 | 1 | 1 | 1 | . | 1·0 | . | . | . | . | . | . | . | . |
| | 19 Other Zymotic Diseases, | . | . | 2 | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | . | 1 | 1 | 2 | 1 | . | 1 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | 1 | . | . | . | . | . | 1 | 1 | . | . | ·3 | 1 | 1 | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | 1 | . | 1 | 3 | . | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 6 | 1 | 4 | 1 | 2 | 2 | . | 2 | 1 | 2·2 | . | . | . | . | . | . | . | . |
| | 3. Cancer, | 2 | 2 | 5 | 3 | 4 | 1 | 4 | 3 | 1 | 2 | 2·7 | 2 | . | . | . | . | . | 2 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | 1 | 1 | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 3 | 2 | 2 | 2 | 1 | . | 2 | 1 | 2 | 1·6 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 4 | 3 | 1 | 4 | 4 | 2 | 1 | 3 | 2 | 3 | 2·7 | 3 | 3 | . | . | . | . | . | . |
| | 3. Phthisis, | 27 | 28 | 20 | 25 | 16 | 18 | 25 | 16 | 21 | 24 | 22·0 | 20 | . | 2 | 4 | 10 | 3 | 1 | . |
| | 4. Hydrocephalus, | 1 | 5 | 1 | 3 | 3 | 2 | 2 | 6 | 3 | 6 | 3·2 | 5 | 5 | . | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 2 | . | 6 | 5 | . | 1 | 2 | 2 | 1 | 1·9 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 7 | 6 | 1 | 2 | 3 | 2 | 6 | 1 | 2 | 2 | 3·2 | . | . | . | . | . | . | . | . |
| | 3. Paralysis, | 4 | 8 | 2 | 7 | 3 | 2 | 4 | 8 | 5 | 5 | 4·8 | 3 | . | . | . | 1 | . | 1 | 1 |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | ·5 | 1 | . | . | 1 | . | . | . | . |
| | 7. Convulsions, | 11 | 19 | 11 | 11 | 10 | 14 | 13 | 6 | 9 | 10 | 11·4 | 15 | 14 | 1 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | 4 | 3 | 2 | 4 | 1 | . | 5 | 3 | 6 | 3·0 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | 1 | . | 2 | 1 | . | . | 2 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Heart Disease, &c.* | 8 | 7 | 6 | 8 | 8 | 5 | 6 | 6 | 7 | 13 | 7·4 | 5 | . | . | . | 1 | 1 | 3 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | 1 | . | . | . | . | . | 2 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 49 | 37 | 13 | 50 | 26 | 27 | 20 | 56 | 29 | 36 | 34·3 | 50 | 32 | 2 | . | 2 | 6 | 7 | 1 |
| | 3. Pleurisy, | . | . | . | 1 | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 6 | 3 | 7 | 2 | 3 | 9 | 3 | 9 | 7 | 8 | 5·7 | 10 | 5 | . | 1 | 3 | . | 1 | . |
| | 5. Asthma, | . | 4 | 1 | . | . | . | . | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 2 | 3 | 1 | 4 | 2 | 2 | 2 | 5 | 4 | 2 | 2·6 | 3 | 1 | . | . | . | 2 | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| | 2. Enteritis, | . | . | . | 1 | . | 1 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | 1 | 1 | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | 1 | . | . | 1 | 1 | 1 | ·4 | 2 | . | . | . | . | 1 | 1 | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Mar 24 1866 | Mar 23 1867 | Mar 21 1868 | Mar 27 1869 | Mar 26 1870 | Mar 25 1871 | Mar 23 1872 | Mar 22 1873 | Mar 28 1874 | Mar 27 1875 | Average of Temperature and of Deaths in 1876 of the 10 years 1866–75. | *Registered* in the Week ending Saturday, March 25th, 1876. Deaths of Persons of the Ages — ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 41·5 | 39·1 | 46·8 | 40·2 | 41·3 | 48·8 | 40·0 | 39·1 | 50·1 | 47·3 | 43·4 | 38·8 | | | | | | | |
| III. com. | 7. Ileus, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 2 | . | . | . | 2 | . | 1 | 2 | 3 | 1·1 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | 1 | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 2 | 3 | 2 | 4 | 4 | 6 | 1 | 2 | 4 | 3 | 3·1 | 1 | . | . | . | 1 | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | 1 | 1 | 1 | 1 | 5 | . | . | . | 1 | 1·0 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 7. *Kidney Disease, &c.* | 2 | 1 | . | 1 | 1 | 1 | 1 | . | 5 | 1 | 1·3 | 2 | . | . | . | . | . | 2 | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 2 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | 1 | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Skin Disease, &c.* | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | 1 | . | . | 3 | . | . | 3 | 1 | 1 | ·9 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | 1 | 1 | 2 | . | 2 | 1 | 1 | 1 | 1 | 1·1 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | 1 | 2 | . | . | 3 | 3 | 2 | 3 | 1 | 2 | 1·7 | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 13 | 12 | 10 | 19 | 11 | 16 | 10 | 18 | 6 | 27 | 14·2 | 21 | . | . | . | . | . | 15 | 6 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 8 | 7 | 12 | 3 | | 9 | 13 | 10 | 5 | 4 | 7·5 | 13 | 11 | . | . | . | 1 | 1 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 4 | . | . | 2 | 1 | . | 3 | 3 | 4 | 1 | 1·8 | . | . | . | . | . | . | . | . |
| | 2. Wounds, | . | 1 | 1 | . | . | . | . | 1 | . | 1 | ·4 | 1 | . | . | . | . | 1 | . | . |
| | 3. Burns and Scalds, | 1 | . | . | . | 1 | 2 | . | 1 | . | 2 | ·7 | 1 | 1 | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 2 | 1 | . | . | . | 1 | 3 | . | 2 | . | ·9 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | 1 | . | . | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | 1 | 1 | . | . | 1 | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 3 | 3 | 1 | 8 | 3 | 7 | 1 | 8 | 4 | 3 | 4·1 | 2 | 1 | . | . | . | . | 1 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | | | | 1876. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 2. | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. |
| BIRTHS, . . . | 168 | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 189 | 208 | 223 | 193 | 163 | 172 | 174 |
| DEATHS, . . . . | 166 | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 |
| Deaths under 5 years of age, . | 63 | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 |
| Deaths 5–15, . . . . | 9 | 2 | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 |
| Deaths 15–20, . . . | 6 | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 |
| Deaths 20–40, . . . | 27 | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 26 |
| Deaths 40–60, . . . | 32 | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 53 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 |
| Deaths 60–80, . . . | 26 | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 |
| Deaths at 80 years of age and upwards, . . . . | 3 | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . | 2 | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 |
| ,, Scarlatina, . | 2 | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 |
| ,, Diphtheria, . | 1 | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . |
| ,, Whooping Cough, | 5 | 4 | 3 | | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 |
| ,, Fever, . . | 8 | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 |
| ,, Diarrhœa, . | 23 | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 |
| ,, Phthisis, . | 18 | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 |
| ,, Bronchitis, . | 3 | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 |
| ,, Pneumonia, . | 4 | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 |
| ,, Heart Disease, . | 13 | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 |
| Mean Temperature of the Air | 54·1 | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 |
| Rain-fall in inches, . . | ·584 | ·353 | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·854 | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, APRIL 1, 1876. [No. 13.


*General Register Office, Charlemont House, Dublin, April 3rd, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 1st April, 1876, represent an annual mortality of 34 in every 1,000 of the population, by the Census of 1871. In London the death rate was 25 in every 1,000 of the estimated population; in Glasgow, 29; and in Edinburgh, 22.

---

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 212—105 boys and 107 girls,—and the deaths to 204—103 males and 101 females. The *average* numbers in the corresponding week of the previous ten years were—births, 196, and deaths, 199.

The deaths from zymotic diseases *registered* during the week numbered 33; of these 4 resulted from fever (2 typhus and 2 typhoid fever), 5 from scarlet fever, 7 from measles, 6 from whooping cough, 5 from diarrhœa, &c.

Fifteen deaths were referred to convulsions.

Bronchitis proved fatal in 38 instances, pneumonia in 3, and lung disease unspecified in 2.

Nine deaths were ascribed to heart disease, 3 to apoplexy, 5 to paralysis, and 3 to brain disease unspecified.

Liver disease and nephria caused 2 deaths respectively, and cystitis and kidney disease unspecified 1 each.

Thirty persons died from phthisis or pulmonary consumption, 2 each from scrofula and mesenteric disease, 5 from hydrocephalus, 6 from cancer, &c.

One death was suicidal and another accidental.

Sixty-nine of the persons whose deaths were *registered* during the week were under 5 years of age (45 being infants under 1 year old), and 47 were aged 60 and upwards, including 23 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a female) was stated to have been aged 91 years.

---

Two deaths each from fever, diphtheria, whooping-cough, and diarrhœa were *registered* in Belfast.

Three deaths each from fever and diarrhœa, and 2 from whooping-cough, were *registered* in Cork.

---

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|
| | | Bronchitis. | Consumption. | Convulsions. | Disease of Heart. | |
| **Dublin City:—** | | | | | | |
| North Side, No. 1 District, | 49,137 | 8 | 2 | 3 | 2 | 28 |
| North Side, No. 2 ,, | 31,993 | 5 | 2 | 1 | 1 | 26 |
| North Side, No. 3 ,, | 27,546 | – | 6 | 4 | – | 20 |
| South Side, No. 1 District, | 32,184 | 6 | 7 | 1 | 2 | 43 |
| South Side, No. 2 ,, | 29,952 | 6 | 1 | – | 1 | 13 |
| South Side, No. 3 ,, | 38,811 | 3 | 2 | 1 | – | 17 |
| South Side, No. 4 ,, | 36,703 | 2 | 3 | 1 | 1 | 15 |
| Rathmines District, . | 20,939 | 5 | 3 | 1 | – | 16 |
| Donnybrook, ,, . | 21,758 | – | 2 | 2 | 1 | 16 |
| Blackrock, ,, . | 7,182 | – | – | – | – | 2 |
| Kingstown, ,, . | 18,461 | 3 | 2 | 1 | 1 | 8 |
| Total, . | 314,666 | 38 | 30 | 15 | 9 | 204 |

Sixty-three of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin, and 32 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 30 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 42 per 1,000; and in No. 3, North City (Blackhall-street), to 38 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 69 per 1,000; in No. 2, South City District (High-street), the ratio was 23 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 23 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 21 per 1,000.

In the Suburban District of Rathmines the annual ratio was 40 per 1,000; in Donnybrook it was 38—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 14; and in Kingstown 23 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,613 and the deaths to 1,682 (against an average of 1,687 for corresponding week 1866–75); in Glasgow the births *registered* were 443, and the deaths 307; and in Edinburgh the births were 142, and the deaths 93. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·501 inches. The highest daily mean reading (29·768) occurred on Saturday, and the lowest (29·232) on Tuesday.

The mean temperature during the week was 41·7° (the average in the corresponding week of the previous ten years was 45·7°); the lowest daily mean (38·0°) occurred on Monday and the highest (47·1°) on Thursday.

The temperature was highest on Thursday, when the thermometer registered 57·2°, and was lowest on Saturday, the mercury having fallen to 27·0°. The highest reading of the barometer during the week (29·835) occurred on Saturday, at 9.30 P.M., air calm, and the lowest (29·214) on Tuesday, at 3.30 P.M., wind N.E. The mean of the Dry Bulb for the week was 42·3°; and of the Wet Bulb 40·3°. The mean humidity of the air was ·860; complete saturation being represented by 1·0. The rain-fall during the week measured ·350 in.

At Greenwich, the mean temperature of the week was 45·3°; and at Edinburgh, 39·3°. The rain-fall during the week at Greenwich measured ·38 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876 Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, Mar. 26, | 29·598 | 43·5 | 33·7 | 38·6 | 38·9 | 37·0 | ·840 | ·2 | ·000 | E. | E. | Calm. |
| Monday, „ 27, | 29·440 | 44·5 | 31·6 | 38·0 | 36·7 | 34·9 | ·872 | ·2 | ·020 | S.W. | E. | Calm. |
| Tuesday, „ 28, | 29·232 | 45·5 | 39·3 | 42·4 | 40·9 | 40·5 | ·958 | ·2 | ·070 | E. | N.E. | N.E. |
| Wednesday, „ 29, | 29·332 | 49·5 | 31·6 | 40·6 | 41·3 | 40·4 | ·919 | 1·0 | ·040 | Calm. | W. | W. |
| Thursday, „ 30, | 29·516 | 57·2 | 37·1 | 47·1 | 47·5 | 43·6 | ·768 | ·8 | ·220 | S.W. | S.W. | Calm. |
| Friday, „ 31, | 29·601 | 52·0 | 35·0 | 43·5 | 43·0 | 41·9 | ·908 | ·9 | ·000 | N.W. | Calm. | Calm. |
| Saturday, Apr. 1, | 29·788 | 57·1 | 27·0 | 42·0 | 47·9 | 45·4 | ·857 | 1·0 | ·000 | W. | N.W. | Calm. |
| Mean, . . | 29·501 | 49·0 | 33·6 | 41·7 | 42·3 | 40·3 | ·860 | ·6 | Total, ·350 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Mar. 26, | A.M. Dull but fine. | P.M. Dull but fine. |
| Monday, „ 27, | A.M. Dull but fine. | P.M. Dull but fine. |
| Tuesday, „ 28, | A.M. Raining. | P.M. Dull. |
| Wednesday, „ 29, | A.M. Dull but fine. | P.M. Fine and clear. |
| Thursday, „ 30, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |
| Friday, „ 31, | A.M. Fine. | P.M. Fine. |
| Saturday, Apr. 1, | A.M. Fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 1st April, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 1ST APRIL, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 34 | 212 | 204 | 45 | 47 | . | 7 | 5 | . | 6 | 4 | 5 | 2 | 1 | 63 |
| BELFAST,† . . | 20,687 | 182,082 | 33 | 176 | 116 | 17 | 21 | . | . | . | 2 | 2 | 2 | 2 | 11 | 11 | 20 |
| CORK, . . . | 13,816 | 91,965 | 42 | 57 | 75 | 8 | 18 | . | . | . | . | 2 | 3 | 3 | 1 | 3 | 28 |
| LIMERICK, . . | 8,509 | 44,209 | 38 | 32 | 32 | 5 | 11 | . | . | . | . | 2 | . | . | . | 1 | 11 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 20 | 19 | 12 | . | 1 | . | . | 1 | . | . | 1 | 1 | 3 | 3 | 2 |
| WATERFORD, . . | 17,209 | 30,626 | 53 | 26 | 31 | 3 | 15 | . | . | . | . | . | 1 | . | . | . | 21 |
| GALWAY, . . | 21,358 | 19,692 | 45 | 14 | 17 | 2 | 8 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, . . . | 20,835 | 17,285 | 9 | 7 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 1st April, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 29 | 14 | 11 | 3 | 4 | . | . | . | . | . | 1 | . | 1 | 1 | . |
| | ,, ,, 2, | 17,938 | 52 | 16 | 18 | 1 | 3 | . | . | . | . | . | . | . | 10 | 10 | 11 |
| | ,, ,, 3, | 39,311 | 29 | 56 | 22 | 4 | 2 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 43 | 22 | 16 | 1 | 6 | . | . | . | . | . | . | . | . | . | 8 |
| | ,, ,, 5, | 19,616 | 27 | 16 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 27 | 25 | 19 | 1 | 5 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 39 | 4 | 4 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 32 | 8 | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | Castlereagh ,, 1, | 16,155 | 35 | 15 | 11 | 5 | . | . | . | . | 1 | 2 | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 9 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 50 | 7 | 11 | 3 | 1 | . | . | . | . | 1 | 3 | . | . | 1 | 3 |
| | ,, ,, 3, | 6,818 | 61 | 6 | 8 | 1 | 4 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, | 6,227 | 8 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 55 | 4 | 12 | . | 3 | . | . | . | . | 1 | . | . | . | . | 5 |
| | ,, ,, 6, | 15,230 | 51 | 14 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 2 |
| | ,, ,, 7, | 7,586 | 7 | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 65 | 6 | 23 | 4 | 8 | . | . | . | . | . | . | 2 | . | . | 18 |
| | ,, ,, 9, | 4,790 | 11 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 59 | 11 | 9 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | 3 |
| | ,, ,, 2, *W.* | 8,992 | 58 | 5 | 10 | . | 7 | . | . | . | . | 1 | . | . | . | . | 8 |
| | ,, ,, 3, | 11,424 | 9 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 36 | 9 | 11 | 3 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 34 | 10 | 9 | . | . | . | . | . | 1 | . | . | 1 | 1 | 3 | 3 | 2 |
| | Glendermot, *W.* | 8,483 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 53 | 26 | 31 | 3 | 15 | . | . | . | . | . | 1 | . | . | . | 21 |
| GALWAY, | Galway, No. 1, | 10,700 | 39 | 10 | 8 | 1 | 4 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 52 | 4 | 9 | 1 | 4 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 14 | 3 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

*Note.*—The high death rates appearing for some of the above Districts are partly due to irregularity in registration, arrears being generally entered up in the last week of the quarter.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 1st April, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,183 | 18,461 | 314,666 |
| **Births,** | 27 | 42 | 10 | 14 | 5 | 34 | 26 | 17 | 22 | 3 | 12 | 212 |
| **Deaths from all Causes,** | 28 | 26 | 20 | 43 | 13 | 17 | 15 | 16 | 16 | 2 | 8 | 204 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | . | . | 1 | 1 | . | . | . | 3 | . | . | 7 |
| Scarlet Fever (Scarlatina), | . | 1 | . | 1 | 1 | . | . | 2 | . | . | . | 5 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | 2 | . | 3 | . | . | . | 1 | . | . | . | 6 |
| Fever, | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | 4 |
| Diarrhœa, | 1 | . | 2 | 2 | . | . | . | . | . | . | . | 5 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | . | 3 | . | 2 | . | 1 | . | . | . | . | . | 6 |
| Total, | 4 | 7 | 3 | 10 | 2 | 1 | . | 3 | 3 | . | . | 33 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 2 | 6 | 7 | 1 | 2 | 3 | 3 | 2 | . | 2 | 30 |
| Other Constitutional Diseases, | 3 | 4 | 1 | 2 | . | 2 | 3 | 1 | 3 | . | . | 19 |
| Total, | 5 | 6 | 7 | 9 | 1 | 4 | 6 | 4 | 5 | . | 2 | 49 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 4 | 1 | 4 | 4 | . | 2 | 3 | 2 | 4 | 1 | 1 | 26 |
| Diseases of the Heart and Circulatory Organs, | 2 | 1 | . | 2 | 1 | . | 1 | . | 1 | . | 1 | 9 |
| Diseases of the Respiratory Organs, | 9 | 6 | . | 7 | 7 | 3 | 2 | 6 | . | . | 3 | 43 |
| Diseases of the Digestive Organs, | 1 | 2 | 1 | 2 | . | 1 | 1 | . | 1 | . | . | 9 |
| Diseases of the Urinary Organs, | . | . | . | . | . | 2 | . | 1 | 1 | . | . | 4 |
| Diseases of the Organs of Generation, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 16 | 10 | 5 | 16 | 8 | 8 | 7 | 9 | 7 | 1 | 5 | 92 |
| DEVELOPMENTAL DISEASES, | 3 | 2 | 3 | 7 | 2 | 4 | 2 | . | 1 | 1 | 1 | 26 |
| VIOLENT DEATHS, | . | 1 | 1 | . | . | . | . | . | . | . | . | 2 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | 1 | 1 | . | . | . | . | . | . | . | 2 |
| Annual Rate of Mortality in every 1,000 of the Population, | 30 | 42 | 38 | 69 | 23 | 23 | 21 | 40 | 38 | 14 | 23 | 34 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 9 | 7 | 2 | . | 4 | 4 | . | . | . | . | 26 |
| Workhouse Hospitals | . | . | 5 | 32 | . | . | . | . | . | . | . | 37 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 52, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the THIRTEENTH WEEK, ending Saturday, April 1st, 1876; also the Number of Deaths from each Class of Disease, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Ref. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 13th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, April 1st, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Mar 31 1866 | Mar 30 1867 | Mar 28 1868 | Apr 3 1869 | Apr 2 1870 | Apr 1 1871 | Mar 30 1872 | Mar 29 1873 | Apr 4 1874 | Apr 3 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 51·2 | ° 45·2 | ° 45·4 | ° 42·4 | ° 48·1 | ° 43·0 | ° 42·0 | ° 46·7 | ° 46·1 | ° 47·3 | ° 45·7 | ° 41·7 | | | | | | | |
| | **ALL CAUSES,** | 194 | 255 | 176 | 234 | 181 | 154 | 267 | 208 | 141 | 182 | 199·2 | 204 | 69 | 9 | 9 | 30 | 40 | 43 | 4 |
| | **SPECIFIED CAUSES,** | 188 | 253 | 176 | 231 | 179 | 153 | 264 | 200 | 138 | 179 | 196·1 | 202 | 69 | 9 | 9 | 30 | 39 | 42 | 4 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 40 | 43 | 34 | 38 | 29 | 40 | 93 | 22 | 31 | 30 | 40·0 | 33 | 18 | 3 | 3 | 5 | 1 | 3 | . |
| II. | CONSTITUTIONAL „ | 30 | 60 | 50 | 54 | 46 | 27 | 48 | 40 | 33 | 42 | 43·0 | 49 | 7 | 3 | 6 | 18 | 12 | 3 | . |
| III. | LOCAL „ | 93 | 115 | 76 | 109 | 73 | 70 | 82 | 90 | 60 | 88 | 85·6 | 92 | 34 | 3 | . | 7 | 24 | 22 | 2 |
| IV. | DEVELOPMENTAL „ | 21 | 27 | 13 | 25 | 28 | 13 | 35 | 39 | 14 | 14 | 22·9 | 26 | 10 | . | . | . | 1 | 13 | 2 |
| V. | VIOLENT DEATHS, | 4 | 8 | 3 | 5 | 3 | 3 | 6 | 9 | . | 5 | 4·6 | 2 | . | . | . | . | 1 | 1 | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 36 | 39 | 31 | 35 | 27 | 38 | 90 | 22 | 31 | 28 | 37·7 | 33 | 18 | 3 | 3 | 5 | 1 | 3 | . |
| | 2. ENTHETIC „ | 2 | 1 | 3 | 2 | 1 | . | . | . | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | 2 | 3 | . | 1 | 1 | 1 | 3 | . | . | 1 | 1·2 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC „ | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 4 | 7 | 10 | 9 | 11 | 3 | 6 | 5 | 3 | 6 | 6·4 | 10 | 1 | . | . | 1 | 5 | 3 | . |
| | 2. TUBERCULAR „ | 26 | 53 | 40 | 45 | 35 | 24 | 42 | 35 | 30 | 36 | 36·6 | 39 | 6 | 3 | 6 | 17 | 7 | . | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 28 | 32 | 29 | 25 | 19 | 21 | 28 | 24 | 16 | 19 | 24·1 | 26 | 14 | . | . | 3 | 2 | 6 | 1 |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 12 | 10 | 8 | 11 | 9 | 1 | 9 | 13 | 4 | 13 | 9·0 | 9 | . | 1 | . | . | 6 | 2 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 45 | 61 | 30 | 62 | 39 | 40 | 37 | 47 | 31 | 46 | 43·8 | 43 | 19 | 1 | . | 2 | 11 | 9 | 1 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 5 | 7 | 4 | 10 | 3 | 3 | 5 | 4 | 5 | 4 | 5·0 | 9 | 1 | 1 | . | 2 | 1 | 4 | . |
| | 5. DISEASES OF URINARY ORGANS, | 3 | 3 | 5 | . | 3 | 4 | 3 | 2 | 3 | 6 | 3·2 | 4 | . | . | . | . | 3 | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | 1 | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 2 | 4 | . | 3 | . | . | . | 1 | 4 | 1 | 1·5 | 4 | 4 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | . | . | 1 | 1 | 1 | . | 2 | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 3 „ „ OLD PEOPLE | 11 | 14 | 8 | 13 | 16 | 5 | 23 | 27 | 9 | 9 | 13·5 | 13 | . | . | . | . | 11 | 2 | |
| | 4. DISEASES OF NUTRITION, | 8 | 9 | 4 | 8 | 11 | 8 | 10 | 10 | 1 | 3 | 7·2 | 9 | 6 | . | . | 1 | 2 | . | |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 4 | 8 | 2 | 5 | 2 | 3 | 6 | 6 | . | 4 | 4·0 | 1 | . | . | . | . | . | 1 | . |
| | *2. HOMICIDE, | . | . | . | . | 1 | . | . | 2 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 6 | 2 | . | 3 | 2 | 1 | 3 | 8 | 3 | 3 | 3·1 | 2 | . | . | . | . | 1 | 1 | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the THIRTEENTH WEEK, ending Saturday, 1st April, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Mar 31 1866 | Mar 30 1867 | Mar 28 1868 | Apr 3 1869 | Apr 2 1870 | Apr 1 1871 | Mar 30 1872 | Mar 29 1873 | Apr 4 1874 | Apr 3 1875 | Average of Temperature and of Deaths in 1863, Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, April 1st, 1876. Deaths of Persons of the Age: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 51·2 | ° 45·2 | ° 45·4 | ° 42·4 | ° 48·1 | ° 43·0 | ° 42·0 | ° 46·7 | ° 46·1 | ° 47·3 | ° 45·7 | Mean Temp. ° 41·7 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | . | 67 | . | . | . | 6·8 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 15 | 1 | 2 | . | 2 | 3 | . | 8 | . | 3·2 | 7 | 7 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 2 | 2 | 7 | 11 | 6 | 7 | 4 | . | 10 | 6 | 5·5 | 5 | 3 | 2 | . | . | . | . | . |
| | 4. Diphtheria, | 1 | 1 | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | 1 | 1 | . | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | . | 2 | 4 | 4 | 1 | 3 | 2 | 4 | 6 | 2·6 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 10 | 2 | 4 | 1 | 1 | 13 | . | 3 | 1 | . | 3·5 | 6 | 6 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 1 | 4 | 1 | . | . | 1 | | 2 | . | . | . | 2 | . | . | . |
| | – Enteric or Typhoid Fever, | 13 | 12 | 7 | 7 | 3 | 4 | 2 | 4 | 3 | 3 | 7·7 | 2 | . | 1 | 1 | . | . | . | . |
| | – Simple continued Fever, | | | | . | 4 | 1 | 2 | 3 | . | 1 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | . | . | . | . | 1 | . | . | . | 1 | 3 | ·5 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 3 | . | 2 | 2 | . | 2 | 1 | 2 | . | 1 | 1·3 | 2 | . | . | 1 | 1 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | 1 | . | 2 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 5 | 6 | 5 | 2 | . | 2 | 3 | 4 | 3 | 3 | 3·3 | 5 | 1 | . | . | 1 | 1 | 2 | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | 1 | 1 | 3 | 1 | 2 | 3 | . | 1 | 1·3 | 3 | . | . | 1 | 1 | . | 1 | . |
| | 19. Other Zymotic Diseases, | . | . | 1 | 2 | . | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 2 | 1 | 3 | 2 | 1 | . | . | . | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | 2 | . | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens / Intemperance, | . | . | . | . | 1 | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | | . | . | . | . | 1 | . | 1 | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 2 | 3 | 5 | 6 | 1 | 2 | 4 | 1 | 2 | 2·9 | 3 | . | . | . | . | 2 | 1 | . |
| | 3. Cancer, | 1 | 4 | 6 | 4 | 5 | 1 | 4 | 1 | 2 | 2 | 3·0 | 6 | . | . | . | 1 | 3 | 2 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | 1 | 1 | . | . | . | . | . | . | 1 | ·3 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 3 | 3 | 6 | . | 1 | 4 | 1 | 1 | 1 | 2·1 | 2 | . | 1 | 1 | . | . | . | . |
| | 2. Tabes Mesenterica, | . | 7 | 3 | 2 | 4 | 4 | 2 | 1 | 1 | 3 | 2·7 | 2 | 2 | . | . | . | . | . | . |
| | 3. Phthisis, | 23 | 35 | 29 | 37 | 29 | 17 | 36 | 31 | 24 | 24 | 28·4 | 30 | . | 1 | 5 | 17 | 7 | . | . |
| | 4. Hydrocephalus, | 2 | 8 | 5 | . | 2 | 2 | 1 | 2 | 4 | 8 | 3·4 | 5 | 4 | 1 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 2 | 2 | 2 | 3 | 1 | 2 | 1 | . | . | 1 | 1·4 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 6 | 5 | 4 | 6 | 3 | . | 3 | 5 | 3 | 2 | 3·7 | 3 | . | . | . | . | . | 3 | . |
| | 3. Paralysis, | 4 | 6 | 5 | 6 | 2 | 1 | 5 | 4 | 1 | 3 | 3·7 | 5 | . | . | . | 2 | 1 | 1 | 1 |
| | 4. Insanity, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 12 | 16 | 12 | 7 | 12 | 16 | 9 | 12 | 8 | 9 | 11·2 | 15 | 14 | . | . | 1 | . | . | . |
| | 8. *Brain Disease, &c.* | 4 | 2 | 5 | 3 | 1 | 3 | 9 | 3 | 4 | 3 | 3·7 | 3 | . | . | . | . | 1 | 2 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | 1 | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 2 | . | . | 1 | . | . | . | . | . | 2 | ·5 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 10 | 10 | 7 | 10 | 8 | 1 | 8 | 12 | 4 | 11 | 8·1 | 9 | . | 1 | . | . | 6 | 2 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | 1 | . | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 39 | 50 | 23 | 42 | 32 | 31 | 30 | 38 | 23 | 35 | 34·3 | 38 | 16 | 1 | . | 2 | 11 | 7 | 1 |
| | 3. Pleurisy, | . | 1 | . | 1 | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 4 | 7 | 4 | 12 | 3 | 7 | 3 | 7 | 5 | 8 | 6·0 | 3 | 3 | . | . | . | . | . | . |
| | 5. Asthma, | 1 | 1 | . | 2 | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 2 | 2 | 5 | 4 | 2 | 3 | 2 | 2 | 2 | 2·5 | 2 | . | . | . | . | . | 2 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | . | 1 | 1 | . |
| | 2. Enteritis, | 2 | . | . | 1 | . | 1 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | 1 | 2 | . | . | . | . | . | . | ·3 | 2 | . | 1 | . | 1 | . | . | . |
| | 4. Ascites, | . | 1 | . | . | 2 | . | . | . | . | 1 | ·3 | 1 | . | . | . | . | 1 | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | 1 | . | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in n the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 13th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, April 1st, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Mar 31 1866 | Mar 30 1867 | Mar 28 1868 | Apr 3 1869 | Apr 2 1870 | Apr 1 1871 | Mar 30 1872 | Mar 29 1873 | Apr 4 1874 | Apr 3 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 51·2 | 45·2 | 48·4 | 49·4 | 48·1 | 43·0 | 42·0 | 46·7 | 46·1 | 47·3 | 45·7 | 41·7 | | | | | | | |
| III. | 7. Ileus, | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| ron. | 8. Intussusception, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | 3 | 1 | 3 | . | . | . | 1 | 1 | . | ·9 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | 1 | 1 | 1 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 1 | 2 | 1 | . | 1 | 5 | 2 | 3 | 1 | 1·7 | 2 | . | . | . | 1 | . | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | 2 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | ·2 | 2 | . | . | . | . | 1 | 1 | 1 | 2 | ·9 | 2 | . | . | . | . | 2 | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | 7. *Kidney Disease, &c.* | 1 | 1 | 3 | . | 3 | 3 | 2 | 1 | 1 | 4 | 1·9 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | 2 | . | . | . | . | . | . | 3 | 1 | ·7 | 2 | 2 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | 2 | . | 3 | . | . | . | 1 | 1 | . | ·8 | 2 | 2 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramœnia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | . | 1 | 1 | 1 | . | 2 | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 11 | 14 | 8 | 13 | 16 | 5 | 23 | 27 | 9 | 9 | 13·5 | 13 | . | . | . | . | 11 | 2 | |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 8 | 9 | 4 | 8 | 11 | 8 | 10 | 10 | 1 | 3 | 7·2 | 9 | 6 | . | . | . | 1 | 2 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | 5 | 1 | 2 | 1 | 1 | 2 | . | . | 2 | 1·5 | 1 | . | . | . | . | 1 | . | |
| | 2. Wounds, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 2 | . | 2 | . | . | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 2 | 1 | 1 | 1 | 1 | 2 | 3 | 5 | . | 2 | 1·8 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | 1 | . | . | 2 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 5. Otherwise, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 6 | 2 | . | 3 | 2 | 1 | 3 | 8 | 3 | 3 | 3·1 | 2 | . | . | . | . | 1 | 1 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | | | 1876. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 9. | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. |
| BIRTHS, . . | 159 | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 |
| DEATHS, . . . . | 138 | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 |
| Deaths under 5 years of age, . | 62 | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 |
| Deaths 5–15, . . . . | 2 | 11 | 7 | 9 | 3 | 3 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 |
| Deaths 15–20, . . . . | 5 | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 |
| Deaths 20–40, . . . . | 18 | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 26 | 30 |
| Deaths 40–60, . . . . | 25 | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 |
| Deaths 60–80, . . . . | 22 | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 |
| Deaths at 80 years of age and upwards, . . . . | 4 | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . | 4 | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 |
| ,, Scarlatina, . | 3 | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 |
| ,, Diphtheria, . | 4 | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| ,, Whooping Cough, | 4 | 3 | 7 | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 |
| ,, Fever, . . | 4 | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 |
| ,, Diarrhœa, . . | 16 | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 |
| ,, Phthisis, . . | 11 | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 |
| ,, Bronchitis, . | 12 | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 |
| ,, Pneumonia, . | 3 | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 |
| ,, Heart Disease, . | 6 | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 |
| Mean Temperature of the Air | 53·1 | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 |
| Rain-fall in inches, . . | ·353 | ·385 | 1·680 | 4·03· | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·783 | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·801 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·699 | ·837 | ·872 | ·843 | ·842 | ·860 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

# QUARTERLY SUMMARY

OF THE

## WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN),**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] QUARTER ENDING SATURDAY, APRIL 1, 1876. [No. 13A.

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, April 7th*, 1876.

**Births.**—In the Dublin Registration District (with an area of 10,050 statute acres, having a population* of 314,666), the number of births *registered* during the quarter ended on Saturday, 1st April, 1876, amounted to 2,429—1,230 boys and 1,199 girls—being equal to an annual ratio of 1 in 32, or 31 in every 1,000 of the population.*

The number of births *registered* in that portion of the City situated north of the river Liffey was 935, or 34 in every 1,000 of the population;* and in that part of the City which is on the south side of the river the number was 1,036, or 30 per 1,000. In the suburbs of Rathmines, Donnybrook, Blackrock, and Kingstown, the number of births *registered* amounted to 458, or only 27 in every 1,000 of the population.*

There were *registered* in London during the same period 32,980 births—being equal to an annual birth rate of 38 in every 1,000 of the estimated population; in Glasgow there were *registered* 5,391, being equal to 40 per 1,000; and in Edinburgh 1,755,—a number affording an annual birth rate of 33 in every 1,000 of the estimated population.

**Deaths.**—The number of deaths *registered* in the Dublin Registration District during the quarter amounted to 2,695—1,325 males and 1,370 females—affording an annual ratio of 1 in 29, or 34 in every 1,000 of the population.* The average number in the first quarter of the previous ten years was 2,498.

The number of deaths *registered* last quarter in that portion of the City north of the Liffey was 1,007, or 37 in every 1,000 of the population;* and the number in that portion south of the river was 1,229, affording an annual mortality of 36 in every 1,000 of the population.* In the suburbs of Rathmines, Donnybrook, Blackrock, and Kingstown, the number of deaths *registered* was 459, being equal to an annual death rate of 27 in every 1,000 of the population.*

* According to the Census of 1871.

The deaths *registered* in Belfast during the quarter represent an annual ratio of 28 in every 1,000 of the population;* in Cork the ratio represented by the number of deaths *registered* was 34 per 1,000; in Limerick it was 38 in every 1,000; in Londonderry 21 per 1,000; in Waterford 25 per 1,000; in Galway 26 per 1,000; and in Sligo 21 in every 1,000 of the population.*

The number of deaths *registered* in London during the same period was 21,454—a number equal to an annual mortality of 25 in every 1,000 of the inhabitants; in Glasgow the number was 4,094, equal to 30 in every 1,000; and in Edinburgh 1,344, affording an annual death rate of 25 in every 1,000 of the estimated population.

*Public Institutions.*—Of the 2,695 deaths *registered* in the Dublin District during the quarter, 319 occurred in the various hospitals, prisons, and lunatic asylums; 137 in the North Dublin Union Workhouse, and 257 in the South Dublin Union Workhouse; making a total for public institutions of 713, or 26 per cent. of the total deaths.

**Diseases.**—*Dublin Registration District.*—The number of deaths from zymotic diseases *registered* during the quarter was 440, or 16·3 per cent. of all the deaths, and equal to an annual rate of 5·6 in every 1,000 of the population.* This number is 14 over that for the preceding quarter, and 117 in excess of the number *registered* in the first quarter of last year. The deaths from the seven principal diseases of this class represent a rate of 4 per 1,000 inhabitants.*

The increase in the mortality from zymotic diseases is owing to the prevalence of whooping-cough, from which disease 112 deaths, or 4·2 per cent. of the total deaths from all causes resulted.

Fever caused 64 deaths, viz.,—typhus, 13; typhoid or enteric, 35; and simple continued fever, 16. The deaths from fever are 4 less than in the preceding quarter, and 13 under the number in the March quarter of 1875.

Sixty-four deaths resulted from scarlet fever, 42 from measles, 25 from croup, 3 from diphtheria, 5 from influenza, 33 from diarrhœa, &c.

One hundred and ninety-two deaths, or 7·1 per cent. of the total, were ascribed to convulsions.

Bronchitis caused 597 deaths, or 22·2 per cent. of the total. This mortality, although large, is less than that from the same cause in the first quarter of last year, when 686 deaths from bronchitis were *registered*. Eighty-three deaths were referred to pneumonia or inflammation of the lungs, 9 to pleurisy, 6 to asthma, and 61 to lung disease unspecified.

Apoplexy was assigned as the cause of death in 21 instances, paralysis in 49, cephalitis or inflammation of the brain and its membranes in 16, epilepsy in 9, insanity in 5, chorea in 1, and brain disease unspecified in 27.

Heart disease proved fatal in 108 instances, aneurism in 7, pericarditis or inflammation of the heart's covering in 2, liver disease in 24, hepatitis and jaundice each in 3, nephria or Bright's disease in 9, cystitis in 4, ischuria in 2, and kidney disease unspecified in 25.

Two hundred and ninety-three deaths resulted from phthisis or pulmonary consumption, 41 from mesenteric disease, 66 from hydrocephalus or water on the brain, 10 from scrofula, and 22 from cancer.

* According to the Census of 1871.

Forty-four accidental deaths, 2 cases of homicide, and 2 of suicide, were *registered*.

*Provincial Towns.*—The deaths from the seven principal zymotic diseases in Belfast, which numbered 196 in the preceding quarter, and 343 in the March quarter of 1875, fell to 94 last quarter, viz.—scarlet fever 28 (against 62 in the preceding quarter), whooping-cough 20, diarrhœa 19, fever 16, diphtheria 8, and measles 3. These deaths represent an annual death-rate of 2·1 per 1,000 of the population.* There were no deaths from small-pox in this or any other of the towns included in this Return.

Ninety-six deaths, equal to an annual rate of 4·2 per 1,000 inhabitants,* were caused by the principal zymotic diseases in Cork. Of these deaths, 30 were from measles, 23 from fever, 17 from whooping-cough, 13 from diarrhœa, 12 from scarlet fever, and 1 from diphtheria.

In Limerick there were 51 deaths from the seven zymotic diseases, of which number as many as 33 were from whooping-cough; 10 were from diarrhœa, 6 from fever, and 2 from scarlet fever; the total affording an annual rate of 4·6 per 1,000 of the population.*

Eighteen deaths from scarlet fever (against 41 in the preceding quarter), 5 from measles, 3 each from whooping-cough and diarrhœa, 2 from diphtheria, and 1 from fever, were *registered* in Londonderry, the annual rate represented thereby being 4·1 per 1,000 inhabitants.*

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Quarter ending Saturday 1st April, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Quarter, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871. | QUARTER ENDING SATURDAY, 1st APRIL, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . . | 10,050 | 314,666 | 34 | 2,429 | 2,695 | 517 | 670 | . | 42 | 64 | 3 | 112 | 64 | 33 | 48 | 46 | 713 |
| BELFAST, . . . | 20,687 | 182,082 | 28 | 1,839 | 1,283 | 231 | 226 | . | 3 | 28 | 8 | 20 | 16 | 19 | 31 | 26 | 199 |
| CORK, . . . | 13,816 | 91,965 | 34 | 634 | 790 | 104 | 217 | . | 30 | 12 | 1 | 17 | 23 | 13 | 5 | 22 | 218 |
| LIMERICK, . . | 8,509 | 44,209 | 38 | 290 | 415 | 48 | 140 | . | . | 2 | . | 33 | 6 | 10 | 1 | 17 | 158 |
| LONDONDERRY, . | 21,865 | 30,884 | 21 | 206 | 165 | 22 | 30 | . | 5 | 18 | 2 | 3 | 1 | 3 | 6 | 10 | 22 |
| WATERFORD, . . | 17,209 | 30,626 | 25 | 237 | 194 | 27 | 73 | . | . | . | . | . | 9 | 1 | 4 | 12 | 72 |
| GALWAY, . . | 21,358 | 19,692 | 26 | 119 | 126 | 23 | 52 | . | . | . | . | . | 1 | 2 | 4 | 6 | 34 |
| SLIGO, . . . | 30,835 | 17,285 | 21 | 122 | 91 | 6 | 45 | . | . | 1 | 1 | . | 2 | 2 | . | . | 21 |

**Ages.**—Of the 2,695 persons whose deaths were *registered* in the Dublin District during the quarter, 933 were under 5 years of age, this number being equal to an annual mortality of 112·0 in every 1,000 children living at that age;*—143 were between the ages of 5 and 15, representing an annual death-rate of 10·0 per 1,000

* According to the Census of 1871.

persons of that age-period;—57, or 7·3 per 1,000 of persons aged 15 and under 20, the total number under 20 years being equal to an annual mortality of 37·2 per 1,000 of the population at that age;—412, or 15·3 per 1,000 persons, were between 20 and 40;—480, or 31·3 per 1,000, between 40 and 60;—566, or 100·9 per 1,000, between 60 and 80; and 104, or 272·6 per 1,000, were aged 80 and upwards, including 11 persons stated to have been nonagenarians, and a woman returned as aged 102 years.

**Weather.**—The mean of the mean weekly temperature for the quarter, as returned from the Ordnance Survey Office, Phœnix Park, was 41·6°; at Greenwich it was 39·8°.

The rainfall at Dublin during the thirteen weeks measured 5·707 inches, and at Greenwich 4·76 inches.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty
For Her Majesty's Stationery Office.

[2605.—300.—1/76.]

BODLEIAN LIBRARY

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

*By Authority of the Registrar-General.*

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, APRIL 8, 1876. [No. 14.

*General Register Office, Charlemont House, Dublin, April 10th,* 1876.

The deaths *registered* in the Dublin Registration District during the week ending 8th April, *1876*, represent an annual mortality of 35 in every 1,000 of the population, by the Census of 1871. In London the death rate was 24 in every 1,000 of the estimated population; in Glasgow, 31; and in Edinburgh, 25.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 153—92 boys and 61 girls,—and the deaths to 210—115 males and 95 females. The *average* numbers in the corresponding week of the previous ten years were—births, 164, and deaths, 163.

The number of deaths from zymotic diseases *registered* during the week was 36, viz., 3 from fever (1 each typhus, typhoid fever, and simple continued fever), 11 from measles, 6 from scarlet fever, 4 each from croup and diarrhœa, 2 each from diphtheria and whooping-cough, 1 from erysipelas, &c.

Fourteen children died from convulsions.

Bronchitis caused 52 deaths, pneumonia or inflammation of the lungs 5, asthma 1, and lung disease unspecified 9.

Three deaths were attributed to paralysis, 2 to apoplexy, 1 to epilepsy, and 2 to brain disease unspecified.

Heart disease proved fatal in 10 instances, aneurism in 1, and kidney disease unspecified in 1.

Twenty-three deaths resulted from phthisis or pulmonary consumption, 3 from mesenteric disease, 4 from hydrocephalus or water on the brain, 1 from scrofula, and 3 from cancer.

One accidental death was *registered*.

Seventy-two of the persons whose deaths were *registered* during the week were under 5 years of age (34 being infants under 1 year old), and 64 were aged 60 and upwards, including 33 persons aged 70 and upwards, of whom 9 were octogenarians.

Four deaths from whooping-cough, 1 each from fever and scarlet fever, and 2 from diarrhœa were *registered* in Belfast.

One death from fever was *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Convulsions. | Measles. | |
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 4 | 3 | 1 | – | 19 |
| | No. 2 ,, | 31,993 | 6 | 1 | – | – | 18 |
| | No. 3 ,, | 27,546 | 4 | 4 | 2 | – | 34 |
| South Side, | No. 1 District, | 32,184 | 6 | 2 | 3 | 7 | 34 |
| | No. 2 ,, | 29,952 | 1 | 1 | 2 | – | 7 |
| | No. 3 ,, | 38,811 | 8 | 5 | 1 | – | 31 |
| | No. 4 ,, | 36,703 | 10 | 4 | 2 | 1 | 25 |
| Rathmines District, | | 20,939 | 3 | 1 | 1 | – | 9 |
| Donnybrook, ,, | | 21,758 | 3 | 1 | 2 | 3 | 20 |
| Blackrock, ,, | | 7,182 | 2 | – | – | – | 3 |
| Kingstown, ,, | | 18,461 | 5 | 1 | – | – | 10 |
| | Total, | 314,666 | 52 | 23 | 14 | 11 | 210 |

Fifty-eight of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin, and 19 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 20 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 29 per 1,000; and in No. 3, North City (Blackhall-street), to 64 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital,* and *Stevens' Hospital,* the deaths *registered* afford an annual ratio of 55 per 1,000; in No. 2, South City District (High-street), the ratio was 12 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 42 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 35 per 1,000.

In the Suburban District of Rathmines the annual ratio was 22 per 1,000; in Donnybrook it was 48—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 22; and in Kingstown 28 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,566 and the deaths to 1,581 (against an average of 1,625 for corresponding week 1866–75); in Glasgow the births *registered* were 382, and the deaths 328; and in Edinburgh the births were 146, and the deaths 103. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·171 inches. The highest daily mean reading (30·422) occurred on Wednesday, and the lowest (29·871) on Saturday.

The mean temperature during the week was 52·9° (the average in the corresponding week of the previous ten years was 45·9°); the lowest daily mean (48·8°) occurred on Thursday and the highest (57·4°) on Tuesday.

The temperature was highest on Tuesday, when the thermometer registered 66·2°, and was lowest on Thursday, the mercury having fallen to 40·6°. The highest reading of the barometer during the week (30·453) occurred on Wednesday, at 9.30 P.M., air calm, and the lowest (29·816) on Saturday, at 9.30 P.M., wind N.W. The mean of the Dry Bulb for the week was 54·2°; and of the Wet Bulb 51·4°. The mean humidity of the air was ·827; complete saturation being represented by 1·0. The rain-fall during the week measured ·063 in.

At Greenwich, the mean temperature of the week was 51·1°; and at Glasgow, 50·8. The rain-fall during the week at Glasgow measured ·05 in. There was not any rain at Greenwich.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson,* R.E., *by direction of the Superintendent of the Ordnance Survey.*

| 1876 Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Apr. 2, | 29·921 | 58·5 | 46·0 | 52·2 | 51·1 | 46·0 | ·686 | ·8 | ·008 | S.W. | S.W. | S.W |
| Monday, ,, 3, | 30·041 | 57·3 | 44·0 | 50·6 | 52·9 | 51·1 | ·885 | 1·0 | ·040 | S.W. | S.W. | S.W. |
| Tuesday, ,, 4, | 30·312 | 66·2 | 48·6 | 57·4 | 58·4 | 55·4 | ·827 | ·9 | ·000 | S.W. | S.W. | S.W. |
| Wednesday, ,, 5, | 30·422 | 61·6 | 48·4 | 55·0 | 56·3 | 54·0 | ·857 | ·8 | ·000 | S.W. | S.W. | Calm. |
| Thursday, ,, 6, | 30·405 | 57·0 | 40·6 | 48·8 | 52·3 | 51·5 | ·921 | ·2 | ·000 | Calm. | E. | Calm. |
| Friday, ,, 7, | 30·228 | 62·9 | 41·7 | 52·3 | 52·6 | 49·8 | ·833 | ·3 | ·030 | Calm. | S.E. | S.E. |
| Saturday, ,, 8, | 29·871 | 62·2 | 45·7 | 53·9 | 55·8 | 52·0 | ·781 | 1·0 | ·015 | Calm. | W. | N.W. |
| Mean, . . | 30·171 | 60·2 | 45·0 | 52·9 | 54·2 | 51·4 | ·827 | ·7 | Total, ·063 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Apr. 2, | A.M. Fine. | P.M. Dull. |
| Monday, ,, 3, | A.M. Dull but fine. | P.M. Fine. |
| Tuesday, ,, 4, | A.M. Fine and pleasant. | P.M. Fine. |
| Wednesday, ,, 5, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |
| Thursday, ,, 6, | A.M. Fine and pleasant. | P.M. Dull but fine. |
| Friday, ,, 7, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |
| Saturday, ,, 8, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 8th April, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 8TH APRIL, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 35 | 153 | 210 | 34 | 64 | . | 11 | 6 | 2 | 2 | 3 | 4 | 1 | 1 | 58 |
| BELFAST,† . . | 20,687 | 182,082 | 28 | 142 | 97 | 17 | 20 | . | . | 1 | . | 4 | 1 | 2 | 1 | . | 6 |
| CORK, . . . | 13,816 | 91,965 | 34 | 48 | 61 | 7 | 23 | . | . | . | . | . | 1 | . | . | . | 29 |
| LIMERICK, . . | 8,509 | 44,209 | 26 | 20 | 22 | 3 | 10 | . | . | . | . | . | 2 | . | . | . | 12 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 22 | 17 | 13 | . | 5 | . | . | 3 | . | . | . | . | 1 | 2 | 2 |
| WATERFORD, . . | 17,209 | 30,626 | 25 | 29 | 15 | 5 | 4 | . | . | . | . | . | . | . | . | . | 1 |
| GALWAY, . . | 21,358 | 19,692 | 42 | 8 | 16 | 1 | 10 | . | . | . | . | . | . | . | . | . | 6 |
| SLIGO, . . . | 30,835 | 17,285 | 21 | 12 | 7 | 1 | 4 | . | . | . | . | . | . | . | 1 | 1 | 4 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 8th April, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 34 | 19 | 13 | 3 | . | . | . | 1 | . | 1 | 1 | 1 | 1 | . | . |
| | „ „ 2, | 17,938 | 38 | 13 | 13 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | 1 |
| | „ „ 3, | 39,311 | 25 | 20 | 19 | 1 | 5 | . | . | . | . | 1 | . | . | . | . | . |
| | „ „ 4, *W.* | 19,320 | 32 | 13 | 12 | 1 | 3 | . | . | . | . | . | . | . | . | . | 6 |
| | „ „ 5, | 19,616 | 29 | 9 | 11 | 2 | 1 | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ „ 6, | 36,652 | 20 | 33 | 14 | 4 | 7 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 9, | 5,296 | 10 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 10, | 8,115 | 32 | 9 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | Castlereagh „ 1, | 16,155 | 29 | 23 | 9 | 3 | 2 | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 11,555 | 32 | 7 | 7 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | 1 |
| | „ „ 3, | 6,818 | 23 | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 4, | 6,227 | 34 | 4 | 10 | 1 | 6 | . | . | . | . | . | . | . | . | . | 3 |
| | „ „ 5, | 11,289 | 28 | 6 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 6, | 15,230 | 7 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 7, | 7,586 | 7 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 8, *W.* | 18,364 | 65 | 9 | 23 | 1 | 10 | . | . | . | . | . | . | . | . | . | 16 |
| | „ „ 9, | 4,790 | 38 | 2 | 9 | 2 | 1 | . | . | . | . | . | . | . | . | . | 4 |
| LIMERICK, | Limerick, No. 1, | 7,918 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,991 | 81 | 3 | 14 | 1 | 8 | . | . | . | . | . | 2 | . | . | . | 12 |
| | „ „ 3, | 11,424 | 9 | 7 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 4, | 15,875 | 20 | 9 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 24 | 3 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 13,569 | 34 | 10 | 9 | . | 3 | . | . | 3 | . | . | . | . | 1 | 2 | 2 |
| | Glendermot, *W.* | 8,483 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 25 | 29 | 15 | 5 | 4 | . | . | . | . | . | . | . | . | . | 1 |
| GALWAY, | Galway, No. 1, | 10,700 | 24 | 5 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | 64 | 3 | 11 | . | 9 | . | . | . | . | . | . | . | . | . | 6 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 48 | 6 | 6 | 1 | 3 | . | . | . | . | . | . | . | 1 | 1 | 4 |
| | „ „ 2, | 10,829 | 5 | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 8th April, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 15 | 20 | 21 | 13 | 9 | 27 | 18 | 7 | 11 | 4 | 8 | 153 |
| **Deaths from all Causes,** | 19 | 18 | 34 | 34 | 7 | 31 | 25 | 9 | 20 | 3 | 10 | 210 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 7 | . | . | 1 | . | 3 | . | . | 11 |
| Scarlet Fever (Scarlatina), | 3 | . | 2 | . | . | 1 | . | . | . | . | . | 6 |
| Diphtheria, | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 |
| Whooping Cough, | . | 1 | 1 | . | . | . | . | . | . | . | . | 2 |
| Fever, | . | 1 | . | . | . | 1 | . | . | 1 | . | . | 3 |
| Diarrhœa, | . | . | 2 | 2 | . | . | . | . | . | . | . | 4 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | . | 1 | 1 | 4 | . | 1 | . | 1 | . | . | . | 8 |
| Total, | 3 | 3 | 6 | 13 | . | 4 | 1 | 1 | 5 | . | . | 36 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 1 | 4 | 2 | 1 | 5 | 4 | 1 | 1 | . | 1 | 23 |
| Other Constitutional Diseases, | 1 | 1 | 5 | 3 | . | 4 | 1 | . | 2 | 1 | 1 | 19 |
| Total, | 4 | 2 | 9 | 5 | 1 | 9 | 5 | 1 | 3 | 1 | 2 | 42 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | 1 | 4 | 4 | 2 | 1 | 2 | 1 | 6 | . | . | 22 |
| Diseases of the Heart and Circulatory Organs, | . | 2 | 2 | . | . | 1 | 1 | 2 | 1 | . | 1 | 11 |
| Diseases of the Respiratory Organs, | 5 | 6 | 8 | 8 | 3 | 10 | 13 | 3 | 4 | 2 | 5 | 67 |
| Diseases of the Digestive Organs, | . | 1 | . | . | . | . | . | . | . | . | 1 | 2 |
| Diseases of the Urinary Organs, | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Total, | 6 | 10 | 16 | 12 | 5 | 13 | 16 | 6 | 11 | 2 | 7 | 104 |
| DEVELOPMENTAL DISEASES, | 4 | 2 | 3 | 4 | 1 | 5 | 3 | 1 | 1 | . | 1 | 25 |
| VIOLENT DEATHS, | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | 2 | . | . | . | . | . | . | . | . | . | . | 2 |
| Annual Rate of Mortality in every 1,000 of the Population, | 20 | 29 | 64 | 55 | 12 | 43 | 35 | 23 | 48 | 22 | 28 | 35 |

## NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 3 | 14 | 2 | . | 5 | 4 | . | 2 | . | . | 30 |
| Workhouse Hospitals | . | . | 9 | 19 | . | . | . | . | . | . | . | 28 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the FOURTEENTH WEEK, ending Saturday, April 8th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Apr 7 1866 | Apr. 6 1867 | Apr. 4 1868 | Apr. 10 1869 | Apr. 9 1870 | Apr. 8 1871 | Apr. 6 1872 | Apr 5 1873 | Apr. 11 1874 | Apr. 10 1875 | Average of Temperature and of Deaths in 14th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, April 8th, 1876. Deaths of Persons of the Ages — ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 41·8 | ° 52·1 | ° 48·4 | ° 47·3 | ° 46·6 | ° 44·0 | ° 44·8 | ° 46·2 | ° 43·5 | ° 44·1 | ° 45·9 | Mean Temp. ° 52·9 | | | | | | | |
| | **ALL CAUSES,** | 129 | 172 | 168 | 155 | 157 | 165 | 181 | 165 | 168 | 171 | 163·1 | 210 | 72 | 12 | 6 | 26 | 30 | 55 | 9 |
| | **SPECIFIED CAUSES,** | 129 | 172 | 163 | 153 | 153 | 162 | 180 | 165 | 162 | 166 | 160·5 | 208 | 71 | 12 | 6 | 26 | 30 | 54 | 9 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 27 | 32 | 31 | 28 | 21 | 29 | 62 | 17 | 41 | 19 | 30·7 | 36 | 21 | 5 | 1 | 2 | 1 | 6 | . |
| II. | CONSTITUTIONAL „ | 30 | 37 | 39 | 29 | 39 | 32 | 26 | 45 | 27 | 40 | 34·4 | 42 | 4 | 5 | 3 | 15 | 9 | 5 | 1 |
| III. | LOCAL „ | 55 | 79 | 72 | 73 | 74 | 84 | 69 | 79 | 73 | 81 | 73·9 | 104 | 42 | 2 | 2 | 9 | 17 | 32 | . |
| IV. | DEVELOPMENTAL „ | 14 | 22 | 18 | 20 | 19 | 14 | 20 | 19 | 20 | 19 | 18·5 | 25 | 4 | . | . | . | 2 | 11 | 8 |
| V. | VIOLENT DEATHS, | 3 | 2 | 3 | 3 | . | 3 | 3 | 5 | 1 | 7 | 3·0 | 1 | . | . | . | . | 1 | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 26 | 30 | 28 | 27 | 20 | 27 | 62 | 17 | 41 | 15 | 29·3 | 35 | 21 | 5 | 1 | 2 | 1 | 5 | . |
| | 2. ENTHETIC „ | 1 | 2 | . | . | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | . | . | 3 | 1 | . | 2 | . | . | . | 4 | 1·0 | 1 | . | . | . | . | . | 1 | . |
| | 4. PARASITIC „ | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 3 | 7 | 6 | 7 | 7 | 5 | 1 | 7 | 3 | 7 | 5·3 | 11 | 7 | . | . | 4 | 4 | 2 | 1 |
| | 2. TUBERCULAR „ | 27 | 30 | 33 | 22 | 32 | 27 | 25 | 38 | 24 | 33 | 29·1 | 31 | 4 | 5 | 3 | 11 | 5 | 3 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 14 | 20 | 30 | 14 | 20 | 21 | 18 | 25 | 12 | 25 | 19·9 | 22 | 14 | 1 | 1 | . | 3 | 4 | . |
| | 2. ORGANS OF CIRCULATION, | 6 | 10 | 9 | 3 | 8 | 8 | 7 | 8 | 7 | 9 | 7·5 | 11 | . | . | . | 2 | 5 | 4 | . |
| | 3. RESPIRATORY ORGANS, | 25 | 42 | 24 | 47 | 36 | 41 | 37 | 37 | 45 | 38 | 37·2 | 67 | 28 | 1 | . | 7 | 9 | 22 | . |
| | 4. DIGESTIVE ORGANS, | 6 | 6 | 6 | 7 | 6 | 11 | 6 | 6 | 8 | 6 | 6·8 | 2 | . | . | . | . | . | 2 | . |
| | 5. URINARY ORGANS, | 4 | 1 | 2 | 2 | 1 | 3 | 1 | 3 | 1 | 2 | 2·0 | 1 | . | . | 1 | . | . | . | . |
| | 6. ORGANS OF GENERATION, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 7. ORGANS OF LOCOMOTION, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 8. INTEGUMENTARY SYSTEM, | . | . | . | . | 2 | . | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | . | 2 | 1 | 2 | 1 | . | 2 | . | 4 | 1 | 1·3 | . | . | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | . | . | . | . | . | 1 | 1 | . | 2 | . | ·4 | . | . | . | . | . | . | . | . |
| | 3. „ „ OLD PEOPLE | 10 | 8 | 12 | 11 | 11 | 11 | 10 | 12 | 11 | 14 | 11·0 | 18 | . | . | . | . | . | 10 | 8 |
| | 4. DISEASES OF NUTRITION, | 4 | 12 | 5 | 7 | 7 | 2 | 7 | 7 | 3 | 4 | 5·8 | 7 | 4 | . | . | . | 2 | 1 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 2 | 2 | 2 | 2 | . | 3 | 3 | 5 | 1 | 7 | 2·7 | 1 | . | . | . | . | 1 | . | . |
| | *2. HOMICIDE, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | 5 | 2 | 4 | 3 | 1 | . | 6 | 5 | 2·6 | 2 | 1 | . | . | . | . | 1 | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the FOURTEENTH WEEK, ending Saturday, 8th April, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Apr 7 1866 | Apr 6 1867 | Apr 4 1868 | Apr 10 1869 | Apr 9 1870 | Apr 8 1871 | Apr 6 1872 | Apr 5 1873 | Apr 11 1874 | Apr 10 1875 | Average of Temperature and of Deaths in 14th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, April 8th, 1876. Deaths of Persons of the Ages: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 41·8 | ° 52·1 | ° 48·4 | ° 47·3 | ° 46·5 | ° 44·0 | ° 44·8 | ° 46·2 | ° 43·5 | ° 44·1 | ° 45·9 | ° 52·9 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 44 | 1 | . | . | 4·5 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 13 | 1 | . | 1 | . | 2 | . | 3 | . | 2·1 | 11 | 11 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | . | 4 | 10 | 12 | 5 | 6 | 5 | 1 | 19 | 1 | 6·3 | 6 | 3 | 1 | . | 2 | . | . | . |
| | 4. Diphtheria, | . | 1 | . | . | . | . | . | . | 2 | . | ·3 | 2 | . | 1 | . | . | . | 1 | . |
| | 5. Quinsy, | . | . | . | 1 | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 2 | 2 | 5 | 2 | 3 | 2 | 1 | 2 | 2 | 2 | 2·3 | 4 | 4 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 5 | . | 4 | . | 1 | 4 | . | 1 | 1 | 1 | 1·7 | 2 | 2 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 3 | 1 | 4 | 1 | 3 | 1 | | | 1 | . | 1 | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | 10 | 6 | 3 | 1 | . | . | 1 | 3 | 7 | 2 | 6·1 | 1 | . | 1 | . | . | . | . | . |
| | – Simple continued Fever, | | | | 3 | 2 | 3 | 3 | 3 | . | 1 | | 1 | . | . | . | . | . | 1 | . |
| | 9. Erysipelas, | 1 | . | 1 | . | 1 | 3 | 1 | . | . | 1 | ·8 | 1 | . | . | . | . | . | 1 | . |
| | 10. Puerperal Fever (Metria), | 2 | 1 | . | . | . | 1 | 1 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 2 | . | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 3 | 2 | 1 | 3 | 4 | 4 | 1 | 1 | 3 | 5 | 2·7 | 4 | 1 | . | . | . | 1 | 2 | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | 1 | . | 1 | . | 2 | 1 | . | 1 | ·6 | 1 | . | 1 | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | 1 | 2 | . | . | . | . | . | . | 1 | ·4 | 1 | . | 1 | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | 2 | . | . | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | 3 | 1 | . | 1 | . | . | . | 2 | ·7 | 1 | . | . | . | . | . | 1 | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens / Intemperance, | . | . | . | . | 1 | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | . | . | 1 |
| | 2. Dropsy, | 2 | 4 | 3 | 5 | 5 | 1 | . | 3 | 2 | 4 | 2·9 | 6 | . | . | . | 3 | 2 | 1 | . |
| | 3. Cancer, | 1 | 2 | 2 | 2 | 2 | 2 | 1 | 4 | 1 | 3 | 2·0 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | 1 | 1 | . | . | 1 | . | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | . | 1 | 3 | . | 1 | 2 | 2 | . | . | . | ·9 | 1 | . | 1 | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 2 | 2 | 3 | 1 | 5 | 2 | 2 | 5 | 3 | 3 | 2·8 | 3 | 1 | 2 | . | . | . | . | . |
| | 3. Phthisis, | 21 | 21 | 25 | 21 | 22 | 21 | 18 | 28 | 16 | 25 | 21·8 | 23 | . | 1 | 3 | 11 | 5 | 3 | . |
| | 4. Hydrocephalus, | 4 | 6 | 2 | . | 4 | 2 | 3 | 5 | 5 | 5 | 3·6 | 4 | 3 | 1 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | 4 | 2 | 3 | . | 4 | 1 | 2 | . | . | 1·7 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 2 | 3 | 4 | 2 | 2 | 1 | . | 4 | 1 | 1 | 2·0 | 2 | . | . | . | . | 1 | 1 | . |
| | 3. Paralysis, | 1 | 3 | 10 | 3 | 4 | 4 | 5 | 3 | 2 | 8 | 4·3 | 3 | . | . | . | . | . | 3 | . |
| | 4. Insanity, | . | . | . | . | 1 | 1 | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | . | 1 | 1 | . | 2 | 1 | 1 | . | 1 | ·7 | 1 | . | . | 1 | . | . | . | . |
| | 7. Convulsions, | 9 | 8 | 10 | 5 | 13 | 9 | 9 | 12 | 7 | 12 | 9·4 | 14 | 14 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 1 | 2 | 3 | . | . | . | 2 | 2 | 2 | 3 | 1·5 | 2 | . | 1 | . | . | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | 1 | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 1 | 2 | . | . | 1 | 1 | . | . | . | . | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 3. *Heart Disease, &c.* | 5 | 8 | 9 | 3 | 7 | 6 | 7 | 7 | 7 | 8 | 6·7 | 10 | . | . | . | 1 | 5 | 4 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | 2 | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 19 | 34 | 17 | 36 | 27 | 33 | 33 | 29 | 31 | 28 | 28·7 | 52 | 24 | . | . | 6 | 4 | 18 | . |
| | 3. Pleurisy, | 1 | . | . | . | . | . | . | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 3 | 3 | 5 | 6 | 4 | 6 | 3 | 2 | 8 | 7 | 4·7 | 5 | 2 | . | . | 1 | 1 | 1 | . |
| | 5. Asthma, | 2 | 1 | . | . | 1 | . | . | . | . | 1 | ·5 | 1 | . | . | . | . | . | 1 | . |
| | 6. *Lung Disease, &c.* | . | 2 | 2 | 4 | 4 | 2 | 1 | 6 | 4 | 2 | 2·7 | 9 | 2 | 1 | . | . | 4 | 2 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 2 | . | . | 1 | 1 | 1 | . | 1 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | 2 | . | 1 | 1 | 1 | . | . | 1 | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | 1 | 1 | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in n the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 14th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, April 8th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Apr 7 1866 | Apr 6 1867 | Apr 4 1868 | Apr 10 1869 | Apr 9 1870 | Apr 8 1871 | Apr 6 1872 | Apr 5 1873 | Apr 11 1874 | Apr 10 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 41·8 | 52·1 | 48·4 | 47·3 | 46·5 | 44·0 | 44·8 | 46·2 | 43·5 | 44·1 | 45·9 | 52·9 | | | | | | | |
| III. | 7. Ileus, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| con. | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | 1 | 1 | . | 1 | 2 | 2 | . | 2 | 2 | 1·1 | 2 | . | . | . | . | 2 | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | 1 | 1 | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | 1 | . | . | . | . | 1 | 2 | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 1 | 3 | 4 | 3 | 6 | 3 | 3 | 3 | 2 | 2·9 | . | . | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | 1 | 1 | 1 | . | . | . | 1 | . | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 3 | . | 1 | 1 | 1 | 2 | 1 | 3 | 1 | 1 | 1·3 | 1 | . | . | 1 | . | . | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | 2 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | . | 1 | 1 | . | 2 | . | 4 | 1 | 1·1 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | . | . | . | . | 1 | 1 | . | 2 | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 10 | 8 | 12 | 11 | 11 | 11 | 10 | 12 | 11 | 14 | 11·0 | 18 | . | . | . | . | . | 10 | 8 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 4 | 12 | 5 | 7 | 7 | 2 | 7 | 7 | 3 | 4 | 5·8 | 7 | 4 | . | . | . | 2 | 1 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | . | . | 1 | . | 3 | 1 | 2 | 1 | 1 | 1·0 | 1 | . | . | . | . | 1 | . | . |
| | 2. Wounds, | . | . | . | . | . | . | 1 | . | . | 2 | ·3 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | 2 | 2 | . | . | . | 1 | 1 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | . | . | 1 | . | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | . | 3 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | { Cut, Stab, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | . | . | 5 | 2 | 4 | 3 | 1 | . | 6 | 8 | 2·6 | 2 | 1 | . | . | . | 1 | . | . |

## Comparative Table of Births and Deaths Registered in the Dublin Registration District during the last Twenty-six Weeks.

| Dublin Registration District. | 1875. | | | | | | | | | | | 1876. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 16. | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. |
| Births, | 171 | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 |
| Deaths, | 164 | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 |
| Deaths under 5 years of age, | 68 | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 |
| Deaths 5–15, | 11 | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 |
| Deaths 15–20, | 3 | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 |
| Deaths 20–40, | 19 | 22 | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 33 | 26 | 28 | 26 | 30 | 26 |
| Deaths 40–60, | 26 | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 |
| Deaths 60–80, | 29 | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 |
| Deaths at 80 years of age and upwards, | 8 | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 4 | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 |
| ,, Scarlatina, | 1 | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 |
| ,, Diphtheria, | 3 | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| ,, Whooping Cough, | 3 | 7 | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 |
| ,, Fever, | 2 | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 |
| ,, Diarrhœa, | 17 | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 |
| ,, Phthisis, | 12 | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 |
| ,, Bronchitis, | 9 | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 |
| ,, Pneumonia, | 3 | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 |
| ,, Heart Disease, | 6 | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 |
| Mean Temperature of the Air | 44·9 | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 |
| Rain-fall in inches, | ·385 | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·850 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·846 | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 |

Dublin: Printed by Alexander Thom, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[117.—200.—4/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, APRIL 15, 1876. [No. 15.

*General Register Office, Charlemont House, Dublin, April 17th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 15th April, 1876, represent an annual mortality of 23 in every 1,000 of the population, by the Census of 1871. In London the death rate was 21 in every 1,000 of the estimated population; in Glasgow, 29; and in Edinburgh, 21.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 112—58 boys and 54 girls,—and the deaths to 141—75 males and 66 females. The *average* numbers in the corresponding week of the previous ten years were—births, 169, and deaths, 179.

Twenty-two deaths from zymotic diseases were *registered* during the week, being 14 under the number in the preceding week. Of the deaths from these diseases *registered* last week 2 were from fever (1 typhus, and 1 typhoid or enteric fever), 7 from measles, 4 from scarlet fever, 3 from whooping-cough, 2 from diarrhœa, 1 each from erysipelas and influenza, &c.

Twelve deaths were referred to convulsions.

Only 20 deaths resulted from bronchitis, against 52 in the preceding week; 7 were ascribed to pneumonia or inflammation of the lungs, and 1 to lung disease unspecified.

Apoplexy caused 3 deaths, paralysis 4, cephalitis 1, epilepsy 1, and brain disease unspecified 2.

Eight deaths resulted from heart disease, 1 each from diabetes and nephria or Bright's disease, and 2 from kidney disease unspecified.

Sixteen persons died from phthisis or pulmonary consumption, 4 from mesenteric disease, 3 from hydrocephalus or water on the brain, and 4 from cancer.

Fifty of the persons whose deaths were *registered* during the week were under 5 years of age (25 being infants under 1 year old), and 35 were aged 60 and upwards, including 24 persons aged 70 and upwards, of whom 4 were octogenarians, and 3 (females) were stated to have been aged 90 years.

Five deaths from whooping-cough, 1 from fever, and 2 from diarrhœa were *registered* in Belfast.

Two deaths from fever and 2 from diarrhœa were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from Bronchitis. | Consumption. | Convulsions. | Disease of Heart. | Deaths from all Causes |
|---|---|---|---|---|---|---|---|
| Dublin City:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 1 | 3 | 1 | – | 11 |
| | No. 2 ,, | 31,993 | – | 2 | 2 | – | 12 |
| | No. 3 ,, | 27,546 | 2 | 6 | 2 | 3 | 26 |
| South Side, | No. 1 District, | 32,184 | 5 | 1 | 1 | 1 | 34 |
| | No. 2 ,, | 29,952 | 3 | 1 | 2 | – | 8 |
| | No. 3 ,, | 38,811 | 4 | 2 | 3 | 1 | 18 |
| | No. 4 ,, | 36,703 | 3 | – | – | 1 | 13 |
| Rathmines District, | | 20,939 | 1 | – | – | – | 9 |
| Donnybrook, ,, | | 21,758 | – | 1 | – | – | 3 |
| Blackrock, ,, | | 7,182 | – | – | – | – | 1 |
| Kingstown, ,, | | 18,461 | 1 | – | 1 | 2 | 6 |
| | Total, | 314,666 | 20 | 16 | 12 | 8 | 141 |

Fifty-three of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin, and 26 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 12 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 20 per 1,000; and in No. 3, North City (Blackhall-street), to 49 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 55 per 1,000; in No. 2, South City District (High-street), the ratio was 14 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 24 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 18 per 1,000.

In the Suburban District of Rathmines the annual ratio was 22 per 1,000; in Donnybrook it was 7—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 7; and in Kingstown 17 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,191 and the deaths to 1,484 (against an average of 1,594 for corresponding week 1866–75); in Glasgow the births *registered* were 449, and the deaths 308; and in Edinburgh the births were 142, and the deaths 85. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·891 inches. The highest daily mean reading (30·234) occurred on Friday, and the lowest (29·463) on Monday.

The mean temperature during the week was 39·2° (the average in the corresponding week of the previous ten years was 48·0°); the lowest daily mean (33·5°) occurred on Wednesday and the highest (48·8°) on Saturday.

The temperature was highest on Sunday, when the thermometer registered 60·0°, and was lowest on Wednesday, the mercury having fallen to 22·5°. The highest reading of the barometer during the week (30·261) occurred on Friday, at 9.30 P.M., air calm, and the lowest (29·461) on Monday, at 3.30 P.M., wind N.W. The mean of the Dry Bulb for the week was 40·2°; and of the Wet Bulb 37·2°. The mean humidity of the air was ·759; complete saturation being represented by 1·0. The rain-fall during the week measured 1·038 in.

At Greenwich, the mean temperature of the week was 40·9°; and at Glasgow, 39·4°. The rain-fall during the week at Greenwich measured ·69 in., and at Glasgow ·44 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Apr. 9, | 29·685 | 60·0 | 33·0 | 46·5 | 50·0 | 47·5 | ·755 | ·6 | ·593 | S.W. | S.W. | S.W. |
| Monday, „ 10, | 29·463 | 44·0 | 29·2 | 36·6 | 33·8 | 33·4 | ·947 | ·8 | ·050 | N.N.E. | N.W. | N.W. |
| Tuesday, „ 11, | 29·708 | 42·5 | 27·5 | 35·0 | 36·6 | 33·9 | ·762 | ·8 | ·005 | N.W. | W. | N.W. |
| Wednesday, „ 12, | 29·948 | 44·6 | 22·5 | 33·5 | 38·0 | 35·0 | ·770 | 1·0 | ·290 | N.W. | N.W. | N.W. |
| Thursday, „ 13, | 29·926 | 42·8 | 28·0 | 35·4 | 35·7 | 32·9 | ·775 | ·8 | ·100 | N.W. | N. | N. |
| Friday, „ 14, | 30·234 | 48·0 | 29·6 | 38·8 | 40·2 | 36·4 | ·708 | ·4 | ·000 | N.E. | E. | Calm. |
| Saturday, „ 15, | 30·186 | 55·5 | 42·1 | 48·8 | 47·5 | 41·3 | ·597 | ·4 | ·000 | S.E. | S.S.W. | Calm. |
| Mean, . . | 29·891 | 48·2 | 30·2 | 39·2 | 40·2 | 37·2 | ·759 | ·7 | Total, 1·038 | Prevailing wind, N.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. |
|---|---|
| Sunday, Apr. 9, | A.M. Fine. P.M. Fine. Some heavy peals of thunder passed over this place [between 3.20 and 3.35 P.M. |
| Monday, „ 10, | A.M. Sleeting. P.M. Fine starlight. |
| Tuesday, „ 11, | A.M. Fine. P.M. Fine starlight. |
| Wednesday, „ 12, | A.M. Fine. P.M. Snowing. |
| Thursday, „ 13, | A.M. Fine. P.M. Fine. |
| Friday, „ 14, | A.M. Fine. P.M. Fine. |
| Saturday, „ 15, | A.M. Fine. P.M. Fine. |

*.—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.
ıdly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 15th April, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 15TH APRIL, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 23 | 112 | 141 | 25 | 35 | . | 7 | 4 | . | 3 | 2 | 2 | 1 | 2 | 53 |
| BELFAST,† . . | 20,687 | 182,082 | 24 | 130 | 85 | 17 | 15 | . | . | . | . | 5 | 1 | 2 | 3 | 1 | 18 |
| CORK, . . . | 13,816 | 91,965 | 24 | 41 | 42 | 6 | 12 | . | . | . | . | . | 2 | 2 | 4 | 4 | 18 |
| LIMERICK, . . | 8,509 | 44,209 | 39 | 24 | 33 | 3 | 11 | . | . | . | . | . | 1 | . | . | 1 | 19 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 13 | 14 | 8 | . | 3 | . | . | . | . | . | . | . | . | 1 | . |
| WATERFORD, . . | 17,209 | 30,626 | 20 | 9 | 12 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 37 | 6 | 14 | 2 | 10 | . | . | . | . | . | . | . | . | . | 4 |
| SLIGO, . . . | 30,835 | 17,285 | 33 | 10 | 11 | 1 | 5 | . | . | . | . | . | 1 | . | . | . | 5 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 15th April, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 13 | 11 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 26 | 19 | 9 | . | 3 | . | . | . | . | . | . | 1 | 1 | . | 6 |
| | ,, ,, 3, | 39,311 | 17 | 18 | 13 | 4 | 2 | . | . | . | . | 1 | 1 | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 57 | 21 | 21 | 1 | 5 | . | . | . | . | . | . | . | . | . | 12 |
| | ,, ,, 5, | 19,616 | 24 | 15 | 9 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 24 | 31 | 17 | 4 | 3 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . |
| | ,, ,, 10, | 8,115 | 13 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . | . |
| | Castlereagh ,, 1, | 16,155 | 26 | 9 | 8 | 3 | . | . | . | . | . | 3 | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 20 | 3 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 14 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 23 | 3 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 32 | 2 | 7 | . | 2 | . | . | . | . | . | . | . | 4 | 4 | 5 |
| | ,, ,, 6, | 15,230 | 14 | 13 | 4 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 7, | 7,586 | 21 | 5 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 45 | 9 | 16 | 3 | 4 | . | . | . | . | . | 2 | 1 | . | . | 11 |
| | ,, ,, 9, | 4,790 | 22 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 46 | 9 | 7 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 23 | 4 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, ,, 3, | 11,424 | 73 | 7 | 16 | . | 4 | . | . | . | . | . | 1 | . | . | 1 | 15 |
| | ,, ,, 4, | 15,875 | 20 | 4 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 27 | 8 | 7 | . | 2 | . | . | . | . | . | . | . | . | 1 | . |
| | Glendermot, *W.* | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 20 | 9 | 12 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 19 | 3 | 4 | . | 4 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 58 | 3 | 10 | 2 | 6 | . | . | . | . | . | . | . | . | . | 4 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 56 | 3 | 7 | 1 | 5 | . | . | . | . | . | 1 | . | . | . | 5 |
| | ,, ,, 2, | 10,829 | 19 | 7 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 15th April, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,626 |
| Births, | 10 | 20 | 12 | 13 | 9 | 20 | 13 | 4 | 1 | 1 | 9 | 113 |
| Deaths from all Causes, | 11 | 12 | 26 | 34 | 8 | 18 | 13 | 9 | 3 | 1 | 6 | 141 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 4 | . | . | 3 | . | . | . | . | 7 |
| Scarlet Fever (Scarlatina), | 1 | 2 | 1 | . | . | . | . | . | . | . | . | 4 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | 1 | 1 | . | . | . | 1 | . | . | . | 3 |
| Fever, | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| Diarrhœa, | . | . | . | 2 | . | . | . | . | . | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Other Zymotic Diseases | . | . | . | 2 | . | | . | 1 | . | . | . | 3 |
| Total, | 1 | 2 | 2 | 10 | . | . | 4 | 2 | . | . | 1 | 22 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 2 | 6 | 1 | 1 | 2 | . | . | 1 | . | . | 16 |
| Other Constitutional Diseases, | . | 2 | 1 | 3 | . | 1 | 3 | 2 | 1 | . | . | 13 |
| Total, | 3 | 4 | 7 | 4 | 1 | 3 | 3 | 2 | 2 | . | . | 29 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | 3 | 5 | 4 | 3 | 3 | 1 | . | . | . | 1 | 23 |
| Diseases of the Heart and Circulatory Organs, | . | . | 3 | 1 | . | 1 | 1 | . | . | . | 2 | 8 |
| Diseases of the Respiratory Organs, | 3 | . | 4 | 8 | 3 | 4 | 3 | 2 | . | . | 1 | 28 |
| Diseases of the Digestive Organs, | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Diseases of the Urinary Organs, | . | 1 | 1 | 1 | . | . | . | . | . | 1 | . | 4 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 7 | 4 | 13 | 14 | 6 | 8 | 5 | 2 | . | 1 | 4 | 64 |
| DEVELOPMENTAL DISEASES, | . | 2 | 4 | 4 | 1 | 6 | 1 | 3 | . | . | 1 | 22 |
| VIOLENT DEATHS, | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 2 | . | 1 | . | . | . | . | . | 3 |
| Annual Rate of Mortality in every 1,000 of the Population, | 13 | 20 | 49 | 55 | 14 | 24 | 18 | 22 | 7 | 7 | 17 | 23 |

## NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 1 | 6 | 1 | . | 3 | 3 | . | 1 | . | . | 15 |
| Workhouse Hospitals | . | . | 13 | 26 | . | . | . | . | . | . | . | 39 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Chanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the FIFTEENTH WEEK, ending Saturday, April 15th, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Ann. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 15th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, April 15th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Apr. 14 1866 | Apr. 13 1867 | Apr. 11 1868 | Apr. 17 1869 | Apr. 16 1870 | Apr. 15 1871 | Apr. 13 1872 | Apr 12 1873 | Apr. 18 1874 | Apr. 17 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 46·7 | ° 47·9 | ° 45·8 | ° 52·5 | ° 49·7 | ° 49·8 | ° 50·5 | ° 44·8 | ° 48·2 | ° 44·5 | ° 48·0 | ° 39·2 | | | | | | | |
| | **ALL CAUSES,** | 214 | 215 | 136 | 188 | 159 | 121 | 250 | 134 | 202 | 170 | 178·9 | 141 | 50 | 7 | 3 | 17 | 29 | 28 | 7 |
| | **SPECIFIED CAUSES,** | 210 | 213 | 132 | 187 | 159 | 117 | 246 | 132 | 199 | 166 | 176·0 | 138 | 50 | 7 | 3 | 17 | 28 | 26 | 7 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 34 | 63 | 24 | 22 | 33 | 17 | 108 | 17 | 26 | 20 | 36·4 | 22 | 16 | 1 | . | 1 | 4 | . | . |
| II. | CONSTITUTIONAL ,, | 43 | 45 | 26 | 49 | 42 | 36 | 37 | 22 | 38 | 27 | 36·5 | 29 | 6 | 5 | 2 | 6 | 7 | 3 | . |
| III. | *LOCAL* ,, | 103 | 87 | 63 | 89 | 63 | 51 | 69 | 76 | 104 | 90 | 79·5 | 64 | 26 | . | 1 | 8 | 16 | 11 | 2 |
| IV. | DEVELOPMENTAL ,, | 24 | 16 | 13 | 18 | 20 | 11 | 28 | 12 | 25 | 28 | 19·5 | 22 | 2 | . | . | 2 | 1 | 12 | 5 |
| V. | VIOLENT DEATHS, | 6 | 1 | 6 | 9 | 1 | 2 | 4 | 5 | 6 | 1 | 4·1 | 1 | . | 1 | . | . | . | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 31 | 57 | 23 | 21 | 32 | 17 | 108 | 17 | 24 | 17 | 34·7 | 21 | 16 | 1 | . | 1 | 3 | . | . |
| | 2. ENTHETIC ,, | 2 | 2 | 1 | 1 | . | . | . | . | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| | 3. DIETIC ,, | 1 | 3 | . | . | 1 | . | . | . | . | 2 | ·7 | 1 | . | . | . | . | 1 | . | . |
| | 4. PARASITIC ,, | . | 1 | . | . | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 9 | 6 | 5 | 9 | 5 | 6 | 7 | 4 | 7 | 3 | 6·1 | 6 | . | . | . | . | 4 | 2 | . |
| | 2. TUBERCULAR ,, | 34 | 39 | 21 | 40 | 37 | 30 | 30 | 18 | 31 | 24 | 30·4 | 23 | 6 | 5 | 2 | 6 | 3 | 1 | . |
| II. | 1. DISEASES OF NERVOUS SYSTEM, | 25 | 34 | 18 | 22 | 22 | 12 | 14 | 22 | 44 | 29 | 24·2 | 23 | 11 | . | 1 | 2 | 4 | 4 | 1 |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 13 | 8 | 6 | 7 | 3 | 5 | 9 | 8 | 8 | 10 | 7·7 | 8 | . | . | . | 1 | 4 | 3 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 55 | 37 | 32 | 46 | 31 | 29 | 34 | 35 | 35 | 44 | 37·8 | 28 | 15 | . | . | 3 | 6 | 3 | 1 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 4 | 2 | 3 | 10 | 6 | 4 | 7 | 5 | 12 | 5 | 5·8 | 1 | . | . | . | 1 | . | . | . |
| | 5. DISEASES OF URINARY ORGANS, | 6 | 3 | 4 | 4 | 1 | . | 3 | 4 | 5 | 1 | 3·1 | 4 | . | . | . | 1 | 2 | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | 2 | . | . | . | 1 | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | 1 | . | . | . | . | 1 | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| V. | 1. DEV. DISEASES OF CHILDREN, | 1 | 1 | 1 | . | . | 2 | 1 | . | 1 | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 2. ,, ,, ADULTS, | 1 | . | . | . | 2 | . | . | . | . | . | ·3 | 2 | . | . | . | 2 | . | . | . |
| | 3 ,, ,, OLD PEOPLE | 11 | 8 | 3 | 14 | 11 | 6 | 20 | 8 | 17 | 16 | 11·4 | 16 | . | . | . | . | . | 11 | 5 |
| | 4. DISEASES OF NUTRITION, | 11 | 7 | 9 | 4 | 7 | 3 | 7 | 4 | 7 | 11 | 7·0 | 4 | 2 | . | . | . | 1 | 1 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 5 | 1 | 6 | 6 | 1 | 2 | 3 | 4 | 6 | 1 | 3·5 | . | . | . | . | . | . | . | . |
| | *2. HOMICIDE, | 1 | . | . | 1 | . | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | 2 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 4 | 2 | 4 | 1 | . | 4 | 4 | 2 | 3 | 4 | 2·8 | 3 | . | . | . | . | 1 | 2 | . |

* Order 3, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

is in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmine the Fifteenth Week, ending Saturday, 15th April, 1876; also the Deaths from each Disease Registered

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 15th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, April 15th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | | |
| | Apr 14 1866 | Apr 13 1867 | Apr 11 1868 | Apr 17 1869 | Apr 16 1870 | Apr 15 1871 | Apr 13 1872 | Apr 12 1873 | Apr 18 1874 | Apr 17 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | ° 46·7 | ° 47·9 | ° 45·8 | ° 52·5 | ° 49·7 | ° 49·8 | ° 50·5 | ° 44·8 | ° 48·2 | ° 44·5 | ° 48·0 | Mean Temp. ° 39·2 | | | | | | | |
| **Order 1.** | | | | | | | | | | | | | | | | | | | |
| 1. Small Pox, | . | . | . | . | . | . | 83 | . | . | . | 8·3 | . | . | . | . | . | . | . | . |
| 2. Measles, | . | 25 | . | 2 | 1 | . | 5 | . | 1 | . | 3·4 | 7 | 7 | . | . | . | . | . | . |
| 3. Scarlet Fever (Scarlatina), | 1 | 2 | 5 | 8 | 15 | 4 | 3 | . | 10 | 2 | 5·0 | 4 | 3 | 1 | . | . | . | . | . |
| 4. Diphtheria, | 1 | . | . | . | . | 1 | . | 2 | 4 | . | ·8 | . | . | . | . | . | . | . | . |
| 5. Quinsy, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 6. Croup, | 4 | . | . | . | 1 | 1 | 3 | 3 | 2 | 1 | 1·5 | . | . | . | . | . | . | . | . |
| 7. Whooping Cough, | 3 | 2 | 6 | . | 2 | 3 | 1 | 2 | . | 1 | 2·0 | 3 | 3 | . | . | . | . | . | . |
| 8. Typhus, | | | | 3 | . | 1 | 3 | 1 | 2 | 1 | | 1 | . | . | . | . | 1 | . | . |
| – Enteric or Typhoid Fever, | 13 | 10 | 7 | 5 | 2 | 2 | . | 2 | . | 1 | 6·4 | 1 | . | . | . | 1 | . | . | . |
| – Simple continued Fever, | | | | 1 | 4 | 1 | 1 | 1 | 2 | 1 | | . | . | . | . | . | . | . | . |
| 9. Erysipelas, | 1 | 1 | 1 | 1 | 1 | 1 | 2 | . | 1 | . | ·9 | 1 | 1 | . | . | . | . | . | . |
| 10. Puerperal Fever (Metria), | 2 | 1 | 2 | . | 1 | . | . | . | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| 11. Carbuncle, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 12. Influenza, | . | . | . | . | . | . | . | . | . | 2 | ·2 | 1 | 1 | . | . | . | . | . | . |
| 13. Dysentery, | 1 | 1 | 2 | . | . | 1 | . | . | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| 14. Diarrhœa, | 5 | 15 | . | 1 | 3 | . | 7 | 3 | . | 3 | 3·7 | 2 | . | . | . | . | 2 | . | . |
| 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 18. Rheumatism, | . | . | . | . | . | 2 | . | . | . | 4 | ·6 | . | . | . | . | . | . | . | . |
| 19. Other Zymotic Diseases, | . | . | . | . | 2 | . | . | 2 | . | . | ·4 | . | . | . | . | . | . | . | . |
| **Order 2.** | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis, | 2 | 2 | 1 | 1 | . | . | . | . | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **Order 3.** | | | | | | | | | | | | | | | | | | | |
| 1. Privation, | . | 2 | . | . | . | . | . | . | . | 1 | ·3 | 1 | . | . | . | . | 1 | . | . |
| 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Purpura and Scurvy, | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 4. Alcoholism, { Delirium Tremens / Intemperance, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| **Order 4.** | | | | | | | | | | | | | | | | | | | |
| 1. Thrush, | . | 1 | . | . | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **Order 1.** | | | | | | | | | | | | | | | | | | | |
| 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Dropsy, | 2 | 2 | 2 | 2 | 3 | 4 | . | 1 | 1 | . | 1·7 | 1 | . | . | . | . | 1 | . | . |
| 3. Cancer, | 7 | 4 | 1 | 7 | 1 | 1 | 7 | 3 | 5 | 2 | 3·8 | 4 | . | . | . | . | 2 | 2 | . |
| 4. Cancrum Oris (Noma), | . | . | 2 | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| 5. Mortification, | . | . | . | . | 1 | 1 | . | . | 1 | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| **Order 2.** | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula, | 3 | 1 | . | 3 | 1 | 1 | 1 | 2 | 4 | . | 1·6 | . | . | . | . | . | . | . | . |
| 2. Tabes Mesenterica, | 1 | 6 | 1 | 3 | 1 | 3 | 1 | 1 | 2 | . | 1·9 | 4 | 4 | . | . | . | . | . | . |
| 3. Phthisis, | 29 | 24 | 19 | 31 | 29 | 22 | 24 | 14 | 23 | 22 | 23·7 | 16 | . | 4 | 2 | 6 | 3 | 1 | . |
| 4. Hydrocephalus, | 1 | 8 | 1 | 3 | 6 | 4 | 4 | 1 | 2 | 2 | 3·2 | 3 | 2 | 1 | . | . | . | . | . |
| **Order 1.** | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis, | 2 | 2 | . | 2 | 2 | 1 | 1 | 1 | 2 | . | 1·3 | 1 | . | . | . | . | 1 | . | . |
| 2. Apoplexy, | 1 | 4 | 3 | 2 | 2 | 1 | 2 | 4 | 2 | 5 | 2·6 | 3 | . | . | . | . | . | 2 | 1 |
| 3. Paralysis, | 3 | 6 | 1 | 7 | 5 | 2 | 4 | 7 | 12 | 4 | 5·1 | 4 | . | . | . | 1 | 1 | 2 | . |
| 4. Insanity, | . | . | . | 1 | . | . | . | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Epilepsy, | . | 1 | 1 | 2 | . | 1 | . | . | 1 | . | ·6 | 1 | . | . | . | . | 1 | . | . |
| 7. Convulsions, | 13 | 13 | 13 | 3 | 7 | 5 | 5 | 9 | 21 | 12 | 10·1 | 12 | 11 | . | 1 | . | . | . | . |
| 8. *Brain Disease, &c.* | 6 | 8 | . | 5 | 6 | 2 | 2 | 1 | 4 | 8 | 4·2 | 2 | . | . | . | 1 | 1 | . | . |
| **Order 2.** | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Aneurism, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| 3. *Heart Disease, &c.* | 12 | 8 | 6 | 7 | 3 | 5 | 9 | 8 | 8 | 9 | 7·5 | 8 | . | . | . | 1 | 4 | 3 | . |
| **Order 3.** | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Bronchitis, | 41 | 28 | 24 | 40 | 21 | 23 | 25 | 25 | 25 | 27 | 27·9 | 20 | 10 | . | . | 2 | 5 | 3 | 1 |
| 3. Pleurisy, | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 4. Pneumonia, | 12 | 5 | 7 | 2 | 6 | 3 | 6 | 3 | 4 | 14 | 6·2 | 7 | 5 | . | . | 1 | 1 | . | . |
| 5. Asthma, | . | . | . | 1 | . | 1 | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | . |
| 6. *Lung Disease, &c.* | 1 | 2 | 1 | 3 | 4 | 2 | 3 | 7 | 5 | 2 | 3·0 | 1 | . | . | . | . | 1 | . | . |
| **Order 4.** | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | . | . | . | . | 1 | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| 2. Enteritis, | 1 | . | 1 | 1 | . | . | . | . | 2 | . | ·5 | . | . | . | . | . | . | . | . |
| 3. Peritonitis, | . | . | . | 1 | . | . | . | 1 | 1 | . | ·3 | 1 | . | . | . | 1 | . | . | . |
| 4. Ascites, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 5. Ulceration of Intestines, | . | . | 1 | 2 | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| 6. Hernia, | 1 | . | . | . | . | . | . | 1 | . | 2 | ·4 | . | . | . | . | . | . | . | . |

Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in and the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Num. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Apr 14 1866 | Apr 13 1867 | Apr 11 1868 | Apr 17 1869 | Apr 16 1870 | Apr 15 1871 | Apr 13 1872 | Apr 12 1873 | Apr 18 1874 | Apr 17 1875 | Average of Temperature and of Deaths in 15th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, April 15th, 1876. Deaths of Persons of the Ages — ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 46·7 | ° 47·9 | ° 45·8 | ° 53·5 | ° 49·7 | ° 49·8 | ° 50·5 | ° 44·8 | ° 48·2 | ° 44·6 | ° 48·0 | Mean Temp. ° 39·2 | | | | | | | |
| III. con. | 7. Ileus, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 8. Intussusception, | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| | 9. Stricture of Intestines, | 1 | · | · | · | · | · | · | · | 1 | · | ·2 | · | · | · | · | · | · | · | · |
| | 10. Fistula, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 11. *Stomach Disease, &c.* | · | · | 1 | · | 1 | 1 | 2 | · | 1 | · | ·6 | · | · | · | · | · | · | · | · |
| | 12. *Pancreas Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 13. Hepatitis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 14. Jaundice, | · | 2 | · | · | 1 | · | · | · | · | · | ·3 | · | · | · | · | · | · | · | · |
| | 15. *Liver Disease, &c.* | 1 | · | · | 5 | 2 | 3 | 4 | 2 | 6 | 2 | 2·5 | · | · | · | · | · | · | · | · |
| | 16. *Spleen Disease, &c.* | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | Order 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | · | · | · | · | · | · | · | · | 1 | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. Ischuria, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Bright's Disease (Nephria), | 2 | · | 3 | 2 | · | · | 2 | 1 | 2 | · | 1·2 | 1 | · | · | · | · | 1 | · | · |
| | 4. Diabetes, | 1 | 1 | · | 1 | · | · | · | · | · | · | ·3 | 1 | · | · | · | 1 | · | · | · |
| | 5. Calculus (Stone), | 1 | · | 1 | · | · | · | · | · | · | · | ·2 | · | · | · | · | · | · | · | · |
| | 6. Cystitis, | · | · | · | · | · | · | · | 1 | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 7. *Kidney Disease, &c.* | 2 | 2 | · | 1 | 1 | · | 1 | 2 | 2 | 1 | 1·2 | 2 | · | · | · | · | 1 | 1 | · |
| | Order 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | · | 2 | · | · | · | 1 | · | 1 | · | · | ·4 | · | · | · | · | · | · | · | · |
| | 2. *Uterus Disease, &c.* | · | · | · | · | · | · | 1 | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | Order 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | · | · | · | · | · | · | · | · | · | 1 | ·1 | · | · | · | · | · | · | · | · |
| | 2. *Joint Disease, &c.* | · | 1 | · | · | · | · | 1 | · | · | · | ·2 | · | · | · | · | · | · | · | · |
| | Order 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Ulcer, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. *Skin Disease, &c.* | · | · | · | · | · | · | · | 1 | · | · | ·1 | · | · | · | · | · | · | · | · |
| IV. | Order 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | · | · | · | · | · | · | · | · | 1 | ·2 | · | · | · | · | · | · | · | · |
| | 2. Cyanosis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Spina Bifida, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Other Malformations, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Teething, | · | 1 | 1 | · | · | 2 | 1 | · | 1 | · | ·6 | · | · | · | · | · | · | · | · |
| | Order 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Childbirth (*see also* Puerperal Fever), | 1 | · | · | · | 2 | · | · | · | · | · | ·3 | 2 | · | · | · | 2 | · | · | · |
| | Order 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 11 | 8 | 3 | 14 | 11 | 6 | 20 | 8 | 17 | 16 | 11·4 | 16 | · | · | · | · | · | 11 | 5 |
| | Order 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 11 | 7 | 9 | 4 | 7 | 3 | 7 | 4 | 7 | 11 | 7·0 | 4 | 2 | · | · | · | 1 | 1 | · |
| V. | Order 1. (Accident or Negligence.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | · | 2 | 1 | 1 | 1 | · | 2 | · | 1 | 1·0 | · | · | · | · | · | · | · | · |
| | 2. Wounds, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Burns and Scalds, | 2 | 1 | 2 | 3 | · | 1 | 2 | 1 | 3 | · | 1·5 | · | · | · | · | · | · | · | · |
| | 4. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Drowning, | 1 | · | 2 | 1 | · | · | 1 | 1 | 3 | · | ·9 | · | · | · | · | · | · | · | · |
| | 6. Suffocation, | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 7. Otherwise, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Order 2.—(Homicide.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | 1 | · | · | 1 | · | · | 1 | 1 | · | · | ·4 | · | · | · | · | · | · | · | · |
| | Order 4.—(Suicide.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Drowning, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Hanging, | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 5. Otherwise, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Order 5.—(Execution.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Other Violent Deaths (not classed), | · | · | · | · | · | · | · | · | · | · | · | 1 | · | 1 | · | · | · | · | · |
| | Sudden Deaths (Cause unascertained), | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | Causes not specified or ill-defined, | 4 | 2 | 4 | 1 | · | 4 | 4 | 2 | 3 | 4 | 2·8 | 3 | · | · | · | · | 1 | 2 | · |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | | 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 23. | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. |
| BIRTHS, . | 156 | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 |
| DEATHS, . . . . | 129 | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 |
| Deaths under 5 years of age, . | 47 | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 |
| Deaths 5–15, . . . . | 7 | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 |
| Deaths 15–20, . . . . | 1 | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 |
| Deaths 20–40, . . . . | 22 | 20 | 30 | 20 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 26 | 30 | 26 | 17 |
| Deaths 40–60, . . . . | 24 | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 |
| Deaths 60–80, . . . . | 25 | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 |
| Deaths at 80 years of age and upwards, . . . . | 3 | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . | 2 | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 |
| ,, Scarlatina, . | 1 | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 |
| ,, Diphtheria, . | . | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| ,, Whooping Cough, | 7 | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 |
| ,, Fever, . . | 1 | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 |
| ,, Diarrhœa, . . | 9 | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 |
| ,, Phthisis, . . | 17 | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 |
| ,, Bronchitis, . | 16 | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 |
| ,, Pneumonia, . | 5 | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 |
| ,, Heart Disease, . | 5 | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 |
| Mean Temperature of the Air | 50·9 | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 |
| Rain-fall in inches, . . | 1·680 | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1 038 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·874 | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, APRIL 22, 1876. [No. 16.


*General Register Office, Charlemont House, Dublin, April 24th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 22nd April, 1876, represent an annual mortality of 34 in every 1,000 of the population, by the Census of 1871. In London the death rate was 24 in every 1,000 of the estimated population; in Glasgow, 30; and in Edinburgh, 22.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 196—109 boys and 87 girls,—and the deaths to 203—120 males and 83 females. The *average* numbers in the corresponding week of the previous ten years were—births, 167, and deaths, 164.

The number of deaths from zymotic diseases *registered* during the week, was 26, including 3 from fever (1 typhus, and 2 typhoid or enteric fever), 6 from scarlet fever, 5 from whooping-cough, 3 each from measles and croup, 2 from diarrhœa, 1 from erysipelas, &c.

Twelve children died from convulsions.

Bronchitis caused 36 deaths, pneumonia or inflammation of the lungs 7, pleurisy 2, and lung disease unspecified 5.

Five deaths were attributed to apoplexy, 3 to paralysis, 1 to cephalitis, and 2 to brain disease unspecified.

Heart disease proved fatal in 12 instances, pericarditis or inflammation of the heart's covering in 1, aneurism in 2, liver disease in 4, and kidney disease unspecified in 1.

Thirty-one deaths resulted from phthisis or pulmonary consumption, 4 from mesenteric disease, 5 from hydrocephalus or water on the brain, and 3 from cancer.

Seven accidental deaths were *registered*, viz., 3 from burns, 2 from fractures and contusions, and 2 from drowning.

Fifty-five of the persons whose deaths were *registered* during the week were under 5 years of age (24 being infants under 1 year old), and 41 were aged 60 and upwards, including 26 persons aged 70 and upwards, of whom 6 were octogenarians, and 1 (a female) was stated to have been aged 92 years.

Three deaths from whooping-cough, 2 from fever, 1 each from scarlet fever and diphtheria and 4 from diarrhœa were *registered* in Belfast.

Two deaths from whooping-cough and 1 each from fever and diarrhœa were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all causes |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Convulsions. | Disease of Heart. | |
| Dublin City:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 9 | 3 | 3 | 4 | 48 |
| | No. 2 ,, | 31,993 | 1 | 1 | – | – | 9 |
| | No. 3 ,, | 27,546 | 5 | 4 | 3 | 2 | 29 |
| South Side, | No. 1 District, | 32,184 | 8 | 5 | 2 | – | 35 |
| | No. 2 ,, | 29,952 | 4 | – | 1 | – | 7 |
| | No. 3 ,, | 38,811 | 2 | 3 | 1 | 1 | 18 |
| | No. 4 ,, | 36,703 | 5 | 4 | 2 | 1 | 19 |
| Rathmines District, | | 20,939 | – | 3 | – | 2 | 13 |
| Donnybrook, ,, | | 21,758 | – | 6 | – | 2 | 12 |
| Blackrock, ,, | | 7,182 | 2 | – | – | – | 6 |
| Kingstown, ,, | | 18,461 | – | 2 | – | – | 7 |
| | Total, | 314,666 | 36 | 31 | 12 | 12 | 203 |

Sixty-seven of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin, and 16 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 51 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 15 per 1,000; and in No. 3, North City (Blackhall-street), to 55 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 57 per 1,000; in No. 2, South City District (High-street), the ratio was 12 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 24 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 27 per 1,000.

In the Suburban District of Rathmines the annual ratio was 32 per 1,000; in Donnybrook it was 29—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 43; and in Kingstown 20 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,557 and the deaths to 1,631 (against an average of 1,566 for corresponding week 1866–75); in Glasgow the births *registered* were 503, and the deaths 314; and in Edinburgh the births were 134, and the deaths 89. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·482 inches. The highest daily mean reading (30·018) occurred on Sunday, and the lowest (29·042) on Wednesday.

The mean temperature during the week was 47·5° (the average in the corresponding week of the previous ten years was 49·9°); the lowest daily mean (45·2°) occurred on Wednesday and the highest (49·7°) on Tuesday.

The temperature was highest on Friday, when the thermometer registered 60·0°, and was lowest on Sunday, the mercury having fallen to 35·0°. The highest reading of the barometer during the week (30·086) occurred on Sunday, at 9.30 A.M., wind S.E., and the lowest (29·010) on Wednesday, at 3.30 P.M., wind N. The mean of the Dry Bulb for the week was 48·2°; and of the Wet Bulb 45·3°. The mean humidity of the air was ·812; complete saturation being represented by 1·0. The rain-fall during the week measured ·620 in.

At Greenwich, the mean temperature of the week was 47·5°; and at Glasgow, 45·4°. The rain-fall during the week at Greenwich measured ·20 in., and at Glasgow ·37 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876 Month and Day. | Barometer. Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation being represented by 1·0. | Ozone. 1·0. | Rain Gauge. | Direction of the Wind. 9.30 A.M. | Direction of the Wind. 3.30 P.M. | Direction of the Wind. 9.30 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Apr. 16, | 30·018 | 58·5 | 35·0 | 46·7 | 50·5 | 43·9 | ·624 | ·3 | ·000 | S.E. | S.S.E. | S.S.E. |
| Monday, „ 17, | 29·463 | 51·4 | 42·0 | 46·7 | 45·0 | 42·5 | ·807 | ·2 | ·250 | E. | E. | E. |
| Tuesday, „ 18, | 29·089 | 56·6 | 42·7 | 49·7 | 49·6 | 47·4 | ·844 | ·3 | ·015 | E.S.E. | E. | E. |
| Wednesday, „ 19, | 29·042 | 49·5 | 41·0 | 45·2 | 45·5 | 44·8 | ·956 | ·7 | ·350 | N. | N. | Calm |
| Thursday, „ 20, | 29·210 | 59·0 | 39·0 | 49·0 | 48·7 | 46·4 | ·859 | ·9 | ·005 | N.W. | S.W. | Calm |
| Friday, „ 21, | 29·607 | 60·0 | 38·7 | 49·4 | 50·6 | 47·7 | ·809 | ·5 | ·000 | W. | E. | Calm |
| Saturday, „ 22, | 29·946 | 53·1 | 38·5 | 45·8 | 47·3 | 44·2 | ·786 | ·2 | ·000 | N. | E. | E. |
| Mean, . . | 29·482 | 55·4 | 39·6 | 47·5 | 48·2 | 45·3 | ·812 | ·4 | Total, ·620 | Prevailing wind, E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Apr. 16, | A.M. Fine and pleasant. | P.M. Fine starlight. |
| Monday, „ 17, | A.M. Fine. | P.M. Gloomy. |
| Tuesday, „ 18, | A.M. Fine. | P.M. Fine. |
| Wednesday, „ 19, | A.M. Raining. | P.M. Raining. |
| Thursday, „ 20, | A.M. Raining. | P.M. Fine. |
| Friday, „ 21, | A.M. Fine and pleasant. | P.M. Fine. |
| Saturday, „ 22, | A.M. Fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

*Kindly furnished by the Registrars-General of England and Scotland.*

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 22nd April, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 22ND APRIL, 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 34 | 196 | 203 | 24 | 41 | . | 3 | 6 | . | 5 | 3 | 2 | 7 | 9 | 67 |
| BELFAST,† . . | 20,687 | 182,082 | 25 | 170 | 89 | 21 | 10 | . | . | 1 | 1 | 3 | 2 | 4 | . | . | 8 |
| CORK, . . . | 13,816 | 91,965 | 24 | 56 | 43 | 3 | 11 | . | . | . | . | 2 | 1 | 1 | . | . | 9 |
| LIMERICK, (a) . . | 8,509 | 44,209 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 17 | 17 | 10 | . | 2 | . | . | . | . | . | . | 1 | . | . | 5 |
| WATERFORD, . . | 17,209 | 30,626 | 34 | 29 | 20 | 5 | 5 | . | . | . | . | . | . | . | 2 | 7 | 3 |
| GALWAY, . . | 21,358 | 19,692 | 21 | 8 | 8 | . | 7 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . . . | 30,835 | 17,285 | 24 | 6 | 8 | 1 | 3 | . | . | . | . | . | . | . | 1 | 1 | 5 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 22nd April, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 11 | 7 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 17 | 11 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 3, | 39,311 | 22 | 39 | 17 | 7 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 54 | 24 | 20 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | 6 |
| | ,, ,, 5, | 19,616 | 19 | 21 | 7 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 31 | 30 | 22 | 4 | 4 | . | . | . | . | . | . | 3 | . | . | . |
| | ,, ,, 9, | 5,296 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 38 | 13 | 6 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 23 | 17 | 7 | 2 | 3 | . | . | . | . | 1 | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 23 | 5 | 5 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 38 | 4 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 9 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 20 | 8 | 6 | . | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 7, | 7,586 | 35 | 6 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 40 | 10 | 14 | . | 4 | . | . | . | . | 2 | 1 | . | . | . | 9 |
| | ,, ,, 9, | 4,790 | 33 | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 7 | 4 | . | 1 | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 64 | 2 | 11 | 1 | 4 | . | . | . | . | . | . | . | . | 2 | 8 |
| | ,, ,, 3, (a) | 11,424 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 29 | 12 | 9 | 2 | 1 | . | . | . | . | 2 | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 34 | 8 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | . | 5 |
| | Glendermot, *W.* | 8,483 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . | Waterford, *W.* | 30,626 | 34 | 29 | 20 | 5 | 5 | . | . | . | . | . | . | . | 2 | 7 | 3 |
| GALWAY, . | Galway, No. 1, | 10,700 | 10 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 35 | 4 | 6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . | Sligo, No. 1, *W.* | 6,456 | 64 | 1 | 8 | 1 | 3 | . | . | . | . | . | . | . | 1 | 1 | 5 |
| | ,, ,, 2, | 10,829 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
(a) Return for Limerick No. 3 District not received.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 22nd April, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,665 |
| Births, | 29 | 22 | 12 | 22 | 21 | 31 | 23 | 21 | 6 | 3 | 6 | 196 |
| **Deaths from all Causes,** | 48 | 9 | 29 | 35 | 7 | 18 | 19 | 13 | 12 | 6 | 7 | 203 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | . | 2 | . | . | . | . | . | 3 |
| Scarlet Fever (Scarlatina), | 3 | . | 1 | 1 | . | . | 1 | . | . | . | . | 6 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 4 | . | . | . | 1 | . | . | . | . | . | . | 5 |
| Fever, | . | 1 | . | . | . | . | . | 2 | . | . | . | 3 |
| Diarrhœa, | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 4 | . | 1 | 1 | . | 1 | . | . | . | . | . | 7 |
| Total, | 11 | 1 | 2 | 4 | 1 | 3 | 1 | 3 | . | . | . | 26 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 1 | 4 | 5 | . | 3 | 4 | 3 | 6 | . | 2 | 31 |
| Other Constitutional Diseases, | 3 | 1 | 4 | 4 | 1 | . | 1 | . | 1 | 2 | . | 17 |
| Total, | 6 | 2 | 8 | 9 | 1 | 3 | 5 | 3 | 7 | 2 | 2 | 48 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | . | 5 | 4 | 1 | 3 | 3 | 1 | . | 1 | | 23 |
| Diseases of the Heart and Circulatory Organs, | 7 | . | 2 | . | . | 1 | 1 | 2 | 2 | . | . | 15 |
| Diseases of the Respiratory Organs, | 13 | 1 | 9 | 11 | 4 | 3 | 6 | 1 | . | 2 | . | 50 |
| Diseases of the Digestive Organs, | 5 | . | . | . | . | 2 | 1 | . | . | 1 | 1 | 10 |
| Diseases of the Urinary Organs, | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 28 | 1 | 16 | 15 | 5 | 9 | 11 | 5 | 3 | 4 | 3 | 100 |
| DEVELOPMENTAL DISEASES, | 3 | 4 | 2 | 3 | . | 2 | 1 | 2 | 2 | . | 1 | 20 |
| VIOLENT DEATHS, | . | 1 | 1 | 2 | . | 1 | 1 | . | . | . | 1 | 7 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 2 | . | . | . | . | . | . | . | 2 |
| Annual Rate of Mortality in every 1,000 of the Population, | 51 | 15 | 5 | 37 | 12 | 24 | 27 | 32 | 29 | 43 | 20 | 34 |

## NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 19 | 1 | 7 | 3 | . | 3 | 2 | . | 3 | . | . | 38 |
| Workhouse Hospitals | . | . | 13 | 16 | . | . | . | . | . | . | . | 29 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the SIXTEENTH WEEK, ending Saturday, April 22nd, 1876; also the Number of Deaths from each Class of Diseases, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Apr 21 1866 | Apr 20 1867 | Apr 18 1868 | Apr 24 1869 | Apr 23 1870 | Apr 22 1871 | Apr 20 1872 | Apr 19 1873 | Apr 25 1874 | Apr 24 1875 | Average of Deaths in 1866-75 | *Registered* in the Week ending Saturday, April 22nd, 1876. ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 50°1 | 49°7 | 50°2 | 50°1 | 51°6 | 50°6 | 45°2 | 49°6 | 54°3 | 47°7 | 49°9 | 47°5 | | | | | | | |
| | **ALL CAUSES,** | 198 | 153 | 134 | 151 | 146 | 165 | 191 | 187 | 167 | 129 | 164·1 | 203 | 55 | 14 | 5 | 37 | 51 | 34 | 7 |
| | **SPECIFIED CAUSES,** | 194 | 149 | 133 | 150 | 143 | 162 | 189 | 181 | 162 | 128 | 161·1 | 201 | 55 | 14 | 5 | 37 | 50 | 33 | 7 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 31 | 41 | 25 | 31 | 23 | 31 | 77 | 27 | 42 | 16 | 34·4 | 26 | 16 | 6 | . | 3 | . | . | 1 |
| II. | CONSTITUTIONAL „ | 36 | 30 | 30 | 28 | 41 | 51 | 32 | 41 | 33 | 35 | 35·7 | 48 | 8 | 4 | 2 | 16 | 14 | 4 | . |
| III. | LOCAL „ | 95 | 58 | 59 | 74 | 58 | 84 | 54 | 86 | 62 | 53 | 68·3 | 100 | 27 | 3 | 1 | 14 | 33 | 20 | 2 |
| IV. | DEVELOPMENTAL „ | 28 | 14 | 17 | 16 | 19 | 12 | 23 | 23 | 23 | 23 | 19·8 | 20 | 4 | . | . | 2 | 3 | 7 | 4 |
| V. | VIOLENT DEATHS, | 4 | 6 | 2 | 1 | 2 | 4 | 3 | 4 | 2 | 1 | 2·9 | 7 | . | 1 | 2 | 2 | . | 2 | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 29 | 36 | 22 | 31 | 23 | 31 | 76 | 27 | 41 | 16 | 33·2 | 24 | 15 | 5 | . | 3 | . | . | 1 |
| | 2. ENTHETIC „ | 2 | 1 | . | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | . | 3 | 2 | . | . | . | 1 | . | 1 | . | ·7 | 1 | . | 1 | . | . | . | . | . |
| | 4. PARASITIC „ | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 11 | 7 | 5 | 5 | 6 | 5 | 5 | 5 | 7 | 5 | 6·1 | 8 | . | 1 | . | 1 | 3 | 3 | . |
| | 2. TUBERCULAR „ | 25 | 23 | 25 | 23 | 35 | 46 | 27 | 36 | 25 | 30 | 29·6 | 40 | 8 | 3 | 2 | 15 | 11 | 1 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 33 | 22 | 17 | 23 | 23 | 20 | 16 | 31 | 19 | 13 | 21·7 | 23 | 13 | . | . | 1 | 4 | 4 | 1 |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 12 | 4 | 9 | 7 | 7 | 8 | 4 | 7 | 11 | 8 | 7·7 | 15 | . | . | . | 2 | 9 | 4 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 41 | 23 | 30 | 38 | 22 | 43 | 26 | 36 | 19 | 26 | 30·3 | 50 | 13 | 1 | 1 | 8 | 15 | 12 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 6 | 6 | 3 | 4 | 6 | 10 | 5 | 8 | 8 | 5 | 6·1 | 10 | 1 | 1 | . | 3 | 5 | . | . |
| | 5. DISEASES OF URINARY ORGANS, | 2 | 2 | . | 2 | . | . | 3 | 3 | 1 | . | 1·3 | 1 | . | . | . | . | . | . | 1 |
| | 6. DISEASES OF ORGANS OF GENERATION, | 1 | 2 | . | . | . | 1 | . | . | 3 | . | ·7 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | . | . | . | 1 | . | 1 | . | 1 | ·3 | 1 | . | 1 | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 1 | 1 | 1 | . | 2 | . | 1 | 1 | . | 1 | ·8 | 2 | 2 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | . | 1 | 1 | 1 | . | 1 | 1 | 1 | 1 | . | ·7 | 2 | . | . | . | 2 | . | . | . |
| | 3 „ „ OLD PEOPLE | 21 | 4 | 9 | 8 | 10 | 9 | 14 | 17 | 17 | 17 | 12·6 | 11 | . | . | . | . | . | 7 | 4 |
| | 4. DISEASES OF NUTRITION, | 6 | 8 | 6 | 7 | 7 | 2 | 7 | 4 | 5 | 5 | 5·7 | 5 | 2 | . | . | . | 3 | . | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 3 | 4 | 1 | 1 | 2 | 3 | 3 | 3 | 1 | 1 | 2·2 | 7 | . | 1 | 2 | 2 | . | 2 | . |
| | *2. HOMICIDE, | 1 | 1 | 1 | . | . | 1 | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 4 | 4 | 1 | 1 | 3 | 3 | 2 | 6 | 5 | 1 | 3·0 | 2 | . | . | . | . | 1 | 1 | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the SIXTEENTH WEEK, ending Saturday, 22nd April, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 16th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, April 22nd, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Apr 21 1866 | Apr 20 1867 | Apr 18 1868 | Apr 24 1869 | Apr 23 1870 | Apr 22 1871 | Apr 20 1872 | Apr 19 1873 | Apr 25 1874 | Apr 24 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 50·1 | ° 49·7 | ° 50·2 | ° 50·1 | ° 51·6 | ° 50·6 | ° 45·2 | ° 49·6 | ° 54·3 | ° 47·7 | ° 49·9 | ° 47·5 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | 2 | 52 | . | . | 1 | 5·6 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 15 | 4 | 4 | 2 | . | 3 | . | 3 | . | 3·1 | 3 | 3 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 4 | 6 | 12 | 3 | 2 | 3 | 4 | 17 | 5 | 5·7 | 6 | 3 | 3 | . | . | . | . | . |
| | 4. Diphtheria, | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | . | . | 1 | 1 | 3 | 1 | 4 | 4 | 1 | 1·5 | 3 | 2 | 1 | . | . | . | . | . |
| | 7. Whooping Cough, | 7 | 1 | 4 | . | 3 | 7 | 1 | 4 | . | . | 2·7 | 5 | 4 | 1 | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 7 | 2 | 3 | . | . | . | | 1 | 1 | . | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | 10 | 3 | 2 | 5 | 3 | 3 | 4 | 8 | 7 | 2 | 7·0 | 2 | 1 | . | . | 1 | . | . | . |
| | – Simple continued Fever, | | | | . | 1 | 4 | 2 | . | 1 | 2 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 1 | 3 | 1 | . | 1 | 1 | . | 2 | 1 | 2 | 1·2 | 1 | . | . | . | 1 | . | . | . |
| | 10. Puerperal Fever (Metria), | 1 | 1 | 1 | 1 | . | . | . | 1 | 2 | . | ·7 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | 1 | . | . | . | . | . | 2 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | . | . | 1 | 2 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 7 | 6 | 3 | 5 | 2 | 1 | 4 | 1 | 3 | 2 | 3·4 | 2 | 1 | . | . | . | . | . | 1 |
| | 15. Simple Cholera, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | 2 | 1 | . | . | 3 | . | . | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | . | . | . | . | 1 | 1 | 1 | . | ·3 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 2 | 1 | . | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | 1 | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | 2 | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | | 1 | 1 | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 2 | . | 1 | 2 | 2 | 3 | 3 | 2 | 3 | . | 1·8 | 4 | . | 1 | . | . | 2 | 1 | . |
| | 3. Cancer, | 8 | 4 | 1 | 3 | 4 | 2 | 2 | 3 | 4 | 5 | 3·6 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 4. Cancrum Oris (Noma), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | 1 | 2 | . | . | . | . | . | . | . | ·4 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 3 | 1 | 2 | 2 | 1 | . | 3 | . | 1 | 1·5 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 3 | 6 | 3 | 2 | 2 | 5 | 2 | 3 | 1 | 3 | 3·0 | 4 | 4 | . | . | . | . | . | . |
| | 3. Phthisis, | 20 | 11 | 20 | 15 | 30 | 36 | 20 | 28 | 21 | 20 | 22·1 | 31 | . | 2 | 2 | 15 | 11 | 1 | . |
| | 4. Hydrocephalus, | . | 3 | 1 | 4 | 1 | 4 | 5 | 2 | 4 | 6 | 3·0 | 5 | 4 | 1 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 2 | 3 | 1 | . | 3 | 1 | 2 | 3 | . | . | 1·5 | 1 | 1 | . | . | . | . | . | . |
| | 2. Apoplexy, | 3 | 5 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 1 | 2·9 | 5 | . | . | . | . | 2 | 3 | . |
| | 3. Paralysis, | 2 | 2 | 2 | 2 | 4 | 5 | 4 | 2 | 4 | 1 | 2·8 | 3 | . | . | . | . | 1 | 1 | 1 |
| | 4. Insanity, | . | . | . | . | . | 1 | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 2 | 1 | 1 | 1 | 1 | 1 | 2 | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 22 | 7 | 8 | 12 | 9 | 7 | 3 | 14 | 8 | 7 | 9·7 | 12 | 12 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 4 | 3 | 1 | 5 | 4 | 2 | 3 | 6 | 3 | 4 | 3·5 | 2 | . | . | . | 1 | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| | 2. Aneurism, | 1 | . | . | 1 | 2 | . | . | . | 1 | . | ·5 | 2 | . | . | . | 1 | 1 | . | . |
| | 3. *Heart Disease, &c.* | 11 | 3 | 9 | 6 | 5 | 8 | 4 | 6 | 10 | 8 | 7·0 | 12 | . | . | . | . | 8 | 4 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | . | . | . | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 31 | 19 | 18 | 29 | 13 | 34 | 21 | 30 | 13 | 21 | 22·9 | 36 | 10 | . | 1 | 3 | 11 | 11 | . |
| | 3. Pleurisy, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | 2 | . | . | . | 1 | 1 | . | . |
| | 4. Pneumonia, | 8 | 1 | 7 | 7 | 4 | 4 | 3 | 4 | 2 | 4 | 4·4 | 7 | 3 | 1 | . | 2 | . | 1 | . |
| | 5. Asthma, | . | 1 | 1 | 1 | . | 3 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 1 | 3 | 1 | 5 | 1 | 1 | 2 | 3 | 1 | 1·9 | 5 | . | . | . | 2 | 3 | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | 1 | . | 1 | . | . | . | 1 | 2 | . | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 3. Peritonitis, | 1 | 1 | . | . | . | 1 | 1 | 1 | . | . | ·5 | 2 | . | 1 | . | . | 1 | . | . |
| | 4. Ascites, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Apr 21 1866 | Apr 20 1867 | Apr 18 1868 | Apr 24 1869 | Apr 23 1870 | Apr 22 1871 | Apr 20 1872 | Apr 19 1873 | Apr 25 1874 | Apr 24 1875 | Average of Temperature and of Deaths in 16th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, April 22nd, 1876. Deaths of Persons of the Ages — ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 50·1 | 49·7 | 50·2 | 50·1 | 51·6 | 50·6 | 45·2 | 49·6 | 54·3 | 47·7 | 49·9 | Mean Temp. 47·5 | | | | | | | |
| III. | 7. Ileus, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| con. | 8. Intussusception, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | 1 | . | . | 3 | 2 | . | 1 | . | 4 | 1·1 | 1 | . | . | . | . | 1 | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | 1 | . | . | 2 | . | 1 | . | 2 | . | ·6 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 1 | 2 | 2 | 1 | 6 | 1 | 5 | 3 | 1 | 2·3 | 4 | . | . | . | 2 | 2 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | 1 | . | . | . | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | 1 | . | 2 | . | . | 2 | 2 | . | . | ·8 | 1 | . | . | . | . | . | . | 1 |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | 1 | . | . | . | 1 | . | . | 3 | . | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | 1 | . | 1 | . | 1 | ·3 | 1 | . | 1 | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 1 | . | 1 | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | 1 | . | . | 1 | . | . | . | . | 1 | ·4 | 2 | 2 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | 1 | 1 | 1 | . | 1 | 1 | 1 | 1 | . | ·7 | 2 | . | . | . | 2 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 21 | 4 | 9 | 8 | 10 | 9 | 14 | 17 | 17 | 17 | 12·6 | 11 | . | . | . | . | . | 7 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 6 | 8 | 6 | 7 | 7 | 2 | 7 | 4 | 5 | 5 | 5·7 | 5 | 2 | . | . | . | 3 | . | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | 2 | 1 | 1 | 2 | . | 1 | 1 | 1 | . | 1·1 | 2 | . | . | . | . | . | 2 | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 1 | . | . | . | 2 | . | . | . | . | ·3 | 3 | . | 1 | 2 | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | . | . | . | . | 1 | 1 | 2 | . | . | ·5 | 2 | . | . | . | 2 | . | . | . |
| | 6. Suffocation, | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) 1. Murder and Manslaughter, | 1 | 1 | 1 | . | . | 1 | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) 1. Wounds, { Gunshot, Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined | 4 | 4 | 1 | 1 | 3 | 3 | 2 | 6 | 5 | 1 | 3·0 | 2 | . | . | . | . | 1 | 1 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | | | 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 30. | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan 22. | Jan. 29. | Feb. 5. | Feb. 12. | eb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. |
| BIRTHS, | 135 | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 | 196 |
| DEATHS, | 136 | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 |
| Deaths under 5 years of age, | 45 | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 | 55 |
| Deaths 5–15, | 9 | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 |
| Deaths 15–20, | 4 | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 |
| Deaths 20–40, | 20 | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 26 | 30 | 26 | 17 | 37 |
| Deaths 40–60, | 27 | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 | 51 |
| Deaths 60–80, | 26 | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 | 34 |
| Deaths at 80 years of age and upwards, | 5 | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | 1 | .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 1 | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 |
| ,, Scarlatina, | 1 | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 |
| ,, Diphtheria, | 2 | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . |
| ,, Whooping Cough, | 5 | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 |
| ,, Fever, | 6 | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 |
| ,, Diarrhœa, | 9 | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 |
| ,, Phthisis, | 14 | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 |
| ,, Bronchitis, | 18 | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 |
| ,, Pneumonia, | 5 | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 |
| ,, Heart Disease, | 9 | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 |
| Mean Temperature of the Air | 47·9 | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 | 47·5 |
| Rain-fall in inches, | 4·038 | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·895 | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 | ·812 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[117.—800.—4/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, APRIL 29, 1876. [No. 17.

*General Register Office, Charlemont House, Dublin, May 1st, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 29th *April, 1876*, represent an annual mortality of 29 in every 1,000 of the population, by the Census of 1871. In London the death rate was 23 in every 1,000 of the estimated population; in Glasgow, 27; and in Edinburgh, 21.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 188—90 boys and 98 girls,—and the deaths to 174—106 males and 68 females. The *average* numbers in the corresponding week of the previous ten years were—births, 172, and deaths, 170.

The deaths from zymotic diseases *registered* during the week amounted to 29, viz.:—6 from fever (4 from typhus, and 1 each from typhoid and simple continued fever), 3 from scarlet fever, 6 each from measles and whooping-cough, 2 from erysipelas, 1 each from diphtheria, influenza, diarrhœa, &c.

Fifteen children died from convulsions.

Bronchitis proved fatal in 29 instances, pneumonia in 7, and lung disease unspecified in 4.

Two deaths resulted from apoplexy, 1 from paralysis, 2 from epilepsy, and 3 from brain disease unspecified.

Ten deaths were ascribed to heart disease, 1 to aneurism, 5 to liver disease, 1 to jaundice, and 3 to nephria or Bright's disease.

Twenty-one persons died from phthisis or pulmonary consumption, 3 each from mesenteric disease and hydrocephalus, and 1 from scrofula.

Seven deaths from accidental causes were *registered*, viz., 2 from fractures, 2 from burns, 2 from drowning, and 1 from suffocation.

Fifty-eight of the persons whose deaths were *registered* during the week were under 5 years of age (34 being infants under 1 year old), and 28 were aged 60 and upwards, including 20 persons aged 70 and upwards, of whom 5 were octogenarians, and 2 (females) were stated to have been aged 90 years.

Three deaths from whooping-cough, and 1 from diarrhœa were *registered* in Belfast.

Four deaths from fever, 3 from diarrhœa, and 1 from measles were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Convulsions. | Disease of Heart. | |
| DUBLIN CITY:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 7 | 4 | 5 | 1 | 34 |
| | No. 2 ,, | 31,993 | 3 | 1 | 1 | 2 | 15 |
| | No. 3 ,, | 27,546 | – | 4 | 3 | 1 | 26 |
| South Side, | No. 1 District, | 32,184 | 5 | 2 | 1 | – | 30 |
| | No. 2 ,, | 29,952 | 2 | 1 | 1 | 1 | 9 |
| | No. 3 ,, | 38,811 | 4 | 2 | 1 | 3 | 18 |
| | No. 4 ,, | 36,703 | 2 | 3 | 1 | – | 19 |
| RATHMINES DISTRICT, | . | 20,939 | 2 | 2 | – | – | 9 |
| DONNYBROOK, | ,, . | 21,758 | 1 | 2 | 1 | – | 6 |
| BLACKROCK, | ,, . | 7,182 | 1 | – | 1 | – | 2 |
| KINGSTOWN, | ,, . | 18,461 | 2 | – | – | 2 | 6 |
| | Total, . | 314,666 | 29 | 21 | 15 | 10 | 174 |

T

Fifty-two of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin, and 11 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 36 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 24 per 1,000; and in No. 3, North City (Blackhall-street), to 49 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 48 per 1,000; in No. 2, South City District (High-street), the ratio was 16 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 24 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 27 per 1,000.

In the Suburban District of Rathmines the annual ratio was 22 per 1,000; in Donnybrook it was 14—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 14; and in Kingstown 17 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,543 and the deaths to 1,524 (against an average of 1,472 for corresponding week 1866–75); in Glasgow the births *registered* were 430, and the deaths 281; and in Edinburgh the births were 130, and the deaths 86. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·773 inches. The highest daily mean reading (30·075) occurred on Wednesday, and the lowest (29·438) on Friday.

The mean temperature during the week was 49·1° (the average in the corresponding week of the previous ten years was 49·7°); the lowest daily mean (46·2°) occurred on Saturday and the highest (53·0°) on Wednesday.

The temperature was highest on Monday, when the thermometer registered 63·2°, and was lowest on Tuesday, the mercury having fallen to 35·7°. The highest reading of the barometer during the week (30·117) occurred on Wednesday, at 9.30 A.M., wind W., and the lowest (29·425) on Friday, at 9.30 P.M., air calm. The mean of the Dry Bulb for the week was 49·6°; and of the Wet Bulb 47·0°. The mean humidity of the air was ·835; complete saturation being represented by 1·0. The rain-fall during the week measured ·920 in.

At Greenwich, the mean temperature of the week was 50·3°; and at Glasgow, 44·4°. The rain-fall during the week at Greenwich measured ·21 in., and at Glasgow 1·32 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Apr. 23, | 29·890 | 56·3 | 41·4 | 48·8 | 49·2 | 46·8 | ·843 | ·5 | ·120 | E. | S. | S. |
| Monday, „ 24, | 29·794 | 63·2 | 42·2 | 52·7 | 51·4 | 48·7 | ·826 | 1·0 | ·330 | S.E. | S.W. | Calm. |
| Tuesday, „ 25, | 29·960 | 57·4 | 35·7 | 46·5 | 47·9 | 45·3 | ·821 | 1·0 | ·150 | W. | W. | W. |
| Wednesday, „ 26, | 30·075 | 60·7 | 45·3 | 53·0 | 51·2 | 47·4 | ·762 | ·5 | ·005 | W. | S.W. | Calm. |
| Thursday, „ 27, | 29·686 | 57·5 | 41·1 | 49·3 | 53·2 | 50·9 | ·859 | ·7 | ·150 | Calm. | S. | S.E. |
| Friday, „ 28, | 29·438 | 58·4 | 35·8 | 47·1 | 46·8 | 44·6 | ·869 | ·4 | ·160 | S.W. | S. | Calm. |
| Saturday, „ 29, | 29·570 | 54·6 | 37·9 | 46·2 | 47·4 | 45·6 | ·868 | ·3 | ·005 | E. | N.E. | N.E. |
| Mean, . . | 29·773 | 58·3 | 39·9 | 49·1 | 49·6 | 47·0 | ·835 | ·6 | Total, ·920 | Prevailing wind, S. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Apr. 23, | A.M. Fine. | P.M. Raining. |
| Monday, „ 24, | A.M. Dull. | P.M. Dull. |
| Tuesday, „ 25, | A.M. Fine. | P.M. Fine. |
| Wednesday, „ 26, | A.M. Fine and pleasant. | P.M. Dull but fine. |
| Thursday, „ 27, | A.M. Dropping rain. | P.M. Dull. |
| Friday, „ 28, | A.M. Fine and pleasant. | P.M. Fine. |
| Saturday, „ 29, | A.M. Raining. | P.M. Gloomy. |

*.—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. ndly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 29th April, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 29TH APRIL, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 29 | 188 | 174 | 34 | 28 | . | 6 | 3 | 1 | 6 | 6 | 1 | 7 | 11 | 52 |
| BELFAST,† . . | 20,687 | 182,082 | 28 | 151 | 98 | 15 | 14 | . | . | . | . | 3 | . | 1 | 1 | . | 7 |
| CORK, . . . | 13,816 | 91,965 | 38 | 64 | 49 | 6 | 15 | . | 1 | . | . | . | 4 | 3 | . | . | 14 |
| LIMERICK, . . | 8,509 | 44,209 | 34 | 27 | 29 | 3 | 10 | . | . | 1 | . | . | . | . | . | 2 | 12 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 17 | 17 | 10 | 2 | 4 | . | . | . | . | . | . | . | . | 2 | 3 |
| WATERFORD, . . | 17,209 | 30,626 | 20 | 19 | 12 | 1 | 3 | . | . | . | . | . | 1 | . | . | 1 | 2 |
| GALWAY, . . | 21,358 | 19,692 | 18 | 3 | 7 | . | 5 | . | . | . | . | . | . | 1 | . | . | 3 |
| SLIGO, . . . | 30,835 | 17,285 | 27 | 3 | 9 | 1 | 5 | . | . | . | . | . | . | . | 1 | 2 | 5 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 29th April, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 34 | 16 | 13 | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 2, | 17,938 | 32 | 24 | 11 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 3, | 39,311 | 21 | 39 | 16 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | 1 |
| | ,, ,, 4, *W.* | 19,320 | 35 | 12 | 13 | 2 | 1 | . | . | . | . | . | . | . | . | . | 6 |
| | ,, ,, 5, | 19,616 | 16 | 13 | 6 | . | 1 | . | . | . | . | . | . | . | 1 | . | . |
| | ,, ,, 6, | 36,652 | 34 | 31 | 24 | 4 | 10 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 26 | 5 | 4 | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| | Castlereagh ,, 1, | 16,155 | 32 | 11 | 10 | . | . | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 20 | 3 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 27 | 6 | 6 | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | 2 |
| | ,, ,, 3, | 6,818 | 46 | 5 | 6 | 2 | 1 | . | 1 | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, | 6,227 | 8 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 18 | 2 | 4 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 6, | 15,230 | 20 | 25 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 7, | 7,586 | 14 | 10 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 40 | 8 | 14 | . | 7 | . | . | . | . | . | . | . | . | . | 10 |
| | ,, ,, 9, | 4,790 | 65 | 4 | 6 | 1 | . | . | . | . | . | . | 3 | . | . | . | 1 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 33 | 2 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, *W.* | 8,992 | 87 | 6 | 15 | 2 | 6 | . | . | . | . | . | . | . | . | . | 11 |
| | ,, ,, 3, | 11,424 | 18 | 5 | 4 | . | 4 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 16 | 14 | 5 | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 2, | 13,569 | 15 | 10 | 4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . |
| | Glendermot, *W.* | 8,483 | 25 | 4 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | 3 |
| WATERFORD, | Waterford, *W.* | 30,626 | 20 | 19 | 12 | 1 | 3 | . | . | . | . | . | 1 | . | . | 1 | 2 |
| GALWAY, | Galway, No. 1, | 10,700 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 35 | . | 6 | . | 5 | . | . | . | . | . | . | 1 | . | . | 3 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 72 | 1 | 9 | 1 | 5 | . | . | . | . | . | . | . | 1 | 2 | 5 |
| | ,, ,, 2, | 10,829 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 29th April, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,626 |
| Births, | 26 | 44 | 12 | 22 | 9 | 19 | 22 | 5 | 15 | 6 | 8 | 188 |
| Deaths from all Causes, | 34 | 15 | 26 | 30 | 9 | 18 | 19 | 9 | 6 | 2 | 6 | 174 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | . | . | 3 | 1 | 1 | . | . | 6 |
| Scarlet Fever (Scarlatina), | 1 | . | . | 2 | . | . | . | . | . | . | . | 3 |
| Diphtheria, | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Whooping Cough, | 4 | 1 | . | . | 1 | . | . | . | . | . | . | 6 |
| Fever, | 3 | . | 3 | . | . | . | . | . | . | . | . | 6 |
| Diarrhœa, | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | . | . | 2 | 4 | . | . | . | . | . | . | . | 6 |
| Total, | 8 | 1 | 6 | 7 | 1 | . | 4 | 1 | 1 | . | . | 29 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 4 | 1 | 4 | 2 | 1 | 2 | 3 | 2 | 2 | . | | 21 |
| Other Constitutional Diseases, | 1 | 2 | . | 1 | 1 | 1 | 1 | 2 | . | . | . | 9 |
| Total, | 5 | 3 | 4 | 3 | 2 | 3 | 4 | 4 | 2 | . | . | 30 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 5 | 1 | 5 | 5 | 1 | 2 | 2 | . | 1 | 1 | . | 23 |
| Diseases of the Heart and Circulatory Organs, | 2 | 2 | 1 | . | 1 | 3 | . | . | . | . | 2 | 11 |
| Diseases of the Respiratory Organs, | 7 | 3 | 4 | 7 | 3 | 6 | 4 | 2 | 1 | 1 | 2 | 40 |
| Diseases of the Digestive Organs, | . | 2 | 2 | 1 | . | 2 | 1 | . | . | . | 1 | 9 |
| Diseases of the Urinary Organs, | . | 1 | 1 | . | . | . | . | . | . | . | 1 | 3 |
| Diseases of the Organs of Generation, | . | . | . | . | 1 | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 14 | 9 | 13 | 13 | 6 | 13 | 7 | 2 | 2 | 2 | 6 | 87 |
| DEVELOPMENTAL DISEASES, | 7 | 2 | 3 | 2 | . | 1 | 2 | 2 | 1 | . | . | 20 |
| VIOLENT DEATHS, | . | . | . | 5 | . | 1 | 1 | . | . | . | . | 7 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Annual Rate of Mortality in every 1,000 of the Population, | 36 | 24 | 49 | 48 | 16 | 24 | 27 | 23 | 14 | 14 | 17 | 29 |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | . | 11 | 9 | . | 4 | 4 | . | . | . | 1 | 3 |
| Workhouse Hospitals, | . | . | 11 | 11 | . | . | . | . | . | . | . | 22 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

ATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the SEVENTEENTH WEEK, ending Saturday, April 29th, 1876; also the Number of Deaths from each Class of Disease, Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 17th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, April 29th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Apr. 28 1866 | Apr. 27 1867 | Apr. 25 1868 | May 1 1869 | Apr. 30 1870 | Apr. 29 1871 | Apr. 27 1872 | Apr 26 1873 | May 2 1874 | May 1 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 52·1 | ° 48·4 | ° 49·6 | ° 50·7 | ° 49·3 | ° 50·8 | ° 47·3 | ° 43·4 | ° 53·1 | ° 52·1 | ° 49·7 | ° 49·1 | | | | | | | |
| | **ALL CAUSES,** | 160 | 174 | 180 | 144 | 176 | 157 | 250 | 151 | 166 | 140 | 169·8 | 174 | 58 | 9 | 3 | 39 | 37 | 21 | 7 |
| | **SPECIFIED CAUSES,** | 159 | 171 | 175 | 143 | 171 | 153 | 249 | 149 | 163 | 140 | 167·3 | 173 | 57 | 9 | 3 | 39 | 37 | 21 | 7 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 38 | 43 | 43 | 23 | 31 | 26 | 37 | 26 | 39 | 14 | 37·0 | 29 | 16 | 1 | 2 | 5 | 5 | . | . |
| II. | CONSTITUTIONAL „ | 30 | 45 | 44 | 22 | 48 | 21 | 52 | 38 | 33 | 33 | 36·6 | 30 | 7 | 3 | 1 | 14 | 5 | . | . |
| III. | LOCAL „ | 69 | 68 | 64 | 76 | 70 | 80 | 75 | 62 | 70 | 70 | 70·4 | 87 | 25 | 5 | . | 16 | 25 | 15 | 1 |
| IV. | DEVELOPMENTAL „ | 18 | 12 | 18 | 16 | 15 | 21 | 29 | 20 | 17 | 20 | 18·6 | 20 | 7 | . | . | 2 | . | 5 | 6 |
| V. | VIOLENT DEATHS, | 4 | 3 | 6 | 6 | 7 | 5 | 6 | 3 | 4 | 3 | 4·7 | 7 | 2 | . | . | 2 | 2 | 1 | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 38 | 40 | 41 | 22 | 30 | 25 | 35 | 26 | 38 | 13 | 35·8 | 27 | 15 | 1 | 2 | 5 | 4 | . | . |
| | 2. ENTHETIC „ | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 3. DIETIC „ | . | 2 | 2 | . | 1 | 1 | 2 | . | . | 1 | ·9 | 1 | . | . | . | . | 1 | . | . |
| | 4. PARASITIC „ | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II | 1. DIATHETIC DISEASES, | 8 | 8 | 11 | 3 | 8 | 5 | 11 | 8 | 8 | 2 | 7·2 | 2 | 1 | . | . | . | 1 | . | . |
| | 2. TUBERCULAR „ | 22 | 37 | 33 | 19 | 40 | 16 | 41 | 30 | 25 | 31 | 29·4 | 28 | 6 | 3 | 1 | 14 | 4 | . | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 32 | 15 | 18 | 24 | 22 | 28 | 23 | 18 | 27 | 11 | 21·8 | 23 | 13 | 2 | . | 1 | 6 | . | 1 |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 7 | 13 | 6 | 8 | 8 | 8 | 9 | 10 | 8 | 15 | 9·2 | 11 | . | 1 | . | . | 5 | 5 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 21 | 27 | 27 | 30 | 31 | 37 | 31 | 31 | 26 | 39 | 30·0 | 40 | 11 | 2 | . | 7 | 12 | 8 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 5 | 8 | 7 | 10 | 6 | 2 | 6 | 2 | 3 | 2 | 5·1 | 9 | 1 | . | . | 5 | 2 | 1 | . |
| | 5. DISEASES OF URINARY ORGANS, | 4 | 3 | 3 | 3 | 2 | 5 | 4 | 1 | 3 | 3 | 3·1 | 3 | . | . | . | 2 | . | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | 1 | . | . | . | . | . | . | 3 | . | ·4 | 1 | . | . | . | 1 | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | 1 | 1 | 1 | 1 | . | 2 | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | 2 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 2 | . | . | 2 | 2 | 1 | . | 2 | 2 | 1 | 1·2 | 5 | 5 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | 2 | 1 | . | . | 1 | 1 | . | 1 | 1 | 1 | ·8 | 2 | . | . | . | 2 | . | . | . |
| | 3 „ „ OLD PEOPLE | 11 | 5 | 11 | 6 | 8 | 7 | 22 | 7 | 13 | 13 | 10·3 | 10 | . | . | . | . | . | 4 | 6 |
| | 4. DISEASES OF NUTRITION, | 3 | 6 | 7 | 8 | 4 | 12 | 7 | 10 | 1 | 5 | 6·3 | 3 | 2 | . | . | . | . | 1 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 2 | 3 | 4 | 4 | 7 | 4 | 6 | 3 | 4 | 3 | 4·0 | 7 | 2 | . | . | 2 | 2 | 1 | . |
| | *2. HOMICIDE, | 1 | . | 1 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | 1 | . | 1 | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | 3 | 5 | 1 | 5 | 4 | 1 | 2 | 3 | . | 2·5 | 1 | 1 | . | . | . | . | . | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the SEVENTEENTH WEEK, ending Saturday, 29th April, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Apr 28 1866 | Apr 27 1867 | Apr 25 1868 | May 1 1869 | Apr 30 1870 | Apr 29 1871 | Apr 27 1872 | Apr 26 1873 | May 2 1874 | May 1 1875 | Average of Temperature and of Deaths in 10th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, April 29th, 1876. Deaths of Persons of the Age: ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 52·1 | ° 48·4 | ° 49·6 | ° 50·7 | ° 49·3 | ° 50·8 | ° 47·3 | ° 43·4 | ° 53·1 | ° 52·1 | ° 49·7 | ° 49·1 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 60 | . | . | . | 6·0 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 11 | . | 1 | 2 | . | 5 | 1 | . | . | 2·1 | 6 | 6 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 2 | 4 | 10 | 7 | 7 | 4 | 3 | 3 | 20 | 5 | 6·5 | 3 | 1 | 1 | . | 1 | . | . | . |
| | 4. Diphtheria, | . | 1 | . | 2 | 2 | . | . | 1 | . | . | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 5. Quinsy, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | . | 3 | 1 | 1 | 1 | . | 1 | 1 | 1 | 1·0 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 4 | 2 | 12 | . | 2 | 4 | . | 7 | 1 | 1 | 3·3 | 6 | 6 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 3 | 1 | . | . | 4 | 2 | | 4 | . | . | 1 | 2 | 1 | . | . |
| | – Enteric or Typhoid Fever, | 13 | 11 | 12 | 2 | 4 | 10 | 7 | 2 | 6 | . | 8·7 | 1 | . | . | . | 1 | . | . | . |
| | – Simple continued Fever, | | | | . | 3 | 2 | 1 | 3 | . | . | | 1 | . | . | . | . | 1 | . | . |
| | 9. Erysipelas, | . | . | . | 3 | 1 | . | 2 | . | 3 | 1 | 1·0 | 2 | 1 | . | . | . | 1 | . | . |
| | 10. Puerperal Fever (Metria), | 12 | 3 | . | 1 | 1 | . | . | 2 | . | . | 1·9 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 13. Dysentery, | . | 1 | . | 1 | . | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 2 | 5 | 3 | 3 | . | 3 | 4 | 6 | 3 | 1 | 2·9 | 1 | . | . | 1 | . | . | . | . |
| | 15. Simple Cholera, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | 1 | . | 3 | . | . | . | . | 2 | ·7 | 1 | . | . | . | . | 1 | . | . |
| | 19. Other Zymotic Diseases, | 2 | . | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | 1 | . | . | . | . | . | . | 1 | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | 2 | . | . | . | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 1 | . | . | 1 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | 1 | 2 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 6 | 4 | 4 | 2 | 4 | 3 | 5 | 2 | 3 | 1 | 3·4 | 1 | . | . | . | . | 1 | . | . |
| | 3. Cancer, | 2 | 4 | 7 | 1 | 4 | 1 | 5 | 6 | 4 | 1 | 3·5 | . | . | . | . | . | . | . | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 3 | 2 | . | 1 | . | 4 | . | 5 | 1 | 1·8 | 1 | . | 1 | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 1 | 6 | 7 | 3 | 9 | 1 | 3 | 2 | 1 | 3 | 3·6 | 3 | 3 | . | . | . | . | . | . |
| | 3. Phthisis, | 16 | 22 | 21 | 15 | 26 | 12 | 27 | 26 | 13 | 20 | 19·8 | 21 | . | 2 | 1 | 14 | 4 | . | . |
| | 4. Hydrocephalus, | 3 | 6 | 3 | 1 | 4 | 3 | 7 | 2 | 6 | 7 | 4·2 | 3 | 3 | . | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 2 | 3 | 3 | 5 | 1 | 1 | 3 | 1 | 1 | . | 2·0 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 6 | 2 | 1 | 1 | 3 | 6 | 2 | 3 | 3 | 3 | 3·0 | 2 | . | . | . | . | 2 | . | . |
| | 3. Paralysis, | 4 | 2 | 3 | 2 | 2 | 1 | 2 | 2 | 5 | 3 | 2·6 | 1 | . | . | . | . | 1 | . | . |
| | 4. Insanity, | . | 1 | . | . | 2 | . | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 2 | . | 1 | 1 | 1 | 1 | 3 | . | 1 | 1 | 1·1 | 2 | . | . | . | 1 | 1 | . | . |
| | 7. Convulsions, | 15 | 5 | 5 | 9 | 9 | 15 | 6 | 11 | 12 | 3 | 9·0 | 15 | 13 | 2 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 3 | 2 | 5 | 6 | 4 | 4 | 7 | 1 | 4 | 1 | 3·7 | 3 | . | . | . | . | 2 | . | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | . | . | 3 | 1 | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | 1 | . | . | . | 2 | . | . | ·3 | 1 | . | . | . | . | . | 1 | . |
| | 3. *Heart Disease, &c.* | 7 | 13 | 5 | 7 | 8 | 8 | 6 | 7 | 7 | 15 | 8·3 | 10 | . | 1 | . | . | 5 | 4 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | 1 | . | 1 | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 17 | 20 | 26 | 24 | 27 | 28 | 22 | 22 | 18 | 37 | 23·1 | 29 | 11 | 2 | . | 1 | 10 | 5 | . |
| | 3. Pleurisy, | . | . | . | . | . | 1 | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 3 | 4 | . | 4 | 4 | 5 | 3 | 5 | 3 | 8 | 3·9 | 7 | . | . | . | 5 | 1 | 1 | . |
| | 5. Asthma, | . | . | 1 | . | . | 2 | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 2 | . | 1 | . | 1 | 6 | 4 | 4 | 1 | 2·0 | 4 | . | . | . | 1 | 1 | 2 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | . | . | . | 2 | 1 | 1 | . | 1 | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | 1 | 1 | . | . | . | . | . | . | 1 | ·3 | 1 | . | . | . | 1 | . | . | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | 1 | . | . | . |
| | 6. Hernia, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |

DENYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| lass. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 17th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, April 29th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Apr 28 1866 | Apr 27 1867 | Apr 25 1868 | May 1 1869 | Apr 30 1870 | Apr 29 1871 | Apr 27 1872 | Apr 26 1873 | May 2 1874 | May 1 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 52·1 | ° 48·4 | ° 49·6 | ° 50·7 | ° 49·3 | ° 50·8 | ° 47·3 | ° 43·4 | ° 53·1 | ° 52·1 | ° 49·7 | Mean Temp. ° 49·1 | | | | | | | |
| III. | 7. Ileus, | · | 2 | · | · | · | · | · | · | · | · | 2 | · | · | · | · | · | · | · | · |
| om. | 8. Intussusception, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 9. Stricture of Intestines, | · | · | 1 | · | · | · | · | · | · | · | 1 | · | · | · | · | · | · | · | · |
| | 10. Fistula, | · | 1 | 1 | 3 | · | · | 2 | · | 1 | · | 9 | 1 | · | · | · | · | 1 | · | · |
| | 11. *Stomach Disease, &c.* | · | · | · | · | 1 | · | · | · | · | · | 1 | · | · | · | · | · | · | · | · |
| | 12. *Pancreas Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 13. Hepatitis, | · | · | · | · | 1 | · | · | · | · | · | 1 | 1 | 1 | · | · | · | · | · | · |
| | 14. Jaundice, | · | · | · | · | 1 | · | · | · | · | · | 1 | 5 | · | · | · | 2 | 2 | 1 | · |
| | 15. *Liver Disease, &c.* | 3 | 4 | 3 | 4 | 3 | 1 | 4 | 1 | 1 | · | 24 | · | · | · | · | · | · | · | · |
| | 16. *Spleen Disease, &c.* | · | · | 1 | · | · | · | · | · | · | · | 1 | · | · | · | · | · | · | · | · |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | · | · | · | · | · | · | · | · | 1 | · | 1 | · | · | · | · | · | · | · | · |
| | 2. Ischuria, | · | · | · | · | · | · | · | · | 1 | · | 1 | · | · | · | · | · | · | · | · |
| | 3. Bright's Disease (Nephria), | 1 | · | 1 | 1 | 1 | 3 | 1 | · | · | 1 | 9 | 3 | · | · | · | 2 | · | 1 | · |
| | 4. Diabetes, | · | · | 1 | · | · | · | 1 | · | · | · | 2 | · | · | · | · | · | · | · | · |
| | 5. Calculus (Stone), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 6. Cystitis, | · | · | · | · | · | · | · | 1 | · | · | 1 | · | · | · | · | · | · | · | · |
| | 7. *Kidney Disease, &c.* | 3 | 3 | 1 | 2 | 1 | 2 | 2 | · | 1 | 2 | 17 | · | · | · | · | · | · | · | · |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | · | · | · | · | · | · | · | · | 1 | · | 1 | · | · | · | · | · | · | · | · |
| | 2. *Uterus Disease, &c.* | · | 1 | · | · | · | · | · | · | 2 | · | 3 | 1 | · | · | · | 1 | · | · | · |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | · | · | 1 | · | · | · | · | · | · | · | 1 | · | · | · | · | · | · | · | · |
| | 2. *Joint Disease, &c.* | · | 1 | · | 1 | 1 | 1 | 2 | · | · | · | 5 | · | · | · | · | · | · | · | · |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Ulcer, | · | · | 2 | · | · | · | · | · | · | · | 2 | · | · | · | · | · | · | · | · |
| | 3. *Skin Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| V. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | · | · | · | · | · | · | 2 | 2 | · | 5 | 4 | 4 | · | · | · | · | · | · |
| | 2. Cyanosis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Spina Bifida, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Other Malformations, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Teething, | 1 | · | · | 2 | 2 | 1 | · | · | · | 1 | 7 | 1 | 1 | · | · | · | · | · | · |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Childbirth (*see also* Puerperal Fever), | 2 | 1 | · | · | 1 | 1 | · | 1 | 1 | 1 | 8 | 2 | · | · | · | 2 | · | · | · |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 11 | 5 | 11 | 6 | 8 | 7 | 22 | 7 | 13 | 13 | 10·3 | 10 | · | · | · | · | · | 4 | 6 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 3 | 6 | 7 | 8 | 4 | 12 | 7 | 10 | 1 | 5 | 6·3 | 3 | 2 | · | · | · | · | 1 | · |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | · | 2 | 2 | 5 | 1 | 3 | 2 | 1 | 3 | 2·1 | 2 | · | · | · | · | 1 | 1 | · |
| | 2. Wounds, | · | · | · | · | · | · | 1 | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 3. Burns and Scalds, | · | · | 2 | · | 1 | 1 | · | · | 1 | · | ·5 | 2 | 2 | · | · | · | · | · | · |
| | 4. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Drowning, | · | 3 | · | 2 | 1 | 1 | 2 | 1 | 2 | · | 1·3 | 2 | · | · | · | 1 | 1 | · | · |
| | 6. Suffocation, | · | · | · | · | · | 1 | · | · | · | · | ·1 | 1 | · | · | · | 1 | · | · | · |
| | 7. Otherwise, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | ORDER 3.—(HOMICIDE.) 1. Murder and Manslaughter, | 1 | · | 1 | · | · | 1 | · | · | · | · | ·3 | · | · | · | · | · | · | · | · |
| | ORDER 4.—(SUICIDE.) 1. Wounds, { Gunshot, Cut, Stab, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Drowning, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Hanging, | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 5. Otherwise, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | ORDER 5.—(EXECUTION.) 1. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Other Violent Deaths (not classed), | 1 | · | 1 | 1 | · | · | · | · | · | · | ·3 | · | · | · | · | · | · | · | · |
| — | Sudden Deaths (Cause unascertained), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Causes not specified or ill-defined, | 1 | 3 | 5 | 1 | 5 | 4 | 1 | 2 | 3 | · | 2·5 | 1 | 1 | · | · | · | · | · | · |

## Comparative Table of Births and Deaths Registered in the Dublin Registration District during the last Twenty-six Weeks.

| Dublin Registration District. | 1875. | | | | | | | | 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 6. | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | Apr. 29. |
| Births, | 175 | 160 | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 | 196 | 188 |
| Deaths, | 171 | 168 | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 |
| Deaths under 5 years of age, | 60 | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 | 55 | 58 |
| Deaths 5–15, | 3 | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 |
| Deaths 15–20, | 7 | 9 | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 |
| Deaths 20–40, | 30 | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 |
| Deaths 40–60, | 29 | 30 | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 | 51 | 37 |
| Deaths 60–80, | 30 | 35 | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 | 34 | 21 |
| Deaths at 80 years of age and upwards, | 12 | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 8 | 12 | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 |
| ,, Scarlatina, | 7 | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 |
| ,, Diphtheria, | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 |
| ,, Whooping Cough, | 6 | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 |
| ,, Fever, | 3 | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 |
| ,, Diarrhœa, | 5 | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 |
| ,, Phthisis, | 13 | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 |
| ,, Bronchitis, | 24 | 17 | 29 | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 | 29 |
| ,, Pneumonia, | 6 | 4 | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 |
| ,, Heart Disease, | 9 | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 |
| Mean Temperature of the Air | 51·5 | 39·0 | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 | 47·5 | 49·1 |
| Rain-fall in inches, | ·699 | 2·085 | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 | ·920 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·886 | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 | ·812 | ·835 |

Dublin: Printed by Alexander Thom, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[117.—900.—4/76.]

BODLEIAN

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, MAY 6, 1876. [No. 18.

*General Register Office, Charlemont House, Dublin, May 8th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 6th May, 1876, represent an annual mortality of 26 in every 1,000 of the population, by the Census of 1871. In London the death rate was 21 in every 1,000 of the estimated population; in Glasgow, 29; and in Edinburgh, 25.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 170—93 boys and 77 girls,—and the deaths to 156—62 males and 94 females. The *average* numbers in the corresponding week of the previous ten years were—births, 173, and deaths, 160.

The number of deaths from zymotic diseases *registered* during the week was 21, including 2 from fever (1 typhus and 1 typhoid or enteric), 4 each from scarlet fever and measles, 3 from diarrhœa, 2 each from whooping-cough and influenza, and 1 from croup.

The deaths of 14 children were referred to convulsions.

Bronchitis caused 33 deaths, pneumonia or inflammation of the lungs 5, asthma 1, and lung disease unspecified 1.

Four deaths were attributed to apoplexy, 2 to paralysis, and 7 to brain disease unspecified.

Heart disease proved fatal in 6 instances, and kidney disease in 1.

Sixteen deaths resulted from phthisis or pulmonary consumption, and 1 each from mesenteric disease, scrofula, hydrocephalus or water on the brain, and cancer.

Two deaths from accidental causes, 1 from "exposure and neglect," and 2 cases of suicide were *registered*.

Forty-six of the persons whose deaths were *registered* during the week were under 5 years of age (29 being infants under 1 year old), and 44 were aged 60 and upwards, including 23 persons aged 70 and upwards, of whom 3 were octogenarians.

Three deaths from fever, 2 from scarlet fever, 2 from measles, 1 from diphtheria, and 1 from diarrhœa were *registered* in Belfast.

One death from fever and 1 from whooping-cough were *registered* in Cork; 1 each from fever and diarrhœa, in Limerick; and 2 from scarlet fever in Londonderry.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | Population by Census in 1871. | Number of Deaths from Bronchitis. | Consumption. | Convulsions. | Disease of Heart. | Deaths from all Causes |
|---|---|---|---|---|---|---|
| DUBLIN CITY:— | | | | | | |
| North Side, No. 1 District, | 49,137 | 3 | 3 | 1 | 2 | 18 |
| North Side, No. 2 ,, | 31,993 | 5 | 1 | 1 | 1 | 17 |
| North Side, No. 3 ,, | 27,546 | 3 | 1 | 3 | – | 23 |
| South Side, No. 1 District, | 33,184 | 7 | 4 | 1 | – | 33 |
| South Side, No. 2 ,, | 29,952 | 3 | – | 2 | – | 8 |
| South Side, No. 3 ,, | 38,811 | 2 | 3 | 2 | 2 | 26 |
| South Side, No. 4 ,, | 36,703 | 1 | 2 | – | – | 7 |
| RATHMINES DISTRICT, . | 20,939 | 3 | 1 | 2 | – | 8 |
| DONNYBROOK, ,, . | 21,758 | 3 | 1 | – | 1 | 10 |
| BLACKROCK, ,, . | 7,182 | 1 | – | – | – | 1 |
| KINGSTOWN, ,, . | 18,461 | 2 | – | 2 | – | 5 |
| Total, . | 314,666 | 33 | 16 | 14 | 6 | 156 |

Fifty-five of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin, and 23 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 19 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 28 per 1,000; and in No. 3, North City (Blackhall-street), to 43 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 53 per 1,000; in No. 2, South City District (High-street), the ratio was 14 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 35 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 10 per 1,000.

In the Suburban District of Rathmines the annual ratio was 20 per 1,000; in Donnybrook it was 24—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 7; and in Kingstown 14 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,600 and the deaths to 1,416 (against an average of 1,495 for corresponding week 1866–75); in Glasgow the births *registered* were 433, and the deaths 300; and in Edinburgh the births were 152, and the deaths 104. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·224 inches. The highest daily mean reading (30·386) occurred on Thursday, and the lowest (29·915) on Sunday.

The mean temperature during the week was 44·1° (the average in the corresponding week of the previous ten years was 49·6°); the lowest daily mean (38·5°) occurred on Monday and the highest (49·1°) on Saturday.

The temperature was highest on Friday, when the thermometer registered 64·2°, and was lowest on Tuesday, the mercury having fallen to 24·7°. The highest reading of the barometer during the week (30·425) occurred on Thursday, at 9.30 A.M., wind S.W., and the lowest (29·855) on Sunday, at 9.30 A.M., wind N.E. The mean of the Dry Bulb for the week was 48·3°; and of the Wet Bulb 43·5°. The mean humidity of the air was ·710; complete saturation being represented by 1·0. The rain-fall during the week measured ·040 in.

At Greenwich, the mean temperature of the week was 44·8°; and at Glasgow, 46·2°. The rain-fall during the week at Greenwich measured ·17 in., and at Glasgow ·10 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876 Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Apr. 30, | 29·915 | 51·4 | 32·2 | 41·8 | 44·5 | 40·4 | ·727 | ·8 | ·040 | N.E. | N.E. | N.E. |
| Monday, May 1, | 30·133 | 51·1 | 26·0 | 38·5 | 41·1 | 38·8 | ·816 | ·2 | ·000 | N. | N.E. | Calm. |
| Tuesday, ,, 2, | 30·261 | 54·0 | 24·7 | 39·4 | 44·2 | 39·7 | ·700 | ·3 | ·000 | E. | E. | Calm. |
| Wednesday, ,, 3, | 30·350 | 58·4 | 30·3 | 44·3 | 50·0 | 44·7 | ·683 | ·7 | ·000 | Calm. | S.E. | Calm. |
| Thursday, ,, 4, | 30·386 | 63·3 | 32·8 | 48·1 | 54·1 | 46·3 | ·578 | ·7 | ·000 | S.W. | S.W. | S.W. |
| Friday, ,, 5, | 30·249 | 64·2 | 31·3 | 47·7 | 51·5 | 46·9 | ·759 | ·7 | ·000 | S.E. | S. | Calm. |
| Saturday, ,, 6, | 30·277 | 64·0 | 34·1 | 49·1 | 52·9 | 47·8 | ·709 | ·2 | ·000 | Calm. | E. | E. |
| Mean, . . | 30·224 | 58·0 | 30·2 | 44·1 | 48·3 | 43·5 | ·710 | ·5 | Total, ·040 | Prevailing wind, E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Apr. 30, | A.M. Fine. | P.M. Fine. |
| Monday, May 1, | A.M. Fine. | P.M. Fine. |
| Tuesday, ,, 2, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |
| Wednesday, ,, 3, | A.M. Fine and pleasant. | P.M. Fine. |
| Thursday, ,, 4, | A.M. Fine and pleasant. | P.M. Fine moonlight. |
| Friday, ,, 5, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |
| Saturday, ,, 6, | A.M. Fine and pleasant. | P.M. Fine and pleasant. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 6th May, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 6TH MAY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 26 | 170 | 156 | 29 | 44 | . | 4 | 4 | . | 2 | 2 | 3 | 5 | 4 | 55 |
| BELFAST,† . . | 20,667 | 182,082 | 25 | 147 | 87 | 17 | 4 | . | 2 | 2 | 1 | . | 3 | 1 | 1 | 4 | 8 |
| CORK, . . . | 13,816 | 91,965 | 24 | 33 | 43 | 7 | 17 | . | . | . | . | 1 | 1 | . | . | 1 | 16 |
| LIMERICK, . . | 3,509 | 44,209 | 28 | 22 | 24 | 6 | 6 | . | . | . | . | . | 1 | 1 | . | . | 4 |
| LONDONDERRY,‡ . | 21,065 | 30,884 | 10 | 9 | 6 | . | 2 | . | . | 2 | . | . | . | . | . | 1 | . |
| WATERFORD, . . | 17,209 | 30,626 | 61 | 12 | 36 | 5 | 14 | . | . | . | . | . | . | . | . | . | 25 |
| GALWAY, . . | 21,256 | 19,692 | 26 | 12 | 10 | . | 4 | . | . | . | . | . | . | . | . | 1 | 3 |
| SLIGO, . . . | 30,835 | 17,285 | 15 | 7 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 6th May, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 26 | 13 | 10 | 2 | . | . | 2 | . | . | . | 1 | . | 1 | 2 | . |
| | ,, ,, 2, | 17,938 | . | 15 | . | . | . | .. | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 39,311 | 19 | 26 | 14 | 6 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 4, W. | 19,320 | 54 | 22 | 20 | 2 | 1 | . | . | . | . | . | . | . | . | . | 6 |
| | ,, ,, 5, | 19,616 | 48 | 13 | 18 | 3 | 1 | . | . | . | . | . | 2 | 1 | . | . | . |
| | ,, ,, 6, | 26,652 | 11 | 25 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | ,, ,, 10, | 8,115 | 26 | 11 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 39 | 19 | 12 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 9 | 4 | 2 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 3, | 6,818 | 23 | 3 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 8 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 23 | 4 | 5 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 7 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 28 | 4 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, W. | 18,364 | 54 | 5 | 19 | 2 | 11 | . | . | . | . | . | . | . | . | . | 15 |
| | ,, ,, 9, | 4,790 | 43 | 2 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 7 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, W. | 8,992 | 23 | 6 | 4 | . | 4 | . | . | . | . | . | . | 1 | . | . | 4 |
| | ,, ,, 3, | 11,424 | 32 | 3 | 7 | 4 | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 4, | 15,875 | 29 | 6 | 9 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 4 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 8 | 4 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, W. | 8,483 | 12 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| WATERFORD, | Waterford, W. | 30,626 | 61 | 12 | 36 | 5 | 14 | . | . | . | . | . | . | . | . | . | 25 |
| GALWAY, | Galway, No. 1, | 10,700 | 29 | 10 | 6 | . | 4 | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 2, W. | 8,992 | 23 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, | Sligo, No. 1, W. | 6,456 | 32 | . | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 5 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

**Births and Deaths *Registered* in the several Registration Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, during the Week ending Saturday, 6th May, 1876.**

| Names of Diseases, &c. | Registration Districts. | | | | | | | | | | | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| Births, | 22 | 18 | 20 | 17 | 18 | 30 | 21 | 9 | 7 | 2 | 6 | 170 |
| **Deaths from all Causes,** | 18 | 17 | 23 | 33 | 8 | 26 | 7 | 8 | 10 | 1 | 5 | 156 |
| Zymotic Diseases: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 1 | . | 2 | . | . | . | . | . | . | . | 4 |
| Scarlet Fever (Scarlatina), | . | . | . | . | . | 2 | . | 1 | . | . | 1 | 4 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | 1 | . | . | 1 | . | . | . | . | . | 2 |
| Fever, | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 |
| Diarrhœa, | . | 1 | 1 | . | 1 | . | . | . | . | . | . | 3 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | . | . | 1 | 4 | . | . | 1 | . | . | . | . | 6 |
| Total, | 1 | 2 | 3 | 7 | 1 | 4 | 1 | 1 | . | . | 1 | 21 |
| Constitutional Diseases: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 1 | 1 | 4 | . | 3 | 2 | 1 | 1 | . | . | 16 |
| Other Constitutional Diseases, | 1 | 1 | 4 | 1 | . | . | . | . | . | . | . | 7 |
| Total, | 4 | 2 | 5 | 5 | . | 3 | 2 | 1 | 1 | . | . | 23 |
| Local Diseases: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 2 | 1 | 4 | 5 | 3 | 4 | . | 3 | 3 | . | 2 | 27 |
| Diseases of the Heart and Circulatory Organs, | 2 | 1 | . | . | . | 2 | . | . | 1 | . | . | 6 |
| Diseases of the Respiratory Organs, | 4 | 6 | 6 | 8 | 3 | 2 | 1 | 3 | 4 | 1 | 2 | 40 |
| Diseases of the Digestive Organs, | 2 | 1 | 1 | . | . | . | 1 | . | . | . | . | 5 |
| Diseases of the Urinary Organs, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | 10 | 9 | 11 | 15 | 6 | 8 | 2 | 6 | 9 | 1 | 4 | 81 |
| Developmental Diseases, | 1 | 3 | 4 | 6 | . | 9 | 2 | . | . | . | . | 25 |
| Violent Deaths, | 2 | . | . | . | 1 | 2 | . | . | . | . | . | 5 |
| Causes not Specified or Ill-Defined | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| Annual Rate of Mortality in every 1,000 of the Population, | 19 | 28 | 43 | 53 | 14 | 35 | 10 | 30 | 24 | 7 | 14 | 26 |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 4 | 4 | 1 | . | 7 | . | . | 7 | . | . | 23 |
| Workhouse Hospitals | . | . | 9 | 23 | . | . | . | . | . | . | . | 32 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

**Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in the Eighteenth Week, ending Saturday, May 6th, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 18th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 6th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | May 5 1866 | May 4 1867 | May 2 1868 | May 8 1869 | May 7 1870 | May 6 1871 | May 4 1872 | May 3 1873 | May 9 1874 | May 8 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 43·0 | 52·3 | 53·4 | 46·7 | 48·0 | 50·3 | 53·2 | 49·7 | 45·1 | 55·2 | 49·6 | 44·1 | | | | | | | |
| | **ALL CAUSES,** | 157 | 147 | 121 | 132 | 134 | 125 | 220 | 181 | 197 | 180 | 160·0 | 156 | 46 | 3 | 8 | 20 | 35 | 41 | 3 |
| | **SPECIFIED CAUSES,** | 155 | 146 | 123 | 132 | 132 | 122 | 214 | 178 | 190 | 178 | 157·0 | 155 | 46 | 3 | 8 | 20 | 34 | 41 | 3 |
| | (Classes.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 40 | 34 | 27 | 24 | 20 | 30 | 82 | 30 | 43 | 24 | 35·4 | 21 | 11 | 1 | 2 | 1 | 4 | 2 | . |
| II. | CONSTITUTIONAL „ | 28 | 40 | 32 | 31 | 31 | 16 | 22 | 40 | 40 | 47 | 32·7 | 23 | 3 | 1 | 4 | 10 | 3 | 2 | . |
| III. | *LOCAL* „ | 63 | 61 | 50 | 61 | 59 | 54 | 80 | 87 | 78 | 79 | 67·2 | 81 | 25 | 1 | . | 7 | 24 | 24 | . |
| IV. | DEVELOPMENTAL „ | 18 | 10 | 10 | 14 | 20 | 19 | 21 | 14 | 28 | 24 | 17·8 | 25 | 6 | . | 1 | . | 2 | 13 | 3 |
| V. | VIOLENT DEATHS, | 6 | 1 | 4 | 2 | 2 | 3 | 9 | 7 | 1 | 4 | 3·9 | 5 | 1 | . | 1 | 2 | 1 | . | . |
| | (Orders.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 35 | 31 | 26 | 24 | 20 | 30 | 81 | 30 | 39 | 22 | 33·8 | 21 | 11 | 1 | 2 | 1 | 4 | 2 | . |
| | 2. ENTHETIC „ | . | . | 1 | . | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | 4 | 3 | . | . | . | . | . | . | 3 | 2 | 1·2 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC „ | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II | 1. DIATHETIC DISEASES, | 7 | 11 | 8 | 2 | 3 | 4 | 3 | 6 | 9 | 7 | 6·0 | 4 | . | . | . | . | 3 | 1 | . |
| | 2. TUBERCULAR „ | 21 | 29 | 24 | 29 | 28 | 12 | 19 | 34 | 31 | 40 | 26·7 | 19 | 3 | 1 | 4 | 10 | . | 1 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 24 | 23 | 13 | 17 | 24 | 19 | 33 | 26 | 28 | 19 | 22·6 | 27 | 14 | . | . | 2 | 4 | 7 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 5 | 10 | 9 | 11 | 4 | 7 | 8 | 11 | 7 | 13 | 8·5 | 6 | . | . | . | . | 4 | 2 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 27 | 24 | 21 | 26 | 26 | 21 | 31 | 33 | 34 | 38 | 28·1 | 40 | 10 | . | . | 3 | 16 | 11 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 5 | 3 | 4 | 5 | 4 | 3 | 7 | 9 | 4 | 6 | 5·0 | 5 | 1 | 1 | . | 2 | . | 1 | . |
| | 5. DISEASES OF URINARY ORGANS, | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 6 | 4 | 3 | 2·2 | 1 | . | . | . | . | . | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | . | 1 | . | . | . | . | 2 | . | . | ·3 | 1 | . | . | . | . | . | 1 | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | 1 | . | . | 2 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 1 | 2 | . | 2 | . | 1 | 2 | . | 5 | 1 | 1·4 | 2 | 2 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 | . | ·7 | 1 | . | . | 1 | . | . | . | . |
| | 3 „ „ OLD PEOPLE | 11 | 5 | 6 | 7 | 11 | 11 | 9 | 8 | 10 | 16 | 9·4 | 16 | . | . | . | . | . | 13 | 3 |
| | 4. DISEASES OF NUTRITION, | 5 | 3 | 4 | 5 | 8 | 5 | 9 | 5 | 12 | 7 | 6·3 | 6 | 4 | . | . | . | 2 | . | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 4 | 1 | 4 | 2 | 1 | 3 | 7 | 5 | 1 | 3 | 3·1 | 2 | . | . | 1 | . | 1 | . | . |
| | *3. HOMICIDE, | 1 | . | . | . | 1 | . | 2 | 1 | . | . | ·5 | 1 | 1 | . | . | . | . | . | . |
| | 4. SUICIDE, | 1 | . | . | . | . | . | . | . | . | . | ·1 | 2 | . | . | . | 2 | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | 1 | 1 | . | 2 | 3 | 6 | 6 | 7 | 2 | 2·9 | 1 | . | . | . | . | 1 | . | . |

* Order 2, comprising Violent Deaths in Battle is omitted, as inapplicable to the civil population.

ns in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmines the Eighteenth Week, ending Saturday, 6th May, 1876; also the Deaths from each Disease Registe

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 18th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, May 6th, 1876. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Age | | | | | |
| | May 5 1866 | May 4 1867 | May 2 1868 | May 8 1869 | May 7 1870 | May 6 1871 | May 4 1872 | May 3 1873 | May 9 1874 | May 8 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. |
| Mean Temperature, | ° 48·0 | ° 52·9 | ° 53·4 | ° 45·7 | ° 48·0 | ° 50·3 | ° 53·2 | ° 49·7 | ° 45·1 | ° 55·2 | ° 49·6 | Mean Temp. ° 44·1 | | | | | | |
| **Order 1.** | | | | | | | | | | | | | | | | | | |
| 1. Small Pox, | 2 | . | . | . | . | . | 57 | . | . | . | 5·9 | . | . | . | . | . | . | . |
| 2. Measles, | . | 15 | 1 | 3 | . | . | 5 | . | 1 | . | 2·5 | 4 | . | . | . | . | . | . |
| 3. Scarlet Fever (Scarlatina), | 3 | 2 | 9 | 11 | 5 | 8 | 4 | 3 | 13 | 5 | 6·3 | 4 | 2 | 1 | . | . | . | . |
| 4. Diphtheria, | . | . | 1 | . | . | . | 1 | . | . | 1 | 3 | . | . | . | . | . | . | . |
| 5. Quinsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Croup, | 1 | 3 | 2 | . | 3 | 3 | 2 | 1 | 4 | 1 | 2·0 | 1 | 1 | . | . | . | . | . |
| 7. Whooping Cough, | 11 | 2 | 7 | . | 2 | 4 | 1 | 7 | . | 1 | 3·5 | 2 | 2 | . | . | . | . | . |
| 8. Typhus, | 15 | 6 | 3 | 2 | 2 | 3 | 3 | 5 | 9 | 1 | 8·3 | 1 | . | . | . | 1 | . | . |
| – Enteric or Typhoid Fever, | | | | 3 | 1 | 6 | 2 | 3 | 6 | 4 | | 1 | . | . | 1 | . | . | . |
| – Simple continued Fever, | | | | 2 | 1 | 3 | 2 | . | 1 | . | | . | . | . | . | . | . | . |
| 9. Erysipelas, | 2 | 1 | 1 | . | 1 | . | . | 2 | . | 2 | 9 | . | . | . | . | . | . | . |
| 10. Puerperal Fever (Metria), | . | . | . | 1 | 2 | . | 1 | 2 | 3 | . | 9 | . | . | . | . | . | . | . |
| 11. Carbuncle, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| 12. Influenza, | 1 | . | . | . | . | . | . | . | 1 | 2 | 4 | 2 | . | . | . | . | 1 | 1 |
| 13. Dysentery, | . | 1 | 2 | . | . | . | . | 1 | . | . | 4 | . | . | . | . | . | . | . |
| 14. Diarrhœa, | . | 1 | . | 2 | . | 3 | 1 | 5 | 1 | 4 | 1·7 | 3 | 1 | . | . | . | 3 | . |
| 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 17. Remittent Fever, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . |
| 18. Rheumatism, | . | . | . | . | 1 | . | 1 | . | . | 1 | 2·3 | 3 | . | 1 | . | . | 1 | 1 |
| 19. Other Zymotic Diseases, | . | . | . | . | 1 | . | . | 1 | . | . | 2·3 | . | . | . | . | . | . | . |
| **Order 2.** | | | | | | | | | | | | | | | | | | |
| 1. Syphilis, | . | . | 1 | . | . | . | 1 | . | 1 | . | 3 | . | . | 1 | . | . | . | . |
| 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **Order 3.** | | | | | | | | | | | | | | | | | | |
| 1. Privation, | 1 | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . |
| 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Purpura and Scurvy, | 2 | 1 | . | . | . | . | . | . | . | . | 3 | . | . | . | . | . | . | . |
| 4. Alcoholism, Delirium Tremens | . | 1 | . | . | . | . | . | . | 1 | 1 | 3 | . | . | . | . | . | . | . |
| 4. Alcoholism, Intemperance, | 1 | 1 | . | . | . | . | . | . | 2 | . | 4 | . | . | . | . | . | . | . |
| **Order 4.** | | | | | | | | | | | | | | | | | | |
| 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Worms, &c. | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| **Order 1.** | | | | | | | | | | | | | | | | | | |
| 1. Gout, | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . |
| 2. Dropsy, | 3 | 7 | 2 | 1 | 1 | 1 | 1 | 3 | 2 | . | 2·1 | 2 | . | . | . | . | 1 | 1 |
| 3. Cancer, | 4 | 3 | 4 | 1 | 2 | 3 | 2 | 3 | 6 | 6 | 3·4 | 1 | . | . | . | . | 1 | . |
| 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Mortification, | . | 1 | 2 | . | . | . | . | . | 1 | . | 4 | 1 | . | . | . | . | 1 | . |
| **Order 2.** | | | | | | | | | | | | | | | | | | |
| 1. Scrofula, | . | 2 | 1 | . | 1 | 1 | . | 1 | 3 | 2 | 1·1 | 1 | 1 | . | . | . | . | . |
| 2. Tabes Mesenterica, | 4 | 4 | 2 | 4 | 2 | 2 | 4 | 1 | 2 | 6 | 3·1 | 1 | 1 | . | . | . | . | . |
| 3. Phthisis, | 14 | 19 | 21 | 19 | 23 | 8 | 14 | 26 | 25 | 26 | 19·5 | 16 | . | 1 | 4 | 10 | . | 1 |
| 4. Hydrocephalus, | 3 | 4 | . | 6 | 2 | 1 | 1 | 6 | 1 | 6 | 3·0 | 1 | 1 | . | . | . | . | . |
| **Order 1.** | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis, | 2 | 7 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | .. | 1·9 | . | . | . | . | . | . | . |
| 2. Apoplexy, | 2 | 1 | 4 | 2 | 2 | 4 | 1 | 4 | 2 | 2 | 2·4 | 4 | . | . | . | 1 | . | 3 |
| 3. Paralysis, | 4 | 1 | 1 | 4 | 4 | 1 | 9 | 2 | 8 | 5 | 3·9 | 2 | . | . | . | . | 1 | 1 |
| 4. Insanity, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Epilepsy, | 2 | . | 1 | 1 | 3 | 1 | 1 | . | 1 | . | 1·0 | . | . | . | . | . | . | . |
| 7. Convulsions, | 8 | 13 | 3 | 7 | 11 | 8 | 13 | 15 | 9 | 9 | 9·6 | 14 | 14 | . | . | . | . | . |
| 8. *Brain Disease, &c.* | 6 | 1 | 1 | 2 | 2 | 4 | 7 | 4 | 7 | 3 | 3·7 | 7 | . | . | . | 1 | 3 | 3 |
| **Order 2.** | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis, | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | . | . | . | . | . |
| 2. Aneurism, | . | 1 | . | . | . | 1 | 1 | . | . | . | 3 | . | . | . | . | . | . | . |
| 3. *Heart Disease, &c.* | 5 | 9 | 9 | 11 | 4 | 6 | 7 | 10 | 7 | 12 | 8·0 | 6 | . | . | . | . | 4 | 2 |
| **Order 3.** | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Bronchitis, | 24 | 16 | 13 | 22 | 19 | 14 | 26 | 23 | 23 | 25 | 20·5 | 33 | 8 | . | . | 1 | 13 | 9 |
| 3. Pleurisy, | 1 | 1 | . | . | 1 | 1 | . | . | 1 | . | ·5 | . | . | . | . | . | . | . |
| 4. Pneumonia, | 2 | 4 | 4 | 3 | 5 | 2 | 3 | 5 | 3 | 12 | 4·3 | 5 | 2 | . | . | 2 | 1 | . |
| 5. Asthma, | . | 1 | 1 | . | . | 1 | . | 1 | 2 | . | ·6 | 1 | . | . | . | . | 1 | 1 |
| 6. *Lung Disease, &c.* | . | 2 | 3 | 1 | 1 | 3 | 2 | 4 | 5 | 1 | 2·2 | 1 | . | . | . | . | . | . |
| **Order 4.** | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | 1 | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | . | . | 1 | . | . | . |
| 2. Enteritis, | 1 | 1 | 2 | . | . | . | . | 1 | . | . | 5 | 1 | 1 | . | . | . | . | . |
| 3. Peritonitis, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . |
| 4. Ascites, | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . |
| 5. Ulceration of Intestines, | . | . | . | . | . | 1 | 1 | . | 1 | . | 3 | . | . | . | . | . | . | . |
| 6. Hernia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

**ONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 18th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, May 6th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | May 5 1866 | May 4 1867 | May 2 1868 | May 8 1869 | May 7 1870 | May 6 1871 | May 4 1872 | May 3 1873 | May 9 1874 | May 8 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 43·0 | 52·3 | 53·4 | 45·7 | 48·0 | 50·3 | 53·2 | 49·7 | 45·1 | 55·2 | 49·6 | Mean Temp. 44·1 | | | | | | | |
| III. | 7. Ileus, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| con. | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| | 9. Stricture of Intestines, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 2 | . | . | 1 | 1 | . | . | 3 | . | 1 | ·8 | 1 | . | . | . | 1 | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | 1 | . | 2 | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | . | 1 | 2 | 4 | 2 | 2 | 2 | 4 | 1 | 3 | 2·1 | . | . | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | 1 | 1 | . | 1 | 1 | 2 | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | 1 | . | . | 1 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | . | . | 1 | . | 1 | 1 | 3 | 2 | 2 | 1·1 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | 1 | . | . | . | . | 2 | . | . | ·3 | 1 | . | . | . | . | . | 1 | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | 2 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | 2 | . | 1 | 1 | . | 1 | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | . | . | . | . | 1 | . | 4 | . | ·7 | 2 | 2 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 | . | ·7 | 1 | . | . | 1 | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 11 | 5 | 6 | 7 | 11 | 11 | 9 | 8 | 10 | 16 | 9·4 | 16 | . | . | . | . | . | 13 | 3 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 5 | 3 | 4 | 5 | 8 | 5 | 9 | 5 | 12 | 7 | 6·3 | 6 | 4 | . | . | . | 2 | . | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | . | 3 | 1 | 1 | 3 | 4 | 1 | 1 | 2 | 1·7 | 1 | . | . | . | . | 1 | . | . |
| | 2. Wounds, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 1 | 1 | . | . | . | . | 3 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | 2 | . | . | . | . | . | . | . | . | 1 | ·3 | 1 | . | . | 1 | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | 1 | . | . | . | 1 | . | 2 | 1 | . | . | ·5 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | ORDER 5.—(KEMSHOOK.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not stated), | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertained), | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 1 | 1 | . | 2 | 3 | 6 | 6 | 7 | 2 | 2·9 | 1 | . | . | . | . | 1 | . | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | | 1876. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 13. | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18 | Mar. 25 | April 1. | April 8. | April 15. | April 22. | Apr. 29. | May 6. |
| BIRTHS, | 160 | 160 | 188 | 183 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 206 | 223 | 193 | 163 | 172 | 174 | 212 | 183 | 112 | 196 | 186 | 170 |
| DEATHS, | 168 | 184 | 169 | 162 | 202 | 187 | 181 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 186 |
| Deaths under 5 years of age, | 44 | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 87 | 63 | 75 | 89 | 87 | 97 | 77 | 60 | 96 | 69 | 72 | 50 | 55 | 58 | 46 |
| Deaths 5–15, | 8 | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 13 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 |
| Deaths 15–20, | 9 | 6 | 3 | 8 | 2 | . | 6 | 2 | 8 | 6 | 4 | 7 | . | 6 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 |
| Deaths 20–40, | 30 | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 30 | 36 | 38 | 43 | 33 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 |
| Deaths 40–60, | 30 | 23 | 33 | 34 | 35 | 52 | 31 | 40 | 31 | 44 | 39 | 43 | 38 | 39 | 51 | 37 | 41 | 38 | 31 | 21 | 40 | 30 | 29 | 51 | 37 | 35 |
| Deaths 60–80, | 35 | 30 | 37 | 42 | 53 | 50 | 47 | 30 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 35 | 28 | 34 | 21 | 41 |
| Deaths at 80 years of age and upwards, | 12 | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 13 | 10 | . | 7 | 5 | 1 | 6 | . | 5 | 3 | . | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 |
| ,, Scarlatina, | 2 | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 |
| ,, Diphtheria, | . | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| ,, Whooping Cough, | 1 | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 3 | 3 | 5 | 6 | 2 |
| ,, Fever, | 8 | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 6 | 6 | 3 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 |
| ,, Diarrhœa, | 6 | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 |
| ,, Phthisis, | 15 | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 23 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 |
| ,, Bronchitis, | 17 | 29 | 23 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 32 | 20 | 36 | 29 | 14 |
| ,, Pneumonia, | 4 | 8 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 6 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 6 |
| ,, Heart Disease, | 7 | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 |
| Mean Temperature of the Air | 39·0 | 46·1 | 38·7 | 34·3 | 31·6 | 40·2 | 43·1 | 45·0 | 42·3 | 31·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 53·9 | 39·2 | 47·5 | 49·1 | 44·1 |
| Rain-fall in Inches, | 2·085 | ·485 | ·350 | ·605 | ·425 | ·351 | ·845 | ·871 | ·350 | ·368 | ·354 | ·329 | ·962 | ·185 | ·873 | ·999 | ·827 | ·873 | ·843 | ·813 | ·860 | ·957 | ·759 | ·813 | ·235 | ·710 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·868 | ·824 | ·829 | ·825 | ·861 | ·863 | ·845 | ·877 | ·850 | ·868 | ·854 | ·829 | ·962 | ·885 | ·873 | ·899 | ·827 | ·873 | ·843 | ·813 | ·860 | ·957 | ·759 | ·813 | ·235 | ·710 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[117.—800.—4/76.]

BODLEIAN LIBRARY OXFORD

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, MAY 13, 1876. [No. 19.

*General Register Office, Charlemont House, Dublin, May 15th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 13th May, 1876, represent an annual mortality of 26 in every 1,000 of the population, by the Census of 1871. In London the death rate was 22 in every 1,000 of the estimated population; in Glasgow, 28; and in Edinburgh, 24.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 183—90 boys and 93 girls,—and the deaths to 155—90 males and 65 females. The *average* numbers in the corresponding week of the previous ten years were—births, 181, and deaths, 156.

The deaths from zymotic diseases *registered* during the week amounted to 26, of these 8 resulted from fever (2 typhus and 6 typhoid), 5 from scarlet fever, 3 from measles, 1 each from quinsy, croup, and whooping-cough, 2 from diarrhœa, &c.

Five deaths were attributed to convulsions.

Paralysis caused 7 deaths, apoplexy 2, cephalitis 2, epilepsy and brain disease unspecified 1 each.

Nineteen deaths were ascribed to bronchitis, 6 to pneumonia, and 1 to lung disease unspecified.

Heart disease proved fatal in 8 instances, aneurism in 2, liver disease in 2, and nephria or Bright's disease in 1.

Twenty persons died from phthisis or pulmonary consumption, 6 from hydrocephalus, a like number from mesenteric disease, and 3 from cancer.

Two deaths resulted from accidents—1 from burns, and the other from mercurial poisoning.

Forty-two of the persons whose deaths were *registered* during the week were under 5 years of age (22 being infants under 1 year old), and 46 were aged 60 and upwards, including 20 persons aged 70 and upwards, of whom 8 were octogenarians, and 1 (a woman) was stated to have been aged 90 years.

Five deaths from whooping-cough, 3 from diarrhœa, and 1 from measles were *registered* in Belfast.

Three deaths from fever and 1 each from scarlet fever, whooping-cough, and diarrhœa, were *registered* in Cork.

Four deaths from fever were *registered* in Waterford.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes |
|---|---|---|---|---|---|---|---|
| | | | Consumption. | Bronchitis. | Fever. | Disease of Heart. | |
| Dublin City:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 4 | – | 4 | 2 | 23 |
| | No. 2 ,, | 31,993 | 1 | 2 | 1 | 1 | 8 |
| | No. 3 ,, | 27,546 | 4 | 3 | 1 | – | 24 |
| South Side, | No. 1 District, | 32,184 | 2 | 7 | – | – | 26 |
| | No. 2 ,, | 29,952 | 1 | 2 | – | 1 | 11 |
| | No. 3 ,, | 38,811 | 1 | – | 2 | 1 | 11 |
| | No. 4 ,, | 36,703 | 3 | 2 | – | 2 | 20 |
| Rathmines District, | | 20,939 | 1 | 1 | – | – | 10 |
| Donnybrook, ,, | | 21,758 | 2 | – | – | – | 12 |
| Blackrock, ,, | | 7,182 | – | 1 | – | – | 2 |
| Kingstown, ,, | | 18,461 | 1 | 1 | – | 1 | 8 |
| | Total, | 314,666 | 20 | 19 | 8 | 8 | 155 |

Forty-two of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin, and 14 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 24 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 13 per 1,000; and in No. 3, North City (Blackhall-street), to 45 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 42 per 1,000; in No. 2, South City District (High-street), the ratio was 19 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 15 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 28 per 1,000.

In the Suburban District of Rathmines the annual ratio was 25 per 1,000; in Donnybrook it was 29—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 14; and in Kingstown 23 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,507 and the deaths to 1,457 (against an average of 1,452 for corresponding week 1866–75); in Glasgow the births *registered* were 445, and the deaths 290; and in Edinburgh the births were 130, and the deaths 98. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·331 inches. The highest daily mean reading (30·420) occurred on Tuesday, and the lowest (30·216) on Thursday.

The mean temperature during the week was 47·0° (the average in the corresponding week of the previous ten years was 51·0°); the lowest daily mean (44·2°) occurred on Saturday and the highest (49·7°) on Friday.

The temperature was highest on Friday, when the thermometer registered 60·8°, and was lowest on Saturday, the mercury having fallen to 30·0°. The highest reading of the barometer during the week (30·434) occurred on Tuesday, at 9.30 A.M., wind E., and the lowest (30·197) on Thursday, at 3.30 P.M., air calm. The mean of the Dry Bulb for the week was 49·7°; and of the Wet Bulb 45·3°. The mean humidity of the air was ·736; complete saturation being represented by 1·0. There was not any rain during the week.

At Greenwich, the mean temperature of the week was 47·1°; at Glasgow, 50·5°; and at Edinburgh, 47·3°. There was not any rain at Greenwich or Glasgow during the week.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. 1·0. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, May 7, | 30·360 | 60·0 | 34·0 | 47·0 | 50·8 | 46·9 | ·774 | ·2 | ·000 | E. | E. | Calm. |
| Monday, „ 8, | 30·412 | 57·6 | 36·0 | 46·8 | 49·0 | 45·3 | ·769 | ·2 | ·000 | E. | E. | Calm. |
| Tuesday, „ 9, | 30·420 | 55·7 | 38·3 | 47·0 | 50·0 | 45·7 | ·720 | ·2 | ·000 | E. | E. | E. |
| Wednesday, „ 10, | 30·330 | 55·4 | 39·4 | 47·4 | 49·2 | 44·9 | ·715 | ·2 | ·000 | E. | N.E. | Calm. |
| Thursday, „ 11, | 30·216 | 58·4 | 35·4 | 46·9 | 49·0 | 45·0 | ·775 | ·2 | ·000 | E. | Calm. | Calm. |
| Friday, „ 12, | 30·263 | 60·8 | 38·6 | 49·7 | 51·8 | 46·9 | ·713 | ·2 | ·000 | S.E. | E. | E. |
| Saturday, „ 13, | 30·317 | 58·5 | 30·0 | 44·2 | 48·3 | 42·7 | ·687 | ·5 | ·000 | E. | E. | Calm. |
| Mean, . . | 30·331 | 58·1 | 35·9 | 47·0 | 49·7 | 45·3 | ·736 | ·2 | Total, ·000 | Prevailing wind, E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, May 7, | A.M. Fine. Hazy round horizon. | P.M. Fine. |
| Monday, „ 8, | A.M. Fine and pleasant. | P.M. Fine. |
| Tuesday, „ 9, | A.M. Fine and pleasant. | P.M. Fine. |
| Wednesday, „ 10, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 11, | A.M. Fine and pleasant. | P.M. Fine. |
| Friday, „ 12, | A.M. Fine and pleasant. | P.M. Fine. |
| Saturday, „ 13, | A.M. Fine and pleasant. | P.M. Fine. |

*The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. y furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 13th May, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 13TH MAY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 26 | 183 | 155 | 22 | 46 | . | 3 | 5 | . | 1 | 8 | 2 | 2 | 2 | 42 |
| BELFAST,† . . | 20,687 | 182,082 | 23 | 127 | 80 | 13 | 14 | . | 1 | . | . | 5 | . | 3 | . | . | 13 |
| CORK, . . . | 13,816 | 91,965 | 33 | 75 | 59 | 8 | 15 | . | . | 1 | . | 1 | 3 | 1 | . | . | 28 |
| LIMERICK, . . | 8,509 | 44,209 | 19 | 23 | 16 | 2 | 3 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY,‡ (*a*) | 21,865 | 30,884 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 24 | 12 | 14 | 1 | 6 | . | . | . | . | . | 4 | . | 1 | 1 | 2 |
| GALWAY, . . | 21,358 | 19,692 | 21 | 10 | 8 | 2 | 5 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 30,835 | 17,285 | 27 | 7 | 9 | . | 4 | . | . | . | . | . | . | . | . | . | 2 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 13th May, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 21 | 14 | 8 | . | 2 | . | . | . | . | 1 | . | 1 | . | . | . |
| | " " 2, | 17,938 | 26 | 13 | 9 | . | 3 | . | . | . | . | . | . | . | . | . | 2 |
| | " " 3, | 39,311 | 15 | 34 | 11 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . |
| | " " 4, *W.* | 19,320 | 35 | 11 | 13 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | 10 |
| | " " 5, | 19,616 | 13 | 6 | 5 | 2 | . | . | . | . | . | . | . | 1 | . | . | . |
| | " " 6, | 36,652 | 23 | 28 | 16 | 3 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | " " 9, | 5,296 | 49 | 4 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 10, | 8,115 | 45 | 6 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | Castlereagh " 1, | 16,155 | 19 | 11 | 6 | 3 | 1 | . | . | . | . | 2 | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 10 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | " " 2, | 11,555 | 23 | 10 | 5 | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 |
| | " " 3, | 6,818 | 53 | 8 | 7 | 1 | 2 | . | . | . | . | 1 | 1 | . | . | . | 1 |
| | " " 4, | 6,227 | 92 | 5 | 11 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | 3 |
| | " " 5, | 11,289 | 14 | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 6, | 15,230 | 20 | 18 | 6 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | " " 7, | 7,536 | 28 | 11 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 8, *W.* | 18,364 | 42 | 9 | 15 | 2 | 6 | . | . | . | . | . | . | . | . | . | 12 |
| | " " 9, | 4,790 | 65 | 3 | 6 | . | 1 | . | . | 1 | . | . | . | . | . | . | 5 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 3 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, *W.* | 8,992 | 12 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | " " 3, | 11,424 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | " " 4, | 15,875 | 29 | 10 | 9 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, | 13,569 | 23 | 3 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* (*a*) | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 24 | 12 | 14 | 1 | 6 | . | . | . | . | . | 4 | . | 1 | 1 | 2 |
| GALWAY, | Galway, No. 1, | 10,700 | 15 | 7 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, *W.* | 8,992 | 29 | 3 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 40 | 5 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | 2 |
| | " " 2, | 10,829 | 19 | 2 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
(*a*) Return for Glendermot District not received.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 13th May, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,625 |
| Births, | 25 | 25 | 10 | 13 | 17 | 28 | 30 | 13 | 12 | 3 | 7 | 183 |
| Deaths from all Causes, | 23 | 8 | 24 | 26 | 11 | 11 | 20 | 10 | 12 | 2 | 8 | 155 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | . | . | 1 | . | 1 | . | . | 3 |
| Scarlet Fever (Scarlatina), | 2 | . | 1 | . | . | 1 | . | 1 | . | . | . | 5 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Fever, | 4 | 1 | 1 | . | . | 2 | . | . | . | . | . | 8 |
| Diarrhœa, | . | . | 1 | . | 1 | . | . | . | . | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 1 | . | 2 | . | . | . | . | 1 | 2 | . | 1 | 7 |
| Total, | 8 | 1 | 5 | 1 | 1 | 3 | 1 | 2 | 3 | . | 1 | 26 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 4 | 1 | 4 | 2 | 1 | 1 | 3 | 1 | 2 | . | 1 | 20 |
| Other Constitutional Diseases, | 4 | 1 | 1 | 2 | 2 | 1 | 3 | 2 | . | . | 1 | 17 |
| Total, | 8 | 2 | 5 | 4 | 3 | 2 | 6 | 3 | 2 | . | 2 | 37 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | . | 4 | 1 | 2 | 2 | 3 | 1 | 3 | . | 1 | 18 |
| Diseases of the Heart and Circulatory Organs, | 2 | 1 | . | 1 | 1 | 2 | 2 | . | . | . | 1 | 10 |
| Diseases of the Respiratory Organs, | 1 | 3 | 4 | 7 | 3 | . | 3 | 2 | . | 1 | 2 | 26 |
| Diseases of the Digestive Organs, | . | 1 | 1 | . | . | 1 | 2 | . | . | . | . | 5 |
| Diseases of the Urinary Organs, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | 1 | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 5 | 9 | 10 | 7 | 5 | 10 | 3 | 3 | 1 | 4 | 61 |
| DEVELOPMENTAL DISEASES, | 2 | . | 4 | 10 | . | 1 | 2 | 2 | 3 | 1 | 1 | 26 |
| VIOLENT DEATHS, | 1 | . | . | . | . | . | . | . | 1 | . | . | 2 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | 1 | 1 | . | . | 1 | . | . | . | . | 3 |
| Annual Rate of Mortality in every 1,000 of the Population, | 24 | 13 | 45 | 42 | 19 | 15 | 28 | 25 | 29 | 14 | 23 | 26 |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 10 | . | 10 | . | . | . | 3 | . | . | . | . | 23 |
| Workhouse Hospitals, | . | . | 5 | 14 | . | . | . | . | . | . | . | 19 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Offices, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the NINETEENTH WEEK, ending Saturday, May 13th, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, May 12 1866 | May 11 1867 | May 9 1868 | May 15 1869 | May 14 1870 | May 13 1871 | May 11 1872 | May 10 1873 | May 16 1874 | May 15 1875 | Average of Temperature and of Deaths in 19th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 13th, 1876. Deaths of Persons of the Ages — ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, . . | ° 52·3 | ° 57·4 | ° 51·7 | ° 46·7 | ° 50·5 | ° 51·0 | ° 47·2 | ° 47·2 | ° 48·9 | ° 56·8 | ° 51·0 | ° 47·0 | | | | | | | |
| | **ALL CAUSES, . . .** | 154 | 165 | 158 | 120 | 154 | 160 | 187 | 153 | 145 | 164 | 156·0 | 155 | 43 | 9 | 4 | 28 | 26 | 37 | 9 |
| | **SPECIFIED CAUSES,** | 150 | 165 | 157 | 119 | 150 | 156 | 183 | 146 | 143 | 163 | 153·2 | 152 | 41 | 9 | 4 | 27 | 26 | 36 | 9 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, . . | 23 | 38 | 23 | 18 | 21 | 28 | 68 | 27 | 28 | 16 | 29·0 | 26 | 10 | 2 | 2 | 9 | 2 | 1 | . |
| II. | CONSTITUTIONAL „ . . | 34 | 46 | 39 | 26 | 42 | 31 | 32 | 33 | 24 | 35 | 34·2 | 37 | 11 | 3 | 1 | 10 | 7 | 5 | . |
| III. | LOCAL „ . . | 69 | 63 | 72 | 60 | 69 | 66 | 62 | 62 | 65 | 73 | 66·1 | 61 | 13 | 2 | 1 | 7 | 15 | 21 | 2 |
| IV. | DEVELOPMENTAL „ . . | 15 | 13 | 16 | 15 | 15 | 30 | 16 | 23 | 25 | 35 | 20·2 | 26 | 7 | 1 | . | . | 2 | 9 | 7 |
| V. | VIOLENT DEATHS, . . | 9 | 6 | 7 | . | 3 | 1 | 5 | 1 | 1 | 4 | 3·7 | 2 | . | 1 | . | 1 | . | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, . . | 21 | 34 | 22 | 15 | 20 | 25 | 66 | 26 | 25 | 14 | 26·8 | 25 | 10 | 3 | 1 | 9 | 2 | 1 | . |
| | 2. ENTHETIC „ . . | 1 | 1 | 1 | 2 | . | 2 | 2 | . | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ . . | 1 | 2 | . | 1 | 1 | . | . | 1 | 2 | 2 | 1·0 | 1 | . | . | 1 | . | . | . | . |
| | 4. PARASITIC „ . . | . | 1 | . | . | . | 1 | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| II | 1. DIATHETIC DISEASES, . . | 9 | 11 | 3 | 2 | 3 | 5 | 7 | 8 | 2 | 5 | 5·5 | 4 | . | . | . | 2 | . | 2 | . |
| | 2. TUBERCULAR „ . . . | 25 | 35 | 36 | 24 | 39 | 26 | 25 | 25 | 22 | 30 | 28·7 | 33 | 11 | 3 | 1 | 8 | 7 | 3 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, . | 20 | 28 | 21 | 17 | 26 | 24 | 26 | 24 | 16 | 22 | 22·4 | 18 | 5 | 1 | 1 | 3 | 4 | 4 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 7 | 3 | 8 | 12 | 7 | 7 | 6 | 3 | 6 | 10 | 6·9 | 10 | . | 1 | . | . | 7 | 2 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, . | 33 | 26 | 34 | 22 | 27 | 23 | 28 | 27 | 36 | 31 | 28·7 | 26 | 8 | . | . | 2 | 4 | 10 | 2 |
| | 4. DISEASES OF DIGESTIVE ORGANS, . | 5 | 3 | 7 | 7 | 5 | 7 | 2 | 5 | 5 | 8 | 5·4 | 5 | . | . | . | 2 | . | 3 | . |
| | 5. DISEASES OF URINARY ORGANS, . | 2 | 1 | 2 | 2 | 3 | 5 | . | 2 | 1 | 2 | 2·0 | 1 | . | . | . | . | . | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | 1 | . | . | . | 1 | . | . | 1 | . | . | ·3 | 1 | . | . | . | . | . | 1 | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | 1 | 1 | . | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 1 | 1 | 1 | 2 | 2 | 1 | 1 | . | 2 | 6 | 1·7 | 4 | 4 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, . | . | . | 1 | 1 | . | . | 1 | 2 | 2 | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 3. „ „ OLD PEOPLE | 8 | 5 | 9 | 6 | 7 | 11 | 8 | 13 | 12 | 20 | 9·9 | 13 | . | . | . | . | . | 6 | 7 |
| | 4. DISEASES OF NUTRITION, . | 6 | 6 | 5 | 6 | 6 | 18 | 6 | 8 | 9 | 8 | 7·8 | 9 | 3 | 1 | . | . | 2 | 3 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, . | 9 | 5 | 6 | . | 3 | 1 | 5 | 1 | . | 3 | 3·3 | 2 | . | 1 | . | 1 | . | . | . |
| | 2. HOMICIDE, . . . . | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, . . . . | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, . . . . | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, . . . . | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL- | | | | | | | | | | | | | | | | | | | |

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHDOWN, the NINETEENTH WEEK, ending Saturday, 13th May, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 19th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 13th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | |
| | | May 12 1866 | May 11 1867 | May 9 1868 | May 15 1869 | May 14 1870 | May 13 1871 | May 11 1872 | May 10 1873 | May 16 1874 | May 15 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 52·3 | ° 57·4 | ° 51·7 | ° 46·7 | ° 50·5 | ° 51·0 | ° 47·2 | ° 47·2 | ° 48·9 | ° 56·8 | ° 51·0 | ° 47·0 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 1 | 47 | . | . | . | 4·8 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 15 | 2 | . | . | . | 3 | . | . | . | 2·0 | 3 | 3 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 3 | 5 | 3 | 5 | 2 | 4 | . | 9 | 2 | 3·4 | 5 | 2 | 2 | 1 | . | . | . | . |
| | 4. Diphtheria, | . | . | . | . | 1 | . | . | 1 | 1 | 2 | ·5 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | 6. Croup, | . | 2 | . | 3 | 1 | 5 | 2 | 1 | 3 | 2 | 1·9 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 2 | 1 | 6 | . | 2 | 5 | . | 7 | 1 | . | 2·4 | 1 | 1 | . | . | . | . | . | . |
| | 8. Typhus, | | | | | 6 | . | 1 | 3 | 4 | . | | 2 | . | . | . | 2 | . | . | . |
| | – Enteric or Typhoid Fever, | 8 | 7 | 4 | 2 | 1 | 4 | 1 | 1 | 1 | 4 | 5·9 | 6 | 1 | . | . | 4 | 1 | . | . |
| | – Simple continued Fever, | | | | 2 | 2 | 3 | 1 | 2 | 1 | 1 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 4 | 1 | 1 | . | . | . | 2 | . | 1 | . | ·9 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 1 | 2 | . | 2 | . | 1 | . | 3 | . | . | ·9 | 2 | . | . | . | 2 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 2 | . | . | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 3 | 2 | 4 | 2 | 2 | 3 | 3 | 8 | 2 | 2 | 3·1 | 2 | 1 | . | . | . | 1 | . | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | ·5 | 1 | . | . | . | . | . | 1 | . |
| | 19. Other Zymotic Diseases, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | 1 | 1 | 2 | . | 2 | 2 | . | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | 1 | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens / Intemperance, | 1 | . | . | 1 | 1 | . | . | 1 | 2 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | 1 | . | . | . | 1 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 8 | 1 | 1 | . | 3 | 1 | 4 | . | 1 | 2·2 | . | . | . | . | . | . | . | . |
| | 3. Cancer, | 6 | 1 | 2 | . | 2 | 1 | 3 | 3 | 2 | 3 | 2·3 | 3 | . | . | . | 2 | . | 1 | . |
| | 4. Cancrum Oris (Noma), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | 1 | 1 | . | 2 | 1 | . | 1 | ·6 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 4 | 1 | 1 | 2 | 2 | . | 1 | 2 | 2 | 1·7 | 1 | . | 1 | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 2 | 4 | 5 | . | 3 | 1 | 4 | 3 | 2 | 3 | 2·7 | 6 | 4 | 2 | . | . | . | . | . |
| | 3. Phthisis, | 18 | 21 | 26 | 22 | 34 | 17 | 19 | 14 | 16 | 22 | 20·9 | 20 | 1 | . | 1 | 8 | 7 | 3 | . |
| | 4. Hydrocephalus, | 3 | 6 | 4 | 1 | . | 6 | 2 | 7 | 2 | 3 | 3·4 | 6 | 6 | . | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 3 | 2 | 2 | . | . | 3 | 1 | 1 | 2 | 1·4 | 2 | . | 1 | . | 1 | . | . | . |
| | 2. Apoplexy, | 1 | 1 | 4 | 2 | 5 | 3 | 2 | 3 | 1 | 3 | 2·7 | 2 | . | . | 1 | . | 1 | . | . |
| | 3. Paralysis, | 6 | 6 | . | 6 | 3 | 4 | 7 | 5 | 4 | 3 | 4·4 | 7 | . | . | . | 1 | 2 | 4 | . |
| | 4. Insanity, | . | . | . | . | 1 | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | . | 2 | 2 | 1 | 1 | 1 | 2 | 1 | . | 1·0 | 1 | . | . | . | 1 | . | . | . |
| | 7. Convulsions, | 10 | 15 | 9 | 4 | 13 | 10 | 11 | 9 | 8 | 9 | 9·8 | 5 | 5 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 3 | 3 | 4 | 1 | 3 | 4 | 2 | 4 | 1 | 4 | 2·9 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 2 | . | . | . | . | . | 2 | . |
| | 3. *Heart Disease, &c.* | 7 | 3 | 8 | 10 | 7 | 7 | 6 | 3 | 5 | 10 | 6·6 | 8 | . | 1 | . | . | 7 | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 26 | 22 | 27 | 13 | 18 | 19 | 21 | 22 | 26 | 16 | 20·9 | 19 | 5 | . | . | 1 | 4 | 8 | 1 |
| | 3. Pleurisy, | . | . | . | 1 | . | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 3 | 4 | 3 | 4 | 5 | 3 | 6 | 2 | 5 | 11 | 4·6 | 6 | 3 | . | . | 1 | . | 1 | 1 |
| | 5. Asthma, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 3 | . | 4 | 4 | 4 | 2 | 1 | 2 | 5 | 3 | 2·8 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | 1 | . | . | . | 2 | . | ·3 | 2 | . | . | . | 1 | . | 1 | . |
| | 2. Enteritis, | . | . | 1 | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 2 | . | 1 | . | . | . | 1 | . | 1 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in n the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 10th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 13th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | May 12 1866 | May 11 1867 | May 9 1868 | May 15 1869 | May 14 1870 | May 13 1871 | May 11 1872 | May 10 1873 | May 16 1874 | May 15 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 52·3 | 57·1 | 51·7 | 46·7 | 50·5 | 51·0 | 47·2 | 47·2 | 48·9 | 56·8 | 51·0 | Mean Temp. 47·0 | | | | | | | |
| III. con. | 7. Ileus, | . | . | . | . | . | 1 | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 9. Stricture of Intestines, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 2 | 1 | 1 | . | 3 | . | 1 | 2 | 3 | 1·4 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | 1 | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | . | 1 | 4 | 5 | 3 | 2 | 1 | 2 | . | 3 | 2·0 | 2 | . | . | . | . | . | 2 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Order 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | . | 2 | 2 | . | . | 1 | 1 | 2 | ·8 | 1 | . | . | . | . | . | 1 | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | . | 1 | 2 | . | 1 | 5 | . | . | . | . | ·9 | . | . | . | . | . | . | . | . |
| | Order 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| | Order 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | Order 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | Order 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | . | . | 1 | . | . | . | 3 | ·5 | 1 | 1 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 1 | 1 | 2 | 2 | . | 1 | . | 2 | 2 | 1·1 | 3 | 3 | . | . | . | . | . | . |
| | Order 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pneumonia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | . | 1 | 1 | . | . | 1 | 2 | 2 | 1 | ·8 | . | . | . | . | . | . | . | . |
| | Order 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 8 | 5 | 9 | 6 | 7 | 11 | 8 | 13 | 12 | 20 | 9·9 | 13 | . | . | . | . | . | 6 | 7 |
| | Order 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 6 | 6 | 5 | 6 | 6 | 18 | 6 | 8 | 9 | 8 | 7·8 | 9 | 3 | 1 | . | . | 2 | 3 | . |
| V. | Order 1. (Accident or Negligence.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 3 | 2 | 3 | . | . | 1 | 1 | 1 | . | . | 1·1 | . | . | . | . | . | . | . | . |
| | 2. Wounds, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 2 | . | 1 | . | 1 | . | 1 | . | . | 2 | ·7 | 1 | . | 1 | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 5. Drowning, | 1 | 3 | 2 | . | 1 | . | 2 | . | . | 1 | 1·0 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | 3 | . | . | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | Order 3.—(Homicide.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Order 4.—(Suicide.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3 Drowning, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Order 5.—(Execution.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 4 | . | 1 | 1 | 3 | 4 | 4 | 6 | 2 | 1 | 2·6 | 3 | 1 | . | . | 1 | . | 1 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | | 1876. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 20. | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | Apr. 29. | May 6. | May 13. |
| BIRTHS, | 160 | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 183 | 112 | 196 | 188 | 170 | 183 |
| DEATHS, | 184 | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 223 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 156 | 155 |
| Deaths under 5 years of age, | 66 | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 | 55 | 58 | 46 | 42 |
| Deaths 5–15, | 12 | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 | 9 |
| Deaths 15–20, | 6 | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 | 4 |
| Deaths 20–40, | 30 | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 | 28 |
| Deaths 40–60, | 33 | 32 | 34 | 35 | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 | 51 | 37 | 35 | 26 |
| Deaths 60–80, | 30 | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 35 | 28 | 34 | 21 | 41 | 37 |
| Deaths at 80 years of age and upwards, | 7 | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 | 9 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 10 | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 | 3 |
| ,, Scarlatina, | 4 | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 | 5 |
| ,, Diphtheria, | . | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 | . | . |
| ,, Whooping Cough, | 7 | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 | 2 | 1 |
| ,, Fever, | 10 | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 | 8 |
| ,, Diarrhœa, | 5 | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 | 2 |
| ,, Phthisis, | 17 | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 | 20 |
| ,, Bronchitis, | 29 | 23 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 | 29 | 14 | 19 |
| ,, Pneumonia, | 3 | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 5 | 6 |
| ,, Heart Disease, | 8 | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 | 8 |
| Mean Temperature of the Air | 45·1 | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·3 | 41·7 | 52·9 | 39·2 | 47·5 | 49·1 | 44·1 | 47·0 |
| Rain-fall in inches, | ·455 | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·062 | 1·038 | ·620 | ·220 | ·040 | ·000 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·824 | ·829 | ·825 | ·801 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 | ·812 | ·835 | ·710 | ·736 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

DUBLIN

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, MAY 20, 1876. [No. 20.

*General Register Office, Charlemont House, Dublin, May 22nd, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 20th May, 1876, represent an annual mortality of 25 in every 1,000 of the population, by the Census of 1871. In London the death rate was 20 in every 1,000 of the estimated population; in Glasgow, 27; and in Edinburgh, 20.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 172—100 boys and 72 girls,—and the deaths to 151—79 males and 72 females. The *average* numbers in the corresponding week of the previous ten years were—births, 172, and deaths, 152.

The number of deaths from zymotic diseases *registered* during the week amounted to 18, viz., 4 from typhoid fever, 1 from diphtheria, 6 from whooping-cough, &c.

Eleven children died from convulsions.

Sixteen deaths resulted from bronchitis, 5 from pneumonia, and 7 from lung disease unspecified.

Three deaths were referred to apoplexy, 5 to paralysis, 1 to chorea or St. Vitus's dance, and 6 to brain disease unspecified.

Heart disease caused 2 deaths, and pericarditis or inflammation of the heart's covering, 1.

Twenty-five persons fell victims to phthisis or pulmonary consumption, 5 to hydrocephalus, 6 to mesenteric disease, and 2 each to scrofula and cancer.

One death resulted from burns, and another was suicidal.

Forty-five of the persons whose deaths were *registered* during the week were under 5 years of age (23 being infants under 1 year old); and 24 were aged 60 and upwards, including 13 persons aged 70 and upwards, of whom 3 were octogenarians.

Two deaths from fever, 2 from whooping-cough, and 3 from diarrhœa were *registered* in Belfast.

Two deaths from measles, and 1 each from fever and diarrhœa, were *registered* in Cork.

Three deaths from fever, and 1 from diarrhœa, were *registered* in Limerick.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | Population by Census in 1871. | Number of Deaths from Consumption. | Bronchitis. | Convulsions. | Whooping Cough. | Deaths from all Causes |
|---|---|---|---|---|---|---|
| DUBLIN CITY:— | | | | | | |
| North Side, No. 1 District, | 49,137 | 4 | 4 | 1 | 1 | 25 |
| North Side, No. 2 ,, | 31,993 | 1 | – | 2 | – | 7 |
| North Side, No. 3 ,, | 27,546 | 3 | 3 | 1 | 3 | 21 |
| South Side, No. 1 District, | 32,184 | 6 | 2 | 1 | – | 32 |
| South Side, No. 2 ,, | 29,952 | 1 | 1 | – | – | 9 |
| South Side, No. 3 ,, | 38,811 | 1 | – | – | – | 13 |
| South Side, No. 4 ,, | 36,703 | 5 | 5 | 5 | 1 | 21 |
| RATHMINES DISTRICT, . | 20,939 | 1 | – | – | 1 | 7 |
| DONNYBROOK, ,, . | 21,758 | 1 | – | 1 | – | 7 |
| BLACKROCK, ,, . | 7,182 | 2 | – | – | – | 4 |
| KINGSTOWN, ,, . | 18,461 | – | 1 | – | – | 5 |
| Total, . | 314,666 | 25 | 16 | 11 | 6 | 151 |

Forty-seven of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 4 took place in the North Dublin, and 17 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 26 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 11 per 1,000; and in No. 3, North City (Blackhall-street), to 40 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 52 per 1,000; in No. 2, South City District (High-street), the ratio was 16 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 17 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 30 per 1,000.

In the Suburban District of Rathmines the annual ratio was 17 per 1,000; in Donnybrook it was 17—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 29; and in Kingstown 14 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,353 and the deaths to 1,341 (against an average of 1,404 for corresponding week 1866–75); in Glasgow the births *registered* were 433, and the deaths 286; and in Edinburgh the births were 137, and the deaths 83. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·252 inches. The highest daily mean reading (30·370) occurred on Friday, and the lowest (30·126) on Sunday.

The mean temperature during the week was 48·9° (the average in the corresponding week of the previous ten years was 50·8°); the lowest daily mean (43·9°) occurred on Thursday, and the highest (52·9°) on Saturday.

The temperature was highest on Saturday, when the thermometer registered 65·1°, and was lowest on Thursday, the mercury having fallen to 32·1°. The highest reading of the barometer during the week (30·381) occurred on Friday, at 9.30 A.M., wind N.E., and the lowest (30·103) on Sunday, at 3.30 P.M., wind E. The mean of the Dry Bulb for the week was 50·4°; and of the Wet Bulb 46·4°. The mean humidity of the air was ·759; complete saturation being represented by 1·0. The rain-fall during the week measured ·070 in.

At Greenwich, the mean temperature of the week was 49·2°; at Glasgow, 49·4°; and at Edinburgh, 49·9°. There was not any rain at Greenwich or Glasgow during the week.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, May 14, | 30·126 | 61·9 | 39·0 | 50·4 | 52·8 | 49·4 | ·800 | ·4 | ·060 | W. | E. | Calm. |
| Monday, „ 15, | 30·181 | 56·0 | 40·1 | 48·1 | 48·6 | 44·2 | ·725 | ·2 | ·010 | N.E. | E. | Calm. |
| Tuesday, „ 16, | 30·233 | 56·8 | 41·2 | 49·0 | 48·3 | 45·1 | ·790 | ·3 | ·009 | E. | E. | E. |
| Wednesday, „ 17, | 30·254 | 58·2 | 37·8 | 48·0 | 48·7 | 44·8 | ·756 | ·3 | ·000 | N.E. | N.E. | Calm. |
| Thursday, „ 18, | 30·325 | 55·7 | 32·1 | 43·9 | 48·2 | 44·4 | ·762 | ·3 | ·000 | E. | Calm. | Calm. |
| Friday, „ 19, | 30·370 | 62·9 | 37·1 | 50·0 | 51·5 | 47·4 | ·773 | ·4 | ·000 | N.E. | N.E. | Calm. |
| Saturday, „ 20, | 30·275 | 65·1 | 40·7 | 52·9 | 54·9 | 49·5 | ·704 | ·7 | ·000 | Calm. | E. | Calm. |
| Mean, . . | 30·252 | 59·5 | 38·3 | 48·9 | 50·4 | 46·4 | ·759 | ·4 | Total, ·070 | Prevailing wind, E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, May 14, | A.M. Fine and pleasant. | P.M. Fine. |
| Monday, „ 15, | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 16, | A.M. Raining. | P.M. Fine. |
| Wednesday, „ 17, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 18, | A.M. Fine. | P.M. Fine. |
| Friday, „ 19, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 20, | A.M. Fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 20th May, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 20TH MAY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 25 | 172 | 151 | 23 | 24 | . | . | . | 1 | 6 | 4 | 1 | 12 | 2 | 47 |
| BELFAST,† . . | 20,687 | 182,082 | 26 | 166 | 90 | 18 | 15 | . | . | . | . | 2 | 2 | 3 | 2 | . | 13 |
| CORK, . . . | 13,816 | 91,565 | 21 | 65 | 37 | 6 | 12 | . | 2 | . | . | . | 1 | 1 | . | . | 17 |
| LIMERICK, . . | 8,509 | 44,209 | 28 | 27 | 24 | 3 | 7 | . | . | . | . | . | 3 | 1 | . | 2 | 10 |
| LONDONDERRY,‡ (*a*) | 21,865 | 30,884 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 41 | 28 | 24 | 6 | 3 | . | . | . | . | . | . | . | 1 | 2 | 12 |
| GALWAY, . . . | 21,358 | 19,692 | 32 | 16 | 12 | 2 | 7 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, . . . | 30,835 | 17,285 | 21 | 8 | 7 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 20th May, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 13 | 11 | 5 | 1 | . | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 20 | 14 | 7 | 2 | . | . | . | . | . | . | . | . | 2 | . | 3 |
| | ,, ,, 3, | 39,311 | 28 | 54 | 21 | 4 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 46 | 25 | 17 | 5 | 6 | . | . | . | . | . | 2 | . | . | . | 10 |
| | ,, ,, 5, | 19,616 | 19 | 17 | 7 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 28 | 18 | 20 | . | 4 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 20 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 38 | 8 | 6 | 3 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 16 | 12 | 5 | 2 | 3 | . | . | . | . | 1 | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 5 | 9 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 14 | 12 | 3 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 3, | 6,818 | 53 | 6 | 7 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 58 | 2 | 7 | . | 4 | . | . | . | . | . | . | 1 | . | . | 4 |
| | ,, ,, 5, | 11,289 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 7 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 7, | 7,536 | 14 | 10 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 37 | 13 | 13 | 2 | 4 | . | . | . | . | . | . | . | . | . | 11 |
| | ,, ,, 9, | 4,790 | 22 | 5 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 2 | 4 | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| | ,, ,, 2, *W.* | 6,992 | 64 | 6 | 11 | . | 3 | . | . | . | . | . | 3 | 1 | . | . | 10 |
| | ,, ,, 3, | 11,424 | 5 | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 26 | 13 | 8 | 3 | 2 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 35 | 9 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 19 | 7 | 5 | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | Glendermot, *W.* (*a*) | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 41 | 28 | 24 | 6 | 3 | . | . | . | . | . | . | . | 1 | 2 | 12 |
| GALWAY, | Galway, No. 1, | 10,700 | 19 | 7 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, *W.* | 8,992 | 46 | 9 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 24 | 2 | 3 | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 2, | 10,829 | 19 | 6 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
(*a*) Return for Glendermot District not received for last two weeks.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 20th May, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 17 | 18 | 16 | 25 | 15 | 27 | 21 | 15 | 5 | 3 | 10 | 173 |
| **Deaths from all Causes,** | 25 | 7 | 21 | 32 | 9 | 13 | 21 | 7 | 7 | 4 | 5 | 151 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | . | . | . | . | . | . | . | . | . | . | . | . |
| Diphtheria, | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Whooping Cough, | 1 | . | 3 | . | . | . | 1 | 1 | . | . | . | 6 |
| Fever, | 1 | . | . | 1 | 1 | . | . | . | 1 | . | . | 4 |
| Diarrhœa, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | 1 | 1 | . | 3 | . | . | 1 | . | . | . | . | 6 |
| Total, | 3 | 1 | 3 | 5 | 1 | . | 2 | 2 | 1 | . | . | 18 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 4 | 1 | 3 | 6 | 1 | 1 | 5 | 1 | 1 | 2 | . | 25 |
| Other Constitutional Diseases, | 3 | 1 | 3 | 5 | 1 | 3 | 2 | . | . | . | 1 | 19 |
| Total, | 7 | 2 | 6 | 11 | 2 | 4 | 7 | 1 | 1 | 2 | 1 | 44 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | 3 | 4 | 6 | . | 1 | 5 | . | 2 | 2 | 1 | 27 |
| Diseases of the Heart and Circulatory Organs, | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 3 |
| Diseases of the Respiratory Organs, | 7 | . | 4 | 3 | 2 | 3 | 6 | 1 | 1 | . | 2 | 29 |
| Diseases of the Digestive Organs, | 2 | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 6 |
| Diseases of the Urinary Organs, | . | . | . | . | 1 | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | 12 | 3 | 10 | 10 | 4 | 5 | 12 | 1 | 5 | 2 | 4 | 68 |
| DEVELOPMENTAL DISEASES, | 2 | 1 | . | 6 | 2 | 4 | . | 1 | . | . | . | 16 |
| VIOLENT DEATHS, | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 |
| Annual Rate of Mortality in every 1,000 of the Population, | 26 | 11 | 40 | 52 | 16 | 17 | 30 | 17 | 17 | 29 | 14 | 25 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 9 | . | 6 | 4 | . | . | 2 | . | 5 | . | . | 26 |
| Workhouse Hospitals, | . | . | 4 | 17 | . | . | . | . | . | . | . | 21 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the ... of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand ...treet, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the TWENTIETH WEEK, ending Saturday, May 20th, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Ref. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 20th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, May 20th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | May 19 1866 | May 18 1867 | May 16 1868 | May 22 1869 | May 21 1870 | May 20 1871 | May 18 1872 | May 17 1873 | May 23 1874 | May 22 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, . . | ° 48·0 | ° 40·9 | ° 53·6 | ° 47·5 | ° 56·6 | ° 51·8 | ° 48·2 | ° 51·7 | ° 52·2 | ° 51·7 | ° 50·8 | ° 48·9 | | | | | | | |
| | **ALL CAUSES,** . . . | 167 | 189 | 165 | 146 | 129 | 153 | 175 | 132 | 124 | 140 | 152·0 | 151 | 45 | 8 | 8 | 31 | 35 | 21 | 3 |
| | **SPECIFIED CAUSES,** | 164 | 187 | 162 | 145 | 126 | 150 | 170 | 130 | 123 | 136 | 149·3 | 148 | 45 | 8 | 8 | 30 | 35 | 19 | 3 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, . . | 40 | 48 | 29 | 34 | 29 | 28 | 61 | 18 | 24 | 19 | 33·0 | 18 | 10 | 1 | 1 | 1 | 3 | 1 | 1 |
| II. | CONSTITUTIONAL „ . . | 31 | 38 | 43 | 30 | 24 | 38 | 34 | 26 | 20 | 41 | 32·5 | 44 | 11 | 3 | 6 | 10 | 11 | 3 | . |
| III. | LOCAL „ . . | 76 | 83 | 72 | 56 | 55 | 58 | 57 | 59 | 63 | 52 | 63·1 | 68 | 21 | 3 | 1 | 18 | 21 | 4 | . |
| IV. | DEVELOPMENTAL „ . . | 14 | 15 | 15 | 18 | 14 | 24 | 14 | 22 | 14 | 20 | 17·0 | 16 | 3 | . | . | . | . | 11 | 2 |
| V. | VIOLENT DEATHS, . . | 3 | 3 | 3 | 7 | 4 | 2 | 4 | 5 | 2 | 4 | 3·7 | 2 | . | 1 | . | 1 | . | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, . . | 39 | 43 | 29 | 31 | 27 | 27 | 59 | 18 | 23 | 18 | 31·4 | 14 | 7 | 1 | 1 | 1 | 3 | 1 | . |
| | 2. ENTHETIC „ . . | . | . | . | 2 | . | . | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 3. DIETIC „ . . | 1 | 5 | . | . | 1 | 1 | 2 | . | 1 | 1 | 1·2 | 2 | 1 | . | . | . | . | . | 1 |
| | 4. PARASITIC „ . . | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| II | 1. DIATHETIC DISEASES, . | 7 | 8 | 13 | 4 | 4 | 4 | 3 | 3 | 4 | 6 | 5·6 | 6 | 1 | . | . | . | 2 | 3 | . |
| | 2. TUBERCULAR „ . . | 24 | 30 | 30 | 26 | 20 | 34 | 31 | 23 | 16 | 35 | 26·9 | 38 | 10 | 3 | 6 | 10 | 9 | . | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, . | 18 | 31 | 31 | 12 | 21 | 15 | 22 | 15 | 15 | 14 | 19·4 | 27 | 12 | 1 | 1 | 4 | 9 | . | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 12 | 13 | 7 | 5 | 5 | 8 | 3 | 11 | 7 | 6 | 7·7 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, . | 36 | 27 | 31 | 35 | 20 | 24 | 25 | 18 | 29 | 23 | 26·8 | 29 | 8 | 1 | . | 10 | 7 | 3 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, . | 4 | 10 | 2 | 3 | 5 | 6 | 6 | 10 | 9 | 4 | 5·9 | 6 | 1 | 1 | . | 2 | 2 | . | . |
| | 5. DISEASES OF URINARY ORGANS, . | 4 | 1 | . | 1 | 2 | 5 | 1 | 4 | 3 | 2 | 2·3 | 1 | . | . | . | . | 1 | . | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | 1 | . | 1 | . | . | . | . | . | . | 2 | ·4 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | 1 | . | . | . | 2 | . | . | . | . | 1 | ·4 | 1 | . | . | . | 1 | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 1 | 1 | 3 | 1 | 1 | 3 | 3 | . | . | 1 | 1·4 | . | . | . | . | . | . | . | . |
| | 2. „ „ ADULTS, . | 2 | . | 1 | . | . | 2 | . | 1 | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| | 3 „ „ OLD PEOPLE | 8 | 7 | 6 | 12 | 7 | 12 | 5 | 14 | 7 | 12 | 9·0 | 11 | . | . | . | . | 9 | 2 | |
| | 4. DISEASES OF NUTRITION, . | 3 | 7 | 5 | 5 | 6 | 7 | 6 | 7 | 6 | 7 | 5·9 | 5 | 3 | . | . | . | 2 | . | |
| V. | 1. ACCIDENT OR NEGLIGENCE, . | 2 | 2 | 3 | 6 | 4 | 2 | 4 | 5 | 2 | 4 | 3·4 | 1 | . | 1 | . | . | . | . | . |
| | *3. HOMICIDE, . . . . | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, . . . . | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| | 5. EXECUTION, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, . . . . | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, . . . . | 3 | 1 | 3 | 1 | 3 | 3 | 5 | 2 | 1 | 4 | 2·6 | 2 | . | . | . | 1 | . | 1 | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TWENTIETH WEEK, ending Saturday, 20th May, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, May 19 1866 | May 18 1867 | May 16 1868 | May 22 1869 | May 21 1870 | May 20 1871 | May 18 1872 | May 17 1873 | May 23 1874 | May 22 1875 | Average of Temperature and of Deaths in 2013 Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 20th, 1876. Deaths of Persons of the Age: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 48·0 | ° 46·9 | ° 53·6 | ° 47·5 | ° 56·6 | ° 51·8 | ° 48·2 | ° 51·7 | ° 52·2 | ° 51·7 | ° 50·8 | Mean Temp. ° 48·9 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 1 | 37 | . | . | 1 | 3·9 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 17 | 1 | 1 | 1 | . | 4 | 1 | . | 1 | 2·6 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 5 | 4 | 10 | 7 | 2 | 4 | 1 | 8 | 5 | 4·7 | . | . | . | . | . | . | . | . |
| | 4. Diphtheria, | . | 1 | . | 1 | 1 | 1 | . | . | 3 | 1 | ·8 | 1 | 1 | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | 1 | 4 | 1 | 3 | 4 | 2 | 3 | 1 | 3 | 2·3 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 5 | 2 | 9 | . | . | 3 | . | 5 | . | . | 2·4 | 6 | 5 | 1 | . | . | . | . | . |
| | 8. Typhus, | | | | . | 7 | 8 | 5 | 3 | 5 | . | | . | . | . | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | 23 | 6 | 3 | 7 | 3 | 2 | 3 | 3 | 1 | 3 | 9·1 | 4 | 1 | . | 1 | 1 | 1 | . | . |
| | – Simple continued Fever, | | | | 2 | 3 | . | 1 | 1 | 1 | 1 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 3 | . | . | 1 | . | . | 2 | . | 1 | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 4 | 5 | 3 | 1 | . | . | 1 | . | . | . | 1·4 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 14. Diarrhœa, | . | 3 | 1 | 4 | 2 | 2 | . | 1 | 2 | . | 1·5 | 1 | . | . | . | . | . | 1 | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | 1 | 2 | 1 | . | 2 | . | . | . | 1 | ·8 | 1 | . | . | . | . | 1 | . | . |
| | 19. Other Zymotic Diseases, | 1 | 2 | 2 | . | . | 1 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | 2 | . | . | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | 1 | 2 | . | . | . | . | 1 | . | 1 | 1 | ·6 | 1 | . | . | . | . | . | . | 1 |
| | 4. Alcoholism, { Delirium Tremens | . | 1 | . | . | 1 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | 1 | 1 | | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 5 | 10 | 1 | 4 | 1 | . | 1 | 2 | 1 | 2·8 | 4 | 1 | . | . | . | 3 | 1 | . |
| | 3. Cancer, | 4 | 2 | 3 | 2 | . | 2 | 3 | 2 | 2 | 4 | 2·4 | 2 | . | . | . | . | . | 2 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | . | 1 | . | . | . | 1 | 1 | 4 | . | 1 | ·8 | 2 | 1 | . | 1 | . | . | . | . |
| | 2. Tabes Mesenterica, | 4 | 5 | 3 | 1 | 4 | 1 | 4 | 2 | 3 | 4 | 3·1 | 6 | 5 | 1 | . | . | . | . | . |
| | 3. Phthisis, | 19 | 20 | 23 | 21 | 12 | 28 | 24 | 11 | 12 | 27 | 19·7 | 25 | . | 2 | 4 | 10 | 9 | . | . |
| | 4. Hydrocephalus, | 1 | 4 | 4 | 4 | 4 | 4 | 2 | 6 | 1 | 3 | 3·3 | 5 | 4 | . | 1 | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | 2 | 7 | . | 1 | 4 | 2 | 1 | 1 | 1 | 2·0 | 1 | . | . | . | . | 1 | . | . |
| | 2. Apoplexy, | 3 | 4 | 5 | 1 | 4 | . | 2 | 2 | 1 | 5 | 2·7 | 3 | . | . | . | . | 3 | . | . |
| | 3. Paralysis, | 1 | 3 | 4 | 2 | 8 | 2 | 2 | . | 4 | 1 | 2·2 | 5 | . | . | 1 | 1 | 3 | . | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | 2 | . | . | . | 3 | . | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 8 | 14 | 10 | 8 | 10 | 8 | 10 | 9 | 7 | 5 | 8·9 | 11 | 11 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 5 | 7 | 3 | 1 | 3 | 1 | 3 | 3 | . | 1 | 2·7 | 6 | 1 | . | . | 3 | 2 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | 1 | . | . | . | . | 1 | . | . | . | 1 | ·3 | 1 | . | . | . | 1 | . | . | . |
| | 2. Aneurism, | 2 | . | 2 | 1 | . | . | . | 1 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 9 | 13 | 5 | 4 | 5 | 7 | 3 | 10 | 7 | 5 | 6·8 | 2 | . | . | . | . | 1 | 1 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | 1 | . | . | . |
| | 2. Bronchitis, | 26 | 19 | 22 | 21 | 15 | 15 | 16 | 13 | 16 | 17 | 18·0 | 16 | 4 | 1 | . | 4 | 4 | 3 | . |
| | 3. Pleurisy, | . | 1 | 1 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 7 | 4 | 4 | 7 | 3 | 1 | 7 | 4 | 5 | 3 | 4·5 | 5 | 2 | . | . | 3 | . | . | . |
| | 5. Asthma, | . | 1 | 1 | 1 | 1 | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 3 | 2 | 3 | 6 | 1 | 7 | 2 | 1 | 7 | 2 | 3·4 | 7 | 2 | . | . | 2 | 3 | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | 2 | . | . | . | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | 1 | . | . | . | . | . | 1 | 1 | 1 | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 28th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 20th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | May 19 1866 | May 18 1867 | May 16 1868 | May 22 1869 | May 21 1870 | May 20 1871 | May 18 1872 | May 17 1873 | May 23 1874 | May 22 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 48·0 | 46·9 | 53·6 | 47·5 | 56·6 | 51·8 | 48·2 | 51·7 | 52·2 | 51·7 | 50·8 | 48·9 | | | | | | | |
| III. con. | 7. Ileus, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 8. Intussusception, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 9. Stricture of Intestines, | · | · | · | · | · | · | · | 1 | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 10. Fistula, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 11. *Stomach Disease, &c.* | · | 1 | 1 | · | 1 | 1 | 1 | 1 | 2 | · | ·8 | 1 | · | · | · | 1 | · | · | · |
| | 12. *Pancreas Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 13. Hepatitis, | · | · | · | 1 | · | · | · | 1 | 1 | · | ·3 | · | · | · | · | · | · | · | · |
| | 14. Jaundice, | 1 | · | · | · | · | · | 1 | 2 | 2 | 1 | ·7 | 2 | 1 | 1 | · | · | · | · | · |
| | 15. *Liver Disease, &c.* | 1 | 4 | 1 | 2 | 3 | 4 | 2 | 4 | 3 | 1 | 2·5 | 2 | · | · | · | · | 2 | · | · |
| | 16. *Spleen Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | · | · | · | · | 1 | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. Ischuria, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Bright's Disease (Nephria), | 2 | · | · | 1 | 1 | 1 | 1 | 1 | 1 | 1 | ·9 | · | · | · | · | · | · | · | · |
| | 4. Diabetes, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Calculus (Stone), | · | · | · | · | · | 1 | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 6. Cystitis, | · | · | · | · | · | · | · | · | 1 | · | ·1 | · | · | · | · | · | · | · | · |
| | 7. *Kidney Disease, &c.* | 2 | 1 | · | · | · | 3 | · | 3 | 1 | 1 | 1·1 | 1 | · | · | · | · | 1 | · | · |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | · | · | · | · | · | · | · | · | · | 2 | ·2 | · | · | · | · | · | · | · | · |
| | 2. *Uterus Disease, &c.* | 1 | · | 1 | · | · | · | · | · | · | · | ·2 | · | · | · | · | · | · | · | · |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | 1 | · | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. *Joint Disease, &c.* | · | · | · | · | 2 | · | · | · | · | 1 | ·3 | 1 | · | · | · | 1 | · | · | · |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. Ulcer, | · | · | · | · | · | · | · | 1 | · | · | ·1 | 1 | · | · | · | · | 1 | · | · |
| | 3. *Skin Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | · | 2 | 1 | · | 2 | 1 | · | · | · | ·7 | · | · | · | · | · | · | · | · |
| | 2. Cyanosis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Spina Bifida, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Other Malformations, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Teething, | · | 1 | 1 | · | 1 | 1 | 2 | · | · | 1 | ·7 | · | · | · | · | · | · | · | · |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | · | · | · | · | · | · | · | · | 1 | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. Childbirth (*see also* Puerperal Fever), | 2 | · | 1 | · | · | 2 | · | 1 | · | · | ·6 | · | · | · | · | · | · | · | · |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 8 | 7 | 6 | 12 | 7 | 12 | 5 | 14 | 7 | 12 | 9·0 | 11 | · | · | · | · | · | 9 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 3 | 7 | 5 | 5 | 6 | 7 | 6 | 7 | 6 | 7 | 5·9 | 5 | 3 | · | · | · | | 2 | · |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | · | 2 | 4 | · | 1 | 1 | 3 | · | 1 | 1·3 | · | · | · | · | · | · | · | · |
| | 2. Wounds, | · | · | 1 | 1 | · | · | 1 | 1 | · | · | ·4 | · | · | · | · | · | · | · | · |
| | 3. Burns and Scalds, | · | · | · | · | 2 | · | 2 | · | 2 | · | ·6 | 1 | · | 1 | · | · | · | · | · |
| | 4. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Drowning, | 1 | · | · | · | 1 | 1 | · | · | · | 1 | ·4 | · | · | · | · | · | · | · | · |
| | 6. Suffocation, | · | 1 | · | 1 | 1 | · | · | · | · | · | ·3 | · | · | · | · | · | · | · | · |
| | 7. Otherwise, | · | 1 | · | · | · | · | · | 1 | · | 2 | ·4 | · | · | · | · | · | · | · | · |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 1. Wounds, { Cut, Stab, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. Poison, | 1 | · | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 3. Drowning, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Otherwise, | · | · | · | · | · | · | · | · | · | · | · | 1 | · | · | · | 1 | · | · | · |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Other Violent Deaths (not classed), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| — | Sudden Deaths (Cause unascertained), | · | 1 | · | · | · | · | · | · | · | · | ·1 | 1 | · | · | · | · | · | 1 | · |
| | Causes not specified or ill-defined, | 3 | 1 | 3 | 1 | 3 | 3 | 5 | 2 | 1 | 4 | 2·6 | 2 | · | · | · | 1 | · | 1 | · |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | | 1876. | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 27. | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | April 29. | May 6. | May 13. | May 20. |
| BIRTHS, | 188 | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 189 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 | 196 | 188 | 170 | 183 | 172 |
| DEATHS, | 169 | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 156 | 155 | 151 |
| Deaths under 5 years of age, | 61 | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 73 | 50 | 55 | 58 | 46 | 42 | 45 |
| Deaths 5–15, | 7 | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 | 9 | 8 |
| Deaths 15–20, | 3 | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 | 4 | 8 |
| Deaths 20–40, | 21 | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 | 28 | 31 |
| Deaths 40–60, | 32 | 34 | 35 | 53 | 31 | 40 | 31 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 | 51 | 37 | 35 | 26 | 25 |
| Deaths 60–80, | 37 | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 | 34 | 21 | 41 | 37 | 21 |
| Deaths at 80 years of age and upwards, | 8 | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 | 9 | 3 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 5 | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 | 3 | . |
| ,, Scarlatina, | 5 | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 | 5 | . |
| ,, Diphtheria, | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 | . | . | 1 |
| ,, Whooping Cough, | 6 | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 | 2 | 1 | 6 |
| ,, Fever. | 4 | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 | 8 | 4 |
| ,, Diarrhœa, | 6 | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 | 2 | 1 |
| ,, Phthisis, | 13 | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 | 20 | 25 |
| ,, Bronchitis, | 33 | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 | 29 | 14 | 19 | 16 |
| ,, Pneumonia, | 8 | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 5 | 6 | 5 |
| ,, Heart Disease, | 5 | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 | 8 | 2 |
| Mean Temperature of the Air | 38·7 | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 31·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 | 47·5 | 49·1 | 44·1 | 47·0 | 48·9 |
| Rain-fall in inches, | ·350 | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 | ·020 | ·040 | ·000 | ·070 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·829 | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 | ·812 | ·838 | ·710 | ·736 | ·759 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN
# DUBLIN,
(INCLUDING THE SUBURBAN DISTRICTS OF
RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);
AND IN THE TOWNS OF
BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, MAY 27, 1876. [No. 21.

*General Register Office, Charlemont House, Dublin, May 29th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 27th May, 1876, represent an annual mortality of 23 in every 1,000 of the population, by the Census of 1871. In London the death rate was 22 in every 1,000 of the estimated population; in Glasgow, 25; and in Edinburgh, 23.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 174—86 boys and 88 girls,—and the deaths to 139—71 males and 68 females. The *average* numbers in the corresponding week of the previous ten years were—births, 179, and deaths, 146.

The number of deaths from zymotic diseases *registered* during the week was 22. Of these, 3 resulted from fever (1 typhus and 2 typhoid), 4 from whooping-cough, 2 from scarlet fever, 3 from diphtheria, &c.

Eleven deaths were caused by convulsions.

Bronchitis proved fatal in 15 instances, pneumonia in 4, and lung disease unspecified in a like number.

Paralysis was the cause of 3 deaths, apoplexy of 1, cephalitis or inflammation of the brain of 3, epilepsy of 1, and brain disease unspecified of 6.

Three deaths were referred to heart disease, 1 to kidney disease, 1 to nephria or Bright's disease, and 1 to nephritis or inflammation of the kidneys.

Phthisis or pulmonary consumption was the cause of 21 deaths, hydrocephalus or water on the brain of 5, mesenteric disease of 1, and cancer of 3.

Two deaths were accidental, viz., a woman, aged 85, was burned to death, and a child died from fracture of skull.

Forty-two of the persons whose deaths were *registered* during the week were under 5 years of age (24 being infants under 1 year old); and 36 were aged 60 and upwards, including 17 persons aged 70 and upwards, of whom 4 were octogenarians, and 1 (a woman) was stated to have been aged 96 years.

Two deaths from scarlet fever, 3 from whooping-cough, and 1 each from fever and diarrhœa were *registered* in Belfast.

Three deaths from diarrhœa and 1 from fever were *registered* in Cork.

Two deaths from fever were *registered* in Limerick.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes |
|---|---|---|---|---|---|---|---|
| | | | Consumption. | Bronchitis. | Convulsions. | Water on the Brain. | |
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 1 | 1 | 2 | 1 | 12 |
| | No. 2 ,, | 31,993 | – | 2 | – | – | 3 |
| | No. 3 ,, | 27,546 | 5 | 1 | 3 | – | 21 |
| South Side, | No. 1 District, | 32,184 | 3 | 2 | 3 | 2 | 38 |
| | No. 2 ,, | 29,952 | 4 | 1 | 1 | – | 11 |
| | No. 3 ,, | 38,811 | 3 | 2 | 2 | 1 | 16 |
| | No. 4 ,, | 36,703 | 2 | 4 | – | – | 18 |
| Rathmines District, | | 20,939 | 2 | – | – | – | 4 |
| Donnybrook, ,, | | 21,758 | 1 | 2 | – | – | 11 |
| Blackrock, ,, | | 7,182 | – | – | – | 1 | 1 |
| Kingstown, ,, | | 18,461 | – | – | – | – | 4 |
| | Total, | 314,666 | 21 | 15 | 11 | 5 | 139 |

Thirty-nine of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin, and 24 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 13 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 5 per 1,000; and in No. 3, North City (Blackhall-street), to 40 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 61 per 1,000; in No. 2, South City District (High-street), the ratio was 19 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 21 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 26 per 1,000.

In the Suburban District of Rathmines the annual ratio was 10 per 1,000; in Donnybrook it was 26—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 7; and in Kingstown 11 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,374 and the deaths to 1,446 (against an average of 1,381 for corresponding week 1866–75); in Glasgow the births *registered* were 401, and the deaths 264; and in Edinburgh the births were 131, and the deaths 96. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·898 inches. The highest daily mean reading (30·100) occurred on Saturday, and the lowest (29·710) on Tuesday.

The mean temperature during the week was 53·5° (the average in the corresponding week of the previous ten years was 52·1°); the lowest daily mean (48·7°) occurred on Wednesday, and the highest (58·2°) on Sunday.

The temperature was highest on Sunday, when the thermometer registered 70·5°, and was lowest on Wednesday, the mercury having fallen to 40·7°. The highest reading of the barometer during the week (30·198) occurred on Saturday, at 9.30 P.M., wind N.W., and the lowest (29·677) on Monday, at 9.30 A.M., wind S.W. The mean of the Dry Bulb for the week was 53·6°; and of the Wet Bulb 50·5°. The mean humidity of the air was ·808; complete saturation being represented by 1·0. The rain-fall during the week measured 1·014 in.

At Greenwich, the mean temperature of the week was 51·1°; at Glasgow, 53·1°; and at Edinburgh, 53·0°. The rain-fall during the week at Greenwich measured 1·13 in., and at Glasgow, ·73 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) 1·0. | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, May 21, | 30·030 | 70·5 | 46·0 | 58·2 | 58·1 | 52·5 | ·695 | 1·0 | ·246 | S.W. | W.S.W | W. |
| Monday, „ 22, | 29·717 | 63·9 | 45·6 | 54·8 | 53·1 | 50·0 | ·803 | 1·0 | ·490 | S.W. | W.N.W | Calm. |
| Tuesday, „ 23, | 29·710 | 60·5 | 43·4 | 51·9 | 50·2 | 49·5 | ·913 | ·6 | ·240 | W. | S.W. | N.W. |
| Wednesday, „ 24, | 29·838 | 56·6 | 40·7 | 48·7 | 48·4 | 46·9 | ·891 | ·7 | ·030 | N.E. | N.E. | Calm. |
| Thursday, „ 25, | 29·960 | 58·3 | 42·0 | 50·1 | 51·6 | 47·6 | ·745 | ·8 | ·008 | N.W. | N. | N.W. |
| Friday, „ 26, | 29·932 | 59·4 | 50·4 | 54·9 | 55·5 | 53·3 | ·856 | ·7 | ·000 | N.W. | N.W. | N.W. |
| Saturday, „ 27, | 30·100 | 65·0 | 47·9 | 56·4 | 58·2 | 53·7 | ·756 | ·9 | ·000 | N.W. | N.W. | N.W. |
| Mean, . . | 29·898 | 62·0 | 45·1 | 53·5 | 53·6 | 50·5 | ·808 | ·8 | Total, 1·014 | Prevailing wind, N.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, May 21, | A.M. Fine and pleasant. | P.M. Fine. |
| Monday, „ 22, | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 23, | A.M. Raining. | P.M. Dropping rain. |
| Wednesday, „ 24, | A.M. Gloomy. | P.M. Fine. |
| Thursday, „ 25, | A.M. Fine. | P.M. Fine. |
| Friday, „ 26, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 27, | A.M. Fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 27th May, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 27TH MAY, 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 23 | 174 | 139 | 24 | 36 | . | . | 2 | 3 | 4 | 3 | 2 | 2 | . | 39 |
| BELFAST,† . . | 20,687 | 182,082 | 23 | 122 | 81 | 15 | 12 | . | . | 2 | . | 3 | 1 | 1 | . | . | 15 |
| CORK, . . . | 13,816 | 91,565 | 29 | 57 | 51 | 4 | 16 | . | . | . | . | . | 1 | 3 | 1 | 1 | 17 |
| LIMERICK, . . | 8,509 | 44,209 | 24 | 28 | 20 | 2 | 4 | . | . | . | . | . | 2 | . | . | 4 | 6 |
| LONDONDERRY,‡ (*a*) | 21,865 | 30,884 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 31 | 17 | 18 | 2 | 5 | . | . | . | . | . | 1 | . | . | . | 9 |
| GALWAY, . . | 21,358 | 19,692 | 24 | 13 | 9 | 2 | 4 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, . . . | 30,835 | 17,285 | 30 | 13 | 10 | 1 | 3 | . | . | . | . | . | . | . | 1 | 2 | 3 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 27th May, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 5 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 43 | 8 | 15 | 3 | 4 | . | . | . | . | . | . | . | . | . | 7 |
| | ,, ,, 3, | 39,311 | 20 | 28 | 15 | 2 | 1 | . | . | 2 | . | 1 | . | . | . | . | . |
| | ,, ,, 4, *W*. | 19,320 | 89 | 22 | 22 | 4 | 4 | . | . | . | . | . | . | . | . | . | 8 |
| | ,, ,, 5, | 19,616 | 16 | 19 | 6 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 6, | 36,653 | 14 | 13 | 10 | 3 | 2 | . | . | . | . | 1 | 1 | . | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 13 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 26 | 17 | 8 | 2 | 1 | . | . | . | . | 1 | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 51 | 7 | 10 | 1 | 3 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 2, | 11,555 | 5 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 46 | 7 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 42 | 2 | 5 | . | 1 | . | . | . | . | . | . | 3 | . | . | 4 |
| | ,, ,, 5, | 11,289 | 23 | 3 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 10 | 16 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,536 | 14 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W*. | 18,364 | 37 | 10 | 13 | . | 5 | . | . | . | . | . | . | . | . | . | 10 |
| | ,, ,, 9, | 4,790 | 65 | 4 | 6 | . | 2 | . | . | . | . | . | 1 | . | 1 | 1 | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 7 | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W*. | 8,992 | 40 | 4 | 7 | 2 | 2 | . | . | . | . | . | 1 | . | . | . | 6 |
| | ,, ,, 3, | 11,424 | 18 | 7 | 4 | . | 1 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 4, | 15,875 | 26 | 10 | 8 | . | 1 | . | . | . | . | . | . | . | . | 4 | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 24 | 2 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 19 | 8 | 5 | 2 | 3 | . | . | 1 | . | . | . | . | . | . | . |
| | Glendermot, *W*. (*a*) | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W*. | 30,626 | 31 | 17 | 18 | 2 | 5 | . | . | . | . | . | 1 | . | . | . | 9 |
| GALWAY, | Galway, No. 1, | 10,700 | 24 | 5 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, *W*. | 8,992 | 23 | 8 | 4 | 1 | 3 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, | Sligo, No. 1, *W*. | 6,456 | 40 | 5 | 5 | . | 2 | . | . | . | . | . | . | . | 1 | 1 | 3 |
| | ,, ,, 2, | 10,829 | 24 | 8 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
(*a*) Return for Glendermot District not received for last three weeks.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 27th May, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 23. | 19 | 5 | 21 | 32 | 30 | 22 | 6 | 9 | 4 | 3 | 174 |
| **Deaths from all Causes,** | 12 | 3 | 21 | 38 | 11 | 16 | 18 | 4 | 11 | 1 | 4 | 139 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | . | . | . | . | . | 1 | . | . | . | 1 | 2 | |
| Diphtheria, | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 3 |
| Whooping Cough, | . | . | . | 2 | . | . | 2 | . | . | . | . | 4 |
| Fever, | . | . | . | . | . | . | 1 | . | 2 | . | . | 3 |
| Diarrhœa, | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases | . | . | 1 | 5 | . | . | . | . | 2 | . | . | 8 |
| Total, | 2 | . | 2 | 7 | . | 1 | 3 | . | 5 | . | 2 | 22 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | . | 5 | 3 | 4 | 3 | 2 | 2 | 1 | . | . | 21 |
| Other Constitutional Diseases, | 1 | . | 2 | 2 | . | 2 | 2 | . | . | 1 | . | 10 |
| Total, | 2 | . | 7 | 5 | 4 | 5 | 4 | 2 | 1 | 1 | . | 31 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 2 | . | 4 | 11 | 3 | 2 | . | . | 2 | . | 1 | 25 |
| Diseases of the Heart and Circulatory Organs, | 2 | . | . | . | . | . | 1 | . | . | . | . | 3 |
| Diseases of the Respiratory Organs, | 1 | 2 | 5 | 4 | 1 | 3 | 4 | . | 3 | . | . | 23 |
| Diseases of the Digestive Organs, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Urinary Organs, | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 3 |
| Diseases of the Organs of Generation, | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | 5 | 2 | 10 | 16 | 4 | 6 | 5 | 1 | 5 | . | 2 | 56 |
| DEVELOPMENTAL DISEASES, | 3 | 1 | 1 | 6 | 3 | 3 | 4 | 1 | . | . | . | 22 |
| VIOLENT DEATHS, | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | 1 | 4 | . | . | 1 | . | . | . | . | 6 |
| Annual Rate of Mortality in every 1,000 of the Population, | 13 | 5 | 40 | 61 | 19 | 21 | 26 | 10 | 26 | 7 | 11 | 23 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | . | 2 | 3 | . | 2 | . | . | . | . | . | 7 |
| Workhouse Hospitals, | . | . | 8 | 24 | . | . | . | . | . | . | . | 32 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

**Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, Registered in the Twenty-first Week, ending Saturday, May 27th, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866-75, and the Average Number in those Weeks**

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 21st Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 27th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | May 26 1866 | May 25 1867 | May 23 1868 | May 29 1869 | May 28 1870 | May 27 1871 | May 25 1872 | May 24 1873 | May 30 1874 | May 29 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, . . | ° 52·7 | ° 48·0 | ° 55·3 | ° 49·5 | ° 54·4 | ° 54·3 | ° 49·3 | ° 48·8 | ° 55·5 | ° 53·5 | ° 52·1 | Mean Temp. ° 53·5 | | | | | | | |
| | **ALL CAUSES,** . . . | 152 | 140 | 137 | 149 | 141 | 129 | 178 | 134 | 154 | 143 | 145·7 | 139 | 42 | 5 | 4 | 26 | 26 | 31 | 5 |
| | **SPECIFIED CAUSES,** | 150 | 140 | 135 | 146 | 138 | 125 | 177 | 128 | 150 | 143 | 143·2 | 133 | 41 | 5 | 4 | 26 | 24 | 28 | 5 |
| | (Classes.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, . . | 28 | 46 | 28 | 18 | 21 | 23 | 52 | 21 | 28 | 23 | 28·8 | 22 | 9 | 2 | 1 | 3 | 5 | 1 | 1 |
| II. | CONSTITUTIONAL „ . . | 30 | 33 | 31 | 36 | 33 | 34 | 49 | 30 | 28 | 31 | 33·5 | 31 | 4 | 3 | 3 | 15 | 4 | 2 | . |
| III. | LOCAL „ . . | 70 | 50 | 56 | 61 | 57 | 46 | 56 | 49 | 68 | 65 | 57·8 | 56 | 18 | . | . | 8 | 12 | 17 | 1 |
| IV. | DEVELOPMENTAL , . . | 18 | 6 | 14 | 25 | 18 | 19 | 18 | 27 | 19 | 19 | 18·3 | 22 | 9 | . | . | . | 3 | 8 | 2 |
| V. | VIOLENT DEATHS, . . | 4 | 5 | 6 | 6 | 9 | 3 | 2 | 1 | 7 | 5 | 4·8 | 2 | 1 | . | . | . | . | . | 1 |
| | (Orders.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. Miasmatic Diseases, . . | 28 | 46 | 28 | 17 | 21 | 22 | 52 | 20 | 26 | 22 | 28·2 | 18 | 9 | 2 | 1 | 2 | 4 | . | . |
| | 2. Enthetic „ . . | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | 3. Dietic „ . . | . | . | . | . | . | 1 | . | . | 1 | 1 | ·3 | 3 | . | . | . | 1 | 1 | . | 1 |
| | 4. Parasitic „ . . | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| II | 1. Diathetic Diseases, . | 5 | 5 | 4 | 4 | 3 | 2 | 7 | 7 | 8 | 5 | 5·0 | 4 | . | . | . | 1 | 1 | 2 | . |
| | 2. Tubercular „ . . | 25 | 28 | 27 | 32 | 30 | 32 | 42 | 23 | 20 | 26 | 28·5 | 27 | 4 | 3 | 3 | 14 | 3 | . | . |
| III. | 1. Diseases of Nervous System, . | 27 | 16 | 19 | 14 | 21 | 20 | 19 | 15 | 19 | 18 | 18·8 | 25 | 13 | . | . | 2 | 2 | 8 | . |
| | 2. Diseases of Organs of Circulation, | 6 | 5 | 6 | 8 | 8 | 4 | 6 | 6 | 13 | 9 | 7·1 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 3. Diseases of Respiratory Organs, . | 28 | 18 | 19 | 29 | 20 | 17 | 24 | 19 | 27 | 30 | 23·1 | 23 | 5 | . | . | 2 | 8 | 7 | 1 |
| | 4. Diseases of Digestive Organs, . | 5 | 5 | 9 | 7 | 7 | 3 | 5 | 6 | 5 | 6 | 5·8 | . | . | . | . | . | . | . | . |
| | 5. Diseases of Urinary Organs, . | 3 | 4 | 3 | 2 | . | 2 | 2 | 1 | 4 | 2 | 2·3 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 6. Diseases of Organs of Generation, | . | 2 | . | 1 | 1 | . | . | 1 | . | . | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 7. Diseases of Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 8. Diseases of Integumentary System, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| IV. | 1. Dev. Diseases of Children, | . | . | 1 | 4 | 2 | . | 1 | 4 | . | . | 1·2 | 3 | 3 | . | . | . | . | . | . |
| | 2. „ „ Adults, . | . | . | 2 | . | . | . | . | . | 2 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 3 „ „ Old People | 10 | 5 | 1 | 15 | 10 | 11 | 9 | 9 | 14 | 12 | 9·6 | 9 | . | . | . | . | 7 | 2 | |
| | 4. Diseases of Nutrition, . | 8 | 1 | 10 | 6 | 6 | 8 | 8 | 14 | 3 | 6 | 7·0 | 10 | 6 | . | . | 3 | 1 | . | |
| V. | 1. Accident or Negligence, . | 4 | 5 | 5 | 5 | 8 | 3 | 2 | 1 | 7 | 3 | 4·3 | 2 | 1 | . | . | . | . | . | 1 |
| | 2. Homicide, . . . . | . | . | 1 | . | . | . | . | . | . | 2 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Suicide, . . . . | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Execution, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths not classed, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, . . . . | 2 | . | 2 | 3 | 3 | 4 | 1 | 6 | 4 | . | 2·5 | 6 | 1 | . | . | . | 2 | 3 | . |

* Order 3, comprising Violent Deaths in Battle is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TWENTY-FIRST WEEK, ending Saturday, 27th May, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, May 26 1866 | May 25 1867 | May 23 1868 | May 29 1869 | May 28 1870 | May 27 1871 | May 25 1872 | May 24 1873 | May 30 1874 | May 29 1875 | Average of Temperature and of Deaths in 21st Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 27th, 1876. Deaths of Persons of the Age: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 52·7 | ° 48·0 | ° 53·3 | ° 49·5 | ° 54·4 | ° 54·3 | ° 49·3 | ° 48·8 | ° 55·5 | ° 53·5 | ° 52·1 | Mean Temp. ° 53·5 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | . | 36 | . | . | . | 3·7 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 16 | 2 | 1 | 1 | . | 2 | . | 3 | . | 2·5 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | . | 4 | 8 | 5 | 6 | 5 | 4 | . | 13 | 4 | 4·9 | 2 | 1 | . | 1 | . | . | . | . |
| | 4. Diphtheria, | . | . | . | . | 3 | . | . | 1 | . | 1 | ·5 | 3 | 2 | 1 | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 2 | 3 | 2 | 1 | 2 | 2 | 3 | . | . | 1 | 1·6 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 4 | 2 | 6 | . | 1 | 2 | 1 | 12 | 1 | 1 | 3·0 | 4 | 4 | . | . | . | . | . | . |
| | 8. Typhus, | | | | | 1 | 3 | . | . | 2 | 2 | | 1 | 1 | . | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | 12 | 9 | 7 | 2 | 2 | 3 | 3 | 2 | 1 | 3 | 5·9 | 2 | 1 | 1 | . | . | . | . | . |
| | – Simple continued Fever, | | | | . | 3 | 1 | 1 | 1 | 1 | . | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 2 | 1 | . | . | . | . | 1 | 1 | . | 1 | ·6 | 1 | . | . | . | 1 | . | . | . |
| | 10. Puerperal Fever (Metria), | 1 | . | 2 | . | . | 1 | . | . | 1 | 6 | 1·1 | 1 | . | . | . | 1 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 12. Influenza, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 2 | . | . | . | . | 1 | . | . | . | 1 | ·4 | 1 | . | . | . | . | 1 | . | . |
| | 14. Diarrhœa, | 3 | 9 | . | 6 | 1 | 2 | 1 | 3 | 1 | 1 | 2·7 | 2 | . | . | . | 2 | . | . | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | . | 2 | 1 | 1 | . | . | . | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 19 Other Zymotic Diseases, | . | 1 | 1 | . | . | 1 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | 1 | . | . | . | . | ·1 | 2 | . | . | . | 1 | . | . | . |
| | { Intemperance, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 2 | 1 | 3 | 1 | . | 3 | . | 1 | 5 | 1·9 | . | . | . | . | . | . | . | . |
| | 3. Cancer, | 1 | 3 | 3 | 1 | 2 | 2 | 3 | 7 | 7 | . | 2·9 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 3 | . | 1 | 1 | 2 | 2 | 1 | . | . | . | 1·0 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 3 | 2 | 2 | 2 | 1 | 2 | 5 | 2 | 4 | 5 | 2·8 | 1 | 1 | . | . | . | . | . | . |
| | 3. Phthisis, | 19 | 20 | 21 | 25 | 24 | 21 | 31 | 20 | 16 | 18 | 21·5 | 21 | . | 1 | 3 | 14 | 3 | . | . |
| | 4. Hydrocephalus, | . | 6 | 3 | 4 | 3 | 7 | 5 | 1 | . | 3 | 3·2 | 5 | 3 | 2 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 2 | 4 | 1 | 4 | 2 | 1 | 2 | 3 | 2 | 2·1 | 3 | 2 | . | . | . | . | 1 | . |
| | 2. Apoplexy, | 1 | 2 | 2 | 3 | 2 | 1 | 2 | 2 | 1 | 5 | 2·1 | 1 | . | . | . | . | . | 1 | . |
| | 3. Paralysis, | 6 | 1 | 1 | 3 | 2 | 2 | 6 | 1 | . | 1 | 2·3 | 3 | . | . | . | . | . | 3 | . |
| | 4. Insanity, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | 7. Convulsions, | 17 | 9 | 11 | 6 | 9 | 12 | 7 | 7 | 11 | 6 | 9·5 | 11 | 11 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | 2 | 1 | 1 | 4 | 3 | 2 | 2 | 4 | 4 | 2·5 | 6 | . | . | . | 2 | 2 | 2 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 6 | 4 | 5 | 7 | 8 | 4 | 5 | 6 | 12 | 9 | 6·6 | 3 | . | . | . | 1 | 1 | 1 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 20 | 14 | 16 | 20 | 14 | 11 | 14 | 16 | 16 | 22 | 16·3 | 15 | 5 | . | . | 1 | 4 | 5 | . |
| | 3. Pleurisy, | 1 | 1 | . | . | . | . | . | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 3 | 2 | 3 | 5 | 5 | 5 | 8 | 2 | 8 | 2 | 4·3 | 4 | . | . | . | . | 2 | 2 | . |
| | 5. Asthma, | . | 1 | . | 2 | . | . | . | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 4 | . | . | 2 | 1 | 1 | 1 | . | 2 | 4 | 1·5 | 4 | . | . | . | 1 | 2 | . | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | . | 2 | . | 3 | 1 | . | . | 1 | 1 | 2 | 1·0 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |

ONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, May 26 1866 | May 25 1867 | May 23 1868 | May 29 1869 | May 28 1870 | May 27 1871 | May 25 1872 | May 24 1873 | May 30 1874 | May 29 1875 | Average of Temperature and of Deaths in 21st Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, May 27th, 1876. Deaths of Persons of the Ages — ALL AGES. | Under 5 years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 52·7 | 48·0 | 55·3 | 49·5 | 54·4 | 54·3 | 49·3 | 48·8 | 55·5 | 53·5 | 52·1 | Mean Temp. 53·5 | | | | | | | |
| III. | 7. Ileus, | · | · | · | · | 1 | · | · | · | · | 1 | ·2 | · | · | · | · | · | · | · | · |
| com. | 8. Intussusception, | · | · | · | · | · | · | · | · | 1 | · | ·1 | · | · | · | · | · | · | · | · |
| | 9. Stricture of Intestines, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 10. Fistula, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 11. *Stomach Disease, &c.* | · | · | 2 | · | 1 | · | 1 | · | · | · | ·4 | · | · | · | · | · | · | · | · |
| | 12. *Pancreas Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 13. Hepatitis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 14. Jaundice, | 2 | · | · | 1 | 1 | · | 1 | · | · | · | ·5 | · | · | · | · | · | · | · | · |
| | 15. *Liver Disease, &c.* | 3 | 2 | 5 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2·7 | · | · | · | · | · | · | · | · |
| | 16. *Spleen Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | · | · | 1 | · | · | · | · | · | · | 1 | ·2 | 1 | · | · | · | · | 1 | · | · |
| | 2. Ischuria, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Bright's Disease (Nephria), | · | · | 1 | 1 | · | 1 | · | 1 | 1 | 1 | ·6 | 1 | · | · | · | · | · | 1 | · |
| | 4. Diabetes, | 1 | · | · | · | · | · | · | · | 1 | · | ·2 | · | · | · | · | · | · | · | · |
| | 5. Calculus (Stone), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 6. Cystitis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 7. *Kidney Disease, &c.* | 2 | 4 | 1 | 1 | · | 1 | 2 | · | 2 | · | 1·3 | 1 | · | · | · | 1 | · | · | · |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | · | 1 | · | 1 | 1 | · | · | · | · | · | ·3 | 1 | · | · | · | 1 | · | · | · |
| | 2. *Uterus Disease, &c.* | · | 1 | · | · | · | · | · | 1 | · | · | ·2 | · | · | · | · | · | · | · | · |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. *Joint Disease, &c.* | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Ulcer, | · | · | · | · | · | · | · | 1 | · | · | ·1 | 1 | · | · | · | 1 | · | · | · |
| | 3. *Skin Disease, &c.* | 1 | · | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | · | · | 1 | 2 | · | · | · | 1 | · | · | ·4 | 1 | 1 | · | · | · | · | · | · |
| | 2. Cyanosis, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Spina Bifida, | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 4. Other Malformations, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Teething, | · | · | · | 1 | 2 | · | 1 | 3 | · | · | ·7 | 2 | 2 | · | · | · | · | · | · |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 2. Childbirth (*see also* Puerperal Fever), | · | · | 2 | · | · | · | · | · | 2 | 1 | ·5 | · | · | · | · | · | · | · | · |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 10 | 5 | 1 | 15 | 10 | 11 | 9 | 9 | 14 | 12 | 9·6 | 9 | · | · | · | · | · | 7 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 8 | 1 | 10 | 6 | 6 | 8 | 8 | 14 | 3 | 6 | 7·0 | 10 | 6 | · | · | · | 3 | 1 | · |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 3 | · | 3 | 4 | 1 | 2 | 1 | · | 3 | 2 | 1·9 | 1 | 1 | · | · | · | · | · | · |
| | 2. Wounds, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3. Burns and Scalds, | 1 | 2 | 2 | · | 3 | · | 1 | 1 | 2 | · | 1·2 | 1 | · | · | · | · | · | · | 1 |
| | 4. Poison, | · | · | · | · | · | · | · | · | · | 1 | · | · | · | · | · | · | · | · | · |
| | 5. Drowning, | · | 1 | · | 1 | 4 | · | · | · | 2 | 1 | ·9 | · | · | · | · | · | · | · | · |
| | 6. Suffocation, | · | 1 | · | · | · | 1 | · | · | · | · | ·2 | · | · | · | · | · | · | · | · |
| | 7. Otherwise, | · | 1 | · | · | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | · | · | 1 | · | · | · | · | · | · | 2 | ·3 | · | · | · | · | · | · | · | · |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | · | · | · | · | ·1 | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | 2. Poison, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 3 Drowning, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 4. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | 5. Otherwise, | · | · | · | 1 | · | · | · | · | · | · | ·1 | · | · | · | · | · | · | · | · |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Other Violent Deaths (not classed), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| — | Sudden Deaths (Cause unascertained), | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · |
| | Causes not specified or ill-defined, | 2 | · | 2 | 3 | 3 | 4 | 1 | 6 | 4 | · | 2·5 | 6 | 1 | · | · | · | 2 | 3 | · |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | | 1876. | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 4. | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | April 29. | May 6. | May 13. | May 20. | May 27. |
| BIRTHS, | 153 | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 | 196 | 188 | 170 | 183 | 172 | 174 |
| DEATHS, | 162 | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 156 | 155 | 151 | 139 |
| Deaths under 5 years of age, | 45 | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 | 55 | 58 | 46 | 42 | 45 | 42 |
| Deaths 5–15, | 13 | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 | 9 | 8 | 5 |
| Deaths 15–20, | 3 | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 | 4 | 8 | 4 |
| Deaths 20–40, | 21 | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 | 28 | 31 | 26 |
| Deaths 40–60, | 34 | 35 | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 | 51 | 37 | 35 | 26 | 35 | 26 |
| Deaths 60–80, | 42 | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 | 34 | 21 | 41 | 37 | 21 | 31 |
| Deaths at 80 years of age and upwards, | 4 | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 | 9 | 3 | 5 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 7 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 | 3 | . | . |
| ,, Scarlatina, | 1 | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 | 5 | . | 2 |
| ,, Diphtheria, | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 | . | . | 1 | 3 |
| ,, Whooping Cough, | 6 | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 | 2 | 1 | 6 | 4 |
| ,, Fever, | 6 | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 | 8 | 4 | 3 |
| ,, Diarrhœa, | 2 | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 | 2 | 1 | 2 |
| ,, Phthisis, | 22 | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 | 20 | 25 | 21 |
| ,, Bronchitis, | 14 | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 | 29 | 14 | 19 | 16 | 15 |
| ,, Pneumonia, | 5 | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 5 | 6 | 5 | 4 |
| ,, Heart Disease, | 7 | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 | 8 | 2 | 8 |
| Mean Temperature of the Air | 34·3 | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 31·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 | 47·5 | 49·1 | 44·1 | 47·0 | 48·9 | 53·5 |
| Rain-fall in inches, | ·605 | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 | ·920 | ·040 | ·000 | ·070 | 1·014 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·825 | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·837 | ·759 | ·812 | ·835 | ·710 | ·736 | ·759 | ·808 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[117.—800.—4/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JUNE 3, 1876. [No. 22.

*General Register Office, Charlemont House, Dublin, June 5th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 3rd June, 1876, represent an annual mortality of 23 in every 1,000 of the population, by the Census of 1871. In London the death rate was 20 in every 1,000 of the estimated population; in Glasgow, 25; and in Edinburgh, 22.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 170—80 boys and 90 girls,—and the deaths to 140—61 males and 79 females. The *average* numbers in the corresponding week of the previous ten years were—births, 172, and deaths, 147.

The number of deaths from zymotic diseases *registered* during the week was 18, including 5 from fever (2 typhus, and 3 typhoid or enteric fever), 2 each from scarlet fever and croup, 3 from whooping-cough, 1 from diarrhœa, 1 from pyæmia, &c.

Eight children died from convulsions.

Bronchitis caused 18 deaths, pneumonia or inflammation of the lungs 9, and lung disease unspecified 2.

Three deaths were attributed to paralysis, and 1 each to apoplexy, epilepsy, and brain disease unspecified.

Heart disease proved fatal in 10 instances, hepatitis or inflammation of the liver in 1, liver disease in 3, nephria or Bright's disease in 1, and kidney disease unspecified in 2.

Sixteen deaths resulted from phthisis or pulmonary consumption, 2 each from scrofula and mesenteric disease, 1 from hydrocephalus or water on the brain, and 4 from cancer.

A girl aged 3 years died from burns, and a man aged 37 years committed suicide by cutting his throat.

Thirty-four of the persons whose deaths were *registered* during the week were under 5 years of age (17 being infants under 1 year old); and 39 were aged 60 and upwards, including 19 persons aged 70 and upwards, of whom 3 were octogenarians.

Two deaths from fever, and 2 from whooping-cough were *registered* in Belfast.

Four deaths from whooping-cough, 1 from fever, and 2 from diarrhœa were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| | | | Bronchitis. | Consumption. | Disease of Heart. | Inflammation of the Lungs. | |
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 3 | 3 | 1 | 1 | 16 |
| | No. 2 ,, | 31,993 | 2 | 3 | – | 1 | 12 |
| | No. 3 ,, | 27,546 | 2 | 2 | 4 | 1 | 31 |
| South Side, | No. 1 District, | 32,184 | 4 | 3 | 2 | – | 25 |
| | No. 2 ,, | 29,952 | 2 | – | – | – | 4 |
| | No. 3 ,, | 38,811 | 1 | 2 | – | 3 | 14 |
| | No. 4 ,, | 36,703 | 1 | 2 | 1 | 3 | 18 |
| Rathmines District, | | 20,939 | 1 | 1 | 1 | – | 10 |
| Donnybrook, ,, | | 21,758 | 1 | – | – | – | 5 |
| Blackrock, ,, | | 7,182 | – | – | – | – | 2 |
| Kingstown, ,, | | 18,461 | 1 | – | 1 | – | 3 |
| | Total, | 314,666 | 18 | 16 | 10 | 9 | 140 |

Fifty-five of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin, and 12 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 17 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 20 per 1,000; and in No. 3, North City (Blackhall-street), to 59 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 40 per 1,000; in No. 2, South City District (High-street), the ratio was 7 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 19 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 26 per 1,000.

In the Suburban District of Rathmines the annual ratio was 25 per 1,000; in Donnybrook it was 12—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 14; and in Kingstown 8 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,452 and the deaths to 1,343 (against an average of 1,400 for corresponding week 1866–75); in Glasgow the births *registered* were 387, and the deaths 267; and in Edinburgh the births were 142, and the deaths 92. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·074 inches. The highest daily mean reading (30·258) occurred on Sunday, and the lowest (29·652) on Saturday.

The mean temperature during the week was 55·5° (the average in the corresponding week of the previous ten years was 55·2°); the lowest daily mean (50·0°) occurred on Saturday, and the highest (59·5°) on Friday.

The temperature was highest on Friday, when the thermometer registered 74·6°, and was lowest on Wednesday, the mercury having fallen to 40·7°. The highest reading of the barometer during the week (30·266) occurred on Sunday, at 9.30 A.M., wind W., and the lowest (29·552) on Saturday, at 3.30 P.M., wind W. The mean of the Dry Bulb for the week was 57·3°; and of the Wet Bulb 53·3°. The mean humidity of the air was ·776; complete saturation being represented by 1·0. The rain-fall during the week measured ·220 in.

At Greenwich, the mean temperature of the week was 56·0°; at Glasgow, 52·9°; and at Edinburgh, 56·0°. The rain-fall during the week at Greenwich measured ·12 in., and at Glasgow, 1·10 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. 1·0. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, May 28, | 30·258 | 61·7 | 48·4 | 55·0 | 56·6 | 52·2 | ·767 | ·8 | ·000 | W. | N.W. | W. |
| Monday, „ 29, | 30·153 | 64·3 | 51·0 | 57·7 | 58·8 | 53·4 | ·702 | ·9 | ·000 | S.W. | W. | S.W. |
| Tuesday, „ 30, | 30·026 | 66·6 | 43·0 | 54·8 | 58·1 | 54·2 | ·775 | ·8 | ·000 | W. | W. | W. |
| Wednesday, „ 31, | 30·244 | 65·9 | 40·7 | 53·3 | 53·1 | 50·7 | ·822 | ·8 | ·000 | N.W. | N.W. | Calm. |
| Thursday, June 1, | 30·167 | 73·1 | 44·0 | 58·5 | 63·5 | 56·9 | ·696 | ·9 | ·000 | S.W. | S.W. | S.W. |
| Friday, „ 2, | 30·016 | 74·6 | 44·4 | 59·5 | 61·0 | 57·5 | ·819 | 1·0 | ·060 | W. | W. | Calm. |
| Saturday, „ 3, | 29·652 | 58·5 | 41·5 | 50·0 | 50·3 | 48·2 | ·851 | ·9 | ·160 | S. | W. | W. |
| Mean, . . | 30·074 | 66·3 | 44·7 | 55·5 | 57·3 | 53·3 | ·776 | ·9 | Total, ·220 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, May 28, | A.M. Fine. | P.M. Fine. |
| Monday, „ 29, | A.M. Fine and pleasant. | P.M. Fine. |
| Tuesday, „ 30, | A.M. Fine. | P.M. Gloomy. |
| Wednesday, „ 31, | A.M. Fine. | P.M. Fine. |
| Thursday, June 1, | A.M. Fine and pleasant. | P.M. Fine. |
| Friday, „ 2, | A.M. Fine and pleasant. | P.M. Fine. |
| Saturday, „ 3, | A.M. Raining. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. ... daily furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 3rd June, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 3RD JUNE, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 23 | 170 | 140 | 17 | 39 | . | . | 2 | . | 3 | 5 | 1 | 2 | 2 | 55 |
| BELFAST,† . . | 20,687 | 182,082 | 24 | 135 | 84 | 16 | 11 | . | . | . | . | 2 | 2 | . | 1 | . | 11 |
| CORK, . . . | 13,816 | 91,965 | 26 | 53 | 46 | 5 | 8 | . | . | . | . | 4 | 1 | 2 | 1 | 1 | 12 |
| LIMERICK, . . | 8,509 | 44,209 | 22 | 26 | 19 | 3 | 6 | . | . | . | . | . | . | . | . | . | 5 |
| LONDONDERRY,‡ . | 21,865 | 80,884 | 24 | 21 | 14 | 4 | 2 | . | . | 1 | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 12 | 17 | 7 | 3 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 24 | 4 | 9 | 1 | 4 | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, . . . | 30,835 | 17,285 | 18 | 7 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | 4 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 3rd June, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 18 | 19 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 20 | 11 | 7 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 3, | 39,311 | 16 | 24 | 12 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 37 | 17 | 21 | 5 | 2 | . | . | . | . | . | . | . | . | . | 10 |
| | ,, ,, 5, | 19,616 | 16 | 11 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 23 | 24 | 16 | 3 | 5 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 20 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . | . |
| | ,, ,, 10, | 8,115 | 45 | 9 | 7 | 2 | . | . | . | . | . | 2 | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 19 | 13 | 6 | . | 2 | . | . | . | . | . | 1 | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 41 | 4 | 8 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | 2 |
| | ,, ,, 2, | 11,585 | 18 | 9 | 4 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 3, | 6,818 | 46 | 8 | 6 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, | 6,227 | 25 | 2 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 18 | 2 | 4 | . | 1 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 7 | 8 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 28 | 4 | 4 | . | 1 | . | . | . | . | 2 | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 37 | 14 | 13 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 9 |
| | ,, ,, 9, | 4,790 | 22 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 11 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, *W.* | 8,992 | 29 | 5 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, ,, 3, | 11,424 | 18 | 3 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 20 | 7 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 15 | 10 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 43 | 9 | 7 | 3 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 12 | 17 | 7 | 3 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 24 | 3 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 23 | 1 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 32 | 2 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, ,, 2, | 10,829 | 10 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 3rd June, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 13 | 34 | 16 | 10 | 17 | 28 | 19 | 8 | 12 | 6 | 7 | 170 |
| **Deaths from all Causes,** | 16 | 12 | 31 | 25 | 4 | 14 | 18 | 10 | 5 | 2 | 3 | 140 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | . | 1 | . | . | 1 | . | . | . | . | . | 3 |
| Fever, | . | . | 2 | 2 | . | . | . | . | . | 1 | . | 5 |
| Diarrhœa, | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases, | . | . | 1 | 2 | . | . | 3 | 1 | . | . | . | 7 |
| Total, | 2 | . | 4 | 4 | . | 2 | 4 | 1 | . | 1 | . | 18 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 3 | 2 | 3 | . | 2 | 2 | 1 | . | . | . | 16 |
| Other Constitutional Diseases, | 2 | 1 | 3 | 1 | . | 1 | 3 | 1 | 3 | . | . | 15 |
| Total, | 5 | 4 | 5 | 4 | . | 3 | 5 | 2 | 3 | . | . | 31 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 4 | 1 | 4 | 1 | . | 2 | 2 | . | . | . | . | 14 |
| Diseases of the Heart and Circulatory Organs, | 1 | . | 4 | 2 | . | . | 1 | 1 | . | . | 1 | 10 |
| Diseases of the Respiratory Organs, | 4 | 3 | 4 | 4 | 2 | 4 | 4 | 2 | 1 | . | 1 | 29 |
| Diseases of the Digestive Organs, | . | 1 | 2 | 1 | 1 | 1 | . | 1 | 1 | 1 | 1 | 10 |
| Diseases of the Urinary Organs, | . | 1 | 1 | 1 | . | . | . | . | . | . | . | 3 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 9 | 6 | 15 | 10 | 3 | 7 | 7 | 4 | 2 | 1 | 3 | 67 |
| DEVELOPMENTAL DISEASES, | . | 2 | 6 | 6 | 1 | 1 | 1 | 3 | . | . | . | 20 |
| VIOLENT DEATHS, | . | . | 1 | . | . | 1 | . | . | . | . | . | 2 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| Annual Rate of Mortality in every 1,000 of the Population, | 17 | 20 | 59 | 40 | 7 | 19 | 26 | 25 | 12 | 14 | 8 | 22 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 5 | 4 | 7 | . | 5 | 3 | . | 1 | . | . | 25 |
| Workhouse Hospitals, | . | . | 18 | 12 | . | . | . | . | . | . | . | 30 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 52, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary Grand t, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the TWENTY-SECOND WEEK, ending Saturday, June 3rd, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Jun. 2 1866 | Jun. 1 1867 | May 30 1868 | Jun. 5 1869 | Jun. 4 1870 | Jun. 3 1871 | Jun. 1 1872 | May 31 1873 | Jun. 6 1874 | Jun. 5 1875 | Average of Temperature and of Deaths in 22nd Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, June 3rd, 1876. Deaths of Persons of the Ages — ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 50·1 | ° 55·5 | ° 55·0 | ° 55·0 | ° 58·0 | ° 56·4 | ° 54·2 | ° 55·5 | ° 56·3 | ° 55·5 | ° 55·2 | Mean Temp. ° 55·5 | | | | | | | |
| | **ALL CAUSES,** | 145 | 193 | 131 | 136 | 118 | 164 | 142 | 143 | 139 | 158 | 146·9 | 140 | 34 | 10 | 6 | 20 | 31 | 36 | 3 |
| | **SPECIFIED CAUSES,** | 145 | 192 | 129 | 134 | 113 | 163 | 140 | 141 | 137 | 153 | 144·7 | 138 | 32 | 10 | 6 | 20 | 31 | 36 | 3 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 29 | 46 | 25 | 27 | 24 | 18 | 38 | 27 | 26 | 23 | 28·3 | 18 | 10 | 1 | 2 | 3 | 2 | . | . |
| II. | CONSTITUTIONAL „ | 35 | 50 | 35 | 26 | 24 | 43 | 40 | 35 | 33 | 36 | 35·7 | 31 | 3 | 4 | 3 | 8 | 7 | 6 | . |
| III. | LOCAL „ | 67 | 79 | 57 | 59 | 45 | 83 | 41 | 56 | 57 | 72 | 61·6 | 67 | 14 | 4 | 1 | 8 | 22 | 16 | 2 |
| IV. | DEVELOPMENTAL „ | 13 | 14 | 9 | 15 | 17 | 16 | 20 | 18 | 21 | 20 | 16·3 | 20 | 4 | 1 | . | . | . | 14 | 1 |
| V. | VIOLENT DEATHS, | 1 | 3 | 3 | 7 | 3 | 3 | 1 | 5 | . | 2 | 2·8 | 2 | 1 | . | . | 1 | . | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 29 | 44 | 21 | 26 | 24 | 15 | 37 | 27 | 24 | 22 | 26·9 | 16 | 9 | 1 | 2 | 3 | 1 | . | . |
| | 2. ENTHETIC „ | . | 1 | 2 | . | . | 1 | . | . | 1 | 1 | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 3. DIETIC „ | . | 1 | 2 | 1 | . | 2 | . | . | 1 | . | ·7 | 1 | . | . | . | . | 1 | . | . |
| | 4. PARASITIC „ | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II | 1. DIATHETIC DISEASES, | 6 | 11 | 4 | 4 | 4 | 3 | 7 | 6 | 5 | 7 | 5·7 | 10 | 1 | . | . | 1 | 3 | 5 | . |
| | 2. TUBERCULAR „ | 29 | 39 | 31 | 22 | 20 | 40 | 33 | 29 | 28 | 29 | 30·0 | 21 | 2 | 4 | 3 | 7 | 4 | 1 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 27 | 30 | 25 | 22 | 12 | 24 | 13 | 19 | 15 | 23 | 21·0 | 14 | 8 | . | . | . | 1 | 5 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 10 | 7 | 9 | 6 | 8 | 12 | 7 | 6 | 9 | 6 | 8·0 | 10 | . | 1 | 1 | . | 5 | 3 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 26 | 33 | 21 | 23 | 16 | 34 | 15 | 26 | 18 | 27 | 23·9 | 29 | 6 | . | . | 5 | 12 | 5 | 1 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 3 | 6 | 1 | 6 | 7 | 6 | 5 | 3 | 10 | 8 | 5·5 | 10 | . | 2 | . | 2 | 3 | 2 | 1 |
| | 5. DISEASES OF URINARY ORGANS, | . | 1 | 1 | 1 | 1 | 6 | 1 | 1 | 2 | 4 | 1·8 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | 1 | . | . | 1 | 1 | . | . | 2 | 3 | ·8 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | 1 | . | 1 | . | . | . | 1 | 1 | . | ·4 | 1 | . | 1 | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 1 | . | . | 4 | 1 | . | 2 | 2 | . | . | 1·0 | 1 | 1 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | 1 | 1 | 1 | . | 2 | 1 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 3. „ „ OLD PEOPLE | 6 | 8 | 1 | 6 | 10 | 14 | 13 | 8 | 15 | 18 | 9·9 | 12 | . | . | . | . | . | 11 | 1 |
| | 4. DISEASES OF NUTRITION, | 5 | 5 | 7 | 5 | 4 | 1 | 5 | 8 | 6 | 2 | 4·8 | 7 | 3 | 1 | . | . | . | 3 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 1 | 2 | 3 | 5 | 3 | 2 | . | 3 | . | 2 | 2·1 | 1 | 1 | . | . | . | . | . | . |
| | [o]2. HOMICIDE, | . | 1 | . | 1 | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | . | . | 1 | . | 2 | . | . | ·3 | 1 | . | . | . | 1 | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | 1 | 2 | 2 | 5 | 1 | 2 | 2 | 2 | 5 | 2·2 | 2 | 2 | . | . | . | . | . | . |

o Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TWENTY-SECOND WEEK, ending Saturday, 3rd June, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 22nd Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, June 3rd, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jun. 2 1866 | Jun. 1 1867 | May 30 1868 | Jun. 5 1869 | Jun. 4 1870 | Jun. 3 1871 | Jun. 1 1872 | May 31 1873 | Jun. 6 1874 | Jun. 5 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 50·1 | ° 55·5 | ° 53·0 | ° 55·0 | ° 58·0 | ° 56·4 | ° 54·2 | ° 55·5 | ° 56·3 | ° 55·5 | ° 55·2 | ° 55·5 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | . | 23 | . | . | . | 2·4 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 20 | 1 | . | 1 | 1 | 4 | 1 | 1 | 1 | 3·0 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | . | 10 | 5 | 10 | 6 | 2 | 2 | . | 16 | 1 | 5·2 | 2 | 2 | . | . | . | . | . | . |
| | 4. Diphtheria, | 1 | . | . | . | . | . | . | 2 | 1 | 2 | ·6 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | 1 | . | . | . | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | 2 | 1 | 2 | 1 | 1 | . | 1 | . | 1 | 1·0 | 2 | 2 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 9 | . | 3 | . | . | 3 | . | 11 | . | 3 | 2·9 | 3 | 3 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 4 | 3 | 1 | 1 | 2 | 2 | 1 | | 2 | . | . | . | 2 | . | . | . |
| | – Enteric or Typhoid Fever, | 6 | 5 | 7 | 1 | 4 | 3 | 2 | 4 | 2 | 3 | 6·6 | 3 | . | 1 | 2 | . | . | . | . |
| | – Simple continued Fever, | | | | 4 | 2 | 2 | 3 | 2 | . | 2 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 1 | . | 1 | 1 | . | . | 1 | 1 | . | 2 | ·7 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 2 | . | 1 | . | 1 | . | 1 | 2 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | 1 | . | 1 | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | 2 | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 5 | 7 | . | 2 | 3 | 2 | . | . | . | 1 | 2·0 | 1 | 1 | . | . | . | . | . | . |
| | 15. Simple Cholera, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | . | 1 | . | . | 1 | 1 | 3 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 19. Other Zymotic Diseases, | . | . | 1 | . | . | . | . | . | . | . | ·1 | 2 | 1 | . | . | 1 | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | 1 | 2 | . | . | 1 | . | . | 1 | 1 | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | 2 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | 1 | . | 1 | . | 1 | . | . | 1 | . | ·4 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | 1 | 1 | . | 1 | . | . | 1 | . | . | . | ·4 | 1 | . | . | . | 1 | 1 | . | . |
| | 2. Dropsy, | 2 | 9 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 5 | 2·6 | 4 | 1 | . | . | 1 | . | 2 | . |
| | 3. Cancer, | 2 | 1 | 3 | 1 | 3 | 1 | 3 | 3 | 4 | 2 | 2·3 | 4 | . | . | . | . | 2 | 2 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | . | . | . | . | . | 1 | 1 | . | . | ·3 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 1 | . | . | 2 | 2 | 2 | 1 | . | 2 | 1·1 | 2 | . | 2 | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 2 | 3 | 2 | 1 | 1 | 2 | 3 | 2 | 4 | . | 2·0 | 2 | 2 | . | . | . | . | . | . |
| | 3. Phthisis, | 25 | 30 | 22 | 20 | 13 | 33 | 23 | 26 | 20 | 24 | 23·6 | 16 | . | 1 | 3 | 7 | 4 | 1 | . |
| | 4. Hydrocephalus, | 1 | 5 | 7 | 1 | 4 | 3 | 5 | . | 4 | 3 | 3·3 | 1 | . | 1 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | 3 | 3 | 2 | . | 3 | 1 | 2 | 1 | 1 | 1·7 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 3 | 5 | 4 | 2 | 1 | 4 | . | . | 2 | 5 | 2·6 | 1 | . | . | . | . | . | 1 | . |
| | 3. Paralysis, | 2 | 1 | 3 | 5 | 2 | 3 | 3 | 4 | 1 | 3 | 2·7 | 3 | . | . | . | . | 1 | 2 | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | 3 | . | . | . | . | . | 1 | . | 1 | ·6 | 1 | . | . | . | . | . | 1 | . |
| | 7. Convulsions, | 13 | 14 | 11 | 11 | 6 | 10 | 5 | 5 | 10 | 8 | 9·3 | 8 | 8 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 7 | 4 | 4 | 2 | 3 | 4 | 4 | 7 | 1 | 3 | 3·9 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | 2 | . | 1 | 4 | 1 | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 10 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 9 | 6 | 7·1 | 10 | . | 1 | 1 | . | 5 | 3 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 23 | 26 | 15 | 15 | 9 | 25 | 12 | 22 | 12 | 21 | 17·9 | 18 | 5 | . | . | . | 8 | 4 | 1 |
| | 3. Pleurisy, | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 2 | 3 | 4 | 6 | 6 | 9 | 1 | 2 | 3 | 4 | 4·0 | 9 | 1 | . | . | 4 | 4 | . | . |
| | 5. Asthma, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 3 | 1 | 2 | 1 | . | 2 | 1 | 3 | 2 | 1·6 | 2 | . | . | . | 1 | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 2. Enteritis, | . | . | . | . | 1 | . | 1 | . | 2 | 2 | ·6 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 2 | . | . | . | 1 | . | 1 | 1 | 1 | 1 | 7 | 1 | . | . | . | . | 1 | . | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | 1 | 1 | . | . | . | 1 | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| | 6. Hernia, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |

ONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 22nd Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, June 3rd, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Jun. 2 1866 | Jun. 1 1867 | May 30 1868 | Jun. 5 1869 | Jun. 4 1870 | Jun. 3 1871 | Jun. 1 1872 | May 31 1873 | Jun. 6 1874 | Jun. 5 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 50·1 | ° 55·5 | ° 55·0 | ° 55·0 | ° 58·0 | ° 56·4 | ° 54·2 | ° 55·5 | ° 56·3 | ° 55·5 | ° 55·2 | ° 55·5 | | | | | | | |
| III. con. | 7. Ileus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | . | . | 1 | . | . | 1 | 1 | . | 2 | ·5 | 3 | . | 1 | . | . | 1 | . | 1 |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 14. Jaundice, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 5 | 1 | 4 | 3 | 4 | 1 | 1 | 3 | 1 | 2·4 | 3 | . | 1 | . | 2 | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | 1 | 1 | . | 3 | . | . | . | 2 | ·7 | 1 | . | . | . | . | 1 | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | 1 | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | . | 1 | . | . | 1 | 2 | 1 | . | 1 | 1 | ·7 | 2 | . | . | . | 1 | . | 1 | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | 1 | . | . | 1 | 1 | . | . | 1 | 2 | ·6 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | 1 | . | 1 | . | . | . | 1 | 1 | . | ·4 | 1 | . | 1 | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | 3 | . | . | 2 | . | . | . | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | . | . | 1 | 1 | . | . | 2 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | 1 | 1 | 1 | . | 2 | 1 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 6 | 8 | 1 | 6 | 10 | 14 | 13 | 8 | 15 | 18 | 9·9 | 12 | . | . | . | . | . | 11 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 5 | 5 | 7 | 5 | 4 | 1 | 5 | 8 | 6 | 2 | 4·8 | 7 | 3 | 1 | . | . | . | 3 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | . | 1 | 4 | 2 | 1 | . | 3 | . | 1 | 1·2 | . | . | . | . | . | . | . | . |
| | 2. Wounds, | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | . | . | . | 1 | 1 | . | . | . | 1 | ·4 | 1 | 1 | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | . | 2 | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | 1 | . . | 1 | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | . | 1 | 2 | 2 | 5 | 1 | 2 | 2 | 2 | 5 | 2·2 | 2 | 2 | . | . | . | . | . | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | | | 1876. | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 11. | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | April 29. | May 6. | May 13. | May 20. | May 27. | June 3. |
| BIRTHS, | 173 | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 | 196 | 188 | 170 | 183 | 172 | 174 | 170 |
| DEATHS, | 202 | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 156 | 155 | 151 | 139 | 140 |
| Deaths under 5 years of age, | 62 | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 | 55 | 58 | 46 | 42 | 45 | 42 | 34 |
| Deaths 5–15, | 9 | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 | 9 | 8 | 5 | 10 |
| Deaths 15–20, | 2 | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 | 4 | 8 | 4 | 6 |
| Deaths 20–40, | 31 | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 | 28 | 31 | 26 | 20 |
| Deaths 40–60, | 35 | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 | 51 | 37 | 35 | 26 | 35 | 26 | 31 |
| Deaths 60–80, | 52 | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 | 34 | 21 | 41 | 37 | 21 | 31 | 36 |
| Deaths at 80 years of age and upwards, | 11 | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 | 9 | 3 | 5 | 3 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 | 3 | . | . | . |
| ,, Scarlatina, | 5 | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 | 5 | . | 2 | 2 |
| ,, Diphtheria, | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 | . | . | 1 | 3 | . |
| ,, Whooping Cough, | 9 | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 | 2 | 1 | 6 | 4 | 3 |
| ,, Fever, | 6 | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 | 8 | 4 | 3 | 5 |
| ,, Diarrhœa, | 4 | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 | 2 | 1 | 2 | 1 |
| ,, Phthisis, | 18 | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 | 20 | 25 | 21 | 16 |
| ,, Bronchitis, | 39 | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 | 29 | 14 | 19 | 16 | 15 | 18 |
| ,, Pneumonia, | 4 | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 5 | 6 | 5 | 4 | 9 |
| ,, Heart Disease, | 11 | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 | 3 | 2 | 3 | 10 |
| Mean Temperature of the Air | 31·6 | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 | 47·5 | 49·1 | 44·1 | 47·0 | 48·9 | 53·5 | 55·5 |
| Rain-fall in inches, | ·460 | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 | ·920 | ·040 | ·000 | ·070 | 1·014 | ·220 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·861 | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 | ·812 | ·835 | ·710 | ·736 | ·759 | ·808 | ·776 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[117.—200.—4/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JUNE 10, 1876. [No. 23.

*General Register Office, Charlemont House, Dublin, June 12th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 10th June, 1876, represent an annual mortality of 25 in every 1,000 of the population, by the Census of 1871. In London the death rate was 19 in every 1,000 of the estimated population; in Glasgow, 28; and in Edinburgh, 20.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 183—97 boys and 86 girls,—and the deaths to 154—75 males and 79 females. The *average* numbers in the corresponding week of the previous ten years were—births, 176, and deaths, 151.

The number of deaths from zymotic diseases *registered* during the week was 21, of these deaths 4 resulted from scarlet fever, 5 from whooping-cough, 4 from fever (1 typhus, 2 typhoid, and 1 simple continued fever), 3 from diarrhœa, 1 from measles, and a like number from croup.

Seven children died from convulsions.

Bronchitis caused 17 deaths, pneumonia or inflammation of the lungs 6, asthma 2, and lung disease unspecified 1.

Ten deaths were ascribed to heart disease, 1 to inflammation of the liver, 4 to liver disease unspecified, 1 to nephritis or inflammation of the kidneys, and 3 to kidney disease unspecified.

Apoplexy and paralysis caused 4 deaths each, cephalitis or inflammation of the brain 2, epilepsy 1, and brain disease unspecified 2.

Phthisis or pulmonary consumption proved fatal in 17 instances, hydrocephalus or water on the brain in 5, mesenteric disease in 3, and scrofula and cancer each in 1.

Four accidental deaths were *registered*.

Forty-eight of the persons whose deaths were *registered* during the week were under 5 years of age (26 being infants under 1 year old); and 38 were aged 60 and upwards, including 17 persons aged 70 and upwards, of whom 6 were octogenarians, and 1 (a man) was stated to have been aged 96 years.

Two deaths from fever, 1 from scarlet fever, 2 from whooping-cough, and 2 from diarrhœa were *registered* in Belfast.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|
| | | Bronchitis. | Consumption. | Disease of Heart. | Convulsions. | |
| **Dublin City:—** | | | | | | |
| North Side, No. 1 District, | 49,137 | 2 | 6 | 4 | – | 28 |
| North Side, No. 2 ,, | 31,993 | 2 | – | 2 | 1 | 22 |
| North Side, No. 3 ,, | 27,546 | 1 | 3 | 2 | – | 12 |
| South Side, No. 1 District, | 32,184 | 9 | 6 | – | 1 | 31 |
| South Side, No. 2 ,, | 29,952 | – | – | – | – | 6 |
| South Side, No. 3 ,, | 38,811 | – | 2 | – | 1 | 17 |
| South Side, No. 4 ,, | 36,703 | 1 | – | 1 | 3 | 13 |
| Rathmines District, . | 20,939 | 1 | – | 1 | – | 7 |
| Donnybrook, ,, . | 21,758 | 1 | – | – | 1 | 8 |
| Blackrock, ,, . | 7,182 | – | – | – | – | 3 |
| Kingstown, ,, . | 18,461 | – | – | – | – | 7 |
| Total, . | 314,666 | 17 | 17 | 10 | 7 | 154 |

Forty-seven of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin, and 11 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 30 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 36 per 1,000; and in No. 3, North City (Blackhall-street), to 23 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital,* and *Stevens' Hospital,* the deaths *registered* afford an annual ratio of 50 per 1,000; in No. 2, South City District (High-street), the ratio was 10 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 23 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 18 per 1,000.

In the Suburban District of Rathmines the annual ratio was 17 per 1,000; in Donnybrook it was 19—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 22; and in Kingstown 20 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,272 and the deaths to 1,286 (against an average of 1,360 for corresponding week 1866–75); in Glasgow the births *registered* were 413, and the deaths 289; and in Edinburgh the births were 142, and the deaths 81. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·928 inches. The highest daily mean reading (30·260) occurred on Saturday, and the lowest (29·742) on Sunday.

The mean temperature during the week was 52·5° (the average in the corresponding week of the previous ten years was 55·8°); the lowest daily mean (49·6°) occurred on Friday, and the highest (56·3°) on Saturday.

The temperature was highest on Saturday, when the thermometer registered 66·5°, and was lowest on Friday, the mercury having fallen to 38·2°. The highest reading of the barometer during the week (30·277) occurred on Saturday, at 9.30 A.M., wind N.W., and the lowest (29·614) on Sunday, at 9.30 P.M., wind S.W. The mean of the Dry Bulb for the week was 54·8°; and of the Wet Bulb 49·7°. The mean humidity of the air was ·711; complete saturation being represented by 1·0. The rain-fall during the week measured ·723 in.

At Greenwich, the mean temperature of the week was 54·5°; at Glasgow, 52·2°; and at Edinburgh, 52·8°. The rain-fall during the week at Greenwich measured ·09 in., and at Glasgow, ·87 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson,* R.E., *by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, June 4, | 29·742 | 61·0 | 47·8 | 54·4 | 54·5 | 50·4 | ·759 | 1·0 | ·200 | S.W. | S.W. | S.W. |
| Monday, „ 5, | 29·816 | 62·8 | 39·4 | 51·1 | 54·6 | 49·2 | ·684 | 1·0 | ·000 | W.N.W. | W. | S.W. |
| Tuesday, „ 6, | 29·928 | 64·5 | 43·5 | 54·0 | 54·4 | 48·4 | ·669 | ·9 | ·009 | S.W. | W. | W. |
| Wednesday, „ 7, | 29·890 | 67·7 | 40·3 | 54·5 | 52·9 | 47·8 | ·704 | 1·0 | ·014 | W. | W. | Calm. |
| Thursday, „ 8, | 29·819 | 60·0 | 42·0 | 51·0 | 54·8 | 51·1 | ·787 | ·8 | ·500 | S.W. | W. | W. |
| Friday, „ 9, | 30·012 | 61·0 | 38·2 | 49·6 | 53·3 | 48·0 | ·693 | ·9 | ·000 | N. | N. | N.W. |
| Saturday, „ 10, | 30·260 | 66·5 | 46·1 | 56·3 | 58·9 | 52·8 | ·679 | ·8 | ·000 | N.W. | N.W. | W. |
| Mean, . . | 29·928 | 62·6 | 42·5 | 52·5 | 54·8 | 49·7 | ·711 | ·9 | Total, ·723 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, June 4, | A.M. Fine. | P.M. Raining. |
| Monday, „ 5, | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 6, | A.M. Fine and pleasant. | P.M. Fine. |
| Wednesday, „ 7, | A.M. Raining. | P.M. Fine. |
| Thursday, „ 8, | A.M. Dropping rain. | P.M. Raining. |
| Friday, „ 9, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 10, | A.M. Fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 10th June, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 10TH JUNE, 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 25 | 183 | 154 | 26 | 38 | . | 1 | 4 | . | 5 | 4 | 3 | 5 | 1 | 47 |
| BELFAST,† . . | 20,687 | 182,082 | 26 | 131 | 91 | 12 | 16 | . | . | 1 | . | 2 | 2 | 2 | . | . | 7 |
| CORK, . . . | 13,816 | 91,565 | 26 | 58 | 46 | 5 | 17 | . | . | . | . | . | . | . | 4 | 8 | 16 |
| LIMERICK, . . | 8,509 | 44,209 | 24 | 40 | 20 | 3 | 6 | . | . | 1 | . | 1 | 1 | 1 | . | . | 8 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 13 | 24 | 8 | 2 | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 |
| WATERFORD, . . | 17,209 | 30,626 | 29 | 18 | 17 | 5 | 4 | . | . | . | . | . | . | . | 1 | 4 | . |
| GALWAY, . . | 21,358 | 19,692 | 8 | 13 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 30,835 | 17,285 | 21 | 8 | 7 | . | 1 | . | . | . | . | . | . | 1 | . | . | . |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 10th June, 1876.

| REGISTRARS' DISTRICTS. | | Population in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 24 | 10 | 9 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 20 | 13 | 7 | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 3, | 39,311 | 24 | 30 | 18 | 3 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 48 | 20 | 18 | . | 7 | . | . | . | . | . | . | . | . | . | 6 |
| | ,, ,, 5, | 19,616 | 27 | 14 | 10 | 2 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 20 | 21 | 14 | 2 | 2 | . | . | 1 | . | . | 1 | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 32 | 7 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 29 | 10 | 9 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 10 | 4 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 5 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 23 | 7 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 25 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 9 | 11 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 14 | 13 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,536 | 48 | 4 | 7 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 59 | 10 | 21 | 2 | 9 | . | . | . | . | . | . | . | 2 | 3 | 13 |
| | ,, ,, 9, | 4,790 | 33 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 3 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 13 | 9 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 52 | 8 | 9 | 1 | 4 | . | . | . | . | 1 | 1 | 1 | . | . | 8 |
| | ,, ,, 3, | 11,424 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 29 | 18 | 9 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 27 | 7 | 7 | 1 | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 |
| | Glendermot, *W.* | 8,483 | 6 | 13 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 29 | 18 | 17 | 5 | 4 | . | . | . | . | . | . | . | 1 | 4 | . |
| GALWAY, | Galway, No. 1, | 10,700 | 10 | 10 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 6 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 16 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 24 | 7 | 5 | . | 1 | . | . | . | . | . | . | 1 | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

**Births and Deaths *Registered* in the several Registration Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, during the Week ending Saturday, 10th June, 1876.**

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,625 |
| **Births,** | 22 | 42 | 19 | 22 | 10 | 22 | 16 | 10 | 10 | 4 | 6 | 183 |
| **Deaths from all Causes,** | 28 | 22 | 12 | 31 | 6 | 17 | 13 | 7 | 8 | 3 | 7 | 154 |
| Zymotic Diseases: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| Scarlet Fever (Scarlatina), | 1 | . | . | 1 | 1 | 1 | . | . | . | . | . | 4 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | 1 | . | . | . | 2 | 2 | . | . | . | . | 5 |
| Fever, | 1 | . | 1 | . | . | . | . | . | 1 | . | 1 | 4 |
| Diarrhœa, | . | . | 1 | 1 | . | . | . | . | . | 1 | . | 3 |
| Cholera (Simple), | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Other Zymotic Diseases, | . | 2 | . | . | . | . | 1 | . | . | . | . | 3 |
| Total, | 3 | 3 | 2 | 2 | 1 | 3 | 3 | . | 2 | 1 | 1 | 21 |
| Constitutional Diseases: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 6 | . | 3 | 6 | . | 2 | . | . | . | . | . | 17 |
| Other Constitutional Diseases, | 2 | 2 | . | 2 | 1 | 1 | 2 | . | . | . | . | 10 |
| Total, | 8 | 2 | 3 | 8 | 1 | 3 | 2 | . | . | . | . | 27 |
| Local Diseases: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 5 | 3 | . | 1 | 2 | 2 | 3 | 2 | 1 | . | 1 | 20 |
| Diseases of the Heart and Circulatory Organs, | 4 | 2 | 2 | . | . | . | 1 | 1 | . | . | . | 10 |
| Diseases of the Respiratory Organs, | 3 | 2 | 2 | 10 | . | . | 3 | 2 | 2 | 1 | 1 | 26 |
| Diseases of the Digestive Organs, | . | 1 | . | 2 | . | 3 | 1 | 1 | 1 | . | . | 9 |
| Diseases of the Urinary Organs, | . | . | . | 2 | . | 1 | . | . | 1 | . | . | 4 |
| Diseases of the Organs of Generation, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 12 | 8 | 4 | 16 | 2 | 6 | 8 | 6 | 5 | 1 | 2 | 70 |
| Developmental Diseases, | 2 | 9 | 2 | 3 | 2 | 3 | . | 1 | 1 | 1 | 4 | 28 |
| Violent Deaths, | 2 | . | 1 | . | . | 2 | . | . | . | . | . | 5 |
| Causes not Specified or Ill-Defined, | 1 | . | . | 2 | . | . | . | . | . | . | . | 3 |
| Annual Rate of Mortality in every 1,000 of the Population, | 30 | 36 | 23 | 50 | 10 | 23 | 18 | 17 | 19 | 22 | 20 | 25 |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 8 | 10 | 5 | 2 | . | 1 | 3 | . | . | . | 1 | 30 |
| Workhouse Hospitals, | . | . | 6 | 11 | . | . | . | . | . | . | . | 17 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clarabrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 33, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the TWENTY-THIRD WEEK, ending Saturday, June 10th, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 23rd Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, June 10th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jun. 9 1866 | Jun. 8 1867 | Jun. 6 1868 | Jun. 12 1869 | Jun. 11 1870 | Jun. 10 1871 | Jun. 8 1872 | Jun. 7 1873 | Jun. 13 1874 | Jun. 12 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, . . | ° 56·2 | ° 56·9 | ° 56·0 | ° 54·6 | ° 58·3 | ° 55·0 | ° 51·7 | ° 57·1 | ° 55·7 | ° 56·9 | ° 55·8 | ° 52·5 | | | | | | | |
| | **ALL CAUSES,** . . . | 151 | 155 | 156 | 136 | 126 | 134 | 236 | 151 | 142 | 119 | 150·6 | 154 | 48 | 9 | 9 | 26 | 24 | 31 | 7 |
| | **SPECIFIED CAUSES,** | 150 | 153 | 155 | 134 | 123 | 131 | 235 | 147 | 137 | 114 | 147·9 | 151 | 46 | 9 | 9 | 26 | 23 | 31 | 7 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, . . | 27 | 39 | 25 | 20 | 20 | 29 | 86 | 24 | 27 | 21 | 31·8 | 21 | 12 | . | 2 | 3 | 2 | 2 | . |
| II. | CONSTITUTIONAL „ . . | 32 | 44 | 40 | 31 | 34 | 41 | 50 | 36 | 22 | 19 | 34·9 | 27 | 7 | 5 | 3 | 10 | 1 | 1 | . |
| III. | LOCAL „ . . | 72 | 52 | 64 | 59 | 51 | 35 | 80 | 66 | 61 | 52 | 59·2 | 70 | 12 | 4 | 4 | 8 | 18 | 23 | 1 |
| IV. | DEVELOPMENTAL, . . | 15 | 15 | 23 | 21 | 14 | 23 | 13 | 16 | 21 | 18 | 18·2 | 28 | 13 | . | . | 3 | 2 | 5 | 5 |
| V. | VIOLENT DEATHS, . . | 4 | 3 | 3 | 3 | 4 | 3 | 6 | 5 | 3 | 4 | 3·8 | 5 | 2 | . | . | 2 | . | . | 1 |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, . . | 24 | 36 | 23 | 19 | 19 | 27 | 85 | 23 | 25 | 21 | 30·2 | 21 | 12 | . | 2 | 3 | 2 | 2 | . |
| | 2. ENTHETIC „ . . | 1 | 2 | . | . | 1 | 1 | 1 | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ . . | 1 | 1 | 2 | 1 | . | . | . | 1 | 2 | . | ·8 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC „ . . | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, . . | 6 | 7 | 8 | 3 | 4 | 5 | 9 | 9 | 4 | 5 | 6·0 | 1 | . | . | . | . | . | 1 | . |
| | 2. TUBERCULAR „ . . | 26 | 37 | 32 | 28 | 30 | 36 | 41 | 27 | 18 | 14 | 28·9 | 26 | 7 | 5 | 3 | 10 | 1 | . | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, . | 29 | 11 | 33 | 20 | 23 | 12 | 30 | 22 | 29 | 17 | 21·6 | 20 | 7 | 2 | 1 | . | 4 | 5 | 1 |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 11 | 7 | 12 | 8 | 5 | 6 | 8 | 11 | 10 | 6 | 8·4 | 10 | . | . | 1 | 2 | 2 | 5 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, . | 19 | 26 | 22 | 23 | 12 | 10 | 33 | 21 | 17 | 19 | 20·2 | 26 | 4 | . | . | 5 | 8 | 9 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, . | 12 | 3 | 6 | 5 | 8 | 3 | 5 | 5 | 3 | 6 | 5·6 | 9 | 1 | 2 | 1 | 1 | 1 | 3 | . |
| | 5. DISEASES OF URINARY ORGANS, . | 1 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 2 | 2 | 2·7 | 4 | . | . | 1 | . | 2 | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | 1 | . | . | . | . | . | 1 | . | 1 | ·3 | 1 | . | . | . | . | 1 | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | . | . | . | . | 1 | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, . | . | 2 | 2 | 1 | . | 2 | . | 3 | 1 | . | 1·1 | 1 | 1 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, . | 2 | . | 4 | . | . | 1 | . | 1 | 1 | . | ·9 | 4 | . | . | . | 3 | 1 | . | . |
| | 3. „ „ OLD PEOPLE | 10 | 9 | 6 | 11 | 8 | 13 | 4 | 5 | 18 | 14 | 9·8 | 10 | . | . | . | . | . | 5 | 5 |
| | 4. DISEASES OF NUTRITION, . | 3 | 4 | 11 | 9 | 6 | 7 | 9 | 7 | 4 | 4 | 6·4 | 13 | 12 | . | . | . | 1 | . | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, . | 4 | 3 | 3 | 3 | 4 | 3 | 5 | 5 | 3 | 4 | 3·7 | 4 | 2 | . | . | 1 | . | . | 1 |
| | *2. HOMICIDE, . . . . | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, . . . . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| — | Sudden Deaths, Cause unascertained, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, . . . . | 1 | 2 | 1 | 2 | 3 | 3 | 1 | 4 | 5 | 5 | 2·7 | 3 | 2 | . | . | . | 1 | . | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TWENTY-THIRD WEEK, ending Saturday, 10th June, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 23rd Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, June 10th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | |
| | | Jun. 9 1866 | Jun. 8 1867 | Jun. 6 1868 | Jun. 12 1869 | Jun. 11 1870 | Jun. 10 1871 | Jun. 8 1872 | Jun. 7 1873 | Jun. 13 1874 | Jun. 12 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 58·2 | ° 56·9 | ° 56·0 | ° 54·6 | ° 58·3 | ° 55·0 | ° 51·7 | ° 57·1 | ° 55·7 | ° 56·9 | ° 55·8 | ° 52·5 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 2 | 54 | . | . | . | 5·6 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 14 | 1 | . | . | . | 5 | 2 | 1 | 1 | 2·4 | 1 | 1 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 2 | 5 | 2 | 6 | 6 | 5 | 5 | 5 | 9 | 4 | 4·9 | 4 | 4 | . | . | . | . | . | . |
| | 4. Diphtheria, | 1 | . | 1 | . | . | . | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | . | 2 | 1 | . | 1 | 1 | 1 | 3 | 1 | 1·0 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 2 | 3 | 5 | . | 1 | 4 | . | 7 | . | . | 2·2 | 5 | 5 | . | . | . | . | . | . |
| | 8. Typhus, | } | | | 1 | 3 | 6 | 7 | 1 | 2 | 2 | | 1 | . | . | . | . | . | 1 | . |
| | – Enteric or Typhoid Fever, | 6 | 7 | 2 | 3 | 3 | 3 | 6 | 1 | 6 | 1 | 6·6 | 2 | . | . | 1 | . | 1 | . | . |
| | – Simple continued Fever, | } | | | | 1 | . | 1 | 1 | . | 1 | | 1 | . | . | 1 | . | . | . | . |
| | 9. Erysipelas, | 1 | 1 | 3 | 1 | . | 1 | . | 1 | . | 2 | 1·0 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 3 | 1 | . | 1 | 1 | 1 | 1 | . | . | 6 | 1·4 | 2 | . | . | . | 2 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | 1 | . | . | 2 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 5 | 4 | 4 | 4 | 2 | 3 | 4 | 2 | . | 1 | 2·9 | 3 | . | . | . | 1 | 1 | 1 | . |
| | 15. Simple Cholera, | . | . | 1 | . | . | . | 1 | . | 1 | . | ·3 | 1 | 1 | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | . | 2 | . | . | 1 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Disease, | . | . | . | . | 1 | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | 2 | . | . | 1 | 1 | 1 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | 1 | . | . | . | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 2 | 3 | 6 | 1 | 2 | 1 | 1 | 2 | 1 | 3 | 2·2 | . | . | . | . | . | . | . | . |
| | 3. Cancer, | 4 | 3 | 2 | 2 | 2 | 2 | 7 | 7 | 3 | 2 | 3·4 | 1 | . | . | . | . | . | 1 | . |
| | 4. Cancrum Oris (Noma), | . | 1 | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 4 | 1 | 2 | 1 | . | . | 3 | 4 | 1 | 1·8 | 1 | 1 | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 3 | 5 | 2 | 3 | 3 | 8 | 8 | 3 | 1 | 2 | 3·8 | 3 | 3 | . | . | . | . | . | . |
| | 3. Phthisis, | 18 | 22 | 27 | 20 | 24 | 23 | 24 | 19 | 12 | 9 | 19·8 | 17 | . | 3 | 3 | 10 | 1 | . | . |
| | 4. Hydrocephalus, | 3 | 6 | 2 | 3 | 2 | 5 | 9 | 2 | 1 | 2 | 3·5 | 5 | 3 | 2 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | . | 4 | 2 | 1 | 1 | . | 1 | . | 1 | 1·0 | 2 | . | 1 | . | . | . | 1 | . |
| | 2. Apoplexy, | 5 | . | 1 | 6 | 1 | 1 | 6 | 4 | 1 | 2 | 2·7 | 4 | . | . | . | . | 2 | 1 | 1 |
| | 3. Paralysis, | 3 | . | 3 | 3 | 4 | 3 | 5 | 1 | 4 | 2 | 2·8 | 4 | . | . | . | . | 2 | 2 | . |
| | 4. Insanity, | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 2 | 2 | . | . | 1 | 3 | . | 3 | 3 | . | 1·4 | 1 | . | . | . | . | . | 1 | . |
| | 7. Convulsions, | 13 | 9 | 9 | 6 | 14 | 2 | 16 | 10 | 19 | 11 | 10·9 | 7 | 6 | 1 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 6 | . | 6 | 3 | 1 | 2 | 2 | 3 | 2 | 1 | 2·6 | 2 | 1 | . | 1 | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 3 | . | 2 | . | . | . | 1 | 1 | 1 | . | ·8 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 8 | 7 | 10 | 8 | 5 | 6 | 6 | 10 | 9 | 6 | 7·5 | 10 | . | . | 1 | 2 | 2 | 5 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | 1 | 1 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 15 | 15 | 16 | 20 | 10 | 7 | 23 | 16 | 14 | 14 | 15·0 | 17 | 4 | . | . | 2 | 4 | 7 | . |
| | 3. Pleurisy, | . | 1 | . | . | . | . | 1 | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 2 | 2 | 4 | 2 | 1 | 2 | 8 | 1 | 3 | 2 | 2·7 | 6 | . | . | . | 2 | 3 | 1 | . |
| | 5. Asthma, | . | 2 | . | . | . | . | . | . | . | . | ·2 | 2 | . | . | . | 1 | 1 | . | . |
| | 6. *Lung Disease, &c.* | 3 | 5 | 1 | 1 | 1 | . | 1 | 3 | . | 2 | 1·6 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | 2 | 1 | 1 | . | . | . | . | . |
| | 2. Enteritis, | 3 | . | . | 2 | 4 | . | . | . | . | . | ·9 | 1 | . | 1 | . | . | . | . | . |
| | 3. Peritonitis, | 3 | . | . | 1 | . | . | . | 2 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |

ONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| lass. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in the 10 Years 1866-75. | *Registered* in the Week ending Saturday, June 10th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jun. 9 1866 | Jun 8 1867 | Jun. 6 1868 | Jun. 12 1869 | Jun. 11 1870 | Jun. 10 1871 | Jun. 8 1872 | Jun. 7 1873 | Jun. 13 1874 | Jun. 12 1875 | | ALL AGES. | Under 5 years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 56·2 | 56·9 | 56·0 | 54·6 | 58·3 | 55·0 | 51·7 | 57·1 | 55·7 | 56·9 | 55·8 | 52·5 | | | | | | | |
| III. | 7. Ileus, | . | . | . | . | . | . | 1 | . | . | 1 | 1·3 | 1 | . | . | . | . | . | 1 | . |
| con. | 8. Intussusception, | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | 1 | . | . | . | 1 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | . | 2 | . | 2 | . | 2 | . | 1 | 2 | 1·0 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | 1 | . | . | . | 1 | . | . | . |
| | 14. Jaundice, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 2 | 3 | 2 | 2 | 1 | . | 2 | 2 | 1 | 2 | 1·7 | 4 | . | . | 1 | . | 1 | 2 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | . | 1 | 1 | 2 | . | 3 | 1 | 2 | 1·0 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | 3 | 1 | 1 | 2 | 1 | 4 | 2 | . | . | 1·5 | 3 | . | . | . | . | 2 | 1 | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | 1 | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 2 | 1 | . | . | . | . | 1 | . | ·4 | 1 | 1 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | . | . | . | 2 | . | 3 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | 2 | . | 4 | . | . | 1 | . | 1 | 1 | . | ·9 | 4 | . | . | . | 3 | 1 | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 10 | 9 | 6 | 11 | 8 | 13 | 4 | 5 | 18 | 14 | 9·8 | 10 | . | . | . | . | . | 5 | 5 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 3 | 4 | 11 | 9 | 6 | 7 | 9 | 7 | 4 | 4 | 6·4 | 13 | 12 | . | . | . | 1 | . | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | . | 2 | 2 | 3 | . | 3 | 1 | 2 | . | 1·3 | 2 | . | . | . | 1 | . | . | 1 |
| | 2. Wounds, | 1 | 2 | 1 | . | . | . | . | 1 | . | . | ·5 | 1 | 1 | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | . | . | . | 1 | 1 | 1 | 1 | 1 | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 4. Poison, | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 1 | . | . | . | 2 | . | 2 | . | 2 | ·8 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 2 | 1 | 2 | 3 | 3 | 1 | 4 | 5 | 5 | 2·7 | 3 | 3 | . | . | . | 1 | . | . |

## Comparative Table of Births and Deaths Registered in the Dublin Registration District during the last Twenty-six Weeks.

| Dublin Registration District. | 1875. | 1876. | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 18. | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | April 29. | May 6. | May 13. | May 20. | May 27. | June 3. | June 10. |
| Births, | 167 | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 189 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 | 196 | 188 | 170 | 183 | 172 | 174 | 170 | 183 |
| Deaths, | 187 | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 156 | 155 | 151 | 139 | 140 | 154 |
| Deaths under 5 years of age, | 54 | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 | 55 | 58 | 46 | 42 | 45 | 42 | 34 | 48 |
| Deaths 5–15, | 6 | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 | 9 | 8 | 5 | 10 | 9 |
| Deaths 15–20, | . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 | 4 | 8 | 4 | 6 | 9 |
| Deaths 20–40, | 17 | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 | 28 | 31 | 26 | 20 | 26 |
| Deaths 40–60, | 52 | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 | 51 | 37 | 35 | 26 | 35 | 26 | 31 | 24 |
| Deaths 60–80, | 50 | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 | 34 | 21 | 41 | 37 | 21 | 31 | 36 | 31 |
| Deaths at 80 years of age and upwards, | 8 | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 | 9 | 3 | 5 | 3 | 7 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 1 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 | 3 | . | . | . | 1 |
| ,, Scarlatina, | 2 | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 | 5 | . | 2 | 2 | 4 |
| ,, Diphtheria, | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 | . | . | 1 | 3 | . | . |
| ,, Whooping Cough, | 8 | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 | 2 | 1 | 6 | 4 | 3 | 5 |
| ,, Fever, | 7 | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 | 3 | 4 | 3 | 5 | 4 |
| ,, Diarrhœa, | 2 | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 | 2 | 1 | 2 | 1 | 3 |
| ,, Phthisis, | 14 | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 | 20 | 25 | 21 | 16 | 17 |
| ,, Bronchitis, | 46 | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 | 29 | 14 | 19 | 16 | 15 | 18 | 17 |
| ,, Pneumonia, | 8 | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 5 | 6 | 5 | 4 | 9 | 6 |
| ,, Heart Disease, | 14 | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 | 8 | 2 | 3 | 10 | 10 |
| Mean Temperature of the Air | 40·2 | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 | 47·5 | 49·1 | 44·1 | 47·0 | 48·9 | 53·5 | 55·5 | 52·5 |
| Rain-fall in inches, | ·160 | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 | ·920 | ·040 | ·000 | ·070 | 1·014 | ·220 | ·723 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·863 | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 | ·812 | ·835 | ·710 | ·736 | ·759 | ·808 | ·776 | ·711 |

Dublin: Printed by Alexander Thom, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

# WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN); AND IN THE TOWNS OF BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JUNE 17, 1876. [No. 24.

*General Register Office, Charlemont House, Dublin, June 19th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 17th June, 1876, represent an annual mortality of 24 in every 1,000 of the population, by the Census of 1871. In London the death rate was 19 in every 1,000 of the estimated population; in Glasgow, 21; and in Edinburgh, 20.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 212—127 boys and 85 girls,—and the deaths to 144—73 males and 71 females. The *average* numbers in the corresponding week of the previous ten years were—births, 179, and deaths, 137.

The number of deaths from zymotic diseases *registered* during the week was but 19 (the average number for the corresponding week of the preceding ten years was 24·5). Of these deaths only 1 was attributed to fever, 2 were referred to scarlet fever, 3 to croup, 7 to diarrhœa, and 1 to dysentery.

Seven deaths were ascribed to convulsions.

Bronchitis caused 16 deaths, pneumonia or inflammation of the lungs 5, and pleurisy 1.

One death resulted from apoplexy, 5 from paralysis, 1 from cephalitis, 1 from insanity, and 4 from brain disease unspecified.

Ten deaths were caused by heart disease, 1 each by aneurism, liver disease, jaundice, and nephritis or inflammation of the kidneys.

Sixteen persons died from phthisis or pulmonary consumption, 2 each from hydrocephalus and scrofula, 1 each from cancer and dropsy, and 3 from mesenteric disease.

Fifteen deaths were accidental (10 from fractures and contusions, and 5 from drowning); and 2 were suicidal.

Thirty-four of the persons whose deaths were *registered* during the week were under 5 years of age (19 being infants under 1 year old); and 36 were aged 60 and upwards, including 15 persons aged 70 and upwards, of whom 1 was an octogenarian.

Four deaths from fever, 1 from scarlet fever, 1 from diphtheria, and 2 from whooping-cough, were *registered* in Belfast.

Three deaths from fever, and 2 from diarrhœa were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|
| | | Bronchitis. | Consumption. | Disease of Heart. | Diarrhœa. | |
| DUBLIN CITY:— | | | | | | |
| North Side, No. 1 District, | 49,137 | 1 | 4 | 2 | 1 | 15 |
| North Side, No. 2 ,, | 31,993 | 2 | – | 1 | – | 13 |
| North Side, No. 3 ,, | 27,546 | – | 4 | 3 | 3 | 21 |
| South Side, No. 1 District, | 32,184 | 3 | 3 | – | 1 | 24 |
| South Side, No. 2 ,, | 29,952 | 1 | – | 1 | – | 4 |
| South Side, No. 3 ,, | 38,811 | 4 | – | – | 1 | 18 |
| South Side, No. 4 ,, | 36,703 | 2 | 3 | 1 | 1 | 22 |
| RATHMINES DISTRICT, . | 20,939 | 1 | 1 | 1 | – | 8 |
| DONNYBROOK, ,, . | 21,758 | 1 | 1 | 1 | – | 15 |
| BLACKROCK, ,, . | 7,182 | – | – | – | – | 1 |
| KINGSTOWN, ,, . | 18,461 | 1 | – | – | – | 3 |
| Total, . | 314,666 | 16 | 16 | 10 | 7 | 144 |

Forty-six of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin, and 8 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 16 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 21 per 1,000; and in No. 3, North City (Blackhall-street), to 40 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital,* and *Stevens' Hospital,* the deaths *registered* afford an annual ratio of 39 per 1,000; in No. 2, South City District (High-street), the ratio was 7 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 24 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 31 per 1,000.

In the Suburban District of Rathmines the annual ratio was 20 per 1,000; in Donnybrook it was 36—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 7; and in Kingstown 8 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,474 and the deaths to 1,280 (against an average of 1,326 for corresponding week 1866–75); in Glasgow the births *registered* were 419, and the deaths 215; and in Edinburgh the births were 137, and the deaths 82. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·908 inches. The highest daily mean reading (30·114) occurred on Sunday, and the lowest (29·667) on Saturday.

The mean temperature during the week was 53·7° (the average in the corresponding week of the previous ten years was 56·2°); the lowest daily mean (49·3°) occurred on Tuesday, and the highest (62·1°) on Sunday.

The temperature was highest on Sunday, when the thermometer registered 71·3°, and was lowest on Tuesday, the mercury having fallen to 37·6°. The highest reading of the barometer during the week (30·152) occurred on Sunday, at 9.30 A.M., wind S.W., and the lowest (29·603) on Saturday, at 3.30 P.M., wind S.W. The mean of the Dry Bulb for the week was 56·1°; and of the Wet Bulb 52·4°. The mean humidity of the air was ·793; complete saturation being represented by 1·0. The rain-fall during the week measured ·573 in.

At Greenwich, the mean temperature of the week was 56·5°; at Glasgow, 54·3°; and at Edinburgh, 55·0°. The rain-fall during the week at Greenwich measured ·54 in., and at Glasgow, ·73 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson,* R.E., *by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozono-meter. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, June 11, | 30·114 | 71·3 | 53·0 | 62·1 | 64·5 | 60·5 | ·801 | ·8 | ·008 | S.W. | W. | W. |
| Monday, „ 12, | 30·044 | 67·4 | 39·0 | 53·2 | 58·1 | 52·6 | ·718 | ·9 | ·000 | W.N.W. | N.W. | N.W. |
| Tuesday, „ 13, | 30·038 | 61·0 | 37·6 | 49·3 | 50·7 | 49·2 | ·906 | ·9 | ·320 | W. | W. | Calm. |
| Wednesday, „ 14, | 29·871 | 63·2 | 44·0 | 53·6 | 56·8 | 52·5 | ·751 | 1·0 | ·110 | S.W. | S.W. | W. |
| Thursday, „ 15, | 29·803 | 62·5 | 39·8 | 51·2 | 53·3 | 50·1 | ·798 | 1·0 | ·100 | W. | W. | W. |
| Friday, „ 16, | 29·817 | 63·1 | 40·0 | 51·5 | 52·6 | 49·3 | ·799 | 1·0 | ·020 | S.W. | S.W. | S.W. |
| Saturday, „ 17, | 29·667 | 65·5 | 45·1 | 55·3 | 56·6 | 52·4 | ·775 | ·9 | ·015 | S.W. | S.W. | W. |
| Mean, . . | 29·908 | 64·8 | 42·6 | 53·7 | 56·1 | 52·4 | ·793 | ·9 | Total, ·573 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, June 11, | A.M. Fine and pleasant. | P.M. Fine. |
| Monday, „ 12, | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 13, | A.M. Fine. | P.M. Fine. |
| Wednesday, „ 14, | A.M. Fine and pleasant. | P.M. Drizzling rain. |
| Thursday, „ 15, | A.M. Fine. | P.M. Fine. |
| Friday, „ 16, | A.M. Fine and pleasant. | P.M. Fine. |
| Saturday, „ 17, | A.M. Dropping rain. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. Kindly furnished by the Registrar-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 17th June, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 17TH JUNE, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 24 | 212 | 144 | 19 | 36 | . | . | 2 | . | . | 1 | 7 | 17 | 17 | 46 |
| BELFAST,† . . | 20,687 | 182,082 | 24 | 163 | 84 | 16 | 15 | . | . | 1 | 1 | 2 | 4 | . | 2 | . | 15 |
| CORK, . . . | 13,816 | 91,565 | 21 | 51 | 38 | 3 | 7 | . | . | . | . | . | 3 | 2 | . | 2 | 14 |
| LIMERICK, . . | 8,509 | 44,209 | 15 | 19 | 13 | 4 | 2 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 35 | 21 | 21 | 1 | 7 | . | . | . | . | . | . | . | 2 | 2 | 11 |
| WATERFORD, . . | 17,209 | 30,626 | 29 | 13 | 17 | . | 11 | . | . | . | . | . | . | . | . | . | 14 |
| GALWAY, . . . | 21,358 | 19,692 | 29 | 11 | 11 | 1 | 7 | . | . | . | . | . | . | . | . | . | 4 |
| SLIGO, . . . | 30,835 | 17,285 | 33 | 7 | 11 | 2 | 8 | . | . | . | . | . | . | . | . | . | 3 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 17th June, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,079 | 24 | 12 | 9 | 4 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 20 | 24 | 7 | 2 | 2 | . | . | . | . | . | . | . | 2 | . | 4 |
| | ,, ,, 3, | 39,311 | 22 | 35 | 17 | 2 | 1 | . | . | . | . | . | 3 | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 57 | 20 | 21 | 3 | 5 | . | . | . | . | 1 | . | 1 | . | . | 9 |
| | ,, ,, 5, | 19,616 | 16 | 14 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,653 | 17 | 34 | 12 | 4 | 1 | . | . | 1 | 1 | . | 1 | . | . | . | . |
| | ,, ,, 9, | 5,296 | 20 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 38 | 9 | 6 | . | 4 | . | . | . | . | . | . | . | . | . | 2 |
| | Castlereagh ,, 1, | 16,155 | 13 | 12 | 4 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 31 | 7 | 6 | . | 1 | . | . | . | . | . | 2 | . | . | 2 | . |
| | ,, ,, 2, | 11,555 | 5 | 13 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 15 | 4 | 2 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, | 6,227 | 25 | 7 | 3 | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | ,, ,, 5, | 11,289 | 9 | 2 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 7 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 7 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 51 | 5 | 18 | . | 3 | . | . | . | . | . | 1 | . | . | . | 12 |
| | ,, ,, 9, | 4,790 | 33 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 1 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 12 | 4 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 11,424 | 23 | 3 | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 7 | 11 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 4 | 3 | . | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | ,, ,, 2, | 13,569 | 8 | 8 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 98 | 9 | 16 | 1 | 6 | . | . | . | . | . | . | . | . | . | 11 |
| WATERFORD, | Waterford, *W.* | 30,626 | 29 | 13 | 17 | . | 11 | . | . | . | . | . | . | . | . | . | 14 |
| GALWAY, | Galway, No. 1, | 10,700 | 19 | 11 | 4 | 1 | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 40 | . | 7 | . | 4 | . | . | . | . | . | . | . | . | . | 4 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 48 | 1 | 6 | 1 | 4 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 2, | 10,829 | 24 | 6 | 5 | 1 | 4 | . | . | . | . | . | . | . | . | . | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 17th June, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| **Births,** | 26 | 24 | 10 | 24 | 9 | 42 | 33 | 21 | 13 | 3 | 7 | 212 |
| **Deaths from all Causes,** | 15 | 13 | 21 | 24 | 4 | 18 | 22 | 8 | 15 | 1 | 3 | 144 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | 1 | . | . | 1 | . | . | . | . | . | . | . | 3 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | . | . | . | . | . | . | . | . | . | . |
| Fever, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diarrhœa, | 1 | . | 3 | 1 | . | 1 | 1 | . | . | . | . | 7 |
| Cholera (Simple), | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Zymotic Diseases, | 1 | . | . | 1 | . | 1 | 3 | 1 | 2 | . | . | 9 |
| Total, | 3 | . | 3 | 4 | . | 2 | 4 | 1 | 2 | . | . | 19 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 4 | . | 4 | 3 | . | . | 3 | 1 | 1 | . | . | 16 |
| Other Constitutional Diseases, | 1 | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | . | . | 10 |
| Total, | 5 | 1 | 6 | 5 | 1 | 1 | 4 | 1 | 2 | . | . | 26 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | 2 | 5 | 3 | 1 | 3 | 1 | 2 | 1 | . | . | 19 |
| Diseases of the Heart and Circulatory Organs, | 2 | 2 | 3 | . | 1 | . | 1 | 1 | 1 | . | . | 11 |
| Diseases of the Respiratory Organs, | 1 | 2 | 1 | 5 | 1 | 5 | 3 | 1 | 3 | . | 1 | 23 |
| Diseases of the Digestive Organs, | 1 | . | . | . | . | 1 | . | . | 2 | . | 1 | 5 |
| Diseases of the Urinary Organs, | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 6 | 9 | 8 | 3 | 9 | 6 | 4 | 7 | . | 2 | 59 |
| DEVELOPMENTAL DISEASES, | . | 3 | 2 | 2 | . | 4 | 2 | 2 | 2 | 1 | 1 | 19 |
| VIOLENT DEATHS, | 1 | 3 | 1 | 5 | . | 1 | 5 | . | 1 | . | . | 17 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | . | . | . | . | 1 | 1 | . | 1 | . | . | 4 |
| Annual Rate of Mortality in every 1,000 of the Population, | 16 | 21 | 40 | 39 | 7 | 24 | 31 | 20 | 36 | 7 | 8 | 24 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 3 | 9 | 3 | . | 2 | 6 | . | 6 | . | . | 30 |
| Workhouse Hospitals, | . | . | 8 | 8 | . | . | . | . | . | . | . | 16 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the TWENTY-FOURTH WEEK, ending Saturday, June 17th, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average Temperature and of Deaths in 24th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, June 17th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Jun. 16 1866 | Jun. 15 1867 | Jun. 13 1868 | Jun. 19 1869 | Jun. 18 1870 | Jun. 17 1871 | Jun. 15 1872 | Jun. 14 1873 | Jun. 20 1874 | Jun. 19 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 56·9 | ° 58·8 | ° 55·7 | ° 52·0 | ° 58·8 | ° 58·8 | ° 57·3 | ° 55·5 | ° 54·9 | ° 53·5 | ° 56·2 | ° 53·7 | | | | | | | |
| | **ALL CAUSES,** | 164 | 169 | 121 | 124 | 127 | 118 | 143 | 114 | 158 | 127 | 136·5 | 144 | 34 | 10 | 4 | 32 | 28 | 35 | 1 |
| | **SPECIFIED CAUSES,** | 163 | 165 | 121 | 122 | 127 | 116 | 141 | 112 | 155 | 123 | 134·5 | 140 | 32 | 10 | 4 | 31 | 27 | 35 | 1 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 33 | 30 | 20 | 13 | 25 | 18 | 48 | 13 | 27 | 18 | 24·5 | 19 | 7 | 3 | . | 3 | 4 | 2 | . |
| II. | CONSTITUTIONAL „ | 37 | 41 | 34 | 28 | 35 | 31 | 28 | 27 | 28 | 31 | 32·0 | 26 | 5 | 2 | 1 | 12 | 2 | 4 | . |
| III. | LOCAL „ | 66 | 72 | 44 | 66 | 55 | 47 | 49 | 48 | 69 | 60 | 57·6 | 59 | 9 | 3 | 2 | 8 | 19 | 17 | 1 |
| IV. | DEVELOPMENTAL, | 21 | 17 | 18 | 12 | 9 | 18 | 12 | 20 | 23 | 12 | 16·2 | 19 | 6 | . | 1 | 2 | 1 | 9 | . |
| V. | VIOLENT DEATHS, | 6 | 5 | 5 | 3 | 3 | 2 | 4 | 4 | 8 | 2 | 4·2 | 17 | 5 | 2 | . | 6 | 1 | 3 | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 32 | 30 | 19 | 13 | 23 | 17 | 46 | 12 | 25 | 17 | 23·4 | 17 | 5 | 3 | . | 3 | 4 | 2 | . |
| | 2. ENTHETIC „ | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 3. DIETIC „ | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . | ·6 | . | . | . | . | . | . | . | . |
| | 4. PARASITIC „ | . | . | . | . | 1 | 1 | . | . | . | 1 | ·3 | 1 | 1 | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 5 | 7 | 8 | 3 | 4 | 3 | 3 | 1 | 6 | 5 | 4·5 | 3 | 1 | . | . | . | . | 2 | . |
| | 2. TUBERCULAR „ | 32 | 34 | 26 | 25 | 31 | 28 | 25 | 26 | 22 | 26 | 27·5 | 23 | 4 | 2 | 1 | 12 | 2 | 2 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 21 | 26 | 21 | 28 | 21 | 13 | 19 | 14 | 25 | 25 | 21·3 | 19 | 7 | 2 | . | 3 | 3 | 3 | 1 |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 8 | 12 | 6 | 9 | 9 | 4 | 6 | 5 | 8 | 5 | 7·2 | 11 | . | 1 | 2 | . | 4 | 4 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 25 | 25 | 12 | 19 | 16 | 22 | 16 | 20 | 26 | 19 | 20·0 | 23 | 1 | . | . | 4 | 10 | 3 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 6 | 3 | 5 | 5 | 6 | 6 | 6 | 4 | 3 | 6 | 5·0 | 5 | 1 | . | . | 1 | 2 | 1 | . |
| | 5. DISEASES OF URINARY ORGANS, | 4 | 1 | . | 4 | 3 | . | 2 | 3 | 3 | 2 | 2·2 | 1 | . | . | . | . | . | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | 1 | . | . | 1 | . | . | . | 2 | 2 | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | 1 | 4 | . | . | . | 2 | . | . | 1 | 1 | ·9 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | 1 | . | . | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | 3 | . | 2 | . | . | 2 | . | 2 | 2 | 1 | 1·2 | 2 | 2 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | 2 | . | . | 2 | . | 1 | . | . | 1 | 1 | ·7 | 3 | . | . | 1 | 2 | . | . | . |
| | 3. „ „ OLD PEOPLE | 9 | 13 | 12 | 8 | 4 | 7 | 7 | 11 | 14 | 9 | 9·4 | 8 | . | . | . | . | . | 8 | . |
| | 4. DISEASES OF NUTRITION, | 7 | 4 | 4 | 2 | 5 | 8 | 5 | 7 | 6 | 1 | 4·9 | 6 | 4 | . | . | . | 1 | 1 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 3 | 5 | 4 | 2 | 2 | 1 | 3 | 3 | 8 | 2 | 3·3 | 15 | 5 | 2 | . | 4 | 1 | 3 | . |
| | *3. HOMICIDE, | 3 | . | 1 | 1 | 1 | . | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | 2 | . | . | . | 2 | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| — | Sudden Deaths, Cause unascertained, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | 4 | . | 2 | . | 2 | 2 | 2 | 3 | 4 | 2·0 | 3 | 1 | . | . | 1 | 1 | . | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TWENTY-FOURTH WEEK, ending Saturday, 17th June, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Jun. 16 1866 | Jun. 15 1867 | Jun. 13 1868 | Jun. 19 1869 | Jun. 18 1870 | Jun. 17 1871 | Jun. 15 1872 | Jun. 14 1873 | Jun. 20 1874 | Jun. 19 1875 | Average of Temperature and of Deaths in 24th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, June 17th, 1876. Deaths of Persons of the Age: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 56·9 | ° 58·8 | ° 55·7 | ° 52·0 | ° 58·8 | ° 58·8 | ° 57·3 | ° 55·5 | ° 54·9 | ° 53·5 | ° 56·2 | Mean Temp. ° 53·7 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | 1 | 25 | . | . | . | 27 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 2 | 11 | . | 2 | 1 | . | 9 | . | 1 | . | 26 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 4 | 1 | 3 | 3 | 5 | 1 | . | 2 | 12 | 5 | 36 | 2 | . | 2 | . | . | . | . | . |
| | 4. Diphtheria, | 2 | . | 1 | 2 | . | . | 1 | . | . | 2 | 8 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | . | . | . | . | 1 | . | 1 | 3 | 2 | 8 | 3 | 3 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 5 | 2 | 2 | . | 5 | 1 | 1 | 4 | 2 | . | 22 | . | . | . | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 4 | . | 1 | 1 | 1 | . | | . | . | . | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | 12 | 9 | 10 | 1 | . | 6 | 2 | 2 | 3 | 4 | 66 | 1 | . | . | . | . | 1 | . | . |
| | – Simple continued Fever, | | | | 1 | 2 | 3 | 1 | 1 | . | 1 | | 1 | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 1 | 3 | 2 | . | . | 1 | 1 | . | 1 | 1 | 10 | 1 | . | . | . | . | 1 | . | . |
| | 10. Puerperal Fever (Metria), | . | . | . | . | 1 | . | . | 1 | . | 1 | 3 | 1 | . | . | . | 1 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . |
| | 14. Diarrhœa, | 3 | 4 | . | 1 | 3 | 1 | 4 | . | . | . | 16 | 7 | 1 | 1 | . | 3 | 2 | 1 | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | 1 | 1 | . | . | . | . | 2 | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 1 | 7 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 1 | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | 1 | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | 1 | 1 | . | . | . | 1 | 3 | 1 | 1 | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | 1 | 1 | 1 | . | . | 1 | . | . | . | 4 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | . | 1 | 2 | . | 1 | 2 | . | . | 3 | 2 | 11 | 1 | 1 | . | . | . | . | . | . |
| | 3. Cancer, | 5 | 5 | 4 | 1 | 3 | 1 | 2 | 1 | 3 | 3 | 28 | 1 | . | . | . | . | . | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | 1 | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 1 | 15 | 2 | 1 | . | 1 | . | . | . | . |
| | 2. Tabes Mesenterica, | 6 | 4 | 6 | 1 | 3 | 4 | 2 | 4 | 3 | 4 | 37 | 3 | 2 | . | . | . | . | 1 | . |
| | 3. Phthisis, | 21 | 20 | 19 | 16 | 21 | 20 | 19 | 19 | 13 | 18 | 186 | 16 | . | 1 | . | 12 | 2 | 1 | . |
| | 4. Hydrocephalus, | 3 | 8 | . | 6 | 6 | 3 | 3 | 2 | 3 | 3 | 37 | 2 | 1 | 1 | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 2 | 2 | 5 | 2 | 1 | 3 | . | 1 | 2 | 18 | 1 | . | . | . | 1 | . | . | . |
| | 2. Apoplexy, | . | 1 | 4 | 2 | 3 | 1 | 2 | 1 | 2 | 4 | 20 | 1 | . | . | . | . | 1 | . | . |
| | 3. Paralysis, | 5 | 5 | 3 | 2 | 3 | 3 | 4 | . | 5 | 3 | 33 | 5 | . | . | . | 1 | 1 | 3 | . |
| | 4. Insanity, | . | . | . | . | . | . | 2 | . | 1 | . | 3 | 1 | . | . | . | . | 1 | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 2 | 1 | . | 1 | 2 | . | . | . | 1 | . | 7 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 10 | 13 | 9 | 15 | 9 | 8 | 6 | 12 | 14 | 12 | 108 | 7 | 7 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 4 | 4 | 3 | 3 | 2 | . | 2 | 1 | 1 | 4 | 24 | 4 | . | 2 | . | 1 | . | . | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | 1 | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | 2 | 1 | . | . | . | . | . | 3 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Heart Disease, &c.* | 8 | 12 | 6 | 6 | 8 | 4 | 6 | 5 | 7 | 5 | 67 | 10 | . | 1 | 2 | . | 3 | 4 | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | 1 | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 18 | 17 | 9 | 12 | 10 | 16 | 14 | 15 | 17 | 9 | 137 | 16 | 1 | . | . | 2 | 6 | 7 | . |
| | 3. Pleurisy, | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 | . | . |
| | 4. Pneumonia, | 5 | 2 | 3 | 5 | 2 | 3 | 2 | 4 | 5 | 8 | 40 | 5 | . | . | . | 1 | 3 | 1 | . |
| | 5. Asthma, | 1 | 1 | . | . | 1 | 1 | . | . | . | . | 4 | 1 | . | . | . | 1 | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 3 | . | 2 | 3 | 2 | . | . | 4 | 1 | 16 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | 1 | . | . | . | 2 | . | . | . | 3 | 1 | . | . | . | 1 | . | . | . |
| | 2. Enteritis, | . | . | . | . | . | 1 | 1 | . | 1 | . | 3 | 1 | 1 | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | . | 1 | 1 | 2 | . | . | 1 | . | 1 | 7 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | 1 | . | 1 | . | . | 1 | . | . | . | 2 | 5 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | 2 | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in n the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Num. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 24th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, June 17th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Jun 16 1866 | Jun. 15 1867 | Jun. 13 1868 | Jun. 19 1869 | Jun. 18 1870 | Jun. 17 1871 | Jun. 15 1872 | Jun. 14 1873 | Jun. 20 1874 | Jun. 19 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | °56·9 | °56·8 | °55·7 | °52·0 | °58·8 | °58·6 | °57·2 | °55·5 | °54·9 | °53·5 | °56·2 | °58·7 | | | | | | | |
| III. | 7. Ileus, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| com. | 8. Intussusception, | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 2 | . | 1 | . | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 15. *Liver Disease, &c.* | 3 | . | . | 2 | 3 | 3 | 2 | 2 | 1 | 1 | 1·7 | 1 | . | . | . | . | 1 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 2 | . | . | 3 | 1 | . | . | 1 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 2 | 1 | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 1·0 | . | . | . | . | . | . | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | 1 | . | . | . | 1 | 2 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | 4 | . | . | . | 2 | . | . | 1 | 1 | ·9 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | 1 | . | . | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | . | . | 1 | . | 2 | 1 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Teething, | 2 | . | 1 | . | . | 1 | . | . | 1 | . | ·5 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | 2 | . | . | 2 | . | 1 | . | . | 1 | 1 | ·7 | 3 | . | . | 1 | 2 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 9 | 13 | 12 | 8 | 4 | 7 | 7 | 11 | 14 | 9 | 9·4 | 8 | . | . | . | . | . | 8 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 7 | 4 | 4 | 2 | 5 | 8 | 5 | 7 | 6 | 1 | 4·9 | 6 | 4 | . | . | . | 1 | 1 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | 1 | 4 | . | 2 | . | . | 1 | 4 | 1 | 1·3 | 10 | 2 | 2 | . | 3 | 1 | 2 | . |
| | 2. Wounds, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | 2 | . | . | . | . | . | 2 | . | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 2 | . | 1 | . | 1 | 1 | . | 2 | . | ·8 | 5 | 3 | . | . | 1 | . | 1 | . |
| | 6. Suffocation, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | 3 | . | 1 | 1 | 1 | . | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 3 Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 4 | . | 2 | . | 2 | 2 | 2 | 3 | 4 | 2·0 | 3 | 1 | . | . | 1 | 1 | . | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1875. | 1876. | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 25. | Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | April 29. | May 6. | May 13. | May 20. | May 27. | June 3. | June 10. | June 17. |
| BIRTHS, . . . . . | 135 | 196 | 183 | 165 | 166 | 182 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 | 196 | 188 | 170 | 183 | 172 | 174 | 170 | 183 | 212 |
| DEATHS, . . . . . | 161 | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 156 | 155 | 151 | 139 | 140 | 154 | 144 |
| Deaths under 5 years of age, . | 35 | 60 | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 | 55 | 58 | 46 | 42 | 45 | 42 | 34 | 48 | 34 |
| Deaths 5–15, . . . . . | 11 | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 | 9 | 8 | 5 | 10 | 9 | 10 |
| Deaths 15–20, . . . . . | 6 | 2 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 | 4 | 8 | 4 | 6 | 9 | 4 |
| Deaths 20–40, . . . . . | 20 | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 | 28 | 31 | 26 | 20 | 26 | 32 |
| Deaths 40–60, . . . . . | 31 | 40 | 34 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 21 | 40 | 30 | 29 | 51 | 37 | 35 | 26 | 35 | 26 | 31 | 24 | 28 |
| Deaths 60–80, . . . . . | 47 | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 | 34 | 21 | 41 | 37 | 21 | 31 | 36 | 31 | 35 |
| Deaths at 80 years of age and upwards, . . . . . | 11 | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 | 9 | 3 | 5 | 3 | 7 | 1 |
| Deaths from Small Pox, . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, . . | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 | 3 | . | . | . | 1 | . |
| ,, Scarlatina, . | 1 | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 | 5 | . | 2 | 2 | 4 | 2 |
| ,, Diphtheria, . | . | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 | . | . | 1 | 3 | . | . | . |
| ,, Whooping Cough, | 4 | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 | 2 | 1 | 6 | 4 | 3 | 5 | . |
| ,, Fever. . . | 8 | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 | 8 | 4 | 3 | 5 | 4 | 1 |
| ,, Diarrhœa, . . | . | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 | 2 | 1 | 2 | 1 | 3 | 7 |
| ,, Phthisis, . . | 14 | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 | 20 | 25 | 21 | 16 | 17 | 16 |
| ,, Bronchitis, . | 33 | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 | 29 | 14 | 19 | 16 | 15 | 18 | 17 | 16 |
| ,, Pneumonia, . | . | 4 | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 5 | 6 | 5 | 4 | 9 | 6 | 5 |
| ,, Heart Disease, . | 7 | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 | 8 | 2 | 3 | 10 | 10 | 10 |
| Mean Temperature of the Air | 45·1 | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 | 47·5 | 49·1 | 44·1 | 47·0 | 48·9 | 53·5 | 55·5 | 52·5 | 53·7 |
| Rain-fall in inches, . . | ·981 | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 | ·920 | ·040 | ·000 | ·070 | 1·014 | ·220 | ·723 | ·573 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·845 | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 | ·812 | ·835 | ·710 | ·736 | ·759 | ·808 | ·776 | ·711 | ·793 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

MEDICA BODLEIANA

# WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JUNE 24, 1876. [No. 25.

*General Register Office, Charlemont House, Dublin, June 26th, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 24th June, 1876, represent an annual mortality of 21 in every 1,000 of the population, by the Census of 1871. In London the death rate was 20 in every 1,000 of the estimated population; in Glasgow, 22; and in Edinburgh, 22.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 160—85 boys and 75 girls,—and the deaths to 130—69 males and 61 females. The *average* numbers in the corresponding week of the previous ten years were—births, 170, and deaths, 130.

The number of deaths from zymotic diseases *registered* during the week amounted to 20, viz., 5 from fever (1 typhus, 2 typhoid, and 2 common continued fever), and 3 each from scarlet fever, measles, croup, and erysipelas. The average number of deaths from zymotic diseases for the corresponding week of the previous ten years was 26·2.

Eleven children died from convulsions.

Bronchitis caused 18 deaths, pneumonia or inflammation of the lungs 3, pleurisy 1, and lung disease unspecified 2.

Nine deaths resulted from heart disease, 3 from cephalitis or inflammation of the brain, 3 from liver disease, and 1 from kidney disease.

Seventeen persons died from phthisis or pulmonary consumption, 4 from mesenteric disease, 3 from hydrocephalus or water on the brain, 5 from cancer, and 1 from scrofula.

Three accidental deaths were *registered*, viz., 1 from burns, 1 from "fractures and other injuries, result of being knocked down by tramcar," and 1 from "fractured spine."

Thirty-seven of the persons whose deaths were *registered* during the week were under 5 years of age (17 being infants under 1 year old); and 33 were aged 60 and upwards, including 16 persons aged 70 and upwards, of whom 5 were octogenarians.

One death from fever, 2 deaths from whooping-cough, and 3 from diarrhœa, were *registered* in Belfast.

One death from fever, and 2 deaths from diarrhœa were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from Bronchitis. | Consumption. | Convulsions. | Disease of Heart. | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| Dublin City:— | | | | | | | |
| North Side, | No. 1 District, | 49,137 | – | 2 | – | 1 | 10 |
| | No. 2 ,, | 31,993 | 4 | – | 1 | 1 | 13 |
| | No. 3 ,, | 27,546 | 3 | 3 | – | 1 | 20 |
| South Side, | No. 1 District, | 32,184 | 1 | 2 | 1 | 2 | 21 |
| | No. 2 ,, | 29,952 | 4 | 3 | 4 | 1 | 15 |
| | No. 3 ,, | 38,811 | 1 | – | – | – | 11 |
| | No. 4 ,, | 36,703 | 1 | 4 | 4 | – | 18 |
| Rathmines District, | | 20,939 | 1 | 2 | 1 | 1 | 8 |
| Donnybrook, ,, | | 21,758 | 1 | 1 | – | 1 | 8 |
| Blackrock, ,, | | 7,182 | 1 | – | – | 1 | 3 |
| Kingstown, ,, | | 18,461 | 1 | – | – | – | 3 |
| | Total, | 314,666 | 18 | 17 | 11 | 9 | 130 |

Thirty-seven of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin, and 11 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 11 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 21 per 1,000; and in No. 3, North City (Blackhall-street), to 38 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 34 per 1,000; in No. 2, South City District (High-street), the ratio was 26 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 15 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 26 per 1,000.

In the Suburban District of Rathmines the annual ratio was 20 per 1,000; in Donnybrook it was 19—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 22; and in Kingstown 8 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,296 and the deaths to 1,304 (against an average of 1,346 for corresponding week 1866–75); in Glasgow the births *registered* were 428, and the deaths 233; and in Edinburgh the births were 149, and the deaths 92. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·938 inches. The highest daily mean reading (30·016) occurred on Thursday, and the lowest (29·874) on Wednesday.

The mean temperature during the week was 59·5° (the average in the corresponding week of the previous ten years was 58·4°); the lowest daily mean (54·8°) occurred on Thursday, and the highest (69·7°) on Tuesday.

The temperature was highest on Monday, when the thermometer registered 74·4°, and was lowest on Thursday, the mercury having fallen to 38·6°. The highest reading of the barometer during the week (30·040) occurred on Thursday, at 9.30 P.M., air calm, and the lowest (29·806) on Wednesday, at 9.30 A.M., wind S.E. The mean of the Dry Bulb for the week was 60·1°; and of the Wet Bulb 54·9°. The mean humidity of the air was ·728; complete saturation being represented by 1·0. The rain-fall during the week measured ·004 in.

At Greenwich, the mean temperature of the week was 62·4°; at Glasgow, 60·0°; and at Edinburgh, 60·8°. The rain-fall during the week at Greenwich measured ·33 in., and at Glasgow, 1·02 in.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, June 18, | 29·948 | 67·9 | 53·2 | 60·0 | 59·5 | 53·6 | ·674 | ·9 | ·000 | W. | S.W. | Calm. |
| Monday, „ 19, | 29·929 | 71·4 | 51·3 | 62·9 | 56·4 | 52·9 | ·791 | ·6 | ·000 | S.W. | S.W. | S. |
| Tuesday, „ 20, | 29·885 | 73·9 | 66·5 | 69·7 | 69·1 | 62·9 | ·723 | ·8 | ·000 | S.E. | S.E. | S.E. |
| Wednesday, „ 21, | 29·874 | 66·2 | 49·8 | 58·0 | 58·8 | 54·7 | ·783 | ·7 | ·004 | S.E. | S.W. | Calm. |
| Thursday, „ 22, | 30·016 | 71·0 | 38·6 | 54·8 | 58·0 | 51·4 | ·646 | ·3 | ·000 | S.W. | S.E. | Calm. |
| Friday, „ 23, | 29·947 | 71·4 | 40·0 | 55·7 | 59·6 | 52·5 | ·666 | ·2 | ·000 | S.E. | E. | Calm. |
| Saturday, „ 24, | 29·965 | 67·9 | 44·0 | 55·9 | 59·3 | 56·1 | ·813 | ·3 | ·000 | E. | E.N.E. | Calm. |
| Mean, . . | 29·938 | 70·2 | 48·9 | 59·5 | 60·1 | 54·9 | ·728 | ·5 | Total, ·004 | Prevailing wind, S.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, June 18, | A.M. Fine and pleasant. | P.M. Fine. |
| Monday, „ 19, | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 20, | A.M. Fine. | P.M. Dull. |
| Wednesday, „ 21, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 22, | A.M. Fine. | P.M. Dull but fine. |
| Friday, „ 23, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 24, | A.M. Dull but fine. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871;* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 24th June, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 24TH JUNE, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 21 | 160 | 130 | 17 | 33 | . | 3 | 3 | . | . | 5 | . | 3 | 2 | 37 |
| BELFAST,† . . | 20,687 | 182,082 | 23 | 129 | 81 | 12 | 9 | . | . | . | . | 2 | 1 | 3 | 2 | . | 7 |
| CORK, . . . | 13,816 | 91,965 | 27 | 47 | 47 | 6 | 18 | . | . | . | . | . | 1 | 2 | . | 1 | 9 |
| LIMERICK, . . | 8,509 | 44,209 | 35 | 35 | 30 | 3 | 4 | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 17 |
| LONDONDERRY,‡ . | 21,865 | 30,864 | 12 | 21 | 7 | . | 2 | . | . | . | . | . | . | 1 | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 12 | 38 | 7 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . |
| GALWAY, . . | 21,358 | 19,692 | 21 | 23 | 8 | 1 | 5 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . . . | 30,235 | 17,285 | 18 | 7 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 24th June, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 11 | 11 | 4 | 1 | . | . | . | . | . | . | . | . | 2 | . | . |
| | ,, ,, 2, | 17,938 | 43 | 14 | 15 | 1 | 2 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 3, | 39,311 | 13 | 27 | 10 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 43 | 14 | 16 | 4 | 2 | . | . | . | . | . | . | 1 | . | . | 3 |
| | ,, ,, 5, | 19,616 | 24 | 11 | 9 | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 20 | 25 | 14 | 4 | 1 | . | . | . | . | 2 | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 19 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 26 | 6 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | Castlereagh ,, 1, | 16,155 | 26 | 15 | 8 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 23 | 10 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 53 | 7 | 7 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, | 6,227 | 26 | 2 | 3 | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | ,, ,, 5, | 11,289 | 23 | 5 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 10 | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 28 | 3 | 4 | 2 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 48 | 9 | 17 | 1 | 8 | . | . | . | . | . | 1 | . | . | 1 | 8 |
| | ,, ,, 9, | 4,790 | 32 | 2 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 39 | 9 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 93 | 4 | 16 | 1 | 3 | . | . | . | . | 1 | 2 | 2 | . | . | 16 |
| | ,, ,, 3, | 11,424 | 18 | 9 | 4 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | ,, ,, 4, | 15,875 | 13 | 13 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 8 | 5 | 2 | . | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | Glendermot, *W.* | 8,483 | 25 | 10 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 12 | 38 | 7 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . |
| GALWAY, | Galway, No. 1, | 10,700 | 5 | 9 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 40 | 24 | 7 | 1 | 4 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 24 | 5 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 14 | 2 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . |

* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 24th June, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,611 | 36,703 | 20,939 | 21,758 | 7,182 | 13,461 | 314,666 |
| **Births,** | 21 | 22 | 12 | 10 | 9 | 33 | 21 | 6 | 19 | . | 5 | 160 |
| **Deaths from all Causes,** | 10 | 13 | 20 | 21 | 15 | 11 | 18 | 8 | 6 | 3 | 3 | 128 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | 1 | . | . | . | 1 | . | . | 3 |
| Scarlet Fever (Scarlatina), | 1 | 1 | . | . | . | . | 1 | . | . | . | . | 3 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | . | . | . | . | . | . | . | . | . | . |
| Fever, | . | . | 1 | 2 | . | 1 | 1 | . | . | . | . | 5 |
| Diarrhœa, | . | . | . | . | . | . | . | . | . | . | . | . |
| Cholera (Simple), | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Other Zymotic Diseases, | 1 | . | 2 | 1 | . | . | 2 | . | 1 | . | 1 | 8 |
| Total, | 2 | 1 | 3 | 4 | 1 | 1 | 5 | . | 2 | . | 1 | 20 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | . | 3 | 2 | 3 | . | 4 | 2 | 1 | . | . | 17 |
| Other Constitutional Diseases, | 4 | 3 | 2 | 1 | . | 3 | 1 | 1 | . | 1 | . | 16 |
| Total, | 6 | 3 | 5 | 3 | 3 | 3 | 5 | 3 | 1 | 1 | . | 33 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | . | 2 | . | 2 | 5 | 1 | 5 | 1 | . | . | . | 16 |
| Diseases of the Heart and Circulatory Organs, | 1 | 1 | 1 | 2 | 1 | . | . | 1 | 1 | 1 | . | 9 |
| Diseases of the Respiratory Organs, | 1 | 4 | 5 | 2 | 5 | 2 | 1 | 1 | 1 | 1 | 1 | 24 |
| Diseases of the Digestive Organs, | . | 2 | 1 | 1 | . | 1 | . | . | . | . | . | 5 |
| Diseases of the Urinary Organs, | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 2 | 9 | 8 | 7 | 11 | 4 | 6 | 3 | 2 | 2 | 1 | 55 |
| DEVELOPMENTAL DISEASES, | . | . | 2 | 4 | . | 2 | . | 1 | 3 | . | 1 | 13 |
| VIOLENT DEATHS, | . | . | . | . | . | 1 | 2 | . | . | . | . | 3 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | 2 | 3 | . | . | . | 1 | . | . | . | 6 |
| Annual Rate of Mortality in every 1,000 of the Population, | 11 | 21 | 38 | 34 | 26 | 15 | 26 | 20 | 19 | 22 | 8 | 21 |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | . | 6 | 3 | . | 3 | 4 | . | 1 | . | 1 | 18 |
| Workhouse Hospitals, | . | . | 6 | 11 | . | . | . | . | . | . | . | 19 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the TWENTY-FIFTH WEEK, ending Saturday, June 24th, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 25th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, June 24th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Jun. 23 1866 | Jun. 22 1867 | Jun. 20 1868 | Jun. 26 1869 | Jun. 25 1870 | Jun. 24 1871 | Jun. 22 1872 | Jun. 21 1873 | Jun. 27 1874 | Jun. 26 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | °55·8 | °58·2 | °61·8 | °59·4 | °57·6 | °54·9 | °61·0 | °61·0 | °57·4 | °56·6 | °58·4 | °59·5 | | | | | | | |
| | **ALL CAUSES,** | 142 | 136 | 107 | 110 | 126 | 109 | 162 | 142 | 142 | 125 | 130·1 | 130 | 37 | 12 | 4 | 19 | 25 | 28 | 5 |
| | **SPECIFIED CAUSES,** | 142 | 136 | 106 | 108 | 124 | 107 | 162 | 136 | 138 | 121 | 128·0 | 124 | 37 | 11 | 4 | 19 | 24 | 24 | 5 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 22 | 28 | 13 | 26 | 18 | 26 | 58 | 27 | 30 | 14 | 26·2 | 20 | 9 | 4 | . | 3 | 4 | . | . |
| II. | CONSTITUTIONAL „ | 33 | 33 | 28 | 24 | 35 | 19 | 24 | 44 | 29 | 27 | 29·6 | 33 | 9 | 3 | 2 | 8 | 5 | 6 | . |
| III. | LOCAL „ | 65 | 52 | 48 | 44 | 44 | 46 | 60 | 48 | 55 | 49 | 51·1 | 55 | 16 | 4 | 2 | 7 | 11 | 13 | 2 |
| IV. | DEVELOPMENTAL, | 18 | 17 | 13 | 8 | 21 | 13 | 17 | 14 | 18 | 26 | 16·5 | 13 | 1 | . | . | . | 4 | 5 | 3 |
| V. | VIOLENT DEATHS, | 4 | 6 | 4 | 6 | 6 | 3 | 3 | 3 | 6 | 5 | 4·6 | 3 | 2 | . | . | 1 | . | . | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 21 | 26 | 12 | 24 | 18 | 23 | 58 | 26 | 28 | 11 | 24·7 | 19 | 9 | 4 | . | 3 | 3 | . | . |
| | 2. ENTHETIC „ | 1 | . | . | 1 | . | 2 | . | 1 | 1 | 3 | ·9 | . | . | . | . | . | . | . | . |
| | 3. DIETIC „ | . | 2 | 1 | 1 | . | 1 | . | . | 1 | . | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 4. PARASITIC „ | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 4 | 6 | 5 | 8 | 4 | 5 | 4 | 5 | 9 | 4 | 5·4 | 8 | . | . | . | . | 3 | 5 | . |
| | 2. TUBERCULAR „ | 29 | 27 | 23 | 16 | 31 | 14 | 20 | 39 | 20 | 23 | 24·2 | 25 | 9 | 3 | 2 | 8 | 2 | 1 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 21 | 24 | 14 | 12 | 21 | 20 | 17 | 14 | 20 | 21 | 18·4 | 16 | 11 | 1 | . | 2 | 2 | . | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 7 | 5 | 7 | 5 | 6 | 8 | 7 | 8 | 5 | 7 | 6·7 | 9 | . | . | 2 | 2 | . | 4 | 1 |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 23 | 14 | 19 | 15 | 13 | 13 | 26 | 17 | 17 | 16 | 17·3 | 24 | 5 | 3 | . | 3 | 6 | 6 | 1 |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 6 | 8 | 6 | 8 | 2 | 4 | 8 | 8 | 4 | 3 | 5·9 | 5 | . | . | . | . | 3 | 2 | . |
| | 5. DISEASES OF URINARY ORGANS, | 5 | . | 2 | 3 | . | 1 | 1 | . | 7 | 2 | 2·1 | 1 | . | . | . | . | . | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | 1 | 1 | . | 1 | . | . | 1 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | . | 4 | 1 | 1 | 3 | . | 1 | . | . | 1 | 1·1 | . | . | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 3 „ „ OLD PEOPLE | 9 | 6 | 7 | 4 | 9 | 6 | 9 | 11 | 12 | 16 | 8·9 | 8 | . | . | . | . | . | 5 | 3 |
| | 4. DISEASES OF NUTRITION, | 8 | 7 | 5 | 2 | 7 | 6 | 6 | 2 | 6 | 8 | 5·7 | 5 | 1 | . | . | . | 4 | . | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 3 | 5 | 3 | 4 | 5 | 2 | 3 | 3 | 5 | 5 | 3·8 | 3 | 2 | . | . | 1 | . | . | . |
| | *2. HOMICIDE, | 1 | . | 1 | 1 | 1 | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | 1 | 2 | 2 | 1 | . | 6 | 4 | 4 | 2·0 | 6 | . | 1 | . | . | 1 | 4 | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TWENTY-FIFTH WEEK, ending Saturday, 24th June, 1876; also the Deaths from each Disease Registered

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Jun. 23 1866 | Jun. 22 1867 | Jun. 20 1868 | Jun. 26 1869 | Jun. 25 1870 | Jun. 24 1871 | Jun. 22 1872 | Jun. 21 1873 | Jun. 27 1874 | Jun. 26 1875 | Average of Temperature and of Deaths in 25th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, June 24th, 1876. Deaths of Persons of the Ages: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 55·8 | ° 58·2 | ° 61·8 | ° 59·4 | ° 57·6 | ° 54·9 | ° 61·0 | ° 61·0 | ° 57·4 | ° 56·6 | ° 58·4 | Mean Temp. ° 59·5 | | | | | | | |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | 2 | 28 | . | . | . | 3·1 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 16 | . | 2 | 1 | 1 | 10 | 3 | 1 | 1 | 3·5 | 3 | 3 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | . | 2 | 2 | 5 | 6 | 2 | 6 | 1 | 13 | . | 3·7 | 3 | 2 | 1 | . | . | . | . | . |
| | 4. Diphtheria, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | 1 | . | 1 | . | 2 | 4 | 4 | 2 | 2 | 1·7 | 3 | 3 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 3 | . | 7 | . | 1 | 4 | . | 8 | 1 | 1 | 2·5 | 1 | . | . | . | . | . | . | . |
| | 8. Typhus, | | | | 3 | 1 | 1 | 1 | 2 | 1 | 1 | | 1 | . | . | 1 | . | . | . | . |
| | – Enteric or Typhoid Fever, | 6 | 3 | 1 | 5 | 3 | 7 | 1 | 1 | 4 | . | 4·7 | 2 | . | . | 1 | . | . | . | . |
| | – Simple continued Fever, | | | | 2 | . | . | 3 | . | 1 | . | | 2 | . | 1 | . | 1 | . | . | . |
| | 9. Erysipelas, | 2 | . | 1 | . | . | 1 | . | . | . | . | ·4 | 3 | . | . | . | . | 2 | . | . |
| | 10. Puerperal Fever (Metria), | . | 1 | . | . | 1 | 1 | 2 | . | 1 | 2 | ·8 | 1 | . | . | . | 1 | . | . | . |
| | 11. Carbuncle, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 4 | 2 | 1 | 4 | 3 | 1 | 2 | 4 | 2 | 4 | 2·7 | . | . | . | . | . | . | . | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | . | 1 | 1 | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | 3 | . | . | 1 | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | . | . | 1 | . | 2 | . | 1 | 1 | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 4. Alcoholism, { Intemperance, | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | 1 | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | 2. Dropsy, | 1 | 4 | 4 | 5 | 1 | 4 | 2 | 1 | 5 | 2 | 2·9 | 2 | . | . | . | . | 1 | 1 | . |
| | 3. Cancer, | 3 | . | 1 | 2 | 3 | 1 | 1 | 2 | 3 | 2 | 1·8 | 5 | . | . | . | . | 2 | 3 | . |
| | 4. Cancrum Oris (Noma), | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | 1 | . | . | 1 | 1 | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 1 | 2 | . | . | 1 | 1 | 4 | . | 1 | 1·1 | 1 | . | . | . | 1 | . | . | . |
| | 2. Tabes Mesenterica, | 3 | 3 | 6 | 2 | 5 | . | 1 | 2 | . | . | 2·2 | 4 | 3 | 1 | . | . | . | . | . |
| | 3. Phthisis, | 25 | 22 | 13 | 11 | 22 | 9 | 16 | 29 | 18 | 16 | 18·0 | 17 | 3 | 2 | 2 | 7 | 2 | 1 | . |
| | 4. Hydrocephalus, | . | 1 | 3 | 3 | 4 | 4 | 2 | 4 | 2 | 6 | 2·9 | 3 | 3 | . | . | . | . | . | . |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | 3 | 3 | 1 | 4 | . | . | . | 1 | 2 | 1·5 | 3 | 1 | . | . | 2 | . | . | . |
| | 2. Apoplexy, | 3 | 5 | 2 | . | 2 | 4 | 1 | . | 1 | 2 | 2·0 | . | . | . | . | . | . | . | . |
| | 3. Paralysis, | 4 | 4 | 1 | 3 | 1 | . | 3 | 4 | 6 | 5 | 3·1 | . | . | . | . | . | . | . | . |
| | 4. Insanity, | . | . | 1 | . | . | . | 1 | . | . | 2 | ·4 | 1 | . | . | . | . | 1 | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | 1 | 3 | . | . | . | 1 | 2 | 1 | ·9 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 9 | 9 | 4 | 3 | 10 | 8 | 8 | 7 | 10 | 7 | 7·5 | 11 | 10 | 1 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 4 | 2 | 2 | 2 | 4 | 8 | 4 | 2 | . | 2 | 3·0 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | 1 | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 1 | . | . | . | 1 | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 6 | 5 | 7 | 5 | 6 | 6 | 7 | 8 | 5 | 6 | 6·1 | 9 | . | . | 2 | 2 | . | 4 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 19 | 11 | 12 | 11 | 11 | 8 | 21 | 13 | 12 | 13 | 13·1 | 18 | 4 | 2 | . | 1 | 5 | 5 | 1 |
| | 3. Pleurisy, | . | . | 1 | . | . | 1 | 1 | . | . | . | ·3 | 1 | . | . | . | 1 | . | . | . |
| | 4. Pneumonia, | 2 | 2 | 2 | 3 | 1 | 2 | 1 | 4 | 2 | 2 | 2·1 | 3 | 1 | 1 | . | 1 | . | . | . |
| | 5. Asthma, | 1 | 1 | 1 | 1 | 1 | . | . | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | . | 2 | . | . | 2 | 3 | . | 3 | 1 | 1·2 | 2 | . | . | . | . | 1 | 1 | . |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | 1 | . | . | . | . | . | 1 | . | 1 | ·3 | 1 | . | . | . | . | . | 1 | . |
| | 2. Enteritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | . | 1 | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Ulceration of Intestines, | . | 1 | . | 1 | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | rain, | 1 | . | . | 1 | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |

)ONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in n the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 28th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, June 24th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jun. 23 1866 | Jun. 22 1867 | Jun. 20 1868 | Jun. 26 1869 | Jun. 25 1870 | Jun. 24 1871 | Jun. 22 1872 | Jun. 21 1873 | Jun. 27 1874 | Jun. 26 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 55·8 | ° 58·2 | ° 61·8 | ° 59·4 | ° 57·6 | ° 54·9 | ° 61·0 | ° 61·0 | ° 57·4 | ° 56·6 | ° 58·4 | ° 59·5 | | | | | | | |
| III. | 7. Ileus, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| ons. | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | 4 | 4 | . | . | 1 | 3 | 1 | 1 | . | 1·4 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 5 | 1 | 1 | 5 | 1 | 2 | 4 | 5 | 3 | 1 | 2·8 | 3 | . | . | . | . | 2 | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 2 | . | . | 1 | . | . | . | . | 4 | . | ·7 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 3 | . | 1 | 2 | . | 1 | 1 | . | 3 | 1 | 1·2 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | 1 | . | 1 | . | . | 1 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| V. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 4 | 1 | 1 | 3 | . | 1 | . | . | . | 1·0 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 9 | 6 | 7 | 4 | 9 | 6 | 9 | 11 | 12 | 16 | 8·9 | 8 | . | . | . | . | . | 5 | 3 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 8 | 7 | 5 | 2 | 7 | 6 | 6 | 2 | 6 | 8 | 5·7 | 5 | 1 | . | . | . | 4 | . | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | . | 2 | 2 | 1 | 2 | 2 | . | 3 | 2 | 1·6 | 2 | 1 | . | . | 1 | . | . | . |
| | 2. Wounds, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 2 | 1 | . | . | . | 1 | 1 | 1 | . | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 4. Poison, | . | 1 | . | . | 1 | . | . | . | . | 2 | ·4 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | 2 | . | 1 | 2 | . | . | 2 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | 1 | . | 1 | 1 | 1 | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | { Cut, Stab, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | . | . | 1 | 2 | 2 | 1 | . | 6 | 4 | 4 | 2·0 | 6 | . | 1 | . | . | 1 | 4 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1876. Jan. 1. | Jan. 8. | Jan. 15. | Jan. 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | April 29. | May 6. | May 13. | May 20. | May 27. | June 3. | June 10. | June 17. | June 24. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BIRTHS, | 196 | 183 | 165 | 166 | 162 | 200 | 188 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 163 | 112 | 196 | 188 | 170 | 183 | 172 | 174 | 170 | 183 | 212 | 160 |
| DEATHS, | 200 | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 156 | 158 | 151 | 139 | 140 | 154 | 144 | 130 |
| Deaths under 5 years of age, | 60 | 60 | 54 | 59 | 87 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 60 | 55 | 58 | 46 | 42 | 45 | 42 | 34 | 48 | 34 | 37 |
| Deaths 5–15, | 11 | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 | 9 | 8 | 5 | 10 | 9 | 10 | 12 |
| Deaths 15–30, | 3 | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 | 4 | 8 | 4 | 6 | 9 | 4 | 4 |
| Deaths 30–40, | 23 | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 32 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 | 28 | 31 | 26 | 20 | 26 | 32 | 19 |
| Deaths 40–60, | 40 | 31 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 1 | 40 | 30 | 29 | 51 | 37 | 35 | 26 | 25 | 31 | 21 | 24 | 28 | 25 |
| Deaths 60–80, | 50 | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 48 | 35 | 28 | 34 | 31 | 41 | 37 | 31 | 31 | 36 | 31 | 35 | 28 |
| Deaths at 80 years of age and upwards, | 14 | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 | 9 | 3 | 5 | 3 | 7 | 1 | 5 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 2 | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 | 3 | . | . | . | 1 | . | 3 |
| ,, Scarlatina, | 2 | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 | 5 | . | 2 | 2 | 4 | 2 | 3 |
| ,, Diphtheria, | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 | . | . | 1 | 3 | . | . | . | . |
| ,, Whooping Cough, | 10 | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 | 2 | 8 | 6 | 4 | 3 | 6 | 1 | 5 |
| ,, Fever, | 3 | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 | 8 | 4 | 3 | 5 | 4 | 1 | . |
| ,, Diarrhœa, | 2 | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 | 3 | 1 | 2 | 1 | 3 | 7 | . |
| ,, Phthisis, | 16 | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 | 20 | 25 | 21 | 16 | 17 | 16 | 17 |
| ,, Bronchitis, | 45 | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 33 | 20 | 36 | 29 | 14 | 19 | 16 | 15 | 18 | 17 | 16 | 18 |
| ,, Pneumonia, | 4 | 5 | 7 | 7 | 7 | 4 | 8 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 5 | 6 | 5 | 4 | 9 | 6 | 5 | 3 |
| ,, Heart Disease, | 6 | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 | 3 | 2 | 3 | 10 | 10 | 10 | 9 |
| Mean Temperature of the Air | 45·0 | 42·3 | 34·0 | 41·2 | 48·2 | 43·3 | 36·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 53·9 | 39·2 | 47·5 | 49·1 | 44·1 | 47·0 | 48·9 | 53·5 | 55·5 | 53·5 | 53·7 | 59·8 |
| Rain-fall in inches, | ·216 | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·288 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 | ·920 | ·040 | ·000 | ·070 | 1·014 | ·220 | ·723 | ·573 | ·004 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·871 | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·837 | ·739 | ·812 | ·835 | ·710 | ·736 | ·739 | ·808 | ·776 | ·711 | ·793 | ·728 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[117.—380.—4/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD GALWAY, AND SLIGO.**

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JULY 1, 1876. [No. 26.

*General Register Office, Charlemont House, Dublin, July 3rd, 1876.*

The deaths *registered* in the Dublin Registration District during the week ending 1st July, 1876, represent an annual mortality of 24 in every 1,000 of the population, by the Census of 1871. In London the death rate was 18 in every 1,000 of the estimated population; in Glasgow, 20; and in Edinburgh, 18.

In the Dublin District (which extends over an area of 10,050 statute acres, having, according to the Census of 1871, a population of 314,666), the births *registered* during the week amounted to 199—106 boys and 93 girls.—and the deaths to 143—76 males and 67 females. The *average* numbers in the corresponding week of the previous ten years were—births, 182, and deaths, 142.

The deaths *registered* from zymotic diseases numbered 22, against an average of 33·1 for the corresponding week of the previous 10 years. Of these deaths, but 4 resulted from fever (1 typhus, 2 typhoid, and 1 simple continued fever), 2 each from measles, erysipelas, and diarrhœa, 1 from scarlet fever, and a like number from dysentery.

Seven deaths were ascribed to convulsions.

Ten deaths were caused by bronchitis, 7 by pneumonia or inflammation of the lungs, and 2 by asthma.

Heart disease proved fatal in 10 instances, liver disease in 2, hepatitis or inflammation of the liver in 1, kidney disease in 3, paralysis in 1, and brain disease unspecified in 3.

Twenty-two persons died from phthisis or pulmonary consumption, 4 from mesenteric disease, 1 from scrofula, 2 from hydrocephalus or water on the brain, and 3 from cancer.

Seven deaths were accidental, and 1 was suicidal.

Thirty-one of the persons whose deaths were *registered* during the week were under 5 years of age (19 being infants under 1 year old); and 30 were aged 60 and upwards, including 13 persons aged 70 and upwards, of whom 6 were octogenarians.

One death from fever, 1 from scarlet fever, 2 deaths from whooping-cough, and 4 from diarrhœa, were *registered* in Belfast.

Two deaths from fever, 2 from whooping-cough, and 3 from diarrhœa were *registered* in Cork.

The population by the Census in 1871; the number of deaths from *each* of the four diseases most fatal during the week, and the deaths from all causes *registered* during the week in the Dublin Registration District are shown by districts in the following statement:—

| | | Population by Census in 1871. | Number of Deaths from | | | | Deaths from all Causes. |
|---|---|---|---|---|---|---|---|
| | | | Consumption. | Bronchitis. | Disease of Heart. | Convulsions. | |
| **Dublin City:—** | | | | | | | |
| North Side, | No. 1 District, | 49,137 | 5 | – | 2 | – | 25 |
| | No. 2 ,, | 31,993 | 5 | – | 3 | – | 17 |
| | No. 3 ,, | 27,546 | 3 | 2 | 1 | 1 | 19 |
| South Side, | No. 1 District, | 32,184 | 3 | 3 | 1 | 1 | 26 |
| | No. 2 ,, | 29,952 | – | 1 | – | 2 | 7 |
| | No. 3 ,, | 38,811 | 2 | 3 | 1 | 2 | 13 |
| | No. 4 ,, | 36,703 | 1 | – | – | – | 6 |
| Rathmines District, | | 20,939 | – | – | 1 | – | 5 |
| Donnybrook, ,, | | 21,758 | 3 | 1 | 1 | 1 | 16 |
| Blackrock, ,, | | 7,182 | – | – | – | | 1 |
| Kingstown, ,, | | 18,461 | – | – | – | – | 8 |
| | Total, | 314,666 | 22 | 10 | 10 | 7 | 143 |

Fifty-five of the deaths *registered* in the Dublin Registration District during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin, and 14 in the South Dublin, Union Workhouse.

The deaths *registered* in No. 1, North City District (Summer-hill), afford an annual ratio of 26 in every 1,000 of the population in 1871—the Mater Misericordiæ Hospital is situated in this District; in No. 2, North City District (Coleraine-street), which includes the Rotundo Lying-in Hospital, and Jervis-street Hospital, the deaths *registered* amounted to 28 per 1,000; and in No. 3, North City (Blackhall-street), to 36 per 1,000;—*the North Dublin Union Workhouse, the Hardwicke, Richmond, and Whitworth Hospitals, and the Richmond District Lunatic Asylum, are situated in this district.*

In No. 1, South City District (Meath-street), which includes *the South Dublin Union Workhouse, the Cork-street Fever Hospital*, and *Stevens' Hospital*, the deaths *registered* afford an annual ratio of 42 per 1,000; in No. 2, South City District (High-street), the ratio was 12 per 1,000; in No. 3, South City District (Peter-street), which includes the Coombe Lying-in Hospital, and the Meath, the Adelaide, and Mercer's Hospitals, it was 17 per 1,000; and in No. 4, South City District (Denzille-street and Grand Canal-street), in which Sir Patrick Dun's and St. Vincent's Hospitals are situated, it was 9 per 1,000.

In the Suburban District of Rathmines the annual ratio was 12 per 1,000; in Donnybrook it was 38—the City of Dublin Hospital and the Hospital for Incurables are situated in this district; in Blackrock the rate was 7; and in Kingstown 23 deaths per 1,000 of the population by the Census in 1871.

The number of births *registered* during the week in London amounted to 2,387 and the deaths to 1,175 (against an average of 1,367 for corresponding week 1866–75); in Glasgow the births *registered* were 382, and the deaths 209; and in Edinburgh the births were 124, and the deaths 73. The population, estimated to the middle of the year 1876 is, for London, 3,489,428; for Glasgow, 545,144; and for Edinburgh, 215,146.*

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·067 inches. The highest daily mean reading (30·214) occurred on Tuesday, and the lowest (29·849) on Saturday.

The mean temperature during the week was 61·8° (the average in the corresponding week of the previous ten years was 58·8°): the lowest daily mean (56·7°) occurred on Wednesday, and the highest (65·7°) on Friday and Saturday.

The temperature was highest on Monday, when the thermometer registered 79·7°, and was also lowest on the same day, the mercury having fallen to 46·2°. The highest reading of the barometer during the week (30·244) occurred on Wednesday, at 9.30 A.M., wind N.W., and the lowest (29·823) on Saturday, at 3.30 P.M., wind N.W. The mean of the Dry Bulb for the week was 63·8°; and of the Wet Bulb 58·4°. The mean humidity of the air was ·742; complete saturation being represented by 1·0. The rain-fall during the week measured ·041 in.

At Greenwich, the mean temperature of the week was 62·9°; at Glasgow, 60·2°; and at Edinburgh, 59·9°. The rain-fall during the week at Glasgow measured ·43 in. There was not any rain at Greenwich.*

---

METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, June 25, | 30·108 | 72·4 | 46·8 | 59·6 | 62·9 | 55·9 | ·682 | ·3 | ·000 | E.N.E. | N.E. | Calm |
| Monday, „ 26, | 30·080 | 79·7 | 46·2 | 62·9 | 68·1 | 62·0 | ·733 | ·2 | ·000 | N.E. | E. | Calm. |
| Tuesday, „ 27, | 30·214 | 78·9 | 47·0 | 63·0 | 66·5 | 60·5 | ·739 | ·7 | ·000 | E. | E.S.E. | Calm. |
| Wednesday, „ 28, | 30·202 | 64·2 | 49·2 | 56·7 | 59·3 | 53·4 | ·675 | ·7 | ·000 | N.W. | N.W. | Calm. |
| Thursday, „ 29, | 30·074 | 65·9 | 52·5 | 59·2 | 58·3 | 54·1 | ·766 | ·7 | ·010 | N.W. | N.W. | Calm. |
| Friday, „ 30, | 29·940 | 76·1 | 55·3 | 65·7 | 65·5 | 61·2 | ·811 | ·7 | ·010 | W. | W. | W. |
| Saturday, July 1, | 29·849 | 76·2 | 55·2 | 65·7 | 66·0 | 61·9 | ·790 | ·5 | ·021 | S.W. | N.W. | W. |
| Mean, . . | 30·067 | 73·3 | 50·3 | 61·8 | 63·8 | 58·4 | ·742 | ·5 | Total, ·041 | Prevailing wind, N.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, June 25, | A.M. Fine. | P.M. Fine. |
| Monday, „ 26, | A.M. Fine and pleasant. | P.M. Haze. |
| Tuesday, „ 27, | A.M. Fine and pleasant. | P.M. Fine. |
| Wednesday, „ 28, | A.M. Dull and overcast. | P.M. Overcast. |
| Thursday, „ 29, | A.M. Overcast. | P.M. Gloomy. |
| Friday, „ 30, | A.M. Dull and overcast. | P.M. Gloomy. |
| Saturday, July 1, | A.M. Fine and pleasant. | P.M. Overcast. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871:* the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 1st July, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871.* | WEEK ENDING SATURDAY, 1ST JULY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| DUBLIN, . . | 10,050 | 314,666 | 24 | 199 | 143 | 19 | 30 | . | 2 | 1 | . | . | 4 | 2 | 8 | 6 | 66 |
| BELFAST,† . . | 20,687 | 182,082 | 33 | 166 | 115 | 20 | 15 | . | . | 1 | . | 2 | 1 | 4 | 7 | 20 | 33 |
| CORK, . . . | 13,816 | 91,565 | 41 | 61 | 73 | 14 | 16 | . | . | . | . | 2 | 2 | 3 | . | 1 | 26 |
| LIMERICK, . . | 8,509 | 44,209 | 38 | 17 | 32 | 2 | 9 | . | . | . | . | . | . | 1 | 1 | 2 | 13 |
| LONDONDERRY,‡ (*a*) | 21,865 | 30,884 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 20 | 19 | 12 | . | 8 | . | . | . | . | . | 1 | . | . | . | 1 |
| GALWAY, . . | 21,356 | 19,692 | 13 | 8 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 30,835 | 17,285 | 18 | 12 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | 2 |

TABLE showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 1st July, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION in 1871.* | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BELFAST, | Belfast, No. 1, | 19,679 | 8 | 13 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 17,938 | 51 | 22 | 19 | 1 | 5 | . | . | . | . | . | . | . | 5 | 5 | 15 |
| | „ „ 3, | 39,311 | 22 | 40 | 17 | 6 | 2 | . | . | . | . | . | 1 | . | 2 | 5 | 2 |
| | „ „ 4, *W.* | 19,320 | 73 | 26 | 28 | 3 | 5 | . | . | . | . | 1 | . | 1 | . | 1 | 16 |
| | „ „ 5, | 19,616 | 29 | 14 | 11 | 4 | . | . | . | . | . | . | . | 1 | . | 2 | . |
| | „ „ 6, | 36,652 | 33 | 25 | 23 | 5 | 2 | . | . | . | . | . | . | 1 | . | 2 | . |
| | „ „ 9, | 5,296 | 20 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 10, | 8,115 | 6 | 11 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh „ 1, | 16,155 | 35 | 10 | 11 | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | 3 | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 11,555 | 32 | 10 | 7 | . | 2 | . | . | . | . | . | . | . | . | . | 2 |
| | „ „ 3, | 6,818 | 31 | 4 | 4 | 2 | 1 | . | . | . | . | 2 | . | 1 | . | . | . |
| | „ „ 4, | 6,227 | 33 | 5 | 4 | . | 2 | . | . | . | . | . | . | 1 | . | . | 2 |
| | „ „ 5, | 11,289 | 51 | 1 | 11 | . | . | . | . | . | . | . | . | . | . | . | 9 |
| | „ „ 6, | 15,230 | 48 | 15 | 14 | 6 | 3 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 7, | 7,586 | 48 | 6 | 7 | 2 | 2 | . | . | . | . | . | . | . | 1 | . | . |
| | „ „ 8, *W.* | 18,364 | 28 | 12 | 10 | 2 | 3 | . | . | . | . | . | . | . | . | . | 6 |
| | „ „ 9, | 4,790 | 141 | 4 | 13 | 2 | 4 | . | . | . | . | . | 2 | . | . | . | 6 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 13 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | 40 | 4 | 7 | . | 6 | . | . | . | . | . | 1 | . | . | . | 7 |
| | „ „ 3, | 11,424 | 32 | 2 | 18 | . | 3 | . | . | . | . | . | . | 1 | 2 | . | 16 |
| | „ „ 4, | 15,875 | 16 | 8 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 10 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 13,569 | 19 | 6 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* (*a*) | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 20 | 19 | 12 | . | 8 | . | . | . | . | . | 1 | . | . | . | 1 |
| GALWAY, | Galway, No. 1, | 10,700 | 24 | 2 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 32 | 7 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 2 |
| | „ „ 2, | 10,829 | 10 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |

(*a*) Return for Glendermot District not received.
* According to the Census.
† Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
‡ Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

*Note.*—The high death rates appearing for some of the above Districts are partly due to irregularity in registration, arrears being generally entered up in the last week of the quarter.

BIRTHS and DEATHS *Registered* in the several REGISTRATION DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, during the Week ending Saturday, 1st July, 1876.

| NAMES OF DISEASES, &c. | REGISTRATION DISTRICTS. | | | | | | | | | | | TOTAL. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 |
| Population in 1871, | 49,137 | 31,993 | 27,546 | 32,184 | 29,952 | 38,811 | 36,703 | 20,939 | 21,758 | 7,182 | 18,461 | 314,666 |
| Births, | 22 | 73 | 18 | 12 | 11 | 21 | 16 | 5 | 10 | 3 | 8 | 199 |
| Deaths from all Causes, | 25 | 17 | 19 | 26 | 7 | 13 | 6 | 5 | 16 | 1 | 8 | 143 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | 2 | . | . | . | . | 2 |
| Scarlet Fever (Scarlatina), | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | . | . | . | . | . | . | . | . | . | . |
| Fever, | 1 | . | . | 2 | 1 | . | . | . | . | . | . | 4 |
| Diarrhœa, | . | . | 2 | . | . | . | . | . | . | . | . | 3 |
| Cholera (Simple), | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| Other Zymotic Diseases, | . | . | 2 | 5 | 1 | . | 1 | . | 2 | . | . | 11 |
| Total, | 2 | . | 5 | 7 | 2 | . | 3 | 1 | 2 | . | . | 22 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 5 | 5 | 3 | 3 | . | 2 | 1 | . | 3 | . | . | 22 |
| Other Constitutional Diseases, | 3 | 2 | 1 | 2 | 1 | . | . | . | 2 | . | 1 | 12 |
| Total, | 8 | 7 | 4 | 5 | 1 | 2 | 1 | . | 5 | . | 1 | 34 |
| LOCAL DISEASES: | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | . | . | 3 | 1 | 2 | 2 | . | . | 3 | . | . | 11 |
| Diseases of the Heart and Circulatory Organs, | 2 | 3 | 1 | 1 | . | 1 | . | 1 | 1 | . | . | 10 |
| Diseases of the Respiratory Organs, | 3 | . | 4 | 3 | 1 | 4 | 1 | 1 | 1 | . | 1 | 19 |
| Diseases of the Digestive Organs, | 2 | . | . | 1 | . | . | . | 1 | 1 | . | 3 | 8 |
| Diseases of the Urinary Organs, | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 3 |
| Diseases of the Organs of Generation, | . | 1 | . | . | . | . | . | . | 1 | . | . | 2 |
| Diseases of the Organs of Locomotion, | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 8 | 5 | 8 | 8 | 3 | 7 | 1 | 3 | 7 | . | 4 | 54 |
| DEVELOPMENTAL DISEASES, | 5 | 3 | 2 | 3 | . | 2 | . | 1 | 2 | 1 | 2 | 21 |
| VIOLENT DEATHS, | 1 | 2 | . | 2 | 1 | 1 | 1 | . | . | . | . | 8 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | . | . | 1 | . | 1 | . | . | . | . | 1 | 4 |
| Annual Rate of Mortality in every 1,000 of the Population, | 26 | 28 | 36 | 42 | 12 | 17 | 9 | 13 | 38 | 7 | 23 | 24 |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 7 | 10 | 5 | 7 | . | 2 | . | . | 2 | . | . | 33 |
| Workhouse Hospitals, | . | . | 8 | 14 | . | . | . | . | . | . | . | 22 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 23, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal through Clanbrassil-street, Blackpitts, Ardee-street, Coombe, Francis-street, New-row, West, Bonham-street, and Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 63, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, Stephen's-green, South and West, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary Grand Canal-street, and 19, Denzille-street.

DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the TWENTY-SIXTH WEEK, ending Saturday, July 1st, 1876; also the Number of Deaths from each Class of Diseases Registered during the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Deaths in 26th Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, July 1st, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jun. 30 1866 | Jun. 29 1867 | Jun. 27 1868 | July 3 1869 | July 2 1870 | July 1 1871 | Jun. 29 1872 | Jun 28 1873 | July 4 1874 | July 3 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 63·4 | ° 58 8 | ° 60·3 | ° 59·4 | ° 54·5 | ° 56·7 | ° 57·1 | ° 59·4 | ° 60·3 | ° 57·6 | ° | ° 61·8 | | | | | | | |
| | **ALL CAUSES,** | 121 | 165 | 110 | 125 | 123 | 160 | 190 | 151 | 139 | 140 | 142·4 | 143 | 31 | 9 | 5 | 37 | 31 | 24 | 6 |
| | **SPECIFIED CAUSES,** | 119 | 162 | 110 | 121 | 121 | 152 | 189 | 148 | 135 | 140 | 139·7 | 139 | 31 | 9 | 5 | 35 | 30 | 23 | 6 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 37 | 53 | 18 | 17 | 18 | 29 | 76 | 23 | 36 | 24 | 33·1 | 22 | 9 | 2 | 1 | 4 | 4 | 1 | 1 |
| II. | CONSTITUTIONAL „ | 25 | 37 | 39 | 39 | 37 | 37 | 37 | 38 | 23 | 26 | 33·8 | 34 | 5 | 2 | 1 | 15 | 9 | 2 | . |
| III. | LOCAL „ | 41 | 53 | 35 | 51 | 46 | 64 | 53 | 64 | 51 | 60 | 51·8 | 54 | 9 | 2 | 2 | 11 | 16 | 14 | . |
| IV. | DEVELOPMENTAL, | 15 | 15 | 15 | 9 | 13 | 17 | 20 | 18 | 21 | 19 | 16·2 | 21 | 7 | . | . | 3 | 1 | 5 | 5 |
| V. | VIOLENT DEATHS, | 1 | 4 | 3 | 5 | 7 | 5 | 3 | 5 | 4 | 11 | 4·8 | 8 | 1 | 3 | 1 | 2 | . | 1 | . |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES, | 36 | 47 | 13 | 17 | 18 | 27 | 76 | 23 | 25 | 23 | 31·5 | 17 | 8 | 1 | 1 | 4 | 1 | 1 | 1 |
| | 2. ENTHETIC „ | 1 | 1 | 1 | . | . | . | . | . | 1 | . | ·4 | 3 | 1 | . | . | . | 2 | . | . |
| | 3. DIETIC „ | . | 4 | 3 | . | . | 2 | . | . | . | 1 | 1·0 | 2 | . | 1 | . | . | 1 | . | . |
| | 4. PARASITIC „ | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | 1. DIATHETIC DISEASES, | 4 | 5 | 13 | 6 | 6 | 5 | 3 | 4 | 1 | 6 | 5·3 | 5 | . | . | . | . | 4 | 1 | . |
| | 2. TUBERCULAR „ | 21 | 32 | 26 | 33 | 31 | 32 | 34 | 34 | 22 | 20 | 28·5 | 29 | 5 | 2 | 1 | 15 | 5 | 1 | . |
| III. | 1. DISEASES OF NERVOUS SYSTEM, | 19 | 24 | 13 | 16 | 17 | 22 | 21 | 23 | 13 | 18 | 18·5 | 11 | 6 | 2 | 1 | . | . | 2 | . |
| | 2. DISEASES OF ORGANS OF CIRCULATION, | 4 | 4 | 4 | 4 | 8 | 6 | 7 | 14 | 8 | 11 | 7·0 | 10 | . | . | 1 | 4 | 3 | 2 | . |
| | 3. DISEASES OF RESPIRATORY ORGANS, | 15 | 15 | 9 | 21 | 13 | 20 | 18 | 16 | 15 | 19 | 16·1 | 19 | 2 | . | . | 2 | 9 | 6 | . |
| | 4. DISEASES OF DIGESTIVE ORGANS, | 1 | 5 | 5 | 4 | 6 | 11 | 3 | 9 | 10 | 5 | 5·9 | 8 | 1 | . | . | 1 | 3 | 3 | . |
| | 5. DISEASES OF URINARY ORGANS, | 2 | 3 | 2 | 3 | 1 | 4 | 4 | 3 | 4 | 4 | 3·0 | 3 | . | . | . | 2 | . | 1 | . |
| | 6. DISEASES OF ORGANS OF GENERATION, | . | . | . | 1 | . | 1 | . | . | 1 | 1 | ·4 | 2 | . | . | . | 2 | . | . | . |
| | 7. DISEASES OF ORGANS OF LOCOMOTION, | . | 1 | . | 2 | 1 | . | . | . | . | 2 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 8. DISEASES OF INTEGUMENTARY SYSTEM, | . | 1 | 2 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| IV. | 1. DEV. DISEASES OF CHILDREN, | . | 3 | 1 | . | 3 | . | 1 | . | 1 | 2 | 1·1 | 2 | 2 | . | . | . | . | . | . |
| | 2. „ „ ADULTS, | . | 1 | . | . | . | . | . | 1 | 1 | 2 | ·5 | 3 | . | . | . | 3 | . | . | . |
| | 3 „ „ OLD PEOPLE | 7 | 4 | 4 | 5 | 7 | 12 | 11 | 13 | 11 | 10 | 8·4 | 9 | . | . | . | . | . | 4 | 5 |
| | 4. DISEASES OF NUTRITION, | 8 | 7 | 10 | 4 | 3 | 5 | 8 | 4 | 5 | 5 | 6·2 | 7 | 5 | . | . | . | 1 | 1 | . |
| V. | 1. ACCIDENT OR NEGLIGENCE, | 1 | 4 | 2 | 2 | 5 | 5 | 3 | 2 | 2 | 11 | 3·7 | 7 | 1 | 3 | 1 | 1 | . | 1 | . |
| | *2. HOMICIDE, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. SUICIDE, | . | . | 1 | 3 | 1 | . | . | 2 | . | . | ·7 | 1 | . | . | . | 1 | . | . | . |
| | 5. EXECUTION, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | OTHER VIOLENT DEATHS NOT CLASSED, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | Sudden Deaths, Cause unascertained, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | CAUSES NOT SPECIFIED OR ILL-DEFINED, | 2 | 3 | . | 3 | 2 | 8 | 1 | 3 | 4 | . | 2·6 | 4 | . | . | . | 2 | 1 | 1 | . |

* Order 2, comprising Violent Deaths in BATTLE is omitted, as inapplicable to the civil population.

HS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of RATHMINES, the TWENTY-SIXTH WEEK, ending Saturday, 1st July, 1876; also the Deaths from each Disease Registered

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and of Deaths in 25th Week of the 10 years 1866-75. | *Registered* in the Week ending Saturday, July 1st, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | Jun. 30 1866 | Jun. 28 1867 | July 27 1868 | July 3 1869 | July 2 1870 | July 1 1871 | Jun. 29 1872 | Jun. 28 1873 | July 4 1874 | July 3 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | ° 63·4 | ° 58·8 | ° 60·3 | ° 59·4 | ° 54·5 | ° 56·7 | ° 57·1 | ° 59·4 | ° 60·3 | ° 57·8 | ° 58·8 | ° 61·8 | | | | | | | |
| ORDER 1. | | | | | | | | | | | | | | | | | | | |
| 1. Small Pox, | 1 | . | . | . | . | . | 36 | . | . | . | 3·7 | . | . | . | . | . | . | . | . |
| 2. Measles, | 1 | 9 | . | 3 | . | 2 | 14 | 2 | 5 | 2 | 3·8 | 2 | 2 | . | . | . | . | . | . |
| 3. Scarlet Fever (Scarlatina), | 2 | 2 | 3 | 7 | 4 | 7 | 10 | 3 | 17 | 3 | 5·8 | 1 | 1 | . | . | . | . | . | . |
| 4. Diphtheria, | 1 | 1 | . | . | . | . | . | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| 5. Quinsy, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| 6. Croup, | 2 | . | 2 | 3 | 3 | 4 | 2 | . | 2 | 2 | 2·0 | . | . | . | . | . | . | . | . |
| 7. Whooping Cough, | 9 | 2 | 2 | . | 1 | 4 | . | 6 | . | . | 2·4 | . | . | . | . | . | . | . | . |
| 8. Typhus, | } | | | . | 1 | 2 | 1 | 3 | 1 | 2 | | 1 | . | . | . | 1 | . | . | . |
| – Enteric or Typhoid Fever, | 7 | 11 | 1 | 1 | 1 | 1 | 4 | 5 | 2 | 1 | 5·9 | 2 | 1 | . | 1 | . | . | . | . |
| – Simple continued Fever, | } | | | 1 | 2 | 4 | 3 | . | 4 | 1 | } | 1 | . | 1 | . | . | . | . | . |
| 9. Erysipelas, | 1 | 2 | 2 | . | . | 1 | 1 | 1 | . | . | ·8 | 2 | 1 | . | . | . | . | 1 | . |
| 10. Puerperal Fever (Metria), | . | 1 | 2 | . | . | 2 | 1 | . | . | 4 | 1·0 | 1 | . | . | . | 1 | . | . | . |
| 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 12. Influenza, | 1 | . | . | 1 | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| 13. Dysentery, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| 14. Diarrhœa, | 7 | 5 | 1 | 1 | 5 | . | 1 | 2 | 3 | 2 | 2·7 | 2 | . | . | . | 2 | . | . | . |
| 15. Simple Cholera, | . | 13 | . | . | . | . | . | . | . | . | 1·3 | 2 | 2 | . | . | . | . | . | . |
| 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 18. Rheumatism, | 2 | 1 | . | . | . | . | 1 | . | . | 4 | ·8 | 2 | . | . | . | . | 1 | . | 1 |
| 19. Other Zymotic Diseases, | 2 | . | . | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| ORDER 2. | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis, | 1 | 1 | 1 | . | . | . | . | . | 1 | . | ·4 | 3 | 1 | . | . | . | 2 | . | . |
| 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 3. | | | | | | | | | | | | | | | | | | | |
| 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| 2. Want of Breast Milk, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Purpura and Scurvy, | . | 2 | 2 | . | . | 1 | . | . | . | . | ·5 | 1 | . | . | . | . | 1 | . | . |
| 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | 1 | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| 4. Alcoholism, { Intemperance | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| ORDER 4. | | | | | | | | | | | | | | | | | | | |
| 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Worms, &c. | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| ORDER 1. | | | | | | | | | | | | | | | | | | | |
| 1. Gout, | . | . | 1 | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 2. Dropsy, | 2 | 1 | 6 | 1 | 4 | 2 | 1 | 1 | . | 1 | 1·9 | 2 | . | . | . | . | 1 | 1 | . |
| 3. Cancer, | 2 | 2 | 5 | 4 | 2 | 1 | 2 | 1 | 1 | 4 | 2·4 | 3 | . | . | . | . | 3 | . | . |
| 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Mortification, | . | 2 | 1 | 1 | . | 1 | . | 2 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| ORDER 2. | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula, | 1 | 3 | 4 | . | 3 | . | 2 | . | . | 1 | 1·4 | 1 | . | . | . | 1 | . | . | . |
| 2. Tabes Mesenterica, | 2 | 4 | 1 | 2 | 1 | 2 | 4 | 2 | 2 | 1 | 2·1 | 4 | 4 | . | . | . | . | . | . |
| 3. Phthisis, | 14 | 22 | 18 | 26 | 22 | 27 | 26 | 29 | 20 | 14 | 21·8 | 22 | . | 1 | 1 | 14 | 5 | 1 | . |
| 4. Hydrocephalus, | 4 | 3 | 3 | 5 | 5 | 3 | 2 | 3 | . | 4 | 3·2 | 2 | 1 | 1 | . | . | . | . | . |
| ORDER 1. | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis, | 2 | 1 | . | 1 | 1 | 2 | 3 | 2 | . | 1 | 1·3 | . | . | . | . | . | . | . | . |
| 2. Apoplexy, | 2 | 2 | 2 | 2 | 4 | 1 | 4 | 4 | . | 1 | 2·2 | . | . | . | . | . | . | . | . |
| 3. Paralysis, | 1 | 3 | 3 | 3 | 2 | 1 | 3 | 4 | 3 | 2 | 2·5 | 1 | . | . | . | . | 1 | . | . |
| 4. Insanity, | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Epilepsy, | . | 2 | . | 1 | . | 2 | . | . | . | 2 | ·7 | . | . | . | . | . | . | . | . |
| 7. Convulsions, | 11 | 12 | 6 | 7 | 9 | 12 | 8 | 7 | 6 | 10 | 8·8 | 7 | 6 | 1 | . | . | . | . | . |
| 8. *Brain Disease, &c.* | 3 | 4 | 2 | 1 | . | 4 | 3 | 5 | 4 | 2 | 2·8 | 3 | . | 1 | 1 | . | . | 1 | . |
| ORDER 2. | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Aneurism, | 1 | . | . | 1 | 1 | 2 | . | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| 3. *Heart Disease, &c.* | 3 | 4 | 4 | 3 | 6 | 4 | 7 | 13 | 8 | 10 | 6·2 | 10 | . | . | 1 | 4 | 3 | 2 | . |
| ORDER 3. | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis, | . | . | 1 | . | 1 | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| 2. Bronchitis, | 14 | 10 | 5 | 14 | 8 | 15 | 14 | 9 | 10 | 13 | 11·2 | 10 | 2 | . | . | . | 4 | 4 | . |
| 3. Pleurisy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Pneumonia, | . | 3 | 2 | 3 | 2 | 4 | 1 | 1 | 4 | 2 | 2·2 | 7 | . | . | . | 2 | 4 | 1 | . |
| 5. Asthma, | . | 1 | . | 1 | . | . | . | 1 | . | . | ·3 | 2 | . | . | . | . | 1 | 1 | . |
| 6. *Lung Disease, &c.* | 1 | 1 | 1 | 3 | 2 | 1 | 2 | 4 | 1 | 4 | 2·0 | . | . | . | . | . | . | . | . |
| ORDER 4. | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Enteritis, | . | . | . | . | . | 2 | 1 | 1 | . | 1 | ·5 | 1 | . | . | . | . | . | . | . |
| 3. Peritonitis, | . | . | . | 1 | . | 1 | . | . | . | 1 | ·3 | 2 | 1 | . | . | 1 | . | 1 | . |
| 4. Ascites, | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 5. Ulceration of Intestines, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 6. Hernia, | . | . | . | . | . | . | . | . | 2 | 1 | ·3 | 1 | . | . | . | . | . | 1 | . |

DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of Temperature and Deaths in the Week of the 10 years 1866–75. | *Registered* in the Week ending Saturday, July 1st, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Jun 30 1866 | Jun. 29 1867 | Jun. 27 1868 | July 3 1869 | July 2 1870 | July 1 1871 | Jun. 29 1872 | Jun. 28 1873 | July 4 1874 | July 3 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 63·4 | ° 58·8 | ° 60·3 | ° 59·4 | ° 54·5 | ° 56·7 | ° 57·1 | ° 59·4 | ° 60·3 | ° 57·8 | ° 58·6 | Mean Temp. ° 61·8 | | | | | | | |
| III. | 7. Ileus, | . | . | 1 | 1 | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| com. | 8. Intussusception, | . | . | . | . | 1 | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | . | . | . | 1 | 1 | . | . | 2 | . | ·4 | 1 | . | . | . | . | 1 | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | 1 | . | . | 1 | . | . | 1 | . | 2 | ·5 | 1 | . | . | . | . | 1 | . | . |
| | 14. Jaundice, | . | 1 | . | . | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 2 | 3 | 2 | 3 | 5 | 1 | 7 | 3 | . | 2·6 | 2 | . | . | . | . | 1 | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | 1 | . | 1 | . | 1 | 1 | 1 | . | 2 | ·8 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | 3 | 2 | 1 | 1 | 2 | 3 | 1 | 4 | 2 | 1·9 | 3 | . | . | . | 2 | . | 1 | . |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | 1 | . | 1 | . | . | . | 1 | ·3 | 2 | . | . | . | 2 | . | . | . |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | 1 | . | 2 | 1 | . | . | . | . | 2 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | 2 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | 1 | . | . | 3 | . | 1 | . | 1 | . | ·6 | 2 | 2 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | 1 | . | . | . | . | . | 2 | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puerperal Fever), | . | 1 | . | . | . | . | . | 1 | 1 | 2 | ·5 | 3 | . | . | . | 3 | . | . | . |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 7 | 4 | 4 | 5 | 7 | 12 | 11 | 13 | 11 | 10 | 8·4 | 9 | . | . | . | . | . | 4 | 5 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 8 | 7 | 10 | 4 | 3 | 5 | 8 | 4 | 8 | 5 | 6·2 | 7 | 5 | . | . | . | 1 | 1 | . |
| V. | ORDER 1. (ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | 3 | . | . | 2 | . | 1 | . | . | 5 | 1·2 | 4 | . | 1 | 1 | 1 | . | 1 | . |
| | 2. Wounds, | . | . | . | . | 2 | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 1 | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | . | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 4 | 1·4 | 2 | . | 2 | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | 1 | 2 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertained), | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 2 | 3 | . | 3 | 2 | 6 | 1 | 3 | 4 | . | 2·6 | 4 | . | . | . | 2 | 1 | 1 | . |

COMPARATIVE TABLE of BIRTHS and DEATHS Registered in the DUBLIN REGISTRATION DISTRICT during the last TWENTY-SIX WEEKS.

| DUBLIN REGISTRATION DISTRICT. | 1876. | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 8. | Jan. 15. | Jan 22. | Jan. 29. | Feb. 5. | Feb. 12. | Feb. 19. | Feb. 26. | Mar. 4. | Mar. 11. | Mar. 18. | Mar. 25. | April 1. | April 8. | April 15. | April 22. | April 29. | May 6. | May 13. | May 20. | May 27. | June 3. | June 10. | June 17. | June 24. | July 1. |
| BIRTHS, | 183 | 165 | 166 | 182 | 200 | 189 | 208 | 223 | 193 | 163 | 172 | 174 | 212 | 153 | 112 | 196 | 184 | 170 | 183 | 172 | 174 | 170 | 183 | 219 | 160 | 199 |
| DEATHS, | 185 | 197 | 203 | 209 | 163 | 225 | 269 | 222 | 233 | 207 | 174 | 204 | 204 | 210 | 141 | 203 | 174 | 156 | 155 | 151 | 139 | 140 | 154 | 144 | 130 | 143 |
| Deaths under 5 years of age, | 60 | 54 | 59 | 57 | 63 | 75 | 89 | 87 | 87 | 77 | 60 | 96 | 69 | 72 | 50 | 55 | 58 | 46 | 42 | 45 | 42 | 34 | 48 | 34 | 37 | 31 |
| Deaths 5–15, | 10 | 9 | 13 | 13 | 8 | 11 | 16 | 13 | 12 | 15 | 6 | 8 | 9 | 12 | 7 | 14 | 9 | 3 | 9 | 8 | 5 | 10 | 9 | 15 | 12 | 9 |
| Deaths 15–20, | 2 | 6 | 4 | 7 | . | 5 | 6 | 5 | 2 | 2 | 2 | 7 | 9 | 6 | 3 | 5 | 3 | 8 | 4 | 8 | 4 | 6 | 9 | 4 | 4 | 5 |
| Deaths 20–40, | 26 | 37 | 40 | 30 | 20 | 36 | 38 | 43 | 33 | 26 | 28 | 6 | 30 | 26 | 17 | 37 | 39 | 20 | 28 | 31 | 26 | 20 | 26 | 32 | 19 | 37 |
| Deaths 40–60, | 31 | 44 | 39 | 43 | 32 | 39 | 51 | 37 | 41 | 28 | 31 | 1 | 40 | 30 | 29 | 51 | 37 | 35 | 26 | 35 | 26 | 31 | 21 | 28 | 25 | 31 |
| Deaths 60–80, | 42 | 41 | 41 | 46 | 30 | 48 | 62 | 32 | 51 | 49 | 43 | 38 | 43 | 55 | 28 | 34 | 21 | 41 | 37 | 21 | 31 | 35 | 31 | 35 | 28 | 24 |
| Deaths at 80 years of age and upwards, | 11 | 6 | 7 | 13 | 10 | 11 | 7 | 5 | 8 | 10 | 4 | 8 | 4 | 9 | 7 | 7 | 7 | 3 | 9 | 3 | 5 | 3 | 7 | 1 | 5 | 6 |
| Deaths from Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Measles, | 5 | 3 | 4 | 2 | 4 | 7 | 1 | 1 | 1 | . | 1 | 6 | 7 | 11 | 7 | 3 | 6 | 4 | 3 | . | . | . | 1 | . | 3 | 2 |
| ,, Scarlatina, | 5 | 5 | 7 | 7 | 3 | 3 | 7 | 5 | 3 | 8 | 2 | 4 | 5 | 6 | 4 | 6 | 3 | 4 | 5 | . | 2 | 2 | 4 | 2 | 3 | 1 |
| ,, Diphtheria, | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 1 | . | . | 1 | 3 | . | . | . | . | . |
| ,, Whooping Cough, | 3 | 7 | 10 | 8 | 8 | 13 | 13 | 16 | 11 | 9 | 2 | 6 | 6 | 2 | 3 | 5 | 6 | 2 | 1 | 6 | 4 | 3 | 5 | . | . | . |
| ,, Fever, | 8 | 6 | 4 | 6 | 2 | 1 | 5 | 6 | 8 | 5 | 2 | 7 | 4 | 3 | 2 | 3 | 6 | 2 | 8 | 4 | 3 | 5 | 4 | 1 | 5 | 4 |
| ,, Diarrhœa, | 3 | 4 | 1 | 4 | 1 | 2 | 2 | 3 | 1 | 2 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | 3 | 2 | 1 | 2 | 1 | 3 | 7 | . | 2 |
| ,, Phthisis, | 19 | 22 | 29 | 17 | 16 | 24 | 32 | 19 | 22 | 20 | 23 | 20 | 30 | 23 | 16 | 31 | 21 | 16 | 20 | 25 | 21 | 16 | 17 | 16 | 17 | 22 |
| ,, Bronchitis, | 34 | 38 | 43 | 40 | 33 | 53 | 73 | 62 | 49 | 47 | 37 | 50 | 38 | 52 | 20 | 36 | 29 | 14 | 19 | 16 | 15 | 18 | 17 | 16 | 18 | 10 |
| ,, Pneumonia, | 5 | 7 | 7 | 7 | 4 | 3 | 9 | 5 | 7 | 7 | 9 | 10 | 3 | 5 | 7 | 7 | 7 | 5 | 6 | 5 | 4 | 9 | 6 | 5 | 3 | 7 |
| ,, Heart Disease, | 8 | 14 | 4 | 8 | 6 | 8 | 8 | 11 | 12 | 10 | 5 | 5 | 9 | 10 | 8 | 12 | 10 | 6 | 8 | 2 | 3 | 10 | 10 | 10 | 9 | 10 |
| Mean Temperature of the Air | 42·3 | 31·0 | 41·2 | 48·2 | 43·3 | 35·9 | 44·0 | 45·6 | 47·7 | 40·6 | 37·8 | 38·8 | 41·7 | 52·9 | 39·2 | 47·5 | 49·1 | 44·1 | 47·0 | 48·9 | 53·5 | 55·5 | 52·5 | 53·7 | 59·5 | 61·8 |
| Rain-fall in inches, | ·094 | ·043 | ·145 | ·025 | ·105 | ·585 | ·962 | 1·238 | ·610 | ·888 | ·402 | ·260 | ·350 | ·063 | 1·038 | ·620 | ·020 | ·040 | ·000 | ·070 | 1·014 | ·220 | ·723 | ·373 | ·004 | ·041 |
| Humidity of the Air, complete saturation being represented by 1·0. | ·850 | ·868 | ·854 | ·829 | ·862 | ·885 | ·873 | ·899 | ·837 | ·872 | ·843 | ·842 | ·860 | ·827 | ·759 | ·812 | ·835 | ·710 | ·736 | ·759 | ·808 | ·776 | ·711 | ·793 | ·728 | ·743 |

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JULY 8, 1876. [No. 27.

*General Register Office, Charlemont House, Dublin, July 10th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 8th July, 1876, represent an annual mortality of 19 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 17·8 per 1,000. In London the death-rate was 20 in every 1,000 of the estimated population; in Glasgow, 21; and in Edinburgh, 15.

In the Dublin Registration District the births *registered* during the week amounted to 148—81 boys and 67 girls,—and the deaths to 115—67 males and 48 females. The *average* numbers in the corresponding week of the previous ten years were—births, 160, and deaths, 127.

The number of deaths from zymotic diseases *registered* during the week was 14. Of these deaths, but 1 resulted from fever (typhus), 4 were from scarlet fever, 2 from diarrhœa, and 1 from whooping-cough.

Four deaths were caused by convulsions.

Seventeen deaths were attributed to bronchitis, 4 to pneumonia or inflammation of the lungs, and 2 to lung disease unspecified.

Apoplexy was the cause of 1 death, paralysis of 2, epilepsy and brain disease unspecified, each of 1.

Ten deaths were ascribed to heart disease, 3 to aneurism, 1 each to jaundice, liver disease, ischuria, and nephria.

Ten persons died from phthisis or pulmonary consumption, 2 from mesenteric disease, a like number from hydrocephalus and scrofula respectively, and 3 from cancer.

Four deaths resulted from accidents.

Twenty-six of the persons whose deaths were *registered* during the week were under 5 years of age (15 being infants under 1 year old); and 38 were aged 60 and upwards, including 21 persons aged 70 and upwards, of whom 5 were octogenarians, and 1 (a female), was stated to have been aged 91 years.

Two deaths from fever, 3 from diphtheria, and 1 from measles, were *registered* in Belfast.

Two deaths from fever and 1 from measles were *registered* in Cork.

Henceforth, deaths in Public Institutions instead of being included in the numbers for the districts in which the Institutions are situated, will be assigned to the districts from which the deceased shall have been admitted, and the death-rates will be calculated on the number of deaths so distributed. [Tables II. and III.]

The following are the principal features of the District Returns for last week, thus tabulated.

As stated above, the death-rate for the entire Registration District was 17·8 per 1,000; the rate in the city was 19·3 (19·7 on the North side and 18·9 on the South), and in the suburbs 12·8.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the city being 1·3 (1·0 in the North City Districts and 1·5 in the South), and for the suburbs 0·0 per 1,000.

*No.* 1, *North City District* (Summer-hill). The total death-rate in this district was 10·4 per 1,000, being considerably under the average of recent weeks. There were no deaths from any of the seven zymotic diseases.

*No.* 2, *North City District* (Coleraine-street). In this district the death-rate was 22·3; the average for the last ten weeks being 22·5. Two deaths from scarlet fever were registered last week.

*No.* 3, *North City District* (Blackhall-street). The death-rate in this district for last week was as high as 34·9 per 1,000, but none of the deaths were caused by zymotic disease. The average death-rate for the last ten weeks has been 27·7.

*No.* 1, *South City District* (Meath-street). The average rate of mortality in this district for the last ten weeks was 31·2 per 1,000; for the past week, however, it was only 24·3. The deaths registered during the week include 1 from whooping-cough and 1 from typhus fever.

*No.* 2, *South City District* (High-street). The only death from zymotic disease last week was 1 from diarrhœa; the death-rate was 22·0, the average for the last ten weeks being 22·4.

*No.* 3, *South City District* (Peter-street). There were but 14 deaths tabulated for this district during the week, the rate thus afforded being 19·0 per 1,000, against an average of 22·5 for the ten weeks, during which period 7 deaths from scarlet fever have been recorded.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). There have been but 10 deaths returned for each of the last two weeks, the rate represented thereby being only 12·8 per 1,000, which is little over one-half the average rate for ten weeks. There were no deaths from any of the seven zymotic diseases last week.

*Suburban Districts.* The respective death-rates last week were—Rathmines 17·0, Donnybrook 2·3 (only one death having been *registered*), Blackrock 21·7, and Kingstown 16·8; the average rates for the last ten weeks have been, Rathmines 20·2, Donnybrook 20·2, Blackrock 16·6, and Kingstown 15·4 per 1,000. There were no deaths from any of the seven principal zymotic diseases recorded in these districts last week.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·866 inches. The highest daily mean reading (30·048) occurred on Sunday, and the lowest (29·649) on Friday.

The mean temperature during the week was 60·5° (being 0·8° over the average in the corresponding week of the previous ten years); the lowest daily mean (56·8°) occurred on Wednesday, and the highest (63·1°) on Monday.

The temperature was highest on Monday, when the thermometer registered 75·5°, and was lowest on Sunday, the mercury having fallen to 43·0°. The highest reading of the barometer during the week (30·099) occurred on Sunday, at 9.30 P.M., air calm, and the lowest (29·609) on Friday, at 9.30 P.M., air calm. The mean of the Dry Bulb for the week was 62·7°; and of the Wet Bulb 57·5°. The mean humidity of the air was ·737; complete saturation being represented by 1·0. The rain-fall during the week measured ·276 in.

At Greenwich, the mean temperature of the week was 65·5°; at Glasgow, 57·5°; and at Edinburgh, 59·3°. The rain-fall during the week at Greenwich measured ·18 in., and at Glasgow ·67 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, July 2, | 30·048 | 75·2 | 43·0 | 59·1 | 62·4 | 56·2 | ·730 | ·7 | ·000 | W. | N.W. | Calm. |
| Monday, „ 3, | 29·969 | 75·5 | 50·7 | 63·1 | 67·4 | 61·7 | ·746 | ·6 | ·000 | S.W. | S.W. | S.W. |
| Tuesday, „ 4, | 29·967 | 67·6 | 55·2 | 61·4 | 59·1 | 54·7 | ·698 | ·8 | ·012 | N.N.W. | E. | Calm. |
| Wednesday, „ 5, | 29·860 | 69·1 | 44·6 | 56·8 | 60·6 | 54·3 | ·640 | ·6 | ·000 | S.W. | W. | W. |
| Thursday, „ 6, | 29·905 | 72·2 | 51·2 | 61·7 | 61·7 | 56·5 | ·769 | ·8 | ·064 | S.W. | S. | S.E. |
| Friday, „ 7, | 29·649 | 67·4 | 54·9 | 61·2 | 62·6 | 59·1 | ·819 | ·8 | ·210 | Calm. | S.W. | Calm. |
| Saturday, „ 8, | 29·805 | 71·6 | 53·8 | 62·4 | 65·3 | 59·7 | ·754 | ·8 | ·000 | S.W | S.W. | S.W. |
| Mean, . . | 29·866 | 71·2 | 50·4 | 60·5 | 62·7 | 57·5 | ·737 | ·7 | Total, ·276 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, July 2, | A.M. Fine and pleasant. | P.M. Fine. |
| Monday, „ 3, | A.M. Fine and pleasant. | P.M. Spitting rain. |
| Tuesday, „ 4, | A.M. Dull but pleasant. | P.M. Dull; slight mist. |
| Wednesday, „ 5, | A.M. Dull and overcast. | P.M. Fine. |
| Thursday, „ 6, | A.M. Fine and pleasant. | P.M. Overcast and raining. |
| Friday, „ 7, | A.M. Overcast and gloomy. | P.M. Overcast. |
| Saturday, „ 8, | A.M. Fine and pleasant. | P.M. Overcast. |

*.—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. indly furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 8th July, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. R. & W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,94. | 945 | 1,647 | 10,050 | — |
| Population, | 50.084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 10 | 14 | 17 | 14 | 12 | 14 | 10 | 7 | 1 | 3 | 6 | 108 | 7 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | . | 2 | . | . | . | 1 | . | . | . | . | . | 3 | 1 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Fever, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Diarrhœa, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 |
| Other Zymotic Diseases, | 2 | . | . | . | 1 | . | . | 1 | . | . | . | 4 | 2 |
| **Total,** | 2 | 2 | . | 2 | 2 | 1 | . | 1 | . | . | . | 10 | 4 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | . | 2 | 4 | 1 | . | 1 | . | . | . | . | . | 8 | 2 |
| Other Constitutional Diseases | 1 | . | . | 1 | 1 | . | 4 | 1 | . | 1 | 1 | 10 | . |
| **Total,** | 1 | 2 | 4 | 2 | 1 | 1 | 4 | 1 | . | 1 | 1 | 18 | 2 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | 1 | 2 | 1 | 1 | 3 | . | 1 | . | . | . | 10 | . |
| Diseases of the Heart and Circulatory Organs, | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | . | . | 3 | 13 | |
| Diseases of the Respiratory Organs, | 4 | 3 | 5 | 1 | 2 | 3 | 3 | . | . | 2 | . | 23 | . |
| Diseases of the Digestive Organs, | . | . | 1 | 1 | . | . | . | . | . | . | . | 2 | |
| Diseases of the Urinary Organs, | . | . | . | 1 | . | . | . | . | . | . | 1 | 2 | |
| Diseases of the Organs of Generation, | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| **Total,** | 7 | 7 | 9 | 5 | 4 | 8 | 5 | 2 | . | 2 | 4 | 53 | . |
| DEVELOPMENTAL DISEASES, | . | 2 | 3 | 5 | 3 | 3 | 1 | 2 | . | . | 1 | 20 | 1 |
| VIOLENT DEATHS, | . | . | 1 | . | 1 | 1 | . | 1 | . | . | . | 4 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 3 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week, | 10·4 | 22·3 | 34·9 | 24·3 | 22·0 | 19·0 | 12·8 | 17·0 | 2·3 | 21·7 | 16·8 | | — |
| | 19·7 | | | 18·9 | | | | 12·8 | | | | 17·8 | |
| | 19·3 | | | | | | | | | | | | |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals Prisons, and Lunatic Asylums, | 1 | 1 | 4 | 2 | 2 | 1 | 7 | . | . | 1 | . | 19 | 7 |
| Workhouse Hospitals, | 2 | 1 | 3 | 6 | 3 | . | . | . | . | . | . | 15 | . |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRAR'S DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **North City, No. 1.** (*Office, Summer-hill.*) | May 6, | 24·9 | 1·0 | 21 | . | 1 | . | . | . | . | . | 1 | 3 | 5 | 2 |
| | „ 13, | 18·7 | 4·2 | 18 | . | . | 1 | . | 1 | 2 | . | 1 | 2 | 1 | . |
| | „ 20, | 19·7 | 2·1 | 19 | . | . | . | . | 1 | 1 | . | 1 | 4 | 5 | . |
| | „ 27, | 14·5 | 2·1 | 14 | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | . |
| | June 3, | 23·9 | 2·1 | 23 | . | . | . | . | 1 | . | 1 | 4 | 4 | 5 | . |
| | „ 10, | 28·0 | 2·1 | 27 | . | . | 1 | . | . | 1 | . | . | 4 | 4 | 1 |
| | „ 17, | 17·7 | 2·1 | 17 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 3 |
| | „ 24, | 11·4 | 1·0 | 11 | . | . | 1 | . | . | . | . | . | 2 | 1 | . |
| | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 2 |
| | „ 8, | 10·4 | . | 10 | . | . | . | . | . | . | . | . | . | 4 | . |
| | Average, | 19·4 | 1·9 | 18·7 | . | 0·1 | 0·4 | 0·1 | 0·3 | 0·5 | 0·4 | 1·0 | 2·8 | 2·9 | 0·8 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | May 6, | 27·1 | 3·2 | 17 | . | 1 | . | . | . | . | 1 | 1 | 1 | 6 | . |
| | „ 13, | 19·1 | 1·6 | 12 | . | . | . | . | . | 1 | . | . | 2 | 4 | . |
| | „ 20, | 15·9 | . | 10 | . | . | . | . | . | . | . | 2 | 2 | . | . |
| | „ 27, | 11·3 | . | 7 | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | June 3, | 23·9 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 3 | . |
| | „ 10, | 35·1 | 1·6 | 22 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 1 |
| | „ 17, | 20·7 | . | 13 | . | . | . | . | . | . | . | 1 | . | 2 | 1 |
| | „ 24, | 30·3 | 1·6 | 19 | . | . | 1 | . | . | . | . | 1 | 1 | 6 | . |
| | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | Average, | 22·5 | 1·1 | 14·1 | . | 0·1 | 0·3 | . | 0·1 | 0·1 | 0·1 | 0·7 | 1·8 | 3·0 | 0·4 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | May 6, | 30·[illegible] | 2·1 | 15 | . | . | . | . | 1 | . | . | 3 | . | 5 | . |
| | „ 13, | 28·7 | 4·1 | 14 | . | . | 1 | . | . | 1 | . | 1 | 3 | 3 | . |
| | „ 20, | 32·8 | 6·2 | 16 | . | . | . | . | 3 | . | . | 1 | 1 | 3 | . |
| | „ 27, | 28·7 | . | 14 | . | . | . | . | . | . | . | 3 | 3 | 4 | . |
| | June 3, | 43·1 | 6·2 | 21 | . | . | . | . | 1 | 2 | . | 1 | 3 | 2 | 1 |
| | „ 10, | 8·2 | 2·1 | 4 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 26·7 | 2·1 | 13 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | . |
| | „ 24, | 18·5 | 2·1 | 9 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 5 | 1 |
| | Average, | 27·7 | 2·7 | 13·5 | . | . | 0·2 | . | 0·5 | 0·5 | 0·1 | 1·2 | 1·9 | 2·9 | 0·2 |
| **South City, No. 1.** (*Office, Meath-street.*) | May 6, | 38·1 | 6·9 | 22 | . | 2 | . | . | . | 1 | 1 | 1 | 2 | 5 | . |
| | „ 13, | 36·4 | 1·7 | 21 | . | 1 | . | . | . | . | . | . | 2 | 4 | . |
| | „ 20, | 36·4 | 1·7 | 21 | . | . | . | . | . | . | 1 | 1 | 5 | 3 | . |
| | „ 27, | 39·9 | 3·5 | 23 | . | . | . | . | 2 | . | . | 3 | 2 | 2 | . |
| | June 3, | 26·0 | 1·7 | 15 | . | . | . | . | . | 1 | . | . | . | 5 | . |
| | „ 10, | 38·1 | 3·5 | 22 | . | . | 1 | . | . | . | 1 | 1 | 5 | 9 | . |
| | „ 17, | 29·5 | 3·5 | 17 | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 |
| | „ 24, | 20·8 | 3·5 | 12 | . | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . |
| | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | Average, | 31·2 | 2·9 | 18·0 | . | 0·4 | 0·1 | . | 0·3 | 0·5 | 0·4 | 0·9 | 2·4 | 3·5 | 0·3 |
| **South City, No. 2.** (*Office, High-street.*) | May 6, | 27·5 | 1·8 | 15 | . | . | . | . | . | . | 1 | 2 | 1 | 6 | 2 |
| | „ 13, | 29·4 | 1·8 | 16 | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 |
| | „ 20, | 18·4 | 1·8 | 10 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | „ 27, | 29·4 | . | 16 | . | . | . | . | . | . | . | 1 | 4 | 3 | . |
| | June 3, | 14·7 | . | 8 | . | . | . | . | . | . | . | . | . | 4 | 1 |
| | „ 10, | 14·7 | 1·8 | 8 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 17, | 11·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ 24, | 34·9 | 1·8 | 19 | . | 1 | . | . | . | . | . | 4 | 3 | 6 | 1 |
| | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | Average, | 22·4 | 1·3 | 12·2 | . | 0·1 | 0·1 | . | . | 0·2 | 0·3 | 1·0 | 1·1 | 3·0 | 0·8 |
| **South City, No. 3.** (*Office, Peter-street.*) | May 6, | 35·3 | 4·1 | 26 | . | . | 2 | . | 1 | . | . | 2 | 6 | 2 | . |
| | „ 13, | 17·6 | 5·4 | 13 | . | . | 1 | . | . | 3 | . | 2 | 2 | . | . |
| | „ 20, | 23·1 | . | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 27, | 24·4 | 1·4 | 18 | . | . | 1 | . | . | . | . | 2 | 3 | 2 | . |
| | June 3, | 16·3 | 2·7 | 12 | . | . | 1 | . | 1 | . | . | . | 2 | 3 | . |
| | „ 10, | 27·1 | 4·1 | 20 | . | . | 1 | . | 2 | . | . | 1 | 2 | . | 2 |
| | „ 17, | 24·4 | 1·4 | 18 | . | . | . | . | . | . | 1 | 2 | . | 5 | 1 |
| | „ 24, | 16·3 | 2·7 | 12 | . | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 2 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | Average, | 23·5 | 2·5 | 16·6 | . | . | 0·7 | . | 0·4 | 0·6 | 0·1 | 1·3 | 2·0 | 2·4 | 0·7 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | May 6, | 16·6 | 1·3 | 13 | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 |
| | „ 13, | 30·7 | 1·3 | 24 | . | 1 | . | . | . | . | . | . | 3 | 5 | 1 |
| | „ 20, | 35·8 | 2·6 | 28 | . | . | . | . | 1 | 1 | . | 5 | 3 | 7 | . |
| | „ 27, | 28·1 | 3·8 | 22 | . | . | . | . | 2 | 1 | . | . | 3 | 4 | 1 |
| | June 3, | 26·9 | 1·3 | 21 | . | . | 1 | . | . | . | . | 2 | 2 | 2 | . |
| | „ 10, | 19·2 | 2·6 | 15 | . | . | . | . | 2 | . | . | 3 | . | 2 | . |
| | „ 17, | 30·7 | 2·6 | 24 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | 6 |
| | „ 24, | 25·6 | 2·6 | 20 | . | . | 1 | . | . | 1 | . | 4 | 3 | 2 | 2 |
| | July 1, | 12·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 3 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | . |
| | Average, | 23·9 | 2·1 | 18·7 | . | 0·3 | 0·3 | . | 0·5 | 0·4 | 0·1 | 1·4 | 2·1 | 3·3 | 1·2 |
| **Rathmines.** | May 6, | 21·9 | 2·4 | 9 | . | . | 1 | . | . | . | . | 2 | 1 | 4 | . |
| | „ 13, | 26·8 | 2·4 | 11 | . | . | 1 | . | . | . | . | . | 1 | 3 | . |
| | „ 20, | 19·5 | 4·9 | 8 | . | . | . | 1 | 1 | . | . | . | 2 | 1 | . |
| | „ 27, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 2 | . | 1 |
| | June 3, | 24·3 | . | 10 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 10, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 17, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 24, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Average, | 20·2 | 1·0 | 8·3 | . | . | 0·2 | 0·1 | 0·1 | . | . | 0·4 | 1·2 | 1·7 | ·2 |
| **Donnybrook.** | May 6, | 11·7 | . | 5 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 13, | 25·8 | 2·3 | 11 | . | 1 | . | . | . | . | . | 1 | 2 | . | . |
| | „ 20, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | 1 | . |
| | „ 27, | 25·8 | 7·0 | 11 | . | . | . | 1 | . | 2 | . | . | 1 | 3 | . |
| | June 3, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 18·7 | 4·7 | 8 | . | 1 | . | . | . | 1 | . | 1 | . | 2 | . |
| | „ 17, | 37·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 24, | 21·3 | 2·3 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | . |
| | July 1, | 35·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 20·2 | 1·9 | 8·6 | . | 0·3 | . | 0·1 | . | 0·4 | . | 0·4 | 0·9 | 1·3 | 0·1 |
| **Blackrock.** | May 6, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 13, | 21·7 | 7·2 | 3 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | „ 20, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 27, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | June 3, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 10, | 21·7 | 7·2 | 3 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | „ 17, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | Average, | 16·6 | 2·2 | 2·3 | . | . | . | . | . | 0·2 | 0·1 | . | 0·2 | 0·6 | . |
| **Kingstown.** | May 6, | 14·0 | 2·8 | 5 | . | . | 1 | . | . | . | . | 2 | . | 2 | . |
| | „ 13, | 22·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 20, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 27, | 11·2 | 5·6 | 4 | . | . | 1 | 1 | . | . | . | . | . | . | . |
| | June 3, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 22·5 | 2·8 | 8 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 24, | 8·1 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 15·4 | 1·1 | 5·5 | . | . | 0·2 | 0·1 | . | 0·1 | . | 0·2 | 0·2 | 1·1 | . |
| **Total, Dublin Registration District.** | May 6, | 25·1 | 2·5 | 152 | . | 4 | 4 | . | 2 | 2 | 3 | 14 | 16 | 40 | 5 |
| | „ 13, | 25·0 | 2·8 | 151 | . | 3 | 4 | . | 1 | 8 | 1 | 5 | 19 | 26 | 2 |
| | „ 20, | 23·6 | 2·0 | 143 | . | . | . | 1 | 6 | 4 | 1 | 11 | 21 | 27 | 1 |
| | „ 27, | 22·5 | 2·1 | 136 | . | . | 2 | 3 | 4 | 3 | 1 | 11 | 21 | 22 | 2 |
| | June 3, | 22·5 | 1·7 | 136 | . | . | 2 | . | 3 | 4 | 1 | 6 | 15 | 29 | 2 |
| | „ 10, | 24·0 | 2·6 | 145 | . | 1 | 4 | . | 5 | 4 | 2 | 7 | 15 | 25 | 4 |
| | „ 17, | 22·6 | 1·3 | 137 | . | . | 2 | . | . | 1 | 5 | 7 | 15 | 22 | 17 |
| | „ 24, | 21·0 | 1·8 | 127 | . | 3 | 3 | . | . | 5 | . | 11 | 16 | 24 | 3 |
| | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 2 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | Average, | 22·5 | 1·9 | 136·5 | . | 1·3 | 2·5 | 0·4 | 2·2 | 3·5 | 1·6 | 8·5 | 16·6 | 25·7 | 4·7 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the TWENTY-SEVENTH WEEK, ending Saturday, 8th July, 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, July 7 1866 | July 6 1867 | July 4 1868 | July 10 1869 | July 9 1870 | July 8 1871 | July 6 1872 | July 5 1873 | July 11 1874 | July 10 1875 | Average in 5th Week of the 10 years 1866-75. | Week ending Saturday, July 8th, 1876. Deaths of Persons of the Ages: ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 54·9 | ° 55·9 | ° 62·9 | ° 62·5 | ° 60·7 | ° 58·6 | ° 61·1 | ° 59·9 | ° 60·5 | ° 59·7 | ° 59·7 | ° 60·5 | | | | | | | |
| | **ALL CAUSES,** | 123 | 156 | 102 | 101 | 114 | 126 | 153 | 132 | 154 | 106 | 126·7 | 115 | 26 | 5 | 3 | 20 | 23 | 31 | 6 |
| | **SPECIFIED CAUSES,** | 123 | 154 | 102 | 100 | 112 | 122 | 150 | 129 | 152 | 103 | 124·7 | 112 | 25 | 5 | 3 | 20 | 22 | 31 | 6 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 21 | 36 | 14 | 21 | 27 | 25 | 41 | 14 | 32 | 17 | 24·8 | 14 | 7 | 3 | . | 2 | 1 | 1 | . |
| II. | CONSTITUTIONAL ,, | 23 | 41 | 25 | 30 | 32 | 34 | 39 | 37 | 33 | 29 | 32·3 | 20 | 2 | 1 | 2 | 10 | 4 | 1 | . |
| III. | LOCAL ,, | 51 | 60 | 41 | 35 | 38 | 45 | 52 | 61 | 68 | 48 | 49·9 | 53 | 11 | . | 1 | 6 | 14 | 19 | 1 |
| IV. | DEVELOPMENTAL ,, | 18 | 16 | 18 | 12 | 14 | 16 | 15 | 12 | 15 | 6 | 14·2 | 21 | 5 | . | . | 1 | 2 | 9 | 4 |
| V. | VIOLENT DEATHS, | 10 | 1 | 4 | 2 | 1 | 2 | 3 | 5 | 4 | 3 | 3·5 | 4 | . | 1 | . | 1 | 1 | 1 | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 3 | 20 | . | . | . | 2·3 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 15 | . | 5 | 2 | . | 6 | . | 1 | 1 | 3·0 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 2 | 2 | 5 | 5 | 1 | 6 | . | 21 | 2 | 4·5 | 4 | 3 | 1 | . | . | . | . | . |
| | 4. Diphtheria, | . | . | 2 | . | . | 1 | 2 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 6. Croup, | 3 | 3 | . | 1 | 1 | 1 | . | 2 | 1 | 3 | 1·5 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 3 | 3 | 1 | 1 | 1 | 3 | . | 3 | . | . | 1·5 | 1 | 1 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 2 | 3 | 2 | . | . | 2 | . | ·9 | 1 | . | 1 | . | . | . | . | . |
| | — Enteric or Typhoid Fever, | 9 | 5 | 7 | 1 | 4 | 5 | . | 3 | 1 | . | 3·5 | . | . | . | . | . | . | . | . |
| | — Simple continued Fever, | | | | . | 3 | 3 | 1 | 1 | 1 | 2 | 1·1 | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 1 | . | . | 1 | . | . | 2 | . | 1 | 2 | ·7 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 1 | 1 | . | . | 2 | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 1 | 2 | 2 | 2 | 3 | 1 | 1 | 1 | 2 | 4 | 1·9 | 2 | 1 | . | . | 1 | . | . | . |
| | 15. Simple Cholera, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | 1 | 1 | . | 1 | . | . | . | ·3 | 1 | . | 1 | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | . | . | 1 | 1 | . | 1 | 1 | . | ·4 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | 1 | . | . | 2 | . | . | . | ·3 | 1 | 1 | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 2 | . | 1 | . | 1 | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | . | . | 2 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | 1 | 1 | . | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 1 | 1 | 1 | 1 | 3 | 1 | 3 | 1 | 5 | 3 | 2·0 | 1 | . | . | . | . | 1 | . | . |
| | 3. Cancer, | 7 | 2 | 3 | 1 | 5 | 4 | 7 | 5 | 3 | 3 | 4·0 | 3 | . | . | . | . | 2 | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | 1 | . | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 3 | 2 | 4 | 1 | 3 | . | 2 | 1 | 1 | 1·9 | 2 | . | . | 1 | 1 | . | . | . |
| | 2. Tabes Mesenterica, | 1 | 6 | 4 | 4 | 2 | 1 | 4 | 5 | 6 | . | 3·3 | 2 | 1 | 1 | . | . | . | . | . |
| | 3. Phthisis, | 11 | 22 | 14 | 17 | 15 | 20 | 21 | 22 | 16 | 21 | 17·9 | 10 | . | . | . | 9 | 1 | . | . |
| | 4. Hydrocephalus, | 1 | 7 | 1 | 2 | 6 | 3 | 4 | 2 | 2 | . | 2·8 | 2 | 1 | . | 1 | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 3 | 2 | 4 | 2 | 1 | 1 | 1 | . | 1 | 1 | 1·6 | 1 | 1 | . | . | . | . | . | . |
| | 2. Apoplexy, | 2 | 2 | 2 | . | 2 | 2 | 4 | 1 | 5 | 1 | 2·1 | 1 | . | . | . | . | 1 | . | . |
| | 3. Paralysis, | 4 | 2 | 3 | 1 | 2 | 3 | 5 | 3 | 6 | 4 | 3·3 | 2 | . | . | . | . | 1 | 1 | . |
| | 4. Insanity, | 1 | . | . | 2 | . | . | . | 1 | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 4 | . | . | 1 | . | 1 | 4 | . | 1 | 1·1 | 1 | . | . | . | . | . | 1 | . |
| | 7. Convulsions, | 7 | 16 | 10 | 9 | 6 | 8 | 8 | 7 | 8 | 7 | 8·6 | 4 | 4 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | 4 | . | . | 1 | 1 | 7 | 2 | 2 | 2 | 2·1 | 1 | . | . | . | . | . | 1 | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 3 | . | . | . | 1 | 2 | . | . |
| | 3. *Heart Disease, &c.* | 7 | 4 | 4 | 8 | 7 | 4 | 1 | 9 | 9 | 7 | 6·3 | 10 | . | . | . | 2 | 2 | 5 | 1 |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 13 | 19 | 5 | 7 | 5 | 9 | 13 | 15 | 21 | 11 | 11·8 | 17 | 5 | . | . | . | 5 | 7 | . |
| | 3. Pleurisy, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 6 | 5 | 3 | 3 | . | 5 | 1 | 6 | 4 | 3 | 3·6 | 4 | . | . | . | 2 | 1 | 1 | . |
| | 5. Asthma, | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | . | 2 | . | 2 | 3 | 1 | 2 | 3 | . | 1·4 | 2 | 1 | . | . | . | . | 1 | . |

RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, July 7 1866 | July 6 1867 | July 4 1868 | July 10 1869 | July 9 1870 | July 8 1871 | July 6 1872 | July 5 1873 | July 11 1874 | July 10 1875 | Average in 27th Week of the 10 years 1866-75. | Week ending Saturday, July 8th, 1876. Deaths of Persons of the Ages: ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 54·9 | 55·9 | 62·9 | 62·5 | 60·7 | 58·6 | 61·1 | 59·9 | 60·5 | 59·7 | 58·7 | 60·5 | | | | | | | |
| III. con. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | . | . | . | . | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | 1 | . | . | 1 | . | . | . | 2 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Ileus, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | . | 2 | 2 | 1 | 2 | . | . | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | 1 | . | . | . | . |
| | 15. *Liver Disease, &c.* | . | . | 1 | 1 | 5 | 2 | 2 | 3 | 5 | 4 | 2·3 | 1 | . | . | . | . | 1 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Isonuria, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 3. Bright's Disease (Nephria), | . | . | 1 | . | 1 | . | . | 2 | . | 1 | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | . | . | 1 | . | . | 4 | 1 | 2 | . | . | ·8 | . | . | . | . | . | . | . | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 6.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | 1 | . | . | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 1 | . | 2 | 1 | 1 | . | . | . | . | ·5 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | 1 | . | . | . | 1 | . | . | 1 | . | ·3 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 7 | 12 | 8 | 6 | 9 | 6 | 8 | 7 | 8 | 5 | 7·6 | 11 | . | . | . | . | . | 7 | 4 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 10 | 2 | 9 | 4 | 4 | 8 | 6 | 5 | 5 | 1 | 5·4 | 8 | 4 | . | . | . | 2 | 2 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 1·5 | 2 | . | . | . | . | 1 | 1 | . |
| | 2. Wounds, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| | 3. Burns and Scalds, | 7 | . | 1 | . | . | 1 | . | . | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 2 | . | . | 1 | . | . | 1 | . | 1 | . | ·5 | 1 | . | 1 | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, Cut, Stab, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertd.), | . | . | . | . | . | 1 | 2 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | . | 2 | . | 1 | 2 | 3 | 1 | 3 | 2 | 8 | 1·7 | 3 | 1 | . | . | . | 1 | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 8th July, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 8TH JULY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 19 | 148 | 115 | 15 | 38 | . | . | 4 | . | 1 | 1 | 2 | 3 | 5 | 41 |
| BELFAST,* . . | 20,687 | 182,082 | 17 | 119 | 59 | 8 | 8 | . | . | 1 | . | 3 | . | 2 | . | 4 | . |
| CORK, . . . | 13,816 | 91,565 | 18 | 47 | 32 | 4 | 10 | . | 1 | . | . | . | 2 | . | . | 2 | 15 |
| LIMERICK, . . | 8,509 | 44,309 | 14 | 33 | 12 | . | 5 | . | . | . | . | . | 2 | . | . | . | 6 |
| LONDONDERRY,† . | 5,061 | 23,401 | 30 | 11 | 13 | 2 | 3 | . | . | . | . | . | . | 1 | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 15 | 13 | 9 | 1 | 2 | . | . | . | . | . | . | . | 1 | 1 | . |
| GALWAY, . . | 21,358 | 19,692 | 26 | 7 | 10 | 1 | 3 | . | . | . | . | . | . | . | . | . | 5 |
| SLIGO, . . . . | 30,835 | 17,285 | 9 | 8 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 8th July, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 26 | 12 | 10 | 1 | 2 | . | . | 1 | . | 1 | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 12 | 14 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 39,311 | 17 | 23 | 13 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | 6 |
| | ,, ,, 4, *W.* | 19,320 | 35 | 11 | 13 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 5, | 19,616 | 13 | 4 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 8 | 22 | 6 | 1 | 2 | . | . | . | . | 1 | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 6 | 11 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 23 | 22 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 5 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 23 | 7 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 15 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 4, | 6,227 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 9 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 6, | 15,230 | 14 | 4 | 4 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 7, | 7,586 | 7 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 15 |
| | ,, ,, 8, *W.* | 18,364 | 42 | 10 | 15 | 1 | 7 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 9, | 4,790 | 11 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 46 | 6 | 8 | . | 4 | . | . | . | . | . | 2 | . | . | . | 6 |
| | ,, ,, 3, | 11,424 | 5 | 11 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 10 | 10 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 5 | 3 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 2, | 13,569 | 38 | 6 | 10 | 1 | 3 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot,† *W.* | 8,485 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 15 | 13 | 9 | 1 | 2 | . | . | . | . | . | . | . | 1 | 1 | . |
| GALWAY, | Galway, No. 1, | 10,700 | 19 | 4 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 35 | 3 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | 5 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 16 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 5 | 5 | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† There is not any Registrar in Glendermot District at present.
The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JULY 15, 1876. [No. 28.

*General Register Office, Charlemont House, Dublin, July 17th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 15th July, 1876, represent an annual mortality of 17·4 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 16·2 per 1,000. In London the death-rate was 22 in every 1,000 of the estimated population; in Glasgow, 17; and in Edinburgh, 15.

In the Dublin Registration District the births *registered* during the week amounted to 155—91 boys and 64 girls,—and the deaths to 105—54 males and 51 females. The *average* numbers in the corresponding week of the previous ten years were—births, 158, and deaths, 117.

The deaths from zymotic diseases *registered* during the week amounted to 17. Of these deaths 4 were caused by fever (3 typhus, and 1 typhoid or enteric), 4 by scarlet fever, 4 by diarrhœa, 1 each by croup and whooping-cough, &c.

The average number of deaths from zymotic diseases for the corresponding week of the previous ten years was 25·2.

Ten children died from convulsions.

Thirteen deaths were referred to bronchitis, 2 to pneumonia, and 1 to pleurisy.

Five deaths were caused by heart disease, 1 by aneurism; 3 by apoplexy, 2 by paralysis, 1 by epilepsy, 2 by brain disease unspecified; 1 by liver disease; 2 by nephria or Bright's disease, and 4 by kidney disease unspecified.

Eleven persons died from phthisis or pulmonary consumption, 2 each from mesenteric disease, hydrocephalus, or water on the brain, and cancer.

Three accidental deaths, and 1 case of infanticide were registered.

Thirty-three of the persons whose deaths were *registered* during the week were under 5 years of age (20 being infants under 1 year old); and 24 were aged 60 and upwards, including 13 persons aged 70 and upwards, of whom 4 were octogenarians.

Deaths in Public Institutions instead of being included in the numbers for the districts in which the Institutions are situated, are now assigned to the districts from which the deceased were admitted, and the District death-rates are calculated on the mortality so corrected. [Tables II. and III.]

The following are the principal features of the Returns for last week, thus tabulated.

As stated above, the death-rate for the entire Registration District was 16·2 per 1,000; the rate in the city was 16·3 (14·0 on the North side and 18·2 on the South), and in the suburbs 15·8.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the city being 1·9 (2·9 in the North City Districts and 1·1 in the South), and for the suburbs 1·5 per 1,000.

*No.* 1, *North City District* (Summer-hill). The total death-rate in this district was 13·5 per 1,000, being considerably under the average of recent weeks. The deaths include 1 each from fever, scarlatina, and diarrhœa, the rate represented by these 3 deaths being 3·1 per 1,000.

*No.* 2, *North City District* (Coleraine-street). In this district the death-rate was only 11·2 per 1,000; the average for the last ten weeks being 20·9. The only death from any of the seven principal zymotic diseases registered last week was 1 from enteric fever.

*No.* 3, *North City District* (Blackhall-street). The death-rate in this district last week was only 18·5 per 1,000, against 34·9 in the preceding week, and an average of 26·5 for the ten weeks. One death from scarlatina, and 1 from diarrhœa were registered.

*No.* 1, *South City District* (Meath-street). There was no death from any of the seven zymotic diseases, and the death-rate was only 19·1, against an average of 29·3 for the ten weeks.

*No.* 2, *South City District* (High-street). One death each from typhus, scarlatina, and whooping-cough, represent an annual zymotic rate of 5·5 per 1,000, but the total death-rate was only 18·4. The average zymotic rate in this district for the last ten weeks was 1·6 per 1000.

*No.* 3, *South City District* (Peter-street). Eighteen deaths, representing a rate of 24·4 per 1,000, being somewhat over the average of recent weeks. There were 5 deaths from diseases of the respiratory organs, but none from zymotic diseases.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). No deaths from zymotic disease. The total deaths (9) only afford a rate of 11·5 per 1,000, which is less than one-half the average for the ten weeks. The deaths include 4 from bronchitis, and 2 from phthisis or pulmonary consumption.

*Suburban Districts.* The death-rates were—Rathmines 17·0, against an average of 19·7 for the ten weeks, Donnybrook 14·0 against 20·4, Blackrock 14·4 against 17·3, and Kingstown 16·8 against an average of 15·7. The only deaths from any of the seven zymotic diseases (1 each from scarlatina and diarrhœa) were in Rathmines, in which district, however, there were no deaths from any of those diseases registered in the preceding seven weeks.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·272 inches. The highest daily mean reading (30·423) occurred on Friday, and the lowest (29·898) on Sunday.

The mean temperature during the week was 60·9° (being 0·2° over the average in the corresponding week of the previous ten years); the lowest daily mean (53·7°) occurred on Tuesday, and the highest (67·1°) on Wednesday.

The temperature was highest on Saturday, when the thermometer registered 81·4°, and was lowest on Tuesday, the mercury having fallen to 39·4°. The highest reading of the barometer during the week (30·441) occurred on Saturday, at 9.30 A.M., wind, S.E., and the lowest (29·811) on Sunday, at 9.30 A.M., wind, SW. The mean of the Dry Bulb for the week was 64·5°; and of the Wet Bulb 57·3°. The mean humidity of the air was ·678; complete saturation being represented by 1·0. The rain-fall during the week measured ·004 in.

At Greenwich, the mean temperature of the week was 65·5°; and at Glasgow, 57·7°. The rain-fall during the week at Glasgow measured ·43 in. There was not any rain at Greenwich.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, July 9, | 29·898 | 68·9 | 47·7 | 58·3 | 61·1 | 54·8 | ·700 | ·7 | ·000 | S.W. | S.W. | S. |
| Monday, ,, 10, | 30·051 | 63·2 | 48·7 | 55·9 | 56·8 | 51·3 | ·694 | ·6 | ·004 | S.W. | W. | W. |
| Tuesday, ,, 11, | 30·366 | 68·0 | 39·4 | 53·7 | 57·3 | 52·2 | ·741 | ·6 | ·000 | W. | N.W. | Calm. |
| Wednesday, ,, 12, | 30·396 | 79·9 | 54·3 | 67·1 | 68·2 | 60·9 | ·692 | ·6 | ·000 | S. | S.W. | Calm. |
| Thursday, ,, 13, | 30·368 | 78·8 | 50·6 | 64·7 | 70·4 | 61·3 | ·620 | ·3 | ·000 | Calm | Calm | W. |
| Friday, ,, 14, | 30·423 | 79·8 | 45·4 | 62·6 | 68·4 | 60·8 | ·679 | ·2 | ·000 | S. | S.E. | Calm. |
| Saturday, ,, 15, | 30·404 | 81·4 | 47·1 | 64·2 | 69·2 | 59·6 | ·620 | ·1 | ·000 | S.E. | S.E. | Calm. |
| Mean, . . | 30·272 | 74·3 | 47·6 | 60·9 | 64·5 | 57·3 | ·678 | ·4 | Total, ·004 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, July 9, | A.M. Fine and pleasant. | P.M. Dull and overcast. |
| Monday, ,, 10, | A.M. Spitting rain. | P.M. Dull and overcast. |
| Tuesday, ,, 11, | A.M. Fine and pleasant. | P.M. Overcast. |
| Wednesday, ,, 12, | A.M. Fine and pleasant. | P.M. Fine with slight haze. |
| Thursday, ,, 13, | A.M. Warm and pleasant with slight haze. | P.M. Fine and pleasant. |
| Friday, ,, 14, | A.M. Close and sultry. | P.M. Fine with slight haze. |
| Saturday, ,, 15, | A.M. Fine and pleasant. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 15th July, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 13 | 7 | 9 | 11 | 10 | 18 | 9 | 7 | 6 | 2 | 6 | 98 | 7 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | 1 | . | 1 | . | 1 | . | . | 1 | . | . | . | 4 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Fever, | 1 | 1 | . | . | 1 | . | . | . | . | . | . | 3 | 1 |
| Diarrhœa, | 1 | . | 1 | . | . | . | . | 1 | . | . | . | 3 | 1 |
| Other Zymotic Diseases, | . | 2 | . | . | . | . | . | . | . | 1 | . | 3 | 1 |
| Total, | 3 | 3 | 2 | . | 3 | . | . | 3 | . | 1 | . | 14 | 3 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 2 | 1 | . | 2 | 1 | 2 | 1 | 1 | . | . | 11 | . |
| Other Constitutional Diseases | 1 | . | 1 | 1 | 2 | . | 1 | . | . | . | . | 6 | . |
| Total, | 2 | 2 | 2 | 1 | 4 | 1 | 3 | 1 | 1 | . | . | 17 | . |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | . | 3 | 5 | 1 | 3 | 1 | 1 | . | . | . | 17 | 1 |
| Diseases of the Heart and Circulatory Organs, | . | . | 1 | 1 | . | 1 | . | . | 1 | 1 | . | 5 | 1 |
| Diseases of the Respiratory Organs, | 2 | 1 | 1 | . | . | 5 | 4 | . | 2 | . | 1 | 16 | . |
| Diseases of the Digestive Organs, | 2 | 1 | . | . | . | . | . | 1 | 1 | . | . | 5 | . |
| Diseases of the Urinary Organs, | 1 | . | . | 1 | . | 2 | . | . | . | . | . | 4 | 2 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | 1 | . | . | . | . | . | 1 | 2 | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 8 | 2 | 5 | 7 | 2 | 11 | 5 | 2 | 4 | 1 | 2 | 49 | 4 |
| DEVELOPMENTAL DISEASES, | . | . | . | 1 | 1 | 5 | | . | 1 | . | 2 | 10 | . |
| VIOLENT DEATHS, | . | . | . | . | . | 1 | 1 | 2 | . | . | . | 4 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 2 | . | . | . | . | . | . | 2 | 4 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 13·5 | 11·2 | 18·5 | 19·1 | 18·4 | 24·4 | 11·5 | 17·0 | 14·0 | 14·4 | 16·8 | | — |
| | 14·0 | | | 18·2 | | | | | | | | | |
| | 16·3 | | | | | | | 15·8 | | | | 16·2 | |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals Prisons, and Lunatic Asylums, | 1 | . | 1 | . | 2 | 2 | . | 1 | . | 1 | . | 8 | 6 |
| Workhouse Hospitals, | . | 1 | 2 | 4 | 1 | 3 | . | . | . | . | . | 11 | 1 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 23, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 52, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **North City, No. 1.** (*Office, Summer-hill.*) | May 13, | 18·7 | 4·2 | 18 | . | . | 1 | . | 1 | 2 | . | 1 | 2 | 1 | . |
| | „ 20, | 19·7 | 2·1 | 19 | . | . | . | . | 1 | 1 | . | 1 | 4 | 5 | . |
| | „ 27, | 14·5 | 2·1 | 14 | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | . |
| | June 3, | 23·9 | 2·1 | 23 | . | . | . | . | 1 | . | 1 | 4 | 4 | 5 | . |
| | „ 10, | 28·0 | 2·1 | 27 | . | . | 1 | . | . | 1 | . | . | 4 | 4 | 1 |
| | „ 17, | 17·7 | 2·1 | 17 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 |
| | „ 24, | 11·4 | 1·0 | 11 | . | . | 1 | . | . | . | . | . | 2 | 1 | . |
| | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| | „ 8, | 10·4 | . | 10 | . | . | . | . | . | . | . | . | . | 4 | . |
| | „ 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | Average, | 18·3 | 2·1 | 17·6 | . | . | 0·5 | 0·1 | 0·3 | 0·6 | 0·5 | 1·1 | 2·6 | 2·6 | 0·6 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | May 13, | 19·1 | 1·6 | 12 | . | . | . | . | . | 1 | . | . | 2 | 4 | . |
| | „ 20, | 15·9 | . | 10 | . | . | . | . | . | . | . | 2 | 2 | . | . |
| | „ 27, | 11·2 | . | 7 | . | . | . | . | . | . | . | . | 2 | 3 | . |
| | June 3, | 23·9 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 3 | . |
| | „ 10, | 35·1 | 1·6 | 22 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 1 |
| | „ 17, | 20·7 | . | 13 | . | . | . | . | . | . | . | 1 | . | 2 | 1 |
| | „ 24, | 30·3 | 1·6 | 19 | . | . | 1 | . | . | . | . | 1 | 1 | 6 | . |
| | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | Average, | 20·9 | 1·0 | 13·1 | . | . | 0·3 | . | 0·1 | 0·2 | . | 0·6 | 1·9 | 2·5 | 0·4 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | May 13, | 28·7 | 4·1 | 14 | . | . | 1 | . | . | 1 | . | 1 | 3 | 3 | . |
| | „ 20, | 32·8 | 6·2 | 16 | . | . | . | . | 3 | . | . | 1 | 1 | 3 | . |
| | „ 27, | 28·7 | . | 14 | . | . | . | . | . | . | . | 3 | 3 | 4 | . |
| | June 3, | 43·1 | 6·2 | 21 | . | . | . | . | 1 | 2 | . | 1 | 3 | 2 | 1 |
| | „ 10, | 8·2 | 2·1 | 4 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 26·7 | 2·1 | 13 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | . |
| | „ 24, | 18·5 | 2·1 | 9 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 5 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | Average, | 26·5 | 2·9 | 12·9 | . | . | 0·3 | . | 0·4 | 0·5 | 0·2 | 1·2 | 2·0 | 2·5 | 0·2 |
| **South City, No. 1.** (*Office, Meath-street.*) | May 13, | 36·4 | 1·7 | 21 | . | 1 | . | . | . | . | . | . | 2 | 4 | . |
| | „ 20, | 36·4 | 1·7 | 21 | . | . | . | . | . | . | 1 | 1 | 5 | 3 | . |
| | „ 27, | 39·9 | 3·5 | 23 | . | . | . | . | 2 | . | . | 3 | 2 | 2 | . |
| | June 3, | 26·0 | 1·7 | 15 | . | . | . | . | . | 1 | . | . | . | 5 | . |
| | „ 10, | 38·1 | 3·5 | 22 | . | . | 1 | . | . | . | 1 | 1 | 5 | 9 | . |
| | „ 17, | 29·5 | 3·5 | 17 | . | . | . | . | . | 1 | 1 | 1 | 3 | 2 | 2 |
| | „ 24, | 20·8 | 3·5 | 12 | . | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . |
| | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | Average, | 29·3 | 2·3 | 16·9 | . | 0·2 | 0·1 | . | 0·3 | 0·4 | 0·3 | 1·0 | 2·2 | 3·0 | 0·3 |
| **South City, No. 2.** (*Office, High-street.*) | May 13, | 29·4 | 1·8 | 16 | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 |
| | „ 20, | 18·4 | 1·8 | 10 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | „ 27, | 29·4 | . | 16 | . | . | . | . | . | . | . | 1 | 4 | 3 | . |
| | June 3, | 14·7 | . | 8 | . | . | . | . | . | . | . | . | . | 4 | 1 |
| | „ 10, | 14·7 | 1·8 | 8 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 17, | 11·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 24, | 34·9 | 1·8 | 19 | . | 1 | . | . | . | . | . | 4 | 3 | 6 | 1 |
| | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | . |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | . | . |
| | Average, | 21·5 | 1·6 | 11·7 | . | 0·1 | 0·2 | . | 0·1 | 0·3 | 0·2 | 0·9 | 1·2 | 2·4 | 0·6 |
| **South City, No. 3.** (*Office, Peter-street.*) | May 13, | 17·6 | 5·4 | 13 | . | . | 1 | . | . | 3 | . | 2 | 2 | . | . |
| | „ 20, | 23·1 | . | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 27, | 24·4 | 1·4 | 18 | . | . | 1 | . | . | . | . | 2 | 3 | 2 | . |
| | June 3, | 16·3 | 2·7 | 12 | . | . | 1 | . | 1 | . | . | . | 2 | 3 | . |
| | „ 10, | 27·1 | 4·1 | 20 | . | . | 1 | . | 2 | . | . | 1 | 2 | . | 1 |
| | „ 17, | 24·4 | 1·4 | 18 | . | . | . | . | . | . | 1 | 2 | . | 5 | . |
| | „ 24, | 16·3 | 2·7 | 12 | . | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 1 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | Average, | 21·4 | 2·1 | 15·8 | . | . | 0·5 | . | 0·3 | 0·6 | 0·1 | 1·3 | 1·5 | 2·7 | 0·3 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | May 13, | 30·7 | 1·3 | 24 | . | 1 | . | . | . | . | . | . | 3 | 5 | 1 |
| | „ 20, | 35·8 | 2·6 | 28 | . | . | . | . | 1 | 1 | . | 5 | 3 | 7 | . |
| | „ 27, | 28·1 | 3·8 | 22 | . | . | . | . | 2 | 1 | . | . | 3 | 4 | 1 |
| | June 3, | 26·9 | 1·3 | 21 | . | . | 1 | . | . | . | . | 2 | 2 | 3 | . |
| | „ 10, | 19·2 | 2·6 | 15 | . | . | . | . | 2 | . | . | 3 | . | 3 | . |
| | „ 17, | 30·7 | 2·6 | 24 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | 6 |
| | „ 24, | 25·6 | 2·6 | 20 | . | . | 1 | . | . | 1 | . | 4 | 3 | 2 | 2 |
| | July 1, | 12·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 3 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | Average, | 23·4 | 1·9 | 18·3 | . | 0·3 | 0·3 | . | 0·5 | 0·3 | 0·1 | 1·4 | 2·2 | 3·5 | 1·2 |
| **Rathmines.** | May 13, | 26·8 | 2·4 | 11 | . | . | 1 | . | . | . | . | . | 1 | 3 | . |
| | „ 20, | 19·5 | 4·9 | 8 | . | . | . | 1 | 1 | . | . | . | 2 | 1 | . |
| | „ 27, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 2 | . | 1 |
| | June 3, | 24·3 | . | 10 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 10, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 17, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 24, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | Average, | 19·7 | 1·2 | 8·1 | . | . | 0·2 | 0·1 | 0·1 | . | 0·1 | 0·2 | 1·2 | 1·3 | 0·4 |
| **Donnybrook.** | May 13, | 25·8 | 2·3 | 11 | . | 1 | . | . | . | . | . | 1 | 2 | . | . |
| | „ 20, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | 1 | . |
| | „ 27, | 25·8 | 7·0 | 11 | . | . | . | 1 | . | 2 | . | . | 1 | 3 | . |
| | June 3, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 18·7 | 4·7 | 8 | . | 1 | . | . | . | 1 | . | 1 | . | 2 | . |
| | „ 17, | 37·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 24, | 21·3 | 2·3 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | . |
| | July 1, | 35·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Average, | 20·4 | 1·9 | 8·7 | . | 0·3 | . | 0·1 | . | 0·4 | . | 0·4 | 0.9 | 1·3 | 0·1 |
| **Blackrock.** | May 13, | 21·7 | 7·2 | 3 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | „ 20, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 27, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | June 3, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 10, | 21·7 | 7·2 | 3 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | „ 17, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 17·3 | 2·2 | 2·4 | . | . | . | . | . | 0·2 | 0·1 | . | 0·2 | 0·5 | . |
| **Kingstown.** | May 13, | 32·5 | . | 3 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 20, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 27, | 11·2 | 5·6 | 4 | . | . | 1 | 1 | . | . | . | . | . | . | . |
| | June 3, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 22·5 | 2·8 | 8 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 24, | 8·1 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | Average, | 15·7 | 0·8 | 5·6 | . | . | 0·1 | 0·1 | . | 0·1 | . | 0·0 | 0·2 | 1·0 | . |
| **Total, Dublin Registration District.** | May 13, | 25·0 | 2·8 | 151 | . | 3 | 4 | . | 1 | 3 | 1 | 5 | 19 | 26 | 2 |
| | „ 20, | 23·6 | 2·0 | 143 | . | . | . | 1 | 6 | 4 | 1 | 11 | 21 | 27 | 1 |
| | „ 27, | 22·5 | 2·1 | 136 | . | . | 2 | 3 | 4 | 3 | 1 | 11 | 21 | 22 | 3 |
| | June 3, | 22·5 | 1·7 | 136 | . | . | 2 | . | 3 | 4 | 1 | 8 | 15 | 29 | 2 |
| | „ 10, | 24·0 | 2·6 | 145 | . | 1 | 4 | . | 5 | 4 | 2 | 7 | 15 | 25 | 4 |
| | „ 17, | 22·6 | 1·3 | 137 | . | . | 2 | . | . | 1 | 5 | 7 | 15 | 22 | 17 |
| | „ 24, | 21·0 | 1·8 | 127 | . | 3 | 3 | . | . | 5 | . | 11 | 16 | 24 | 3 |
| | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | Average, | 21·7 | 1·8 | 131·1 | . | 0·9 | 2·5 | 0·4 | 2·1 | 3·6 | 1·6 | 8·1 | 16·1 | 23·3 | 4·6 |

ABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the TWENTY-EIGHTH WEEK, ending Saturday, 15th July, 1876; also the Deaths from each Disease

| Age. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, July 14 1866 | July 13 1867 | July 11 1868 | July 17 1869 | July 16 1870 | July 15 1871 | July 13 1872 | July 12 1873 | July 18 1874 | July 17 1875 | Average of the 10 years 1866-75. | Week ending Saturday, July 15th, 1876. Deaths of Persons of the Age: ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20 | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 63·7 | ° 62·9 | ° 61·9 | ° 64·8 | ° 59·0 | ° 59·9 | ° 58·1 | ° 58·1 | ° 63·4 | ° 55·3 | ° 60·7 | ° 60·9 | | | | | | | |
| | **ALL CAUSES,** | 93 | 124 | 101 | 103 | 105 | 103 | 140 | 158 | 124 | 115 | 116·6 | 105 | 33 | 3 | 3 | 21 | 21 | 20 | 4 |
| | **SPECIFIED CAUSES,** | 93 | 124 | 101 | 100 | 104 | 99 | 138 | 154 | 123 | 113 | 114·9 | 101 | 31 | 3 | 3 | 20 | 21 | 19 | 4 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 17 | 38 | 15 | 21 | 15 | 12 | 62 | 30 | 27 | 15 | 25·2 | 17 | 7 | 1 | . | 5 | 3 | 1 | . |
| II. | CONSTITUTIONAL „ | 25 | 22 | 27 | 28 | 23 | 27 | 28 | 35 | 28 | 23 | 26·6 | 17 | 4 | . | 1 | 7 | 2 | 3 | . |
| II. | LOCAL „ | 41 | 47 | 40 | 41 | 52 | 34 | 35 | 68 | 40 | 58 | 45·6 | 53 | 17 | 1 | 1 | 6 | 15 | 10 | 3 |
| V. | DEVELOPMENTAL „ | 10 | 12 | 16 | 8 | 10 | 21 | 10 | 20 | 22 | 13 | 14·2 | 10 | 2 | 1 | . | . | 1 | 5 | 1 |
| V. | VIOLENT DEATHS, | . | 5 | 3 | 2 | 4 | 5 | 3 | 1 | 6 | 4 | 3·3 | 4 | 1 | . | 1 | 2 | . | . | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 1 | 35 | . | . | . | 3·6 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 20 | . | 6 | 1 | . | 8 | 1 | 1 | 1 | 3·8 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | . | 4 | 4 | 5 | 6 | 2 | 2 | 2 | 15 | 2 | 4·2 | 4 | 3 | . | . | . | 1 | . | . |
| | 4. Diphtheria, | 1 | 1 | . | . | . | . | 1 | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | 1 | . | . | 2 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | 1 | 1 | 2 | 1 | 2 | 1 | 3 | 2 | 4 | 1·7 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | . | 2 | 1 | . | 2 | . | . | 7 | . | . | 1·2 | 1 | 1 | . | . | . | . | . | . |
| | 8. Typhus, | | | | | 1 | 2 | . | 2 | 2 | . | | 3 | . | 1 | . | 2 | . | . | . |
| | — Enteric or Typhoid Fever, | 9 | 2 | 4 | 1 | 2 | 2 | 5 | 4 | 2 | 2 | 4·4 | 1 | 1 | . | . | . | . | . | . |
| | — Simple continued Fever. | | | | | | | 4 | | | | | | | | | | | | |
| | 9. Erysipelas, | . | 1 | . | . | . | . | 1 | . | . | 3 | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 10. Puerperal Fever (Metria), | . | . | . | 1 | . | 2 | 1 | 4 | 1 | . | ·9 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 3 | 2 | 1 | 3 | . | . | 1 | 2 | 2 | 1 | 1·5 | 4 | 1 | . | . | 1 | 1 | 1 | . |
| | 15. Simple Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | 1 | . | . | . | 1 | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . | ·5 | 2 | . | . | . | 1 | 1 | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 2. | 1 | . | . | . | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | 1 | . | . | . | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | 1 | . | . | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 2 | 2 | 1 | 2 | 3 | 1 | 2 | 2 | 1 | . | 1·6 | . | . | . | . | . | . | . | . |
| | 3. Cancer, | 2. | 1. | 1 | 2 | 2 | 3 | 1 | 4 | 1 | 1 | 1·8 | 2 | . | . | . | . | . | 2 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification. | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER .—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 1 | 1 | . | . | 1 | 2 | 1 | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 2 | 1 | . | 3 | 1 | 2 | . | 2 | 3 | 2 | 1·6 | 2 | 2 | . | . | . | . | . | . |
| | 3. Phthisis, | 15 | 16 | 22 | 19 | 15 | 19 | 21 | 24 | 20 | 16 | 18·7 | 11 | . | . | 1 | 7 | 2 | 1 | . |
| | 4. Hydrocephalus, | 2 | . | 2 | 2 | 2 | . | 1 | 1 | 3 | 4 | 1·7 | 2 | 2 | . | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 4 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 1·9 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 5 | 4 | . | 2 | . | 2 | 2 | . | . | 4 | 1·9 | 3 | . | . | 1 | . | . | . | . |
| | 3. Paralysis, | 1 | 1 | 6 | 2 | . | . | 2 | 3 | 4 | 3 | 2·5 | 2 | . | . | . | . | . | 2 | . |
| | 4. Insanity, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | . | 1 | 1 | . | . | . | 1 | . | 1 | ·4 | 1 | . | . | . | . | 1 | . | . |
| | 7. Convulsions, | 2 | 12 | 6 | 4 | 6 | 8 | 6 | 11 | 7 | 14 | 7·6 | 10 | 10 | . | . | . | . | . | . |
| | 8. *Brain Disease*, &c. | 4 | . | . | 2 | 3 | 2 | . | 2 | 2 | 2 | 1·7 | 2 | . | . | . | 1 | 1 | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 2 | 3 | . | . | . | 2 | 1 | . | . | . | ·8 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Heart Disease*, &c. | 5 | 6 | 6 | 6 | 12 | 4 | 4 | 9 | 6 | 2 | 6·0 | 5 | . | . | . | . | 3 | 2 | . |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 6 | 11 | 7 | 8 | 18 | 1 | 7 | 18 | 11 | 12 | 9·9 | 13 | 5 | 1 | . | 1 | 3 | 3 | . |
| | 3. Pleurisy, | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 4. Pneumonia, | 1 | . | 4 | 3 | . | 4 | 2 | 6 | 3 | 8 | 3·1 | 2 | 1 | . | . | 1 | . | . | . |
| | 5. Asthma, | . | 1 | . | . | . | 1 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease*, &c. | 2 | 1 | . | . | 1 | 2 | . | 1 | 1 | 4 | 1·2 | . | . | . | . | . | . | . | . |

RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, July 14 1866 | July 13 1867 | July 11 1868 | July 17 1869 | July 16 1870 | July 15 1871 | July 13 1872 | July 12 1873 | July 18 1874 | July 17 1875 | Average in 28th Week of the 10 years 1866-75. | Week ending Saturday, July 15th, 1876. Deaths of Persons of the Ages — ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60 | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 63·7 | 62·9 | 61·9 | 64·8 | 59·0 | 59·9 | 58·1 | 58·1 | 63·4 | 55·3 | 60·7 | 60·9 | | | | | | | |
| III. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| con. | 1. Gastritis, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | . | . | 2 | 1 | . | . | 1 | . | 1 | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 3. Peritonitis, | . | 1 | 2 | 1 | 1 | . | . | 1 | . | . | ·6 | 2 | . | . | . | 1 | . | 1 | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | 1 | 1 | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | . | 3 | 1 | . | 1 | 2 | . | . | . | ·7 | 1 | . | . | . | 1 | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | 1 | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 5 | 1 | 2 | 3 | 2 | . | 1 | 6 | . | 5 | 2·5 | 1 | . | . | . | . | 1 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | 1 | 1 | . | 1 | . | 2 | . | . | ·5 | 2 | . | . | . | 1 | 1 | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | 1·2 | 4 | . | . | . | . | 2 | 1 | 1 |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 2 | . | . | . | 1 | 1 | 1 | 2 | 2 | . | ·9 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . | ·7 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | . | . | . | 1 | 2 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 5 | 9 | 1 | 7 | 3 | 12 | 5 | 12 | 7 | 8 | 7·2 | 5 | . | . | . | . | . | 4 | 1 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 3 | 1 | 12 | . | 5 | 5 | 4 | 4 | 11 | 5 | 5·0 | 4 | 1 | 1 | . | . | 1 | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | 1 | 3 | 1 | 1 | 2 | 1 | . | 3 | . | 1·2 | 2 | . | . | . | 2 | . | . | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 1 | . | . | 2 | 1 | 1 | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | ·6 | 1 | . | . | 1 | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | . | . | . | . | . | 1 | 1 | . | 1 | . | ·3 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | . | . | . | 3 | 1 | 4 | 2 | 4 | 1 | 2 | 1·7 | 4 | 2 | . | . | 1 | . | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 15th July, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 15TH JULY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 Inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 17 | 155 | 105 | 20 | 24 | . | . | 4 | . | 1 | 4 | 4 | 4 | 3 | 26 |
| BELFAST,* . . | 20,687 | 182,082 | 17 | 107 | 61 | 11 | 11 | . | . | . | . | 1 | 1 | 4 | . | . | 14 |
| CORK, . . . | 13,816 | 91,566 | 11 | 40 | 20 | 4 | 3 | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 |
| LIMERICK, . . | 8,509 | 44,209 | 25 | 31 | 21 | 6 | 4 | . | . | . | . | . | 1 | 3 | . | 1 | 9 |
| LONDONDERRY,† . | 5,061 | 22,401 | 26 | 23 | 11 | 3 | 2 | . | 2 | . | . | 1 | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 8 | 18 | 5 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| GALWAY, . . | 21,356 | 19,692 | 5 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 20,835 | 17,285 | 9 | 7 | 3 | . | 2 | . | . | . | . | . | . | . | . | 1 | . |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 15th July, 1876.

| REGISTRARS' DISTRICTS. | | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, | No. 1, | 19,679 | 13 | 12 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 17,938 | 3 | 11 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 3, | 39,311 | 8 | 19 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 4, *W.* | 19,320 | 62 | 5 | 23 | 2 | 9 | . | . | . | . | 1 | 1 | 3 | . | . | 14 |
| | ,, | ,, 5, | 19,616 | 16 | 17 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 6, | 36,652 | 20 | 20 | 14 | 6 | 1 | . | . | . | . | . | . | 2 | . | . | . |
| | ,, | ,, 9, | 5,296 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 10, | 8,115 | 19 | 6 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh | ,, 1, | 16,155 | 10 | 14 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, | No. 1, | 10,156 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 11,555 | 9 | 3 | 2 | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | ,, | ,, 3, | 6,818 | 31 | 5 | 4 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, | ,, 4, | 6,227 | 42 | 1 | 5 | 2 | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, | ,, 5, | 11,289 | 5 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 6, | 15,230 | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 7, | 7,586 | 14 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 8, *W.* | 18,364 | 6 | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 9, | 4,790 | 43 | 5 | 4 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 |
| LIMERICK, | Limerick, | No. 1, | 7,918 | 33 | 6 | 5 | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, | ,, 2, *W.* | 8,992 | 58 | 7 | 10 | 3 | 2 | . | . | . | . | . | 1 | 2 | . | . | 9 |
| | ,, | ,, 3, | 11,424 | 5 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 4, | 15,875 | 16 | 10 | 5 | 2 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| LONDONDERRY, | Londonderry, | No. 1, | 8,832 | 59 | 16 | 10 | 3 | 2 | . | 2 | . | . | 1 | . | . | . | . | . |
| | ,, | ,, 2, | 13,569 | 4 | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot,† | *W.* | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, | *W.* | 30,626 | 8 | 18 | 5 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| GALWAY, | Galway, | No. 1, | 10,700 | 10 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, *W.* | 8,992 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | Sligo, | No. 1, *W.* | 6,456 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 10,829 | 14 | 6 | 3 | . | 2 | . | . | . | . | . | . | . | . | 1 | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† There is not any Registrar in Glendermot District at present.
The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# QUARTERLY SUMMARY

OF THE

## WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN),**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] QUARTER ENDING SATURDAY, JULY 1, 1876. [No. 26A.

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, July 5th*, 1876.

**Births.**—In the Dublin Registration District (with an area of 10,050 statute acres, having a population* of 314,666), the number of births *registered* during the quarter ended on Saturday, 1st July, 1876, amounted to 2,272—1,213 boys and 1,059 girls—being equal to an annual ratio of 1 in 35, or 29 in every 1,000 of the population.*

The number of births *registered* in that portion of the City situated north of the river Liffey was 835, or 31 in every 1,000 of the population;* and in that part of the City which is on the south side of the river the number was 1,043, or 30 per 1,000. In the suburbs of Rathmines, Donnybrook, Blackrock, and Kingstown, the number of births *registered* amounted to 394, or only 23 in every 1,000 of the population.*

There were *registered* in London during the same period 31,469 births—being equal to an annual birth-rate of 36 in every 1,000 of the estimated population; in Glasgow there were *registered* 5,505, being equal to 40 per 1,000; and in Edinburgh 1,796,—a number affording an annual birth-rate of 33 in every 1,000 of the estimated population.

**Deaths.**—The number of deaths *registered* in the Dublin Registration District during the quarter amounted to 2,040—1,072 males and 968 females—affording an annual ratio of 1 in 39, or 26 in every 1,000 of the population.* The average number in the second quarter of the previous ten years was 1,996.

The number of deaths *registered* last quarter in that portion of the City north of the Liffey was 757, or 28 in every 1,000 of the population;* and the number in that portion south of the river was 938, affording an annual mortality of 27 in every 1,000 of the population.* In the suburbs of Rathmines, Donnybrook, Blackrock, and Kingstown, the number of deaths *registered* was 345, being equal to an annual death-rate of 20 in every 1,000 of the population.*

* According to the Census of 1871

The deaths *registered* in Belfast during the quarter represent an annual ratio of 26 in every 1,000 of the population;* in Cork the ratio represented by the number of deaths *registered* was 28 per 1,000; in Limerick it was 28 in every 1,000; in Waterford 28 per 1,000; in Galway 24 per 1,000; and in Sligo 24 in every 1,000 of the population.*

The number of deaths *registered* in London during the same period was 18,218—a number equal to an annual mortality of 21 in every 1,000 of the inhabitants; in Glasgow the number was 3,584, equal to 26 in every 1,000; and in Edinburgh 1,164, affording an annual death-rate of 22 in every 1,000 of the estimated population.

*Public Institutions.*—Of the 2,040 deaths *registered* in the Dublin District during the quarter, 328 occurred in the various hospitals, prisons, and lunatic asylums; 119 in the North Dublin Union Workhouse, and 206 in the South Dublin Union Workhouse; making a total for public institutions of 653, or 32 per cent. of the total deaths.

**Diseases.**—*Dublin Registration District.*—The deaths from zymotic diseases *registered* during the quarter numbered 300, or 14·7 per cent. of all the deaths, and equal to an annual rate of 3·8 per 1,000 of the population.* In the corresponding quarter of the year 1875 zymotic diseases proved fatal in 251 instances. The deaths from the seven principal diseases of this class represent a rate of 2·6 per 1,000 of the inhabitants.*

Forty-two deaths from scarlet fever were *registered*. A like number were *registered* in the corresponding quarter of last year.

Fever caused 50 deaths, viz.,—16 typhus; 27 typhoid; and 7 simple continued fever. Measles, 40; diphtheria, 7; croup, 18; whooping-cough, 37; erysipelas, 12; influenza, 4; dysentery, 4; diarrhœa, 30; simple cholera, 5.

One hundred and thirty-four deaths were ascribed to convulsions.

Bronchitis proved fatal in 299 instances, or 14·7 per cent. of all the deaths, and 46 more than in the corresponding quarter of last year; pneumonia in 76, pleurisy in 4, asthma in 7, laryngitis or inflammation of the wind-pipe in 1, and lung disease unspecified in 37.

To apoplexy 28 deaths were referred, 41 to paralysis, 14 to inflammation of the brain, 2 to insanity, 1 to chorea, or St. Vitus's dance, 8 to epilepsy, 40 to brain disease unspecified; 108 to heart disease, 7 to aneurism, 2 to pericarditis or inflammation of the heart's covering; 7 to nephria or Bright's disease, 3 to nephritis or inflammation of the kidneys, 1 to diabetes, 16 to kidney disease unspecified; 3 to hepatitis or inflammation of the liver, 4 to jaundice, and 26 to liver disease unspecified.

Phthisis or pulmonary consumption was the cause of 261 deaths, mesenteric disease of 44, scrofula of 13, hydrocephalus or water on the brain of 45, cancer of 33, and gout of 3.

The deaths from violent causes amounted to 62—of these 52 were accidental, 1 homicidal, 7 suicidal, and 2 were not classed.

*Provincial Towns.*—In Belfast there were *registered* during the quarter 3 deaths from measles, and 9 from scarlet fever (against 114 and 88 respectively in the corre-

* According to the Census of 1871.

sponding quarter of last year), 20 from fever, 35 from whooping-cough, 3 from diphtheria, and 26 from diarrhœa.

In Cork 21 deaths from fever, 20 from diarrhœa, 10 from whooping-cough, 3 from measles, and 1 from scarlet fever were *registered*.

Twelve deaths from fever, 6 from diarrhœa, 4 from whooping-cough, and 3 from scarlet fever were *registered* in Limerick.

TABLE showing for SEVEN LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Quarter ending Saturday 1st July, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Quarter, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871. | QUARTER ENDING SATURDAY, 1st JULY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . . | 10,050 | 314,666 | 26 | 2,272 | 2,040 | 313 | 494 | . | 40 | 42 | 7 | 37 | 50 | 30 | 62 | 59 | 653 |
| BELFAST, . . . | 20,687 | 182,082 | 26 | 1,879 | 1,162 | 209 | 169 | . | 3 | 9 | 3 | 35 | 20 | 26 | 20 | 25 | 163 |
| CORK, . . . | 13,816 | 91,965 | 28 | 709 | 635 | 80 | 189 | . | 3 | 1 | . | 10 | 21 | 20 | 10 | 19 | 225 |
| LIMERICK, . . | 8,509 | 44,209 | 28 | 329 | 306 | 40 | 84 | . | . | 3 | . | 4 | 12 | 6 | 2 | 14 | 124 |
| WATERFORD, . . | 17,209 | 30,626 | 28 | 260 | 211 | 35 | 70 | . | . | . | . | . | 7 | 1 | 5 | 16 | 69 |
| GALWAY, . . | 21,358 | 19,692 | 24 | 145 | 120 | 15 | 70 | . | . | . | . | . | . | 1 | . | 1 | 31 |
| SLIGO, . . . | 30,835 | 17,285 | 24 | 107 | 102 | 13 | 38 | . | . | . | . | . | 2 | 1 | 4 | 7 | 33 |

**Ages.**—Of the 2,040 persons whose deaths were *registered* in the Dublin District during the quarter, 594 were under 5 years of age, this number being equal to an annual mortality of 71·3 in every 1,000 children living at that age;*—117 were between the ages of 5 and 15, representing an annual death-rate of 8·2 per 1,000 persons of that age-period;—69, or 8·9 per 1,000 of persons aged 15 and under 20, the total number under 20 years being equal to an annual mortality of 25·6 per 1,000 of the population at that age;—358, or 13·3 per 1,000 persons, were between 20 and 40;—408, or 26·6 per 1,000, between 40 and 60;—422, or 75·2 per 1,000, between 60 and 80; and 72, or 188·7 per 1,000, were aged 80 and upwards, including 9 persons (1 male and 8 females) stated to have been nonagenarians.

**Weather.**—The mean of the mean weekly temperature for the quarter, as returned from the Ordnance Survey Office, Phœnix Park, was 51·2°; at Greenwich it was 51·9°; and at Glasgow 50·7°.

The rainfall at Dublin during the thirteen weeks measured 5·326 inches, at Greenwich 3·48 inches, and at Glasgow 7·16 inches.

* According to the Census of 1871.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88 Abbey-street
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[117.—300.—4/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JULY 22, 1876. [No. 29.

*General Register Office, Charlemont House, Dublin, July 24th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 22nd July, 1876, represent an annual mortality of 19·7 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 19·0 per 1,000. In London the death-rate was 28 in every 1,000 of the estimated population; in Glasgow, 25; and in Edinburgh, 18.

In the Dublin Registration District the births *registered* during the week amounted to 170—92 boys and 78 girls,—and the deaths to 119—55 males and 64 females. The *average* numbers in the corresponding week of the previous ten years were—births, 165, and deaths, 115.

The deaths from zymotic diseases *registered* during the week amounted to 19 (the average number for the corresponding week of the previous ten years was 24·9). Of the deaths from zymotic diseases there were but 2 from fever (enteric), 6 were from scarlet fever, 3 from diphtheria, a like number from diarrhœa, and 1 each from quinsy, measles, and whooping-cough.

Seven children died from convulsions.

Twelve deaths were caused by bronchitis, and 2 by pneumonia or inflammation of the lungs.

Apoplexy proved fatal in 3 instances, paralysis in 5, heart disease in 9, aneurism in 1, nephria or Bright's disease in 1, and liver disease in 3.

Eighteen persons died from phthisis or pulmonary consumption, 4 from hydrocephalus, or water on the brain, 3 from mesenteric disease, 6 from cancer, &c.

Four deaths were accidental, viz.:—2 by drowning, 1 by fractures and contusions, and 1 by scalds.

Thirty of the persons whose deaths were *registered* during the week were under 5 years of age (11 being infants under 1 year old); and 32 were aged 60 and upwards, including 18 persons aged 70 and upwards, of whom 5 were octogenarians.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 19·0 per 1,000; the rate in the city was 19·7 (19·7 on the North side and 19·7 on the South), and in the suburbs 16·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the city being 2·3 (2·9 in the North City Districts and 1·9 in the South), and for the suburbs 3·8 per 1,000.

*No. 1, North City District.* The death-rate in this district was 14·5 per 1,000. One death each from diphtheria and whooping-cough yield a zymotic rate of 2·1 per 1,000.

*No. 2, North City District.* In this district, in which the death-rate in the preceding week was only 11·2 per 1,000, the deaths registered last week afford a rate of 22·3, but the only deaths from zymotic diseases were 1 each from measles and diarrhœa.

*No.* 3, *North City District.* The deaths amounted to 13, or 26·7 per 1,000, and include 2 from scarlatina.

*No.* 1, *South City District.* The death-rate in this district was 22·5. The deaths include 1 each from enteric fever and diarrhœa.

*No.* 2, *South City District.* There were no deaths from zymotic diseases in this district, and the total deaths represent a rate of 18·4 per 1,000.

*No.* 3, *South City District.* The rate in this district for the week was only 14·9 per 1,000. One death from scarlatina was registered.

*No.* 4, *South City District.* There were 18 deaths, representing a death-rate of 23·0 per 1,000 registered; they include 1 from scarlet fever, 1 from diarrhœa, and 5 from phthisis or pulmonary consumption.

*Suburban Districts.* The death-rates for the week were, respectively—Rathmines 2·4 per 1,000 (only 1 death), Donnybrook 16·4, Blackrock 28·9, and Kingstown 28·1 per 1,000. Of the 7 deaths in Donnybrook District, 1 occurred from scarlatina, 1 from diphtheria, and 1 from enteric fever; but there were no deaths from zymotics in this district in the preceding three weeks. There was 1 death from diphtheria in Blackrock, and 1 from scarlet fever in Kingstown, these being the only deaths from any of the seven principal zymotic diseases registered in those districts for six weeks.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·235 inches. The highest daily mean reading (30·376) occurred on Monday, and the lowest (30·045) on Saturday.

The mean temperature during the week was 63·6° (being 2·2° over the average in the corresponding week of the previous ten years); the lowest daily mean (58·9°) occurred on Monday, and the highest (67·6°) on Friday.

The temperature was highest on Sunday, when the thermometer registered 92·3°, and was also lowest on that day, the mercury having fallen to 40·8°. The highest reading of the barometer during the week (30·386) occurred on Monday, at 9.30 P.M., air calm, and the lowest (30·017) on Saturday, at 3.30 P.M., wind, N.W. The mean of the Dry Bulb for the week was 67·7°; and of the Wet Bulb 61·3°. The mean humidity of the air was ·729; complete saturation being represented by 1·0. There was no rain during the week.

At Greenwich, the mean temperature of the week was 70·5°; and at Glasgow, 61·8°. The rain-fall during the week at Glasgow measured ·38 in. There was not any rain at Greenwich.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, July 16, | 30·280 | 92·3 | 40·8 | 66·5 | 78·8 | 67·9 | ·649 | ·6 | ·000 | Calm. | S.W. | W. |
| Monday, „ 17, | 30·376 | 75·1 | 42·8 | 58·9 | 61·3 | 56·8 | ·791 | ·4 | ·000 | Calm. | S.E. | Calm. |
| Tuesday, „ 18, | 30·275 | 75·9 | 56·6 | 66·2 | 66·6 | 59·7 | ·702 | ·7 | ·000 | N.W. | N.W. | W. |
| Wednesday, „ 19, | 30·285 | 76·9 | 47·3 | 62·1 | 67·3 | 61·3 | ·729 | ·4 | ·000 | W. | N.W. | N.W. |
| Thursday, „ 20, | 30·266 | 78·2 | 51·5 | 64·8 | 66·8 | 61·4 | ·754 | ·4 | ·000 | S.E. | S.E. | Calm. |
| Friday, „ 21, | 30·119 | 80·1 | 55·2 | 67·6 | 68·9 | 62·9 | ·740 | ·3 | ·000 | Calm. | S.E. | W. |
| Saturday, „ 22, | 30·045 | 75·4 | 42·9 | 59·2 | 64·5 | 59·0 | ·737 | ·7 | ·000 | N.W. | N.W. | N.W. |
| Mean, . . | 30·235 | 79·1 | 48·2 | 63·6 | 67·7 | 61·3 | ·729 | ·5 | Total, ·000 | Prevailing wind, N.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, July 16, | A.M. Close and sultry. | P.M. Overcast. |
| Monday, „ 17, | A.M. Fine and pleasant. | P.M. Dull but pleasant. |
| Tuesday, „ 18, | A.M. Dull but pleasant. | P.M. Dull but fine. |
| Wednesday, „ 19, | A.M. Warm and pleasant. | P.M. Dull but pleasant. |
| Thursday, „ 20, | A.M. Warm and pleasant. | P.M. Overcast. |
| Friday, „ 21, | A.M. Close and sultry. | P.M. Gloomy. |
| Saturday, „ 22, | A.M. Fine and pleasant. | P.M. Fine. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 22nd July, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,665 | — |
| **Deaths from all Causes,** | 14 | 14 | 13 | 13 | 10 | 11 | 18 | 1 | 7 | 4 | 10 | 115 | 4 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| Scarlet Fever (Scarlatina), | . | . | 2 | . | . | 1 | 1 | . | 1 | . | 1 | 6 | . |
| Diphtheria, | 1 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . |
| Whooping Cough, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Fever, | . | . | . | 1 | . | . | . | . | 1 | . | . | 2 | . |
| Diarrhœa, | . | 1 | . | 1 | . | . | 1 | . | . | . | . | 3 | . |
| Other Zymotic Diseases, | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 3 | . |
| Total, | 2 | 2 | 2 | 2 | . | 2 | 2 | 1 | 3 | 1 | 2 | 19 | . |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 6 | 1 | 2 | . | . | 5 | . | 1 | . | . | 17 | 1 |
| Other Constitutional Diseases | 1 | 2 | 1 | 3 | 1 | . | 1 | . | 2 | . | 2 | 13 | 1 |
| Total, | 3 | 8 | 2 | 5 | 1 | . | 6 | . | 3 | . | 2 | 30 | 2 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 2 | 1 | 5 | . | 2 | 4 | 4 | . | . | 1 | 2 | 21 | . |
| Heart and Circulatory Organs, | . | . | 1 | . | 2 | 1 | . | . | 1 | 2 | 2 | 9 | . |
| Respiratory Organs, | 3 | 3 | 1 | 3 | 1 | 2 | 1 | . | . | . | . | 14 | . |
| Digestive Organs, | 2 | . | . | . | . | 1 | 3 | . | . | . | . | 6 | 1 |
| Urinary Organs, | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Organs of Generation, | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 7 | 4 | 7 | 3 | 5 | 8 | 8 | . | 1 | 3 | 6 | 52 | 2 |
| DEVELOPMENTAL DISEASES, | 2 | . | 1 | 2 | 4 | . | 1 | . | . | . | . | 10 | . |
| VIOLENT DEATHS, | . | . | 1 | 1 | . | 1 | 1 | . | . | . | . | 4 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 14·5 | 22·3 | 26·7 | 22·5 | 18·4 | 14·9 | 23·0 | 9·4 | 16·4 | 28·9 | 28·1 | 19·0 | — |
| | 19·7 | | | 19·7 | | | | 16·5 | | | | | |
| | 19·7 | | | | | | | | | | | | |

NUMBERS of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals Prisons, and Lunatic Asylums, | . | 1 | 2 | . | . | 2 | 2 | . | . | . | 1 | 8 | 4 |
| Workhouse Hospitals, | 4 | 4 | 4 | 3 | 4 | 1 | . | 1 | . | . | . | 21 | . |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 23, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **North City, No. 1.** (*Office, Summer-hill.*) | May 20, | 19·7 | 2·1 | 19 | . | . | . | . | 1 | 1 | . | 1 | 4 | 5 | . |
| | „ 27, | 14·5 | 2·1 | 14 | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | . |
| | June 3, | 23·9 | 2·1 | 23 | . | . | . | . | 1 | . | 1 | 4 | 4 | 5 | . |
| | „ 10, | 28·0 | 2·1 | 27 | . | . | 1 | . | . | 1 | . | . | 4 | 4 | 1 |
| | „ 17, | 17·7 | 2·1 | 17 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 3 |
| | „ 24, | 11·4 | 1·0 | 11 | . | . | 1 | . | . | . | . | . | 2 | 1 | . |
| | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| | „ 8, | 10·4 | . | 10 | . | . | . | . | . | . | . | . | . | 4 | . |
| | „ 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 3 | . |
| | Average, | 17·9 | 1·9 | 17·2 | . | . | 0·4 | 0·2 | 0·3 | 0·4 | 0·5 | 1·1 | 2·6 | 2·8 | 0·6 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | May 20, | 15·9 | . | 10 | . | . | . | . | . | . | . | 2 | 2 | . | . |
| | „ 27, | 11·2 | . | 7 | . | . | . | . | . | . | . | . | 2 | 3 | . |
| | June 3, | 23·9 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 3 | . |
| | „ 10, | 35·1 | 1·6 | 22 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 1 |
| | „ 17, | 20·7 | . | 13 | . | . | . | . | . | . | . | 1 | . | 2 | 2 |
| | „ 24, | 30·3 | 1·6 | 19 | . | . | 1 | . | . | . | . | 1 | 1 | 6 | . |
| | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | Average, | 21·2 | 1·1 | 13·3 | . | 0·1 | 0·3 | . | 0·1 | 0·1 | 0·1 | 0·6 | 2·3 | 2·4 | 0·4 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | May 20, | 32·8 | 6·2 | 16 | . | . | . | . | 3 | . | . | 1 | 1 | 3 | . |
| | „ 27, | 28·7 | . | 14 | . | . | . | . | . | . | . | 3 | 3 | 4 | . |
| | June 3, | 43·1 | 6·2 | 21 | . | . | . | . | 1 | 2 | . | 1 | 3 | 2 | 1 |
| | „ 10, | 8·2 | 2·1 | 4 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 26·7 | 2·1 | 13 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | |
| | „ 24, | 18·5 | 2·1 | 9 | . | . | . | . | 1 | . | . | . | 1 | 2 | . |
| | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 5 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | Average, | 26·3 | 2·9 | 12·8 | . | . | 0·4 | . | 0·4 | 0·4 | 0·2 | 1·2 | 1·8 | 2·3 | 0·3 |
| **South City, No. 1.** (*Office, Meath-street.*) | May 20, | 36·4 | 1·7 | 21 | . | . | . | . | . | . | 1 | 1 | 5 | 3 | . |
| | „ 27, | 39·9 | 3·5 | 23 | . | . | . | . | 2 | . | . | 3 | 2 | 2 | . |
| | June 3, | 26·0 | 1·7 | 15 | . | . | . | . | . | 1 | . | . | . | 5 | . |
| | „ 10, | 38·1 | 3·5 | 22 | . | . | 1 | . | . | . | 1 | 1 | 5 | 9 | . |
| | „ 17, | 29·5 | 3·5 | 17 | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 |
| | „ 24, | 20·8 | 3·5 | 12 | . | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . |
| | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | Average, | 27·9 | 2·4 | 16·1 | . | 0·1 | 0·1 | . | 0·3 | 0·5 | 0·4 | 1·0 | 2·2 | 2·9 | 0·4 |
| **South City, No. 2.** (*Office, High-street.*) | May 20, | 18·4 | 1·8 | 10 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | „ 27, | 29·4 | . | 16 | . | . | . | . | . | . | . | 1 | 4 | 3 | . |
| | June 3, | 14·7 | . | 8 | . | . | . | . | . | . | . | . | . | 4 | 1 |
| | „ 10, | 14·7 | 1·8 | 8 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 17, | 11·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ 24, | 34·9 | 1·8 | 19 | . | 1 | . | . | . | . | . | 4 | 3 | 6 | 1 |
| | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | Average, | 20·4 | 1·5 | 11·1 | . | 0·1 | 0·2 | . | 0·1 | 0·3 | 0·1 | 1·0 | 1·1 | 2·2 | 0·5 |
| **South City, No. 3.** (*Office, Peter-street.*) | May 20, | 23·1 | . | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 27, | 24·4 | 1·4 | 18 | . | . | 1 | . | . | . | . | 2 | 3 | 2 | . |
| | June 3, | 16·3 | 2·7 | 12 | . | . | 1 | . | 1 | . | . | . | 2 | 3 | . |
| | „ 10, | 27·1 | 4·1 | 20 | . | . | 1 | . | 2 | . | . | 1 | 2 | . | 2 |
| | „ 17, | 24·4 | 1·4 | 18 | . | . | . | . | . | . | 1 | 2 | . | 5 | 1 |
| | „ 24, | 16·3 | 2·7 | 12 | . | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 2 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 |
| | Average, | 21·2 | 1·7 | 15·6 | . | . | 0·5 | . | 0·3 | 0·3 | 0·1 | 1·2 | 1·3 | 2·9 | 0·9 |

of Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| Registrars' Districts. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Seven Zymotic Diseases. | Total Deaths. | Number of Deaths from Seven principal Zymotic Diseases. Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| South City, No. 4. (*Offices, Denaille-street and Grand Canal-street.*) | May 20, | 35·8 | 2·6 | 28 | . | . | . | . | 1 | 1 | . | 5 | 3 | 7 | . |
| | „ 27, | 28·1 | 3·8 | 22 | . | . | . | . | 2 | 1 | . | . | 3 | 4 | 1 |
| | June 3, | 26·9 | 1·3 | 21 | . | . | 1 | . | . | . | . | 2 | 2 | 3 | . |
| | „ 10, | 19·2 | 2·6 | 15 | . | . | . | . | 2 | . | . | 3 | . | 3 | . |
| | „ 17, | 30·7 | 2·6 | 24 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | 6 |
| | „ 24, | 25·6 | 2·6 | 20 | . | . | 1 | . | . | 1 | . | 4 | 3 | 2 | 2 |
| | July 1, | 12·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 3 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 | 1 |
| | Average, | 22·6 | 2·1 | 17·7 | . | 0·2 | 0·4 | . | 0·5 | 0·3 | 0·2 | 1·7 | 2·4 | 3·1 | 1·2 |
| Rathmines. | May 20, | 19·5 | 4·9 | 8 | . | . | . | 1 | 1 | . | . | . | 2 | 1 | . |
| | „ 27, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 2 | . | 1 |
| | June 3, | 24·3 | . | 10 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 10, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 17, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 24, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 17·3 | 1·0 | 7·1 | . | . | 0·1 | 0·1 | 0·1 | . | 0·1 | 0·2 | 1·1 | 1·0 | 0·4 |
| Donnybrook. | May 20, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | 1 | . |
| | „ 27, | 25·8 | 7·0 | 11 | . | . | . | 1 | . | 2 | . | . | 1 | 3 | . |
| | June 3, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 18·7 | 4·7 | 8 | . | 1 | . | . | . | 1 | . | 1 | . | 2 | . |
| | „ 17, | 37·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 24, | 21·3 | 2·3 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | . |
| | July 1, | 25·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . |
| | Average, | 19·5 | 2·3 | 8·3 | . | 0·2 | 0·1 | 0·2 | . | 0·5 | . | 0·3 | 0·8 | 1·3 | 0·1 |
| Blackrock. | May 20, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 27, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | June 3, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 10, | 21·7 | 7·2 | 3 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | „ 17, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | Average, | 18·1 | 2·2 | 2·5 | . | . | . | 0·1 | . | 0·1 | 0·1 | . | 0·2 | 0·4 | . |
| Kingstown. | May 20, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 27, | 11·2 | 5·6 | 4 | . | . | 1 | 1 | . | . | . | . | . | . | . |
| | June 3, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 22·5 | 2·8 | 8 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 24, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | Average, | 16·3 | 1·1 | 5·8 | . | . | 0·2 | 0·1 | . | 0·1 | . | . | 0·1 | 0·8 | . |
| Total, Dublin Registration District. | May 20, | 23·6 | 2·0 | 143 | . | . | . | 1 | 6 | 4 | 1 | 11 | 21 | 27 | 1 |
| | „ 27, | 22·5 | 2·1 | 136 | . | . | 2 | 3 | 4 | 3 | 1 | 11 | 21 | 22 | 2 |
| | June 3, | 22·5 | 1·7 | 136 | . | . | 2 | . | 2 | 4 | 1 | 6 | 15 | 29 | 2 |
| | „ 10, | 24·0 | 2·6 | 145 | . | 1 | 4 | . | 5 | 4 | 2 | 7 | 15 | 25 | 4 |
| | „ 17, | 22·6 | 1·3 | 137 | . | . | 2 | . | . | 1 | 8 | 7 | 15 | 22 | 17 |
| | „ 24, | 21·0 | 1·8 | 127 | . | 3 | 3 | . | . | 5 | . | 11 | 16 | 24 | 3 |
| | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | Average, | 21·1 | 1·8 | 127·5 | . | 0·7 | 2·7 | 0·7 | 2·1 | 3·0 | 1·8 | 8·3 | 15·9 | 22·1 | 4·8 |

: IV.—Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts registered in the Twenty-ninth Week, ending Saturday, 22nd July, 1876; also the Deaths from each Disease

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 29th Week of the 10 years 1866-75. | Week ending Saturday, July 22nd, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | | |
| | July 21 1866 | July 20 1867 | July 18 1868 | July 24 1869 | July 23 1870 | July 22 1871 | July 20 1872 | July 19 1873 | July 25 1874 | July 24 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | 61·7 | 57·4 | 63·6 | 64·2 | 64·1 | 61·0 | 62·6 | 58·7 | 60·6 | 59·9 | 61·4 | Mean Temp. 63·6 | | | | | | | |
| **ALL CAUSES,** | 103 | 114 | 116 | 99 | 118 | 99 | 130 | 102 | 125 | 144 | 115·0 | 119 | 30 | 6 | 4 | 19 | 28 | 27 | 5 |
| **SPECIFIED CAUSES,** | 103 | 112 | 115 | 99 | 115 | 98 | 125 | 99 | 121 | 142 | 112·9 | 119 | 31 | 6 | 3 | 19 | 28 | 27 | 5 |
| (Classes.) | | | | | | | | | | | | | | | | | | | |
| ZYMOTIC DISEASES, | 15 | 26 | 27 | 23 | 20 | 17 | 42 | 20 | 31 | 28 | 24·9 | 19 | 10 | 3 | . | . | 2 | 4 | . |
| CONSTITUTIONAL „ | 31 | 27 | 38 | 23 | 33 | 35 | 26 | 23 | 22 | 48 | 30·7 | 32 | 8 | 2 | . | 8 | 11 | 3 | . |
| LOCAL „ | 45 | 48 | 37 | 40 | 43 | 41 | 46 | 34 | 48 | 50 | 48·2 | 54 | 8 | . | 3 | 10 | 13 | 18 | 2 |
| DEVELOPMENTAL „ | 10 | 8 | 8 | 11 | 15 | 5 | 9 | 17 | 18 | 14 | 11·5 | 10 | 3 | . | . | 1 | 1 | 2 | 3 |
| VIOLENT DEATHS, | 2 | 3 | 5 | 2 | 4 | . | 2 | 5 | 1 | 2 | 2·6 | 4 | 2 | 1 | . | . | 1 | . | . |
| Order 1.—Miasmatic Diseases. | | | | | | | | | | | | | | | | | | | |
| 1. Small Pox, | . | . | . | . | . | . | 18 | . | . | . | 1·8 | . | . | . | . | . | . | . | . |
| 2. Measles, | . | 8 | . | 3 | 1 | . | 7 | 2 | 3 | 2 | 2·6 | 1 | 1 | . | . | . | . | . | . |
| 3. Scarlet Fever (Scarlatina), | . | 5 | 5 | 5 | 4 | 5 | 3 | 3 | 13 | 8 | 5·1 | 6 | 3 | 1 | . | . | . | . | . |
| 4. Diphtheria, | . | . | 2 | . | . | . | . | . | . | 1 | ·3 | 3 | 2 | 1 | . | . | . | . | . |
| 5. Quinsy, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| 6. Croup, | . | 3 | 2 | 1 | 4 | 2 | 2 | 5 | 2 | 4 | 2·5 | . | . | . | . | . | . | . | . |
| 7. Whooping Cough, | 1 | . | 1 | . | . | . | . | 6 | 1 | 3 | 1·2 | 1 | 1 | . | . | . | . | . | . |
| 8. Typhus, | | | | 1 | 1 | 1 | 2 | . | . | 2 | ·7 | . | . | . | . | . | . | . | . |
| — Enteric or Typhoid Fever, | 6 | 2 | 3 | 1 | 3 | . | 1 | 2 | 6 | 1 | 2·5 | 2 | . | 1 | . | . | 1 | . | . |
| — Simple continued Fever, | | | | 2 | 3 | 1 | 1 | . | . | . | ·7 | . | . | . | . | . | . | . | . |
| 9. Erysipelas, | . | 1 | . | . | . | 4 | 1 | . | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| 10. Puerperal Fever (Metria), | 1 | 1 | . | 1 | . | 1 | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13. Dysentery, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 14. Diarrhœa, | 3 | 5 | 7 | 5 | 2 | 2 | 3 | . | 5 | 4 | 3·6 | 3 | . | . | . | . | 1 | 2 | . |
| 15. Simple Cholera, | . | 1 | 2 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 18. Rheumatism, | . | . | 2 | 1 | . | 1 | 1 | 1 | . | . | ·6 | 2 | . | . | . | . | . | 2 | . |
| 19. Other Zymotic Diseases, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Order 2.—Enthetic Diseases. | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis, | 1 | . | . | 2 | 1 | . | . | . | . | 2 | ·6 | . | . | . | . | . | . | . | . |
| 2. Stricture of Urethra, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Order 3.—Dietic Diseases. | | | | | | | | | | | | | | | | | | | |
| 1. Privation, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Want of Breast Milk, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 4. Alcoholism, { Intemperance, | 2 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Order 4.—Parasitic Diseases. | | | | | | | | | | | | | | | | | | | |
| 1. Thrush, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Order 1.—Diathetic Diseases. | | | | | | | | | | | | | | | | | | | |
| 1. Gout, | . | . | 4 | . | 2 | 1 | . | 1 | 2 | 2 | 1·6 | 1 | . | . | . | . | . | 1 | . |
| 2. Dropsy, | 3 | 1 | 5 | 4 | 5 | 5 | 1 | 3 | 2 | 6 | 3·7 | 6 | . | . | . | 1 | 4 | 1 | . |
| 3. Cancer, | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Mortification, | 1 | . | 2 | . | 1 | . | 1 | . | 1 | 1 | ·7 | . | . | . | . | . | . | . | . |
| Order 2.—Tubercular Diseases. | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula, | . | . | 1 | 1 | . | . | 1 | 1 | 1 | 2 | ·7 | . | . | . | . | . | . | . | . |
| 2. Tabes Mesenterica, | 2 | 2 | 3 | 1 | 2 | 1 | 3 | 3 | 2 | 2 | 2·1 | 3 | 2 | . | . | . | . | . | . |
| 3. Phthisis, | 18 | 23 | 19 | 13 | 20 | 26 | 16 | 15 | 13 | 30 | 19·3 | 18 | 2 | 1 | . | 7 | 7 | 1 | . |
| 4. Hydrocephalus, | 2 | . | 4 | 4 | 3 | 2 | 4 | . | 2 | 5 | 2·6 | 4 | 3 | 1 | . | . | . | . | . |
| Order 1.—Nervous System. | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis, | 1 | 2 | 1 | 2 | 1 | 1 | 5 | 3 | 1 | 1 | 1·8 | . | . | . | . | . | . | . | . |
| 2. Apoplexy, | 2 | 1 | . | 2 | 3 | 2 | 3 | . | 1 | 5 | 1·9 | 3 | . | . | . | 1 | 1 | 1 | . |
| 3. Paralysis, | 1 | 5 | 1 | 3 | 5 | 2 | 5 | 4 | 2 | 2 | 3·0 | 5 | . | . | 1 | . | . | 3 | 1 |
| 4. Insanity, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | 1 | . | . | . |
| 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Epilepsy, | 1 | . | 1 | . | 1 | . | 3 | . | . | 1 | ·7 | 1 | . | . | . | 1 | . | . | . |
| 7. Convulsions, | 9 | 8 | 5 | 5 | 3 | 7 | 7 | 8 | 15 | 11 | 7·8 | 7 | 7 | . | . | . | . | . | . |
| 8. *Brain Disease, &c.* | 1 | 2 | 2 | . | . | 3 | 1 | . | . | 2 | 1·1 | 4 | . | . | 1 | 1 | . | 2 | . |
| Ord. 2.—Organs of Circulation. | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis, | 1 | | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Aneurism, | 1 | . | . | . | 1 | . | 1 | . | . | . | ·3 | 1 | . | . | . | 1 | . | . | . |
| 3. *Heart Disease, &c.* | 3 | 8 | 7 | 8 | 9 | 6 | 4 | 4 | 6 | 3 | 5·3 | 9 | . | . | 1 | 1 | 3 | 4 | . |
| Order 3.—Respiratory Organs. | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis, | . | . | 1 | 1 | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| 2. Bronchitis, | 7 | 8 | 11 | 10 | 11 | 5 | 8 | 9 | 11 | 8 | 8·8 | 12 | . | . | . | 3 | 5 | 6 | . |
| 3. Pleurisy, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 4. Pneumonia, | 4 | 1 | . | 3 | 2 | 2 | 3 | . | 3 | 3 | 2·3 | 2 | 1 | . | . | 1 | . | . | . |
| 5. Asthma, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 6. *Lung Disease, &c.* | 1 | 2 | 1 | 1 | . | . | 1 | 1 | 3 | 3 | 1·8 | . | . | . | . | . | . | . | . |

RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 29th Week of the 10 years 1866-75. | Week ending Saturday, July 22nd, 1876. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | July 21 1866 | July 20 1867 | July 18 1868 | July 24 1869 | July 23 1870 | July 22 1871 | July 20 1872 | July 19 1873 | July 25 1874 | July 24 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 61·7° | 57·4° | 63·6° | 64·2° | 64·1° | 61·0° | 62·6° | 58·7° | 60·6° | 59·9° | 61·4° | 63·6° | | | | | | | |
| III. con. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | 2 | 1 | 1 | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | . | 1 | . | 1 | 1 | . | . | 1 | 1 | . | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 3. Peritonitis, | 1 | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | 1 | . | . | . | . | . | . | . | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| | 6. Hernia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | 1 | 2 | 1 | . | 1 | 1 | 1 | 1 | . | 2 | 1·0 | 1 | . | . | . | . | 1 | . | . |
| | 11. *Stomach Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | . | . | . | . | . | 1 |
| | 14. Jaundice, | 5 | 3 | 1 | 3 | 1 | 2 | . | 1 | 3 | 1 | 2·0 | 3 | . | . | . | 1 | 2 | . | . |
| | 15. *Liver Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* | | | | | | | | | | | | | | | | | | | |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 1 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 2 | 1 | 2 | . | 1 | 2 | 1 | 1 | 1 | 1 | 1·2 | . | . | . | . | . | . | . | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | 1 | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | . | 1 | . | . | . | . | . | 1 | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | 1 | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | 1 | . | . | . | | | | | | | | | | | | | | | |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 1 | 1 | 3 | . | . | 1 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | 1 | 1 | 1 | 2 | . | . | . | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 5 | 4 | 4 | 8 | 6 | 4 | 5 | 6 | 7 | 8 | 5·7 | 5 | . | . | . | . | . | 2 | 3 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 4 | 3 | 1 | 1 | 4 | 1 | 3 | 10 | 10 | 6 | 4·3 | 4 | 3 | . | . | . | 1 | . | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | 1 | 3 | 2 | . | . | . | 1 | . | 1 | ·8 | 1 | . | . | . | . | 1 | . | . |
| | 2. Wounds, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | 1 | . | . | 2 | . | 1 | . | . | . | ·5 | 1 | 1 | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | . | 1 | . | 1 | . | 1 | 3 | . | 1 | ·7 | 2 | 1 | 1 | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Drowning, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertd.), Causes not specified or ill-defined, | . | 2 | 1 | . | 3 | 1 | 5 | 3 | 4 | 2 | 2·1 | . | . | . | . | . | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 22nd July, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 22ND JULY, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,060 | 314,666 | 20 | 170 | 119 | 11 | 32 | . | 1 | 6 | 3 | 1 | 2 | 3 | 4 | 3 | 23 |
| BELFAST,* . . | 20,687 | 182,082 | 20 | 146 | 70 | 21 | 7 | . | . | . | . | 1 | 1 | 3 | . | . | 6 |
| CORK, . . . | 13,816 | 91,965 | 31 | 29 | 54 | 7 | 17 | . | 1 | . | . | . | 2 | 1 | . | 1 | 20 |
| LIMERICK, . . | 8,509 | 44,209 | 27 | 25 | 23 | 5 | 2 | . | . | . | . | . | . | 2 | . | . | 9 |
| LONDONDERRY,† . | 5,061 | 22,401 | 26 | 9 | 11 | 1 | 7 | . | . | . | . | . | . | . | . | 1 | 3 |
| WATERFORD, . . | 17,209 | 30,626 | 32 | 17 | 19 | . | 7 | . | . | . | . | . | . | . | . | . | 19 |
| GALWAY, . . | 21,358 | 19,692 | 16 | 4 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . . . | 30,835 | 17,285 | 18 | 8 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | 3 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 22nd July, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 8 | 12 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 20 | 12 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 39,311 | 13 | 32 | 10 | 4 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 35 | 22 | 13 | 4 | 4 | . | . | . | . | . | . | . | . | . | 6 |
| | ,, ,, 5, | 19,616 | 19 | 14 | 7 | 2 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 16 | 22 | 11 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 20 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 38 | 6 | 6 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 35 | 20 | 11 | 3 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 46 | 6 | 6 | 3 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, | 6,227 | 33 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 5, | 11,269 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,220 | 37 | 4 | 11 | 1 | 4 | . | 1 | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 21 | 5 | 3 | 2 | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 8, *W.* | 18,364 | 68 | 8 | 24 | 1 | 11 | . | . | . | . | . | 2 | . | . | . | 17 |
| | ,, ,, 9, | 4,790 | 33 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 7 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 58 | 4 | 10 | . | 1 | . | . | . | . | . | 2 | . | . | . | 9 |
| | ,, ,, 3, | 11,424 | 9 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 23 | 11 | 7 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 34 | 7 | 9 | 1 | 5 | . | 1 | . | . | . | . | . | . | 1 | 3 |
| | Glendermot,† *W.* | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 32 | 17 | 19 | . | 7 | . | . | . | . | . | . | . | . | . | 19 |
| GALWAY, | Galway, No. 1, | 10,700 | 19 | 4 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 12 | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 32 | 3 | 4 | 1 | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 10 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† There is not any Registrar in Glendermot District at present.
The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, JULY 29, 1876. [No. 30.


*General Register Office, Charlemont House, Dublin, July 31st, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 29th July, 1876, represent an annual mortality of 18·8 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 18·2 per 1,000. In London the death-rate was 30 in every 1,000 of the estimated population; in Glasgow, 22; and in Edinburgh, 18.

In the Dublin Registration District the births *registered* during the week amounted to 183—101 boys and 82 girls,—and the deaths to 114—65 males and 49 females. The *average* numbers in the corresponding week of the previous ten years were—births, 156, and deaths, 129.

The number of deaths *registered* from zymotic diseases was 17 (against an average of 30·8 in the corresponding week of the preceding ten years); of these, 5 resulted from fever (1 typhus and 4 simple continued fever), 2 from diarrhœa, and 1 each from measles, scarlet fever, diphtheria, and whooping-cough.

Eight deaths were referred to convulsions.

Fourteen deaths were ascribed to bronchitis, 8 to pneumonia or inflammation of the lungs, and 1 to lung disease unspecified.

Eight deaths were caused by heart disease, 1 by aneurism, 3 by kidney disease, 1 by liver disease, 2 by stomach disease, 1 each by enteritis, peritonitis, and intussusception, 2 each by apoplexy and paralysis, and 1 each by cephalitis, insanity, and brain disease unspecified.

Twelve persons died from phthisis or pulmonary consumption, 2 each from hydrocephalus and cancer, and 1 each from dropsy, mortification, scrofula, and mesenteric disease.

Two accidental deaths were *registered*.

Twenty-five of the persons whose deaths were *registered* during the week were under 5 years of age (19 being infants under 1 year old); and 25 were aged 60 and upwards, including 14 persons aged 70 and upwards, of whom 6 were octogenarians, and two, a man and a woman, were stated to have been aged, respectively, 97 and 90 years.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so-corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 18·2 per 1,000; the rate in the city was 19·1 (22·6 on the North side and 16·3 on the South), and in the suburbs 15·0.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the city being 1·7 (3·4 in the North City Districts and 0·4 in the South), and for the suburbs 1·5 per 1,000.

*No. 1, North City District.* Twenty-four deaths, representing an annual death-rate of 24·9 per 1,000, were registered in this district. They include 2 deaths from fever, and 1 each from scarlatina, diphtheria, and diarrhœa, these 5 deaths giving a zymotic rate of 5·2 per 1,000 inhabitants, but the average zymotic rate for the last ten weeks was only 2·2 per 1,000.

*No. 2, North City District.* The death-rate in this district was 19·1 per 1,000; the only death from zymotic disease was 1 from diarrhœa.

*No.* 3, *North City District.* In this district the death-rate was 22·6 per 1,000. One death from fever was the only death from any of the seven principal zymotic diseases.

*No.* 1, *South City District.* There were only 7 deaths registered, the rate afforded thereby being 12·1 per 1,000, which is less than half the average rate for the last ten weeks. One death from whooping-cough constitutes the mortality from zymotic disease.

*No.* 2, *South City District.* The death-rate for the week was 31·2 per 1,000, but there were no deaths from any of the seven principal zymotic diseases. Five of the 17 deaths registered were from diseases of the respiratory organs.

*No.* 3, *South City District.* There were no deaths from zymotic disease in this district, and the death-rate was only 16·3 per 1,000.

*No.* 4, *South City District.* The average death-rate in this district for the last ten weeks has been 20·0 per 1,000; the rate last week was only 9·0. Three of the 7 deaths registered last week were from phthisis or pulmonary consumption: there were no deaths from zymotic diseases.

*Suburban Districts.* The respective death-rates for the week were:—Rathmines, 7·3 per 1,000; Donnybrook, 23·4; Blackrock, 14·4; and Kingstown, 14·0 per 1,000. One death from fever and 1 from measles were registered in Donnybrook. There were no deaths from zymotic diseases in Rathmines, Blackrock, or Kingstown.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·957 inches. The highest daily mean reading (30·248) occurred on Monday, and the lowest (29·269) on Friday.

The mean temperature during the week was 59·5° (being 1·2° under the average in the corresponding week of the previous ten years); the lowest daily mean (53·3°) occurred on Wednesday, and the highest (67·1°) on Tuesday.

The temperature was highest on Tuesday, when the thermometer registered 75·7°, and was lowest on Wednesday, the mercury having fallen to 41·6°. The highest reading of the barometer during the week (30·296) occurred on Monday, at 9.30 P.M., wind W., and the lowest on Friday, at 9.30 A.M., wind, W. The mean of the Dry Bulb for the week was 61·1°; and of the Wet Bulb 55·9°. The mean humidity of the air was ·761; complete saturation being represented by 1·0. The rain-fall during the week measured 1·164 in.

At Greenwich, the mean temperature of the week was 63·5°; and at Glasgow, 56·2°. The rain-fall during the week at Greenwich measured ·35 in., and at Glasgow ·58 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, July 23, | 30·121 | 69·4 | 42·6 | 56·0 | 59·9 | 53·4 | ·682 | ·8 | ·000 | N. | N.W. | N.W. |
| Monday, „ 24, | 30·248 | 75·2 | 47·6 | 61·4 | 64·4 | 58·8 | ·731 | ·9 | ·000 | N.W. | N.W. | W. |
| Tuesday, „ 25, | 30·181 | 75·7 | 58·6 | 67·1 | 67·5 | 61·5 | ·728 | 1·0 | ·160 | W. | S. | S. |
| Wednesday, „ 26, | 29·953 | 64·9 | 41·6 | 53·3 | 56·8 | 56·3 | ·961 | 1·0 | ·748 | S.W. | N.W. | N.W. |
| Thursday, „ 27, | 30·030 | 69·7 | 51·3 | 60·5 | 59·1 | 52·1 | ·792 | ·9 | ·234 | W. | W. | S. |
| Friday, „ 28, | 29·269 | 64·5 | 50·2 | 57·3 | 59·3 | 54·2 | ·719 | ·7 | ·022 | W. | W. | S.W. |
| Saturday, „ 29, | 29·898 | 70·0 | 52·2 | 61·1 | 60·6 | 55·0 | ·718 | ·6 | ·000 | W. | W. | S. |
| Mean, . . | 29·957 | 69·9 | 49·1 | 59·5 | 61·1 | 55·9 | ·761 | ·8 | Total, 1·164 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, July 23, | A.M. Fine and pleasant. | P.M. Gloomy. |
| Monday, „ 24, | A.M. Fine. | P.M. Overcast. |
| Tuesday, „ 25, | A.M. Fine and pleasant. | P.M. Overcast. |
| Wednesday, „ 26, | A.M. Overcast and raining. | P.M. Dull but fine. |
| Thursday, „ 27, | A.M. Fine. | P.M. Overcast |
| Friday, „ 28, | A.M. Fine. | P.M. Overcast. |
| Saturday, „ 29, | A.M. Fine. | P.M. Overcast. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 29th July, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,317 | 314,666 | — |
| **Deaths from all Causes,** | 24 | 12 | 11 | 7 | 17 | 12 | 7 | 3 | 10 | 2 | 5 | 110 | 4 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Scarlet Fever (Scarlatina), | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diphtheria, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping Cough, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Fever, | 2 | . | 1 | . | . | . | . | . | 1 | . | . | 4 | 1 |
| Diarrhœa, | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . |
| Other Zymotic Diseases, | 2 | . | 1 | . | 2 | . | . | . | . | . | . | 5 | 1 |
| Total, | 7 | 1 | 2 | 1 | 2 | . | . | . | 2 | . | . | 15 | 2 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 1 | 1 | 1 | . | . | 3 | 2 | 1 | . | 2 | 12 | . |
| Other Constitutional Diseases | 1 | . | . | 1 | 2 | 1 | 1 | . | 1 | . | 1 | 8 | . |
| Total, | 2 | 1 | 1 | 2 | 2 | 1 | 4 | 2 | 2 | . | 3 | 20 | . |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 4 | 1 | 1 | . | 2 | 5 | 2 | . | . | . | . | 15 | . |
| Diseases of the Heart and Circulatory Organs, | 1 | 2 | 1 | . | 2 | . | . | . | 2 | . | . | 8 | 1 |
| Diseases of the Respiratory Organs, | 5 | 4 | 4 | 1 | 5 | 2 | . | . | 2 | . | 1 | 24 | . |
| Diseases of the Digestive Organs, | 2 | . | . | 1 | 1 | . | . | . | . | 1 | . | 5 | 1 |
| Diseases of the Urinary Organs, | 1 | . | . | . | 1 | 1 | . | . | . | . | . | 3 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Total, | 13 | 7 | 6 | 2 | 11 | 8 | 2 | . | 5 | 1 | 1 | 56 | 2 |
| DEVELOPMENTAL DISEASES, | 1 | 3 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | . | 1 | 15 | . |
| VIOLENT DEATHS, | 1 | . | . | . | . | . | . | . | . | 1 | . | 2 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 24·9 | 19·1 | 22·6 | 19·1 | 31·2 | 16·3 | 9·0 | 7·3 | 23·4 | 14·4 | 14·0 | | — |
| | 22·6 | | | 16·3 | | | | | | | | | |
| | 19·1 | | | | | | | 15·0 | | | | 18·2 | |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals Prisons, and Lunatic Asylums, | 5 | 4 | 1 | 1 | 1 | 1 | 1 | . | 2 | 1 | . | 17 | 3 |
| Workhouse Hospitals, | 3 | 3 | 6 | . | 6 | 2 | . | . | 1 | . | . | 21 | 1 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Celestine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 23, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | May 27, | 14·5 | 2·1 | 14 | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | . |
| | June 3, | 23·9 | 2·1 | 23 | . | . | . | . | 1 | . | 1 | 4 | 4 | 5 | . |
| | „ 10, | 28·0 | 2·1 | 27 | . | . | 1 | . | . | 1 | . | . | 4 | 4 | 1 |
| | „ 17, | 17·7 | 2·1 | 17 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 3 |
| | „ 24, | 11·4 | 1·0 | 11 | . | . | 1 | . | . | . | . | . | 2 | 1 | . |
| | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 2 |
| | „ 8, | 10·4 | . | 10 | . | . | . | . | . | . | . | . | . | 4 | . |
| | „ 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 3 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Average, | 18·4 | 2·2 | 17·7 | . | . | 0·5 | 0·3 | 0·2 | 0·5 | 0·6 | 1·2 | 2·3 | 2·8 | 0·7 |
| North City, No. 2. (*Office, Coleraine-street.*) | May 27, | 11·2 | . | 7 | . | . | . | . | . | . | . | . | 2 | 3 | . |
| | June 3, | 23·9 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 3 | . |
| | „ 10, | 35·1 | 1·6 | 22 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 1 |
| | „ 17, | 20·7 | . | 13 | . | . | . | . | . | . | . | 1 | . | 2 | 2 |
| | „ 24, | 30·3 | 1·6 | 19 | . | . | 1 | . | . | . | . | 1 | 1 | 6 | . |
| | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Average, | 21·5 | 1·3 | 13·5 | . | 0·1 | 0·3 | . | 0·1 | 0·1 | 0·2 | 0·4 | 2·3 | 2·8 | 0·4 |
| North City, No. 3. (*Office, Blackhall-street.*) | May 27, | 28·7 | . | 14 | . | . | . | . | 1 | . | . | 3 | 3 | 4 | . |
| | June 3, | 43·1 | 6·2 | 21 | . | . | . | . | . | 2 | . | 1 | 3 | 2 | 1 |
| | „ 10, | 8·2 | 2·1 | 4 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 26·7 | 2·1 | 13 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | . |
| | „ 24, | 18·5 | 2·1 | 9 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 3 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Average, | 25·3 | 2·5 | 12·3 | . | . | 0·4 | . | 0·1 | 0·5 | 0·2 | 1·2 | 1·8 | 2·4 | 0·3 |
| South City, No. 1. (*Office, Meath-street.*) | May 27, | 39·9 | 3·5 | 23 | . | . | . | . | 2 | . | . | 3 | 2 | 2 | . |
| | June 3, | 26·0 | 1·7 | 15 | . | . | . | . | . | 1 | . | 1 | 5 | 5 | . |
| | „ 10, | 38·1 | 3·5 | 22 | . | . | 1 | . | . | . | 1 | 1 | 5 | 9 | . |
| | „ 17, | 29·5 | 3·5 | 17 | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 |
| | „ 24, | 20·8 | 3·5 | 12 | . | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . |
| | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | 1 |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 3 | 3 | . |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Average, | 25·5 | 2·4 | 14·7 | . | 0·1 | 0·1 | . | 0·4 | 0·5 | 0·3 | 0·9 | 1·8 | 2·7 | 0·4 |
| South City, No. 2. (*Office, High-street.*) | May 27, | 29·4 | . | 16 | . | . | . | . | . | . | . | 1 | 4 | 3 | . |
| | June 3, | 14·7 | . | 8 | . | . | . | . | . | . | . | . | . | 4 | 1 |
| | „ 10, | 14·7 | 1·8 | 8 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 17, | 11·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ 24, | 34·9 | 1·8 | 19 | . | 1 | . | . | . | . | . | 4 | 3 | 6 | 1 |
| | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Average, | 21·7 | 1·3 | 11·8 | . | 0·1 | 0·2 | . | 0·1 | 0·2 | 0·1 | 1·2 | 1·0 | 2·5 | 0·4 |
| South City, No. 3. (*Office, Peter-street.*) | May 27, | 24·4 | 1·4 | 18 | . | . | 1 | . | . | . | . | 2 | 3 | 2 | . |
| | June 3, | 16·3 | 2·7 | 12 | . | . | 1 | . | 1 | . | . | . | 2 | 3 | . |
| | „ 10, | 27·1 | 4·1 | 20 | . | . | 1 | . | 2 | . | . | 1 | 2 | . | 1 |
| | „ 17, | 24·4 | 1·4 | 18 | . | . | . | . | . | . | 1 | 2 | . | 5 | . |
| | „ 24, | 16·3 | 2·7 | 12 | . | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 1 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | . |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Average, | 20·5 | 1·7 | 15·1 | . | . | 0·5 | . | 0·3 | 0·3 | 0·1 | 1·4 | 1·2 | 2·8 | 0·4 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| South City, No. 4. (*Offices, Denzille-street and Grand Canal-street.*) | May 27, | 28·1 | 3·8 | 22 | . | . | . | . | 2 | 1 | . | . | 3 | 4 | 1 |
| | June 3, | 26·9 | 1·3 | 21 | . | . | 1 | . | . | . | . | 2 | 2 | 3 | . |
| | „ 10, | 19·2 | 2·6 | 15 | . | . | . | . | 2 | . | . | 2 | . | 2 | . |
| | „ 17, | 30·7 | 2·6 | 24 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | 6 |
| | „ 24, | 25·6 | 2·6 | 20 | . | . | 1 | . | . | 1 | . | 4 | 3 | 2 | 2 |
| | July 1, | 12·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 3 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Average, | 20·0 | 1·8 | 15·6 | . | 0·2 | 0·4 | . | 0·4 | 0·2 | 0·2 | 1·3 | 2·4 | 2·4 | 1·2 |
| Rathmines. | May 27, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 2 | . | 1 |
| | June 3, | 24·3 | . | 10 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 10, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 17, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 24, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Average, | 16·1 | 0·5 | 6·6 | . | . | 0·1 | . | . | . | 0·1 | 0·2 | 1·1 | 0·9 | 0·4 |
| Donnybrook. | May 27, | 25·8 | 7·0 | 11 | . | . | . | 1 | . | 2 | . | . | 1 | 3 | . |
| | June 3, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 10, | 18·7 | 4·7 | 8 | . | 1 | . | . | . | 1 | . | 1 | . | 2 | . |
| | „ 17, | 37·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 24, | 21·3 | 2·3 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | . |
| | July 1, | 35·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Average, | 20·9 | 2·6 | 8·9 | . | 0·3 | 0·1 | 0·2 | . | 0·5 | . | 0·2 | 0·9 | 1·4 | 0·1 |
| Blackrock. | May 27, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | June 3, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 10, | 21·7 | 7·2 | 3 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | „ 17, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Average, | 16·6 | 2·2 | 2·3 | . | . | . | 0·1 | . | 0·1 | 0·1 | . | . | 0·4 | 0·1 |
| Kingstown. | May 27, | 11·2 | 5·6 | 4 | . | . | 1 | 1 | . | . | . | . | . | . | . |
| | June 3, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 22·5 | 2·8 | 8 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 24, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16.8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Average, | 16·0 | 1·1 | 5·7 | . | . | 0·2 | 0·1 | . | 0·1 | . | . | 0·3 | 0·7 | . |
| Total, Dublin Registration District. | May 27, | 22·5 | 2·1 | 136 | . | . | 2 | 3 | 4 | 3 | 1 | 11 | 21 | 22 | 2 |
| | June 3, | 22·5 | 1·7 | 136 | . | . | 2 | . | 3 | 4 | 1 | 8 | 15 | 29 | 2 |
| | „ 10, | 24·0 | 2·6 | 145 | . | 1 | 4 | . | 5 | 4 | 2 | 7 | 15 | 25 | 4 |
| | „ 17, | 22·6 | 1·3 | 137 | . | . | 2 | . | . | 1 | 5 | 7 | 15 | 22 | 17 |
| | „ 24, | 21·0 | 1·8 | 127 | . | 3 | 3 | . | . | 5 | . | 11 | 16 | 24 | 3 |
| | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | „ 29, | 18·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 13 | 24 | 2 |
| | Average, | 20·5 | 1·8 | 124·2 | . | 0·8 | 2·8 | 0·7 | 1·6 | 3·0 | 1·9 | 8·0 | 15·0 | 21·8 | 4·9 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the THIRTIETH WEEK, ending Saturday, 29th July, 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 30th Week of the 10 years 1866-75. | Week ending Saturday, July 29th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | |
| | | July 23 1866 | July 27 1867 | July 25 1868 | July 31 1869 | July 30 1870 | July 29 1871 | July 27 1872 | July 26 1873 | Aug 1 1874 | July 31 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 63·3 | ° 57·8 | ° 63·8 | ° 59·8 | ° 60·4 | ° 57·1 | ° 63·2 | ° 54·2 | ° 60·0 | ° 56·7 | ° 60·7 | Mean Temp. ° 59·5 | | | | | | | |
| | **ALL CAUSES,** | 122 | 138 | 144 | 122 | 114 | 121 | 136 | 120 | 141 | 133 | 129·1 | 114 | 25 | 8 | 4 | 20 | 32 | 17 | 8 |
| | **SPECIFIED CAUSES,** | 119 | 135 | 143 | 121 | 113 | 120 | 133 | 114 | 138 | 132 | 126·7 | 112 | 25 | 8 | 4 | 19 | 32 | 16 | 8 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 28 | 35 | 44 | 32 | 20 | 30 | 32 | 22 | 36 | 29 | 30·8 | 17 | 4 | 3 | 1 | 2 | 5 | 1 | 1 |
| II. | CONSTITUTIONAL „ | 29 | 38 | 37 | 36 | 38 | 28 | 38 | 29 | 36 | 33 | 34·2 | 20 | 2 | 1 | 2 | 6 | 8 | 1 | . |
| III. | LOCAL „ | 46 | 45 | 47 | 40 | 46 | 39 | 40 | 50 | 45 | 43 | 44·6 | 38 | 14 | 3 | 1 | 10 | 15 | 11 | 1 |
| IV. | DEVELOPMENTAL „ | 14 | 15 | 14 | 9 | 9 | 18 | 21 | 12 | 16 | 20 | 14·8 | 15 | 5 | . | . | . | 1 | 3 | 6 |
| V. | VIOLENT DEATHS, | 2 | 2 | . | 4 | . | 5 | 2 | 1 | 5 | 2 | 2·3 | 2 | . | 1 | . | 1 | . | . | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 7 | . | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 19 | 1 | 4 | 1 | . | 12 | 5 | 2 | 1 | 4·6 | 1 | 1 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 4 | 4 | 8 | 7 | 4 | 8 | 1 | 1 | 12 | 4 | 5·3 | 1 | 1 | . | . | . | . | . | . |
| | 4. Diphtheria, | . | . | . | 1 | . | . | 1 | 1 | . | 1 | ·4 | 1 | . | 1 | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | . | 4 | 2 | 1 | 1 | 3 | 1 | 2 | 2 | 1·8 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 2 | . | 3 | 1 | . | 1 | . | 2 | 1 | 3 | 1·3 | 1 | 1 | . | . | . | . | . | . |
| | 8. Typhus, | } | | | 6 | 4 | 5 | . | . | 4 | 2 | | 1 | . | . | . | . | . | 1 | . |
| | – Enteric or Typhoid Fever, | 8 | 5 | 8 | 3 | 2 | 5 | 1 | 3 | 3 | 4 | 6·9 | . | . | . | . | . | . | . | . |
| | – Simple continued Fever, | } | | | 1 | 1 | . | 2 | 1 | 1 | . | | 4 | . | 1 | 1 | . | 1 | . | 1 |
| | 9. Erysipelas, | 2 | . | 2 | . | . | . | . | 1 | . | . | ·5 | 1 | . | . | . | . | 1 | . | . |
| | 10. Puerperal Fever (Metria), | 1 | . | 1 | . | 2 | 2 | . | . | . | 1 | ·7 | 1 | . | . | . | 1 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 13. Dysentery, | . | . | 1 | . | . | 1 | . | . | 1 | 4 | ·7 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 7 | 5 | 12 | 4 | 4 | 4 | 2 | 2 | 7 | 3 | 5·0 | 2 | . | 1 | . | . | 1 | . | . |
| | 15. Simple Cholera, | . | . | 1 | . | . | . | . | 2 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | . | 1 | 2 | . | . | 1 | . | 2 | 1 | ·7 | 2 | . | . | . | 1 | 1 | . | . |
| | 19. Other Zymotic Diseases, | . | . | 1 | . | . | 1 | 1 | 1 | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | 1 | . | . | 1 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | 1 | 1 | . | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | 1 | . | . |
| | 2. Dropsy, | 2 | 2 | 3 | 1 | 2 | 4 | 2 | 1 | 2 | 2 | 2·1 | 1 | . | . | . | . | 1 | . | . |
| | 3. Cancer, | 4 | 5 | 3 | 3 | 4 | 2 | 6 | 6 | 2 | 5 | 4·0 | 2 | . | . | . | . | 2 | . | . |
| | 4. Cancrum Oris (Noma), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | . | . | 1 | . | 1 | . | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 1 | . | 1 | 3 | . | 1 | 2 | 5 | . | 1·4 | 1 | . | . | . | 1 | . | . | . |
| | 2. Tabes Mesenterica, | 2 | 8 | 5 | 4 | 4 | 3 | 1 | 2 | 6 | 3 | 3·8 | 1 | 1 | . | . | . | . | . | . |
| | 3. Phthisis, | 14 | 16 | 19 | 14 | 24 | 18 | 21 | 18 | 15 | 19 | 17·8 | 12 | . | . | 2 | 5 | 4 | 1 | . |
| | 4. Hydrocephalus, | 5 | 5 | 7 | 11 | 1 | 1 | 6 | . | 6 | 3 | 4·6 | 2 | 1 | 1 | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 3 | 1 | 2 | 5 | 1 | 2 | 2 | 1 | 1 | 2 | 2·0 | 1 | . | 1 | . | . | . | . | . |
| | 2. Apoplexy, | . | 3 | 4 | . | . | 2 | 1 | . | 4 | 2 | 1·6 | 2 | . | . | . | . | 1 | 1 | . |
| | 3. Paralysis, | 3 | 4 | 1 | 1 | 2 | 1 | 2 | 4 | 1 | 1 | 2·0 | 2 | . | . | . | . | 1 | 1 | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | 2 | 2 | 1 | . | 1 | . | 1 | 1 | ·9 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 7 | 8 | 12 | 4 | 9 | 10 | 7 | 7 | 5 | 12 | 8·1 | 8 | 8 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | 3 | 1 | 1 | 2 | 1 | 3 | 1 | . | 3 | 1·7 | 1 | . | . | . | 1 | . | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 1 | . | . | 1 | 1 | . | . | 1 | . | 1 | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 3. *Heart Disease, &c.* | 4 | 5 | 4 | 8 | 7 | 2 | 5 | 10 | 8 | 5 | 5·8 | 8 | . | . | . | 1 | 4 | 3 | . |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | 2. Bronchitis, | 7 | 5 | 12 | 8 | 5 | 6 | 12 | 12 | 11 | 7 | 8·5 | 14 | 4 | . | . | 1 | 5 | 4 | . |
| | 3. Pleurisy, | . | 1 | 1 | 1 | . | 1 | . | . | . | 2 | ·6 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 3 | 3 | . | 1 | 2 | 3 | 2 | 1 | 1 | 1 | 1·7 | 8 | . | 1 | 1 | 4 | 1 | 1 | . |
| | 5. Asthma, | . | . | . | . | 1 | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 2 | 2 | 1 | . | 2 | 1 | 1 | 4 | 3 | 4 | 2·0 | 1 | . | . | . | 1 | . | . | . |

RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | Average in 30th Week of the 10 years 1866–75. | Week ending Saturday, July 29th, 1876. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | July 28 1866 | July 27 1867 | July 25 1868 | July 31 1869 | July 30 1870 | July 29 1871 | July 27 1872 | July 26 1873 | Aug 1 1874 | July 31 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 63·3 | 57·8 | 63·8 | 59·8 | 60·4 | 57·1 | 63·9 | 64·3 | 60·0 | 56·7 | 60·7 | 59·5 | | | | | | | |
| III. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| con. | 1. Gastritis, | 2 | . | . | 1 | . | 2 | . | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 3 | 1 | . | 1 | 2 | 1 | . | . | 1 | . | ·9 | 1 | . | 1 | . | . | . | . | . |
| | 3. Peritonitis, | 2 | 1 | 2 | 1 | 2 | 2 | . | . | 1 | 1 | 1·2 | 1 | . | . | . | . | 1 | . | . |
| | 4. Ascites, | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 1 | 2 | . | 2 | . | . | 1 | 2 | . | ·9 | 2 | 1 | . | . | . | 1 | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 3 | 4 | 2 | 2 | 3 | 1 | . | 3 | . | 3 | 2·1 | 1 | . | . | . | . | 1 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Isenuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | 1 | . | 1 | . | . | 2 | 2 | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | . | 1 | . | 1 | 1 | 1 | 1 | . | . | 1 | ·6 | 3 | . | . | . | 1 | 1 | . | 1 |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | . | . | . | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | 1 | . | . | 1 | 3 | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 1 | . | 2 | . | 1 | 1 | . | . | . | ·5 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | 1 | 3 | . | 1 | 2 | . | 1 | . | 2 | 1·0 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 4 | 8 | 7 | 3 | 4 | 6 | 13 | 10 | 10 | 12 | 7·7 | 9 | . | . | . | . | . | 3 | 6 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 9 | 5 | 3 | 4 | 4 | 8 | 4 | 1 | 6 | 6 | 5·0 | 5 | 4 | . | . | . | 1 | . | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | ·9 | 2 | . | 1 | . | 1 | . | . | . |
| | 2. Wounds, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertd.), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 3 | 2 | 2 | 1 | 1 | 1 | 3 | 6 | 3 | 1 | 2·3 | 2 | . | . | . | 1 | . | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 29th July, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 29TH JULY, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 19 | 183 | 114 | 19 | 25 | . | 1 | 1 | 1 | 1 | 5 | 2 | 2 | 2 | 42 |
| BELFAST,* . . | 20,687 | 182,082 | 20 | 129 | 71 | 17 | 8 | . | . | 1 | . | 2 | . | 5 | 2 | . | 7 |
| CORK, . . . | 13,816 | 91,965 | 16 | 57 | 29 | 3 | 10 | . | . | . | . | . | 1 | 4 | . | . | 11 |
| LIMERICK, . . | 8,509 | 44,209 | 20 | 36 | 17 | 2 | 11 | . | . | 1 | . | . | . | 1 | . | . | 7 |
| LONDONDERRY,† . | 5,061 | 22,401 | 12 | 10 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 10 | 13 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 13 | 5 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, . . . | 30,835 | 17,285 | 12 | 12 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 29th July, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 11 | 15 | 4 | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | . |
| | ,, ,, 2, | 17,938 | 35 | 13 | 12 | . | . | . | . | . | . | . | . | . | . | . | 6 |
| | ,, ,, 3, | 39,311 | 21 | 32 | 16 | 5 | 2 | . | . | 1 | . | 1 | . | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 30 | 15 | 11 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 5, | 19,616 | 16 | 12 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 17 | 21 | 12 | 6 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 32 | 6 | 5 | . | 1 | . | . | . | . | . | . | 2 | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 13 | 13 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 5 | 7 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 3, | 6,818 | 15 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 8 | 2 | 1 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 5, | 11,289 | 14 | 12 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | ,, ,, 6, | 15,220 | 24 | 17 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 7, | 7,536 | 21 | 9 | 3 | . | 3 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 34 | 4 | 12 | . | 6 | . | . | . | . | . | . | 2 | . | . | 9 |
| | ,, ,, 9, | 4,790 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 20 | 8 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 46 | 8 | 8 | 1 | 7 | . | . | . | . | . | . | 1 | . | . | 7 |
| | ,, ,, 3, | 11,424 | 9 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 13 | 14 | 4 | . | 1 | . | . | 1 | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 11 | 7 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot,† *W.* | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 10 | 13 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 10 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 17 | 2 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 8 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, | 10,829 | 14 | 8 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† There is not any Registrar in Glendermot District at present.
The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, AUGUST 5, 1876. [No. 31.

*General Register Office, Charlemont House, Dublin, August 7th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 5th August, 1876, represent an annual mortality of 21·3 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 20·7 per 1,000. In Glasgow the death-rate was 26 in every 1,000 of the estimated population; and in Edinburgh, 20.*

In the Dublin Registration District the births *registered* during the week amounted to 187—88 boys and 99 girls,—and the deaths to 129—65 males and 64 females. The *average* numbers in the corresponding week of the previous ten years were—births, 148, and deaths, 116.

The number of deaths *registered* from zymotic diseases during the week amounted to 21, against an average of 27·7 for the corresponding week of the previous ten years; 2 deaths from simple continued fever were registered, 3 each from scarlet fever and whooping-cough, 2 from measles, and 6 from diarrhœa.

Fourteen children died from convulsions.

Bronchitis proved fatal in fourteen instances, pneumonia or inflammation of the lungs in 2, and laryngitis and lung disease unspecified each in 1.

One death resulted from apoplexy, 4 from paralysis, 2 from brain disease unspecified, 11 from heart disease, 1 each from pericarditis or inflammation of the heart's covering, aneurism, liver disease, nephria or Bright's disease, and kidney disease unspecified.

Sixteen persons died from phthisis, 4 each from mesenteric disease and cancer, and 3 from hydrocephalus.

Two accidental deaths were *registered*.

Forty-five of the persons whose deaths were *registered* during the week were under 5 years of age (30 being infants under 1 year old); and 30 were aged 60 and upwards, including 12 persons aged 70 and upwards, of whom 2 were octogenarians. Thirty-five of the deaths *registered* occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 20·7 per 1,000; the rate in the city was 21·8 (21·7 on the North side and 22·0 on the South), and in the suburbs 16·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the city being 3·2 (2·4 in the North City Districts and 3·8 in the South), and for the suburbs 0·8 per 1,000.

*No. 1, North City District* (Summer-hill). The annual rate represented by the deaths in this district during the week was 21·8 per 1,000 of the population. The only death from any of the seven principal zymotic diseases was one from fever. Of the 21 deaths tabulated 5 resulted from phthisis or pulmonary consumption.

*No. 2, North City District* (Coleraine-street). The deaths in this district afford an annual rate of 20·7 per 1,000; they include 1 each from measles, whooping-cough, and

* London Return not received.

diarrhœa, these 3 deaths yielding a zymotic rate of 4·8 per 1,000, but the average zymotic rate in this district for the last ten weeks was only 1·8 per 1,000.

*No.* 3, *North City District* (Blackhall-street). There were 11 deaths, the rate represented being 22·6 per 1,000. The only death from zymotic disease was 1 from diarrhœa.

*No.* 1, *South City District* (Meath-street). In this district in which only 7 deaths were tabulated in the preceding week, there were 17 recorded last week, this number giving a rate of 29·5 per 1,000. Amongst the deaths were one each from scarlatina, whooping-cough, and diarrhœa, the rate represented thereby being 5·2 per 1,000; the average zymotic rate for the last ten weeks has been 2·6 per 1,000.

*No.* 2, *South City District* (High-street). The death-rate in this district was 18·4 per 1,000. One death from diarrhœa forms the mortality from zymotic disease.

*No.* 3, *South City District* (Peter-street). Fourteen deaths were tabulated in this district, this number giving a death-rate of 19·0 per 1,000, which is slightly under the average for the last ten weeks. One death from simple continued fever was the only death from any of the seven principal zymotic diseases.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The death-rate in this district was 21·7 per 1,000. The deaths include 2 each from scarlatina and diarrhœa, and 1 from measles, these five deaths giving a zymotic rate of 6·4 per 1,000. There were only two deaths from zymotic diseases in this district in the previous four weeks.

*Suburban Districts.* The respective death-rates were:—Rathmines, 19·5 per 1,000; Donnybrook, 16·4; Blackrock, 14·4; and Kingstown, 14·0 per 1,000. The only death from zymotic disease in the four districts was one from whooping-cough in Blackrock.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·806 inches. The highest daily mean reading (30·154) occurred on Saturday, and the lowest (29·535) on Thursday.

The mean temperature during the week was 58·0° (being 1·3° under the average in the corresponding week of the previous ten years); the lowest daily mean (52·9°) occurred on Tuesday, and the highest (63·5°) on Saturday.

The temperature was highest on Sunday, when the thermometer registered 72·2°, and was lowest on Tuesday, the mercury having fallen to 40·8°. The highest reading of the barometer during the week (30·201) occurred on Saturday, at 9.30 P.M., wind S.W., and the lowest (29·309) on Thursday, at 9.30 A.M., wind, W. The mean of the Dry Bulb for the week was 58·4°; and of the Wet Bulb 54·1°. The mean humidity of the air was ·771; complete saturation being represented by 1·0. The rain-fall during the week measured 1·388 in.

At Glasgow the mean temperature of the week was 54·2°; and the rain-fall measured 2·96 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, July 30, | 29·753 | 72·2 | 54·0 | 63·1 | 61·8 | 57·9 | ·796 | 1·0 | ·075 | S.W. | S. | Calm. |
| Monday, „ 31, | 29·699 | 62·4 | 44·1 | 53·2 | 54·4 | 49·1 | ·709 | ·6 | ·030 | W. | W. | S.W. |
| Tuesday, Aug. 1, | 29·972 | 65·0 | 40·8 | 52·9 | 54·6 | 50·4 | ·757 | ·3 | ·090 | W. | W. | Calm. |
| Wednesday, „ 2, | 29·613 | 61·5 | 53·6 | 57·6 | 57·1 | 55·1 | ·878 | 1·0 | 1·160 | S.E. | S. | S. |
| Thursday, „ 3, | 29·535 | 66·4 | 49·8 | 58·1 | 59·5 | 53·9 | ·714 | ·4 | ·014 | W. | W. | S.W. |
| Friday, „ 4, | 29·917 | 67·9 | 46·8 | 57·3 | 58·9 | 54·8 | ·777 | ·6 | ·001 | S.W. | W. | Calm. |
| Saturday, „ 5, | 30·154 | 71·9 | 55·0 | 63·5 | 62·2 | 57·3 | ·769 | ·6 | ·018 | S. | W. | S.W. |
| Mean, . . | 29·806 | 66·8 | 49·2 | 58·0 | 58·4 | 54·1 | ·771 | ·6 | Total, 1·388 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, July 30, | A.M. Dull but fine. | P.M. Raining. |
| Monday, „ 31, | A.M. Fine. | P.M. Dull. |
| Tuesday, Aug. 1, | A.M. Fine. | P.M. Dull. |
| Wednesday, „ 2, | A.M. Dull and raining. | P.M. Raining. |
| Thursday, „ 3, | A.M. Fine with strong wind. | P.M. Gloomy. |
| Friday, „ 4, | A.M. Spitting rain. | P.M. Dull and gloomy. |
| Saturday, „ 5, | A.M. Fine. | P.M. Gloomy. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrar-General of Scotland.

**Table II.—Deaths in the several Registrars' Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, registered during the Week ending Saturday, 5th August, 1876.** *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook. | Blackrock. | Kingstown. | | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. R.&W. | | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,944 | 915 | 1,647 | | 10,050 | — |
| Population, | 50 084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | | 314,666 | — |
| **Deaths from all Causes,** | 21 | 13 | 11 | 17 | 10 | 14 | 17 | 8 | 7 | 2 | 5 | | 125 | 4 |
| Zymotic Diseases: | | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | | . | . |
| Measles, | . | 1 | . | . | . | . | 1 | . | . | . | . | | 2 | . |
| Scarlet Fever (Scarlatina), | . | . | . | 1 | . | . | 2 | . | . | . | . | | 3 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | | . | . |
| Whooping Cough, | . | 1 | . | 1 | . | . | . | . | . | 1 | . | | 3 | . |
| Fever, | 1 | . | . | . | . | 1 | . | . | . | . | . | | 2 | . |
| Diarrhœa, | . | 1 | 1 | 1 | 1 | . | 2 | . | . | . | . | | 6 | . |
| Other Zymotic Diseases, | 2 | . | . | 1 | . | 2 | . | . | . | . | . | | 5 | . |
| Total, | 3 | 3 | 1 | 4 | 1 | 3 | 5 | . | . | 1 | . | | 21 | . |
| Constitutional Diseases: | | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 5 | 2 | 1 | 4 | 1 | . | . | 1 | . | . | 2 | | 16 | . |
| Other Constitutional Diseases | 2 | . | 1 | 2 | . | 1 | 2 | 2 | 1 | 1 | . | | 12 | 1 |
| Total, | 7 | 2 | 2 | 6 | 1 | 1 | 2 | 3 | 1 | 1 | 2 | | 28 | 1 |
| Local Diseases: Disease of the Brain and Nervous System, | 5 | 4 | 1 | 1 | 2 | 2 | 4 | 1 | . | . | 1 | | 21 | . |
| Heart and Circulatory Organs, | 1 | . | 1 | 5 | 1 | 1 | . | 1 | 3 | . | . | | 13 | . |
| Respiratory Organs, | 4 | 1 | 3 | . | 3 | 2 | 1 | 2 | 1 | . | . | | 17 | 1 |
| Digestive Organs, | . | . | 1 | . | 1 | 1 | 1 | . | 1 | . | . | | 5 | . |
| Urinary Organs, | . | . | . | . | . | . | . | . | . | . | 1 | | 1 | 1 |
| Organs of Generation, | . | . | . | . | . | . | 1 | . | . | . | . | | 1 | . |
| Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | | . | . |
| Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | | . | . |
| Total, | 10 | 5 | 6 | 6 | 7 | 6 | 7 | 4 | 5 | . | 2 | | 58 | 2 |
| Developmental Diseases, | 1 | 3 | 1 | . | 1 | 4 | 2 | 1 | 1 | . | 1 | | 15 | 1 |
| Violent Deaths, | . | . | 1 | . | . | . | 1 | . | . | . | . | | 2 | . |
| Causes not Specified or Ill-Defined, | . | . | . | 1 | . | . | . | . | . | . | . | | 1 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 21·8 | 20·7 | 22·6 | 29·5 | 18·4 | 19·0 | 21·7 | 19·5 | 16·4 | 14·4 | 14·0 | | | — |
| | 21·7 | | | 22·0 | | | | | | | | | | |
| | 21·8 | | | | | | | 16·6 | | | | | 20·7 | |

Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 1 | 1 | 3 | 1 | 3 | 2 | . | 3 | . | 2 | | 17 | 3 |
| Workhouse Hospitals, | 3 | . | 2 | 3 | 2 | 1 | 3 | . | . | . | . | | 14 | 1 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | June 3, | 23·9 | 2·1 | 23 | . | . | . | . | 1 | . | 1 | 4 | 4 | 5 | . |
| | „ 10, | 28·0 | 2·1 | 27 | . | . | 1 | . | . | 1 | . | . | 4 | 4 | 1 |
| | „ 17, | 17·7 | 2·1 | 17 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 3 |
| | „ 24, | 11·4 | 1·0 | 11 | . | . | 1 | . | . | . | . | . | 2 | 1 | . |
| | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 2 |
| | „ 8, | 10·4 | . | 10 | . | . | . | . | . | . | . | . | 4 | . | . |
| | „ 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 3 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | Average, | 19·1 | 2·1 | 18·4 | . | . | 0·5 | 0·2 | 0·2 | 0·6 | 0·5 | 1·3 | 2·7 | 3·1 | 0·7 |
| North City, No. 2. (*Office, Coleraine-street.*) | June 3, | 23·9 | . | 15 | . | . | . | . | 1 | . | . | 1 | 3 | 3 | . |
| | „ 10, | 35·1 | 1·6 | 22 | . | . | . | . | . | . | . | 1 | 1 | 2 | 1 |
| | „ 17, | 20·7 | . | 13 | . | . | . | . | . | . | . | 1 | . | 2 | 2 |
| | „ 24, | 30·3 | 1·6 | 19 | . | . | 1 | . | . | . | . | 1 | 1 | 6 | . |
| | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 30·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | Average, | 22·5 | 1·8 | 14·1 | . | 0·2 | 0·3 | . | 0·2 | 0·1 | 0·3 | 0·7 | 2·2 | 2·6 | 0·4 |
| North City, No. 3. (*Office, Blackhall-street.*) | June 3, | 43·1 | 6·2 | 21 | . | . | . | . | 1 | 2 | . | 1 | 3 | 2 | 1 |
| | „ 10, | 8·2 | 2·1 | 4 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 26·7 | 2·1 | 13 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | . |
| | „ 24, | 18·5 | 2·1 | 9 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 5 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | Average, | 24·6 | 2·7 | 12·0 | . | . | 0·4 | . | 0·1 | 0·5 | 0·3 | 1·0 | 1·6 | 2·3 | 0·4 |
| South City, No. 1. (*Office, Meath-street.*) | June 3, | 26·0 | 1·7 | 15 | . | . | . | . | . | 1 | . | . | . | 5 | . |
| | „ 10, | 38·1 | 3·5 | 22 | . | . | 1 | . | . | . | 1 | 1 | 5 | 9 | . |
| | „ 17, | 29·5 | 3·5 | 17 | . | . | . | . | . | 1 | 1 | 1 | 3 | 2 | 3 |
| | „ 24, | 20·8 | 3·5 | 12 | . | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . |
| | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | Average, | 24·4 | 2·6 | 14·1 | . | 0·1 | 0·2 | . | 0·3 | 0·5 | 0·4 | 0·7 | 2·0 | 2·5 | 0·4 |
| South City, No. 2. (*Office, High-street.*) | June 3, | 14·7 | . | 8 | . | . | . | . | . | . | . | . | . | 4 | 1 |
| | „ 10, | 14·7 | 1·8 | 8 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 17, | 11·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ 24, | 34·9 | 1·8 | 19 | . | 1 | . | . | . | . | . | 4 | 3 | 6 | 1 |
| | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·8 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | Average, | 20·6 | 1·5 | 11·2 | . | 0·1 | 0·2 | . | 0·1 | 0 2 | 0·2 | 1·2 | 0·7 | 2·5 | 0·5 |
| South City, No. 3. (*Office, Peter-street.*) | June 3, | 16·3 | 2·7 | 12 | . | . | 1 | . | 1 | . | . | . | 2 | 3 | . |
| | „ 10, | 27·1 | 4·1 | 20 | . | . | 1 | . | 2 | . | . | 1 | 2 | . | 2 |
| | „ 17, | 24·4 | 1·4 | 18 | . | . | . | . | . | . | 1 | 2 | . | 5 | 1 |
| | „ 24, | 16·3 | 2·7 | 12 | . | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 2 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | 1 | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Average, | 19·9 | 1·7 | 14·7 | . | . | 0·4 | . | 0·3 | 0·4 | 0·1 | 1·4 | 0·9 | 2·8 | 0·6 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| South City, No. 4. (*Offices, Denzille-street and Grand Canal-street.*) | June 3, | 26·9 | 1·3 | 21 | . | . | 1 | . | . | . | . | 2 | 2 | 3 | . |
| | „ 10, | 19·2 | 2·6 | 15 | . | . | . | . | 2 | . | . | 3 | . | 3 | . |
| | „ 17, | 30·7 | 2·6 | 24 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | 6 |
| | „ 24, | 25·6 | 2·6 | 20 | . | . | 1 | . | . | 1 | . | 4 | 3 | 2 | 2 |
| | July 1, | 12·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 3 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 | 1 |
| | Average, | 19·3 | 2·1 | 15·1 | . | 0·3 | 0·6 | . | 0·2 | 0·1 | 0·4 | 1·6 | 2·1 | 2·1 | 1·2 |
| Rathmines. | June 3, | 24·3 | . | 10 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 10, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 17, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 24, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Average, | 16·5 | 0·5 | 6·8 | . | . | 0·1 | . | . | . | 0·1 | 0·2 | 1·0 | 1·1 | 0·3 |
| Donnybrook. | June 3, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 18·7 | 4·7 | 8 | . | 1 | . | . | . | 1 | . | 1 | . | 2 | . |
| | „ 17, | 37·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 24, | 21·3 | 2·3 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | . |
| | July 1, | 35·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . |
| | Average, | 19·9 | 1·9 | 8·5 | . | 0·3 | 0·1 | 0·1 | . | 0·3 | . | 0·2 | 0·8 | 1·2 | 0·1 |
| Blackrock. | June 3, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 10, | 21·7 | 7·2 | 3 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | „ 17, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | 1 | . | . | . | . | . | 1 |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 17·3 | 2·9 | 2·4 | . | . | . | 0·1 | 0·1 | 0·1 | 0·1 | . | . | 0·4 | 0·1 |
| Kingstown. | June 3, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 10, | 22·5 | 2·8 | 8 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 24, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Average, | 16·3 | 0·6 | 5·8 | . | . | 0·1 | . | . | 0·1 | . | . | 0·5 | 0·7 | . |
| Total, Dublin Registration District. | June 3, | 22·5 | 1·7 | 136 | . | . | 2 | . | 3 | 4 | 1 | 8 | 15 | 29 | 2 |
| | „ 10, | 24·0 | 2·6 | 145 | . | 1 | 4 | . | 5 | 4 | 2 | 7 | 15 | 25 | 4 |
| | „ 17, | 22·6 | 1·3 | 137 | . | . | 2 | . | . | 1 | 5 | 7 | 15 | 22 | 17 |
| | „ 24, | 21·0 | 1·6 | 127 | . | 3 | 3 | . | . | 5 | . | 11 | 16 | 24 | 3 |
| | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | „ 29, | 18·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 12 | 24 | 2 |
| | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | Average, | 20·4 | 1·8 | 123·1 | . | 1·0 | 2·9 | 0·4 | 1·5 | 2·9 | 2·4 | 8·3 | 14·5 | 21·3 | 4·9 |

## FV.—Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts registered in the Thirty-first Week, ending Saturday, 5th August, 1876; also the Deaths from each Di

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of the Week in the years 1866-75. | Week ending Saturday, Aug. 5th, 1876 — Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug 4 1866 | Aug 3 1867 | Aug 1 1868 | Aug 7 1869 | Aug 6 1870 | Aug 5 1871 | Aug 3 1872 | Aug 2 1873 | Aug 8 1874 | Aug 7 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 30. | 30 and under 40. | 40 and under 60. | 60 and under 80. |
| Mean Temperature, | ° 56·7 | ° 57·0 | ° 62·8 | ° 57·6 | ° 62·5 | ° 60·4 | ° 58·1 | ° 60·6 | ° 57·9 | ° 59·0 | ° 59·3 | ° 58·0 | | | | | | |
| **ALL CAUSES,** | 120 | 133 | 140 | 146 | 110 | 75 | 112 | 109 | 133 | 81 | 118·9 | 129 | 45 | 7 | 3 | 19 | 25 | 29 |
| **SPECIFIED CAUSES,** | 119 | 130 | 139 | 145 | 105 | 75 | 112 | 109 | 131 | 80 | 114·5 | 128 | 44 | 7 | 3 | 19 | 25 | 29 |
| (Classes.) | | | | | | | | | | | | | | | | | | |
| ZYMOTIC DISEASES, | 28 | 31 | 43 | 36 | 22 | 11 | 26 | 32 | 34 | 14 | 27·7 | 21 | 12 | 2 | 2 | 3 | 1 | 1 |
| CONSTITUTIONAL ,, | 26 | 27 | 34 | 35 | 31 | 23 | 33 | 22 | 29 | 18 | 27·8 | 29 | 4 | 4 | . | 7 | 8 | 6 |
| LOCAL ,, | 49 | 52 | 49 | 61 | 30 | 25 | 38 | 38 | 52 | 33 | 42·7 | 60 | 19 | 1 | 1 | 8 | 14 | 16 |
| DEVELOPMENTAL ,, | 13 | 14 | 12 | 12 | 15 | 14 | 10 | 16 | 15 | 11 | 13·2 | 16 | 8 | . | . | 1 | 1 | 5 |
| VIOLENT DEATHS, | 3 | 6 | 1 | 1 | 7 | 2 | 5 | 1 | 1 | 4 | 3·1 | 2 | 1 | . | . | . | 1 | . |
| Order 1.—Miasmatic Diseases. | | | | | | | | | | | | | | | | | | |
| 1. Small Pox, | 1 | . | . | . | . | . | 9 | . | . | . | 1·0 | . | . | . | . | . | . | . |
| 2. Measles, | . | 6 | 3 | 5 | . | 1 | 7 | . | . | 1 | 2·3 | 2 | 2 | . | . | . | . | . |
| 3. Scarlet Fever (Scarlatina), | 2 | 2 | 11 | 3 | 3 | 2 | 1 | 4 | 11 | 2 | 4·1 | 3 | 2 | . | 1 | . | . | . |
| 4. Diphtheria, | . | . | 1 | 1 | . | . | . | 2 | 2 | . | ·6 | . | . | . | . | . | . | . |
| 5. Quinsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Croup, | 2 | 3 | 1 | 3 | 2 | . | 2 | 1 | 1 | 1 | 1·6 | . | . | . | . | . | . | . |
| 7. Whooping Cough, | 2 | 4 | 5 | . | 2 | 1 | 1 | 9 | . | 1 | 2·5 | 3 | 2 | 1 | . | . | . | . |
| 8. Typhus, | | | | 2 | 1 | 1 | 1 | 6 | 3 | . | | . | . | . | . | . | . | . |
| – Enteric or Typhoid Fever, | 12 | 3 | 2 | 4 | 2 | 2 | . | . | 3 | 3 | 5·2 | . | . | . | . | . | . | . |
| – Simple continued Fever, | | | | 2 | . | . | 1 | 1 | 3 | . | | 2 | . | . | 1 | . | . | 1 |
| 9. Erysipelas, | 1 | 1 | 1 | 1 | . | . | . | 1 | . | 2 | ·7 | . | . | . | . | . | . | . |
| 10. Puerperal Fever (Metria), | . | 1 | . | . | . | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . |
| 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13. Dysentery, | 1 | . | . | 1 | . | . | . | 1 | 1 | . | ·4 | . | . | . | . | . | . | . |
| 14. Diarrhœa, | 3 | 8 | 18 | 9 | 8 | 2 | 4 | 3 | 7 | 2 | 6·4 | 6 | 5 | 1 | . | . | . | . |
| 15. Simple Cholera, | 2 | . | 1 | . | . | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . |
| 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 17. Remittent Fever, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| 18. Rheumatism, | 1 | 1 | . | 1 | 2 | . | . | . | . | . | ·5 | 1 | . | . | 1 | . | . | . |
| 19. Other Zymotic Diseases, | 1 | . | . | . | . | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . |
| Order 2.—Enthetic Diseases. | | | | | | | | | | | | | | | | | | |
| 1. Syphilis, | . | 2 | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| 2. Stricture of Urethra, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Order 3.—Dietic Diseases. | | | | | | | | | | | | | | | | | | |
| 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Purpura and Scurvy, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . |
| 4. Alcoholism, { Delirium Tremens | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| { Intemperance, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | 3 | . | . | 2 | 1 | . | . |
| Order 4.—Parasitic Diseases. | | | | | | | | | | | | | | | | | | |
| 1. Thrush, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | 1 | 1 | . | . | . | . | . |
| 2. Worms, &c. | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . |
| Order 1.—Diathetic Diseases. | | | | | | | | | | | | | | | | | | |
| 1. Gout, | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| 2. Dropsy, | 3 | 2 | . | 3 | 1 | 1 | . | . | 3 | 3 | 1·6 | 2 | . | . | . | . | 1 | 1 |
| 3. Cancer, | . | 2 | 7 | 3 | 4 | 5 | 3 | . | 4 | 2 | 3·0 | 4 | . | . | . | . | 2 | 2 |
| 4. Cancrum Oris (Noma), | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . |
| 5. Mortification, | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Order 2.—Tubercular Diseases. | | | | | | | | | | | | | | | | | | |
| 1. Scrofula, | 2 | 1 | 1 | 3 | 1 | 2 | 3 | . | . | . | 1·3 | . | . | . | . | . | . | . |
| 2. Tabes Mesenterica, | 6 | 1 | 7 | 3 | 3 | . | 7 | 3 | 1 | 2 | 3·3 | 4 | 4 | . | . | . | . | . |
| 3. Phthisis, | 14 | 13 | 14 | 18 | 20 | 15 | 16 | 18 | 19 | 9 | 15·6 | 16 | . | 1 | . | 7 | 3 | 3 |
| 4. Hydrocephalus, | . | 5 | 4 | 5 | 2 | . | 4 | 1 | 2 | 1 | 2·4 | 3 | . | 3 | . | . | . | . |
| Order 1.—Nervous System. | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis, | 1 | 2 | 1 | 3 | . | . | 1 | . | 3 | . | 1·1 | . | . | . | . | . | . | . |
| 2. Apoplexy, | 4 | . | 4 | 1 | 2 | 2 | 2 | . | 1 | 2 | 1·8 | 1 | . | . | . | . | 1 | . |
| 3. Paralysis, | 4 | 4 | 5 | 2 | . | . | 2 | 2 | 3 | 4 | 2·6 | 4 | . | . | . | . | 3 | 1 |
| 4. Insanity, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . |
| 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Epilepsy, | 1 | . | . | 1 | 2 | 1 | . | . | 1 | . | ·6 | . | . | . | . | . | . | . |
| 7. Convulsions, | 12 | 9 | 20 | 9 | 8 | 5 | 6 | 7 | 10 | 4 | 9·0 | 14 | 14 | . | . | . | . | . |
| 8. *Brain Disease*, &c. | 1 | 2 | 1 | 1 | 2 | 3 | 1 | 3 | 4 | 2 | 1·9 | 2 | . | . | 1 | 1 | . | . |
| Ord. 2.—Organs of Circulation. | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . |
| 2. Aneurism, | 2 | 1 | . | 3 | . | . | . | 1 | . | . | ·7 | 1 | . | . | . | . | . | 1 |
| 3. *Heart Disease*, &c. | 5 | 8 | 6 | 8 | 2 | 2 | 7 | 6 | 8 | 4 | 5·6 | 11 | . | . | . | 3 | 3 | 5 |
| Order 3.—Respiratory Organs. | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis, | 1 | . | . | 2 | . | . | . | . | . | . | ·3 | 1 | . | 1 | . | . | . | . |
| 2. Bronchitis, | 7 | 14 | 5 | 12 | 8 | 3 | 8 | 11 | 4 | 3 | 8·5 | 14 | 4 | . | 1 | 5 | 4 | . |
| 3. Pleurisy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Pneumonia, | 3 | 3 | 1 | 1 | 1 | . | 1 | 3 | 5 | 3 | 2·2 | 2 | . | . | . | 2 | 2 | . |
| 5. Asthma, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. *Lung Disease*, &c. | 1 | 2 | . | 1 | . | . | . | 1 | 2 | 2 | ·9 | 1 | . | . | 1 | . | . | . |

**RINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, ctered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 3156 Week of the 10 years 1866–75. | Week ending Saturday, Aug. 5th, 1876. Deaths of Persons of the Ages | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug 4 1866 | Aug 3 1867 | Aug 1 1868 | Aug 7 1869 | Aug 6 1870 | Aug 5 1871 | Aug 3 1872 | Aug 2 1873 | Aug 8 1874 | Aug 7 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 30. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | 56·7 | 57·0 | 62·8 | 57·6 | 62·5 | 60·4 | 58·1 | 60·6 | 57·9 | 59·0 | 59·3 | 58·0 | | | | | | | |
| ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | | | | | | | |
| 2. Enteritis, | . | . | . | 3 | . | 1 | 1 | . | . | . | ·5 | 2 | 1 | . | . | . | 1 | . | . |
| 3. Peritonitis, | . | . | 1 | 2 | . | . | . | . | . | . | ·3 | 2 | . | . | . | 1 | . | 1 | . |
| 4. Ascites, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | | | | | | | |
| 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 6. Hernia, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | | | | | | | |
| 7. Ileus, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | | | | | | | |
| 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 10. Fistula, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | | | | | | | |
| 11. *Stomach Disease, &c.* | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | . | . | 1·0 | . | | | | | | | |
| 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 13. Hepatitis, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 14. Jaundice, | 2 | . | . | . | . | . | . | . | . | 1 | ·3 | . | | | | | | | |
| 15. *Liver Disease, &c.* | 3 | 3 | 1 | 4 | 1 | 1 | 1 | 2 | 2 | . | 1·8 | 1 | . | . | . | . | 1 | . | . |
| 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | | | | | | | |
| 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 3. Bright's Disease (Nephria), | 1 | . | 1 | 2 | . | . | 1 | . | . | . | ·5 | 1 | . | . | . | 1 | . | . | . |
| 4. Diabetes, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | | | | | | | |
| 5. Calculus (Stone), | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | | | | | | | |
| 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 7. *Kidney Disease, &c.* | . | 1 | 1 | 1 | 1 | . | 1 | 1 | 3 | 2 | 1·1 | 1 | . | . | . | . | 1 | . | . |
| ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 2. *Uterus Disease, &c.* | . | 1 | . | 1 | . | . | 1 | . | . | . | ·3 | 1 | . | . | . | . | . | 1 | . |
| ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 2. *Joint Disease, &c.* | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | | | | | | | |
| ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 2. Ulcer, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | | | | | | | |
| 3. *Skin Disease, &c.* | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | | | | | | | |
| ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 5. Teething, | . | . | 1 | 1 | 1 | 2 | 3 | 1 | 3 | . | 1·2 | 1 | 1 | . | . | . | . | . | . |
| ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | | | | | | | |
| 2. Childbirth (*see also* Puer. Fever), | . | 1 | 1 | 2 | . | . | . | 1 | . | . | ·5 | 1 | . | . | . | 1 | . | . | . |
| ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| 1. Old Age, | 2 | 10 | 4 | 3 | 8 | 9 | 3 | 10 | 7 | 6 | 6·2 | 6 | . | . | . | . | . | 5 | 1 |
| ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility, | 10 | 3 | 6 | 6 | 6 | 3 | 3 | 4 | 5 | 5 | 5·1 | 7 | 6 | . | . | . | 1 | . | . |
| ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions, | . | 3 | 1 | 1 | 1 | 2 | . | . | 1 | 3 | 1·2 | . | . | . | . | . | . | . | . |
| 2. Wounds, | 2 | . | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| 3. Burns and Scalds, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Drowning, | 1 | 1 | . | . | 2 | . | 2 | 1 | . | 1 | ·8 | 1 | . | . | . | . | 1 | . | . |
| 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| 7. Otherwise, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Murder and Manslaughter, | . | . | . | . | 2 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Wounds, { Gunshot, / Cut, Stab, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Hanging, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| 1. Hanging, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sudden Deaths (Cause unascertd.), Causes not specified or ill-defined, | 1 | 3 | 1 | 1 | 5 | . | . | . | 2 | . | 1·3 | 1 | 1 | . | . | . | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 5th August, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 5TH AUGUST, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 21 | 187 | 129 | 30 | 30 | . | 2 | 3 | . | 3 | 2 | 6 | 2 | 6 | 36 |
| BELFAST,* . . | 20,687 | 182,082 | 23 | 120 | 80 | 20 | 8 | . | . | 3 | 1 | . | 2 | 2 | 2 | 3 | 17 |
| CORK, . . . | 13,816 | 91,565 | 16 | 35 | 28 | 3 | 6 | . | . | . | . | . | 1 | . | . | 1 | 9 |
| LIMERICK, . . | 8,509 | 44,209 | 15 | 13 | 13 | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 |
| LONDONDERRY,† . | 5,061 | 22,401 | 16 | 11 | 7 | 1 | 3 | . | . | . | . | . | . | 1 | 1 | 1 | 1 |
| WATERFORD, . . | 17,209 | 30,626 | 10 | 13 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 13 | 2 | 5 | . | 2 | . | . | . | . | . | 1 | . | . | . | 4 |
| SLIGO, . . . | 30,835 | 17,285 | 6 | 7 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 5th August, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 13 | 9 | 5 | 2 | . | . | . | 1 | . | . | . | . | 1 | 1 | . |
| | ,, ,, 2, | 17,938 | 49 | 13 | 17 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | 6 |
| | ,, ,, 3, | 39,311 | 22 | 32 | 17 | 8 | 1 | . | . | 1 | 1 | . | . | . | . | . | . |
| | ,, ,, 4, W. | 19,320 | 57 | 15 | 21 | 2 | 4 | . | . | . | . | . | 1 | . | . | . | 11 |
| | ,, ,, 5, | 19,616 | 13 | 8 | 5 | 2 | . | . | . | . | . | . | . | . | . | 2 | . |
| | ,, ,, 6, | 36,652 | 8 | 13 | 6 | 3 | . | . | . | . | . | . | . | 1 | 1 | . | . |
| | ,, ,, 9, | 5,296 | 20 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 19 | 8 | 3 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 13 | 16 | 4 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 4 | 3 | . | 2 | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 2, | 11,555 | 18 | 2 | 4 | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 3, | 6,818 | 15 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 9 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 41 | 8 | 12 | 1 | 4 | . | . | . | . | . | . | . | . | . | 9 |
| | ,, ,, 7, | 7,586 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, W. | 18,364 | 8 | 10 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 4,790 | 11 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, W. | 8,992 | 29 | 3 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 3, | 11,424 | 9 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 7 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 2 | 3 | . | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 2, | 13,569 | 15 | 9 | 4 | 1 | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | Glendermot,† W. | 8,483 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, W. | 30,626 | 10 | 13 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, W. | 8,992 | 23 | . | 4 | . | 2 | . | . | . | . | . | 1 | . | . | . | 4 |
| SLIGO, | Sligo, No. 1, W. | 6,456 | 8 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 5 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† There is not any Registrar in Glendermot District at present.
The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

BIBLIOTHECA · LANA

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, AUGUST 12, 1876. [No. 32.

*General Register Office, Charlemont House, Dublin, August 14th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 12th August, 1876, represent an annual mortality of 20·0 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 19·7 per 1,000. In London the death-rate was 24 in every 1,000 of the estimated population; in Glasgow, 24; and in Edinburgh, 15.

In the Dublin Registration District the births *registered* during the week amounted to 182—98 boys and 84 girls,—and the deaths to 121—60 males and 61 females. The *average* numbers in the corresponding week of the previous ten years were—births, 166, and deaths, 128.

Twenty-three deaths from zymotic diseases were *registered* during the week, the average number of deaths from this class of diseases in the corresponding week of the preceding ten years was 32·7. Two deaths were caused by fever (1 typhus and the other typhoid or enteric), 2 by scarlet fever, 9 by diarrhœa—of these 7 were children under 5 years of age, and 2 between 20 and 40 years—3 by whooping-cough, 1 by measles, and 1 each by simple cholera and erysipelas.

Nine children died from convulsions.

Six deaths resulted from bronchitis, 2 from pneumonia or inflammation of the lungs, and 1 from pleurisy.

Ten deaths were ascribed to heart disease, and 2 to aneurism; 4 resulted from apoplexy, 6 from paralysis, 2 from kidney disease unspecified, 1 from cystitis or inflammation of the bladder, and 1 from hernia.

Fourteen persons died from phthisis or pulmonary consumption, 3 from hydrocephalus or water on the brain, 2 from mesenteric disease, 1 from scrofula, 4 from cancer, and 1 from dropsy.

Seven accidental deaths were *registered*, viz.:—2 from fractures and contusions, 3 from burns, 1 from drowning, and 1 (a child) from suffocation.

Thirty-three of the persons whose deaths were *registered* during the week were under 5 years of age (21 being infants under 1 year old); and 39 were aged 60 and upwards, including 20 persons aged 70 and upwards, of whom 6 were octogenarians.

Thirty-seven of the deaths *registered* occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 19·7 per 1,000; the rate in the city was 20·1 (19·7 on the North side and 20·4 on the South), and in the suburbs 18·0.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the city being 3·2 (2·9 in the North City Districts and 3·4 in the South), and for the suburbs 0·8 per 1,000.

*No.* 1, *North City District* (Summer-hill). The deaths in this district afford an annual rate of 18·7 per 1,000 of the population; they include 1 from whooping-cough, and 2 from diarrhœa.

*No.* 2, *North City District* (Coleraine-street). The annual rate represented by the deaths tabulated for this district is 25·5 per 1,000; the average for the last ten weeks has been 22·6 per 1,000. Of the deaths last week 1 resulted from whooping-cough, and 2 from diarrhœa.

*No.* 3, *North City District* (Blackhall-street). There were only 7 deaths chargeable to this district, the annual rate afforded thereby being 14·4 per 1,000. There were no deaths from zymotic diseases. The average rate of mortality in this district for the last ten weeks has been 21·8 per 1,000.

*No.* 1, *South City District* (Meath-street). The annual rate afforded by the deaths tabulated for this district is 26·0 per 1,000, which is somewhat over the average for recent weeks. The only death from zymotic disease was 1 from whooping-cough.

*No.* 2, *South City District* (High-street). There were 11 deaths of inhabitants of this district, the annual rate represented by this mortality being 20·2 per 1,000. Amongst the deaths were 1 from typhus, and 2 from diarrhœa.

*No.* 3, *South City District* (Peter-street). The death-rate in this district was only 13·6 per 1,000: the average rate for the last ten weeks has been 19·7. Of the 10 deaths last week, 1 resulted from enteric fever, this being the only death from any of the seven principal zymotic diseases.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The deaths tabulated for this district afford an annual rate of 23·0 per 1,000, they include 1 each from scarlatina and measles, and 2 from diarrhœa, these 4 deaths representing an annual rate of 5·1 per 1,000: the average rate afforded by deaths from the seven principal zymotic diseases during the last ten weeks has been 2·5 per 1,000.

*Suburban Districts.* The death-rate in Rathmines was 26·8 per 1,000 (4 deaths which occurred in the month of June are included in the 11 deaths tabulated for this district); in Donnybrook the rate was 28·1 per 1,000, the average rate for the last 10 weeks being 21·3; and in Blackrock it was 7·2 per 1,000. There were no deaths registered in Kingstown. One death from diarrhœa in Donnybrook was the only death from zymotic disease in any of the four suburban districts.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·161 inches. The highest daily mean reading (30·331) occurred on Thursday, and the lowest (30·092) on Monday.

The mean temperature during the week was 62·1° (being 1·3° over the average in the corresponding week of the previous ten years); the lowest daily mean (59·1°) occurred on Wednesday, and the highest (66·0°) on Monday and Tuesday.

The temperature was highest on Tuesday and Friday, when the thermometer registered 76·9°, and was lowest on Thursday, the mercury having fallen to 44·1°. The highest reading of the barometer during the week (30·334) occurred on Thursday, at 9.30 P.M., air calm, and the lowest (30·013) on Wednesday, at 9.30 A.M., wind, S.S.W. The mean of the Dry Bulb for the week was 64·1°; and of the Wet Bulb 59·0°. The mean humidity of the air was ·762; complete saturation being represented by 1·0. The rain-fall during the week measured ·064 in.

At Greenwich the mean temperature of the week was 66·7°; and at Glasgow, 58·8°. The rain-fall during the week at Glasgow measured ·52 in. There was not any rain at Greenwich.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | THERMOMETER. Maximum. | Minimum. | Mean. | HYGROMETER. Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | Ozone. 1·0. | Rain Gauge. | Direction of the Wind. 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Aug. 6, | 30·105 | 67·2 | 57·6 | 62·4 | 63·5 | 59·6 | ·799 | ·7 | ·040 | S. | S. | S.S.W. |
| Monday, „ 7, | 30·092 | 75·6 | 56·5 | 66·0 | 66·1 | 61·3 | ·767 | ·8 | ·004 | S.W. | W. | S.W. |
| Tuesday, „ 8, | 30·108 | 76·9 | 55·1 | 66·0 | 66·2 | 61·1 | ·767 | ·7 | ·000 | W. | S.W. | S.E. |
| Wednesday, „ 9, | 30·093 | 73·5 | 44·6 | 59·1 | 57·9 | 54·9 | ·845 | ·7 | ·020 | S.S.W. | N.W. | W. |
| Thursday, „ 10, | 30·331 | 74·4 | 44·1 | 59·2 | 63·4 | 57·2 | ·720 | ·3 | ·000 | S.W. | S.W. | Calm. |
| Friday, „ 11, | 30·274 | 76·9 | 45·2 | 61·1 | 64·8 | 58·1 | ·706 | ·2 | ·000 | S. | N.N.E. | Calm. |
| Saturday, „ 12, | 30·125 | 75·1 | 47·8 | 61·4 | 66·7 | 60·7 | ·729 | ·5 | ·000 | S.E. | S.E. | Calm. |
| Mean, . . | 30·161 | 74·2 | 50·1 | 62·1 | 64·1 | 59·0 | ·762 | ·6 | Total, ·064 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Aug. 6, | A.M. Dull and gloomy. | P.M. Overcast. |
| Monday, „ 7, | A.M. Dull but pleasant. | P.M. Dull and gloomy. |
| Tuesday, „ 8, | A.M. Overcast. | P.M. Fine. |
| Wednesday, „ 9, | A.M. Fine. | P.M. Fine and starlight. |
| Thursday, „ 10, | A.M. Warm and pleasant. | P.M. Fine starlight night. |
| Friday, „ 11, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 12, | A.M. Fine with slight haze. | P.M. Gloomy. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

**Table II.—Deaths in the several Registrars' Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, registered during the Week ending Saturday, 12th August, 1876.** *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| Names of Diseases, &c. | Registrars' Districts. | | | | | | | | | | | Total for Dublin Registration District. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook. | Blackrock. | Kingstown. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E. & W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 18 | 16 | 7 | 15 | 11 | 10 | 18 | 11 | 12 | 1 | . | 119 | 2 |
| Zymotic Diseases: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Scarlet Fever (Scarlatina), | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 3 | . |
| Fever, | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | . |
| Diarrhœa, | 2 | 2 | . | . | 2 | . | 2 | . | 1 | . | . | 9 | . |
| Other Zymotic Diseases, | 3 | 1 | . | . | . | 1 | 1 | . | . | . | . | 6 | . |
| Total, | 6 | 4 | . | 1 | 3 | 2 | 5 | . | 1 | . | . | 22 | 1 |
| Constitutional Diseases: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 1 | 2 | 3 | . | . | 3 | 1 | 1 | . | . | 13 | 1 |
| Other Constitutional Diseases | 1 | . | . | 4 | 2 | . | 2 | . | 2 | . | . | 11 | . |
| Total, | 3 | 1 | 2 | 7 | 2 | . | 5 | 1 | 3 | . | . | 24 | 1 |
| Local Diseases: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 2 | 4 | 1 | 1 | 3 | 2 | 2 | 3 | 1 | . | . | 19 | . |
| Diseases of the Heart and Circulatory Organs, | 2 | . | 1 | . | 1 | 1 | 1 | 1 | 5 | . | . | 12 | . |
| Diseases of the Respiratory Organs, | . | 1 | . | 2 | . | 3 | 1 | 2 | . | . | . | 9 | . |
| Diseases of the Digestive Organs, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Diseases of the Urinary Organs, | 1 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 5 | 2 | 3 | 4 | 6 | 4 | 7 | 7 | 1 | . | 44 | . |
| Developmental Diseases, | 3 | 3 | 1 | 2 | 1 | 2 | 3 | 3 | 1 | . | . | 19 | . |
| Violent Deaths, | 1 | 3 | . | 1 | 1 | . | 1 | . | . | . | . | 7 | . |
| Causes not Specified or Ill-Defined, | . | . | 2 | 1 | . | . | . | . | . | . | . | 3 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 18·7 | 25·5 | 14·4 | 26·0 | 20·2 | 13·6 | 23·0 | 26·8 | 28·1 | 7·2 | . | | — |
| | 19·7 | | | 20·4 | | | | | | | | | |
| | 20·1 | | | | | | | 18·0 | | | | 19·7 | |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 2 | . | 3 | 2 | 2 | 3 | 2 | 5 | . | . | 20 | 2 |
| Workhouse Hospitals, | 3 | . | 2 | 4 | 2 | 2 | 1 | 1 | . | . | . | 15 | . |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | June 10, | 28·0 | 2·1 | 27 | . | . | 1 | . | . | 1 | . | . | 4 | 4 | 1 |
| | „ 17, | 17·7 | 2·1 | 17 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 3 |
| | „ 24, | 11·4 | 1·0 | 11 | . | . | 1 | . | . | . | . | . | 2 | 1 | . |
| | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 2 |
| | „ 8, | 10·4 | . | 10 | . | . | . | . | . | . | . | . | . | 4 | . |
| | „ 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 3 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | . | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 3·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | Average, | 18·6 | 2·2 | 17·9 | . | . | 0·5 | 0·2 | 0·2 | 0·6 | 0·6 | 1·1 | 2·5 | 2·6 | 0·7 |
| North City, No. 2. (*Office, Coleraine-street.*) | June 10, | 35·1 | 1·6 | 22 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 1 |
| | „ 17, | 20·7 | . | 13 | . | . | . | . | . | . | . | 1 | . | 2 | 2 |
| | „ 24, | 30·3 | 1·6 | 19 | . | . | 1 | . | . | . | . | 1 | 1 | 6 | . |
| | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 20·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 3 |
| | Average, | 22·6 | 2·2 | 14·2 | . | 0·2 | 0·3 | . | 0·3 | 0·1 | 0·5 | 0·7 | 2·0 | 2·4 | 0·7 |
| North City, No. 3. (*Office, Blackhall-street.*) | June 10, | 8·2 | 2·1 | 4 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 26·7 | 2·1 | 13 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | . |
| | „ 24, | 18·5 | 2·1 | 9 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 5 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | Average, | 21·8 | 2·1 | 10·6 | . | . | 0·4 | . | . | 0·3 | 0·3 | 1·0 | 1·5 | 2·1 | 0·3 |
| South City, No. 1. (*Office, Meath-street.*) | June 10, | 38·1 | 3·5 | 22 | . | . | 1 | . | . | . | 1 | 1 | 5 | 9 | . |
| | „ 17, | 29·5 | 3·5 | 17 | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 |
| | „ 24, | 20·8 | 3·5 | 12 | . | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . |
| | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | Average, | 24·4 | 2·6 | 14·1 | . | 0·1 | 0·2 | . | 0·4 | 0·4 | 0·4 | 0·7 | 2·3 | 2·2 | 0·5 |
| South City, No. 2. (*Office, High-street.*) | June 10, | 14·7 | 1·8 | 8 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 17, | 11·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ 24, | 34·9 | 1·8 | 19 | . | 1 | . | . | . | . | . | 4 | 3 | 6 | 1 |
| | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·8 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | Average, | 21·1 | 2·0 | 11·5 | . | 0·1 | 0·2 | . | 0·1 | 0·3 | 0·4 | 1·3 | 0·7 | 2·1 | 0·5 |
| South City, No. 3. (*Office, Peter-street.*) | June 10, | 27·1 | 4·1 | 20 | . | . | 1 | . | 2 | . | . | 1 | 2 | . | 2 |
| | „ 17, | 24·4 | 1·4 | 18 | . | . | . | . | . | . | 1 | 2 | . | 5 | 1 |
| | „ 24, | 16·3 | 2·7 | 12 | . | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 2 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | . |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | Average, | 19·7 | 1·5 | 14·5 | . | . | 0·3 | . | 0·2 | 0·5 | 0·1 | 1·6 | 0·7 | 2·8 | 0·8 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | June 10, | 19·2 | 2·6 | 15 | . | . | . | . | 2 | . | . | 3 | . | 3 | . |
| | „ 17, | 30·7 | 2·6 | 24 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | 6 |
| | „ 24, | 25·6 | 2·6 | 20 | . | . | 1 | . | . | 1 | . | 4 | 3 | 2 | 2 |
| | July 1, | 12·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 3 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | Average, | 18·9 | 2·5 | 14·8 | . | 0·4 | 0·6 | . | 0·2 | 0·1 | 0·6 | 1·5 | 2·2 | 1·9 | 1·3 |
| **Rathmines.** | June 10, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 17, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 24, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | Average, | 16·8 | 0·5 | 6·9 | . | . | 0·1 | . | . | . | 0·1 | 0·3 | 1·0 | 1·1 | 0·3 |
| **Donnybrook.** | June 10, | 18·7 | 4·7 | 8 | . | 1 | . | . | . | 1 | . | 1 | . | 2 | . |
| | „ 17, | 37·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 24, | 21·3 | 2·3 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | . |
| | July 1, | 35·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | Average, | 21·3 | 2·1 | 9·1 | . | 0·3 | 0·1 | 0·1 | . | 0·3 | 0·1 | 0·2 | 0·9 | 1·1 | 0·1 |
| **Blackrock.** | June 10, | 21·7 | 7·2 | 3 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | „ 17, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 16·6 | 2·2 | 2·3 | . | . | . | 0·1 | 0·1 | . | 0·1 | . | . | 0·4 | 0·1 |
| **Kingstown.** | June 10, | 22·5 | 2·8 | 8 | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 17, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 24, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 15·4 | 0·6 | 5·5 | . | . | 0·1 | . | . | 0·1 | . | . | 0·5 | 0·6 | . |
| **Total, Dublin Registration District.** | June 10, | 24·0 | 2·6 | 145 | . | 1 | 4 | . | 5 | 4 | 2 | 7 | 15 | 25 | 4 |
| | „ 17, | 22·6 | 1·3 | 137 | . | . | 2 | . | . | 1 | 5 | 7 | 15 | 22 | 17 |
| | „ 24, | 21·0 | 1·8 | 127 | . | 3 | 3 | . | . | 5 | . | 11 | 16 | 24 | 3 |
| | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | „ 29, | 18·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 12 | 24 | 2 |
| | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 2 | 9 | 9 | 13 | 9 | 7 |
| | Average, | 20·1 | 1·9 | 121·4 | . | 1·1 | 2·8 | 0·4 | 1·5 | 2·7 | 3·2 | 8·4 | 14·3 | 19·3 | 5·4 |

ABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the THIRTY-SECOND WEEK, ending Saturday, 12th August, 1876; also the Deaths from each Disease

| lass. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of the 32nd Week of the 10 years 1865-74. | Week ending Saturday, Aug. 12th, 187 | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Aug 11 1866 | Aug 10 1867 | Aug 8 1868 | Aug 14 1869 | Aug 13 1870 | Aug 12 1871 | Aug 10 1872 | Aug 9 1873 | Aug 15 1874 | Aug 14 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| | Mean Temperature, | ° 55·7 | ° 59·5 | ° 64·1 | ° 58·8 | ° 65·0 | ° 65·7 | ° 58·8 | ° 61·5 | ° 56·4 | ° 62·1 | ° 60·8 | ° 62·1 | | | | | | | |
| | **ALL CAUSES,** | 127 | 130 | 144 | 123 | 119 | 95 | 155 | 109 | 164 | 111 | 127·7 | 121 | 33 | 4 | 4 | 21 | 20 | 33 | 6 |
| | **SPECIFIED CAUSES,** | 127 | 130 | 141 | 121 | 116 | 92 | 151 | 104 | 162 | 109 | 125·3 | 118 | 32 | 4 | 4 | 21 | 19 | 32 | 6 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 28 | 26 | 48 | 30 | 39 | 21 | 45 | 15 | 53 | 22 | 32·7 | 23 | 14 | . | . | 7 | 1 | 1 | . |
| II. | CONSTITUTIONAL „ | 32 | 33 | 26 | 24 | 24 | 28 | 32 | 27 | 24 | 31 | 28·1 | 25 | 5 | 1 | 2 | 6 | 5 | 6 | . |
| III. | LOCAL „ | 48 | 59 | 49 | 48 | 40 | 33 | 52 | 41 | 59 | 38 | 46·7 | 44 | 9 | 3 | 2 | 5 | 8 | 15 | 2 |
| IV. | DEVELOPMENTAL „ | 15 | 10 | 15 | 14 | 10 | 7 | 20 | 19 | 21 | 16 | 14·7 | 19 | 3 | . | . | 2 | 2 | 9 | 3 |
| V. | VIOLENT DEATHS, | 4 | 2 | 3 | 5 | 3 | 3 | 2 | 2 | 5 | 2 | 3·1 | 7 | 1 | . | . | 1 | 3 | 1 | 1 |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 3 | 19 | . | . | . | 2·2 | . | . | . | . | . | . | . | . |
| | 2. Measles, | . | 8 | 1 | 7 | . | . | 3 | . | 2 | 2 | 2·3 | 1 | 1 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 1 | 3 | 5 | 9 | 5 | 7 | . | 30 | 2 | 6·3 | 2 | 1 | . | . | 1 | . | . | . |
| | 4. Diphtheria, | . | . | . | 1 | . | . | . | 1 | 2 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | 1 | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | . | 1 | 1 | 2 | 1 | 4 | 1 | . | 2 | 1·2 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 1 | 7 | 1 | . | 5 | 1 | . | 3 | 2 | 4 | 2·4 | 3 | 3 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 3 | . | . | . | . | 1 | . | | 1 | . | . | . | 1 | . | . | . |
| | – Enteric or Typhoid Fever, | 8 | 4 | 3 | 3 | 1 | 3 | 1 | 3 | 4 | 2 | 4·6 | 1 | 1 | . | . | . | . | . | . |
| | – Simple continued Fever, | | | | | 4 | 1 | 3 | . | 2 | . | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 3 | . | 2 | 2 | . | . | . | 1 | 1 | . | ·9 | 1 | . | . | . | 1 | . | . | . |
| | 10. Puerperal Fever (Metria), | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | 3 | . | . | . | 2 | 1 | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 2 | . | 1 | . | . | 1 | . | . | 2 | . | ·6 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 4 | 3 | 32 | 6 | 14 | 4 | 6 | 4 | 4 | 5 | 8·2 | 9 | 7 | . | . | 2 | . | . | . |
| | 15. Simple Cholera, | 5 | . | 2 | 1 | 3 | . | . | 1 | 1 | . | 1·3 | 1 | 1 | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | 2 | 1 | . | . | 1 | . | . | 2 | . | ·7 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | 1 | . | 1 | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | 1 | . | 1 | . | 1 | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 2 | . | 3 | 1 | 2 | 1 | 3 | 1 | 3 | 1·9 | 1 | 1 | . | . | . | . | . | . |
| | 3. Cancer, | 3 | 2 | 2 | 1 | 2 | 2 | 2 | 3 | 12 | 5 | 2·4 | 4 | . | . | . | 1 | . | 3 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | 1 | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 1 | 1 | 1 | . | 1 | 1 | . | 1 | 2 | ·9 | 1 | . | . | . | . | . | 1 | . |
| | 2. Tabes Mesenterica, | 3 | 5 | 1 | 1 | 7 | 2 | 3 | . | 3 | 3 | 2·8 | 2 | 2 | . | . | . | . | . | . |
| | 3. Phthisis, | 20 | 19 | 16 | 15 | 11 | 20 | 19 | 19 | 14 | 16 | 16·9 | 14 | . | . | 2 | 5 | 5 | 2 | |
| | 4. Hydrocephalus, | 1 | 3 | 5 | 3 | 3 | 1 | 6 | 2 | 3 | 2 | 2·9 | 3 | 2 | 1 | . | . | . | . | |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 2 | 5 | 1 | 5 | . | 1 | 1 | . | 2 | 1 | 1·7 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 1 | 2 | 4 | 4 | 1 | 1 | 4 | 3 | . | 1 | 2·1 | 4 | . | . | . | 1 | . | 1 | 1 |
| | 3. Paralysis, | 2 | . | 3 | 2 | 1 | 3 | 2 | 1 | 5 | 2 | 2·1 | 6 | . | . | . | . | 3 | 3 | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 2 | 3 | 1 | . | 1 | . | 1 | . | 2 | 1 | 1·1 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 14 | 19 | 13 | 12 | 10 | 8 | 8 | 9 | 16 | 6 | 11·5 | 9 | 9 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 1 | 2 | 2 | 2 | 3 | 3 | 4 | 1 | 2 | 2 | 2·2 | . | . | . | . | . | . | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | 1 | 1 | 1 | . | 1 | . | 1 | . | ·5 | 2 | . | . | . | . | 2 | . | . |
| | 3. *Heart Disease, &c.* | 8 | 6 | 3 | 2 | 5 | 2 | 8 | 13 | 8 | 5 | 6·0 | 10 | . | 3 | 2 | 3 | . | 3 | . |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 7 | 11 | 10 | 6 | 5 | 8 | 8 | 5 | 8 | 8 | 7·6 | 6 | . | . | . | 1 | 1 | 4 | . |
| | 3. Pleurisy, | . | 1 | . | . | 2 | . | . | 1 | 2 | . | ·6 | 1 | . | . | . | . | 1 | . | . |
| | 4. Pneumonia, | 3 | 1 | 3 | 3 | 2 | 1 | 5 | 2 | 2 | 6 | 2·8 | 2 | . | . | . | . | . | 2 | . |
| | 5. Asthma, | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | . | 2 | 1 | 2 | . | 2 | 1 | 1 | 3 | . | 1·2 | . | . | . | . | . | . | . | . |

ATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, gistered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 52nd Week of the 10 years 1866-75. | Week ending Saturday, Aug. 12th, 1876. Deaths of Persons of the Ages | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Aug 11 1866 | Aug 10 1867 | Aug 8 1868 | Aug 14 1869 | Aug 13 1870 | Aug 12 1871 | Aug 10 1872 | Aug 9 1873 | Aug 15 1874 | Aug 14 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 55·7 | 59·5 | 64·1 | 58·8 | 65·0 | 65·7 | 58·8 | 61·5 | 56·4 | 62·1 | 60·8 | Mean Temp. 62·1 | | | | | | | |
| 11. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | . | . | 1 | 1 | 1 | 1 | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | 2 | . | . | 1 | 1 | . | . | ·4 | 1 | . | . | . | . | . | 1 | . |
| | 7. Ileus, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 1 | 3 | 1 | 2 | . | 1 | 1 | 1 | 1 | 1·2 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | 1 | . | . | . | 1 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | . | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 1·2 | . | . | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 3 | 2 | . | 1 | . | . | 2 | 2 | 2 | . | 1·2 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 7. *Kidney Disease, &c.* | . | 1 | . | 1 | . | 1 | 2 | . | . | 1 | ·6 | 2 | . | . | . | 1 | . | 1 | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | 1 | . | . | . | 1 | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | 1 | . | . | 3 | . | 1 | . | . | 1 | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| V. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | 1 | 1 | . | 1 | 1 | . | . | 1 | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | . | 3 | 1 | 1 | 1 | . | 1 | 2 | 1 | 1·1 | . | . | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | 1 | 1 | . | . | . | . | . | . | 2 | ·4 | 3 | . | . | . | 2 | 1 | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 6 | 5 | 5 | 8 | 4 | 3 | 16 | 14 | 9 | 8 | 7·8 | 10 | . | . | . | . | . | 7 | 3 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 7 | 3 | 4 | 5 | 4 | 2 | 4 | 4 | 9 | 4 | 4·6 | 6 | 3 | . | . | . | 1 | 2 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 3 | 1 | 1 | . | 2 | . | . | 1 | 3 | 1 | 1·2 | 2 | . | . | . | . | 2 | . | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 1 | 1 | . | . | 1 | . | . | 1 | . | ·4 | 3 | . | . | . | . | 1 | 1 | 1 |
| | 4. Poison, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | . | 1 | 1 | 1 | 1 | 1 | 1 | . | 1 | ·7 | 1 | . | . | . | 1 | . | . | . |
| | 6. Suffocation, | . | . | . | 2 | . | . | 1 | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | 2 | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | . | . | 3 | 2 | 3 | 2 | 4 | 5 | 2 | 2 | 2·3 | 3 | 1 | . | . | . | 1 | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 12th August, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES. &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 12TH AUGUST, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 20 | 182 | 121 | 21 | 39 | . | 1 | 2 | . | 3 | 2 | 9 | 7 | 4 | 32 |
| BELFAST,* . . | 20,687 | 182,082 | 18 | 120 | 62 | 14 | 9 | . | . | 1 | . | 4 | 3 | 6 | 2 | . | 7 |
| CORK, . . . | 13,816 | 91,965 | 20 | 36 | 35 | 2 | 12 | . | 1 | . | . | . | . | 2 | 1 | 1 | 15 |
| LIMERICK, . . | 8,509 | 44,209 | 29 | 30 | 25 | 5 | 5 | . | . | . | . | . | 3 | 1 | . | 1 | 7 |
| LONDONDERRY,† . | 21,865 | 30,884 | 25 | 16 | 15 | 5 | . | . | . | . | 4 | . | 1 | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 19 | 16 | 11 | . | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 3 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 30,835 | 17,285 | 12 | 8 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | 2 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 12th August. 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 8 | 14 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 17,938 | 23 | 9 | 8 | 4 | 1 | . | . | . | . | 1 | . | . | . | . | 2 |
| | ,, ,, 3, | 39,311 | 20 | 28 | 15 | 4 | 1 | . | . | . | . | . | 3 | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 24 | 16 | 9 | 3 | 4 | . | . | . | . | . | . | . | . | . | 6 |
| | ,, ,, 5, | 19,616 | 21 | 10 | 8 | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 17 | 23 | 12 | . | 2 | . | . | . | 1 | 1 | . | 3 | . | . | . |
| | ,, ,, 9, | 5,296 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 23 | 13 | 7 | 2 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 20 | 6 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, ,, 2, | 11,555 | 9 | 6 | 2 | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| | ,, ,, 3, | 6,818 | 23 | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 17 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 5, | 11,289 | 23 | 9 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 17 | 3 | 5 | . | 2 | . | . | . | . | . | . | . | 1 | 1 | . |
| | ,, ,, 7, | 7,536 | 21 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 31 | 1 | 11 | . | 4 | . | . | . | . | . | . | 1 | . | . | 10 |
| | ,, ,, 9, | 4,790 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 5 | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 46 | 8 | 8 | . | 2 | . | . | . | . | . | 3 | 1 | . | . | 7 |
| | ,, ,, 3, | 11,424 | 14 | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 33 | 12 | 10 | 2 | 2 | . | . | . | . | . | . | . | . | 1 | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 24 | 4 | 4 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 2, | 13,569 | 11 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W* | 8,483 | 49 | 7 | 8 | 3 | . | . | . | . | 4 | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 19 | 16 | 11 | . | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 5 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 16 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 2, | 10,829 | 10 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District.
The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN,**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, AUGUST 19, 1876. [No. 33.

*General Register Office, Charlemont House, Dublin, August 21st, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 19th August, 1876, represent an annual mortality of 16·5 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 16·2 per 1,000. In London the death-rate was 23 in every 1,000 of the estimated population; in Glasgow, 22; and in Edinburgh, 12.

In the Dublin Registration District the births *registered* during the week amounted to 144—72 boys and 72 girls.—and the deaths to 100—54 males and 46 females. The *average* numbers in the corresponding week of the previous ten years were—births, 161, and deaths, 128.

The deaths from zymotic diseases *registered* during the week amounted to 25, against an average of 35 for the corresponding week of the previous ten years. Of the deaths from zymotic diseases only 1 resulted from typhoid fever, 11 were from diarrhœa, 4 from scarlet fever, 1 each from small-pox, measles, diphtheria, and whooping-cough, and 3 from croup.

Nine children died from convulsions.

Four deaths were caused by heart disease, 2 by aneurism, 1 by pericarditis or inflammation of the heart's covering, 1 by inflammation of the bladder, and 1 by stone.

Eight deaths were referred to bronchitis, 1 to pneumonia or inflammation of the lungs, and 2 to lung disease unspecified.

To phthisis or pulmonary consumption 14 deaths were ascribed, to mesenteric disease 4, to hydrocephalus or water on the brain, scrofula, and dropsy 2 each.

One death was caused by scalds, and an infant 10 months old died from neglect—verdict of coroner's jury, "homicidal."

Thirty-eight of the persons whose deaths were *registered* during the week were under 5 years of age (25 being infants under 1 year old); and 23 were aged 60 and upwards, including 13 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (females) were stated to have been aged, respectively, 93 and 98 years.

Eighteen of the deaths *registered* occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin, and 9 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 16·2 per 1,000; the rate in the city was 16·5 (12·5 on the North side and 19·7 on the South), and in the suburbs 15·0.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the city being 3·6 (1·9 in the North City Districts and 4·9 in the South), and for the suburbs 2·3 per 1,000.

*No.* 1, *North City District* (Summer-hill). The annual death-rate represented by the deaths chargeable to this district is 12·5 per 1,000. There was 1 death from scarlatina, and 1 from diphtheria.

*No.* 2, *North City District* (Coleraine-street). The deaths in this district only afford a rate of 11·2 per 1,000: the average rate for the last ten weeks has been 20·2 per 1,000. The only death from zymotic disease recorded last week was one from diarrhœa.

*No.* 3, *North City District* (Blackhall-street). The death-rate was only 14·4 per 1,000; the only death from zymotic disease was one from diarrhœa.

*No.* 1, *South City District* (Meath-street). There were 14 deaths chargeable to this district, the annual rate afforded thereby being 24·3 per 1,000. Two of the deaths were caused by diarrhœa.

*No.* 2, *South City District* (High-street). The death-rate for this district is 22·0 per 1,000. Of the 12 deaths tabulated 1 resulted from measles, and 3 from diarrhœa, these 4 deaths giving a zymotic rate of 7·3 per 1,000; the average annual rate afforded by deaths from the seven principal zymotic diseases for the last ten weeks has been 2·6 per 1,000. The zymotic rate in the week ended 12th August was 5·5 per 1,000.

*No.* 3, *South City District* (Peter-street). The deaths in this district represent an annual rate of 19·0 per 1,000; they include 3 from scarlatina, and 2 from diarrhœa, these 5 deaths being equal to an annual rate of 6·8 per 1,000 inhabitants: the average rate yielded by deaths from the seven principal zymotic diseases for the last ten weeks has been only 1·8 per 1,000.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The death-rate in this district for the week is 15·3 per 1,000: the deaths include 1 from small-pox, and 1 from diarrhœa. The death from small-pox, which was that of a young woman, a resident of Clarendon-street, who died in the Meath Hospital, is the only death from that disease registered in Dublin for the last fifteen months.

*Suburban Districts.* The respective death-rates were, Rathmines 14·6 per 1,000; Donnybrook 18·7; Blackrock 14·4; and Kingstown 11·2 per 1,000. The deaths from zymotic diseases were 1 from whooping-cough in Rathmines, 1 from diarrhœa in Donnybrook, and 1 from typhoid or enteric fever in Kingstown.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·940 inches. The highest daily mean reading (30·008) occurred on Tuesday, and the lowest (29·870) on Thursday.

The mean temperature during the week was 64·7° (being 5·0° over the average in the corresponding week of the previous ten years); the lowest daily mean (61·9°) occurred on Saturday, and the highest (67·2°) on Wednesday and Thursday.

The temperature was highest on Wednesday, when the thermometer registered 80·9°, and was lowest on Tuesday, the mercury having fallen to 47·5°. The highest reading of the barometer during the week (30·018) occurred on Tuesday, at 9.30 P.M., wind N., and the lowest (29·838) on Thursday, at 9.30 P.M., wind, N.E. The mean of the Dry Bulb for the week was 65·8°; and of the Wet Bulb 61·6°. The mean humidity of the air was ·805; complete saturation being represented by 1·0. The rain-fall during the week measured ·770 in.

At Greenwich the mean temperature of the week was 72·0°; and at Glasgow, 65·3°. The rain-fall during the week at Greenwich measured ·25 in. There was not any rain at Glasgow.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Aug. 13, | 29·932 | 77·9 | 53·7 | 65·8 | 67·0 | 61·7 | ·774 | ·4 | ·000 | E. | S.E. | Calm. |
| Monday, „ 14, | 29·940 | 79·0 | 48·5 | 63·7 | 68·8 | 64·2 | ·806 | ·3 | ·000 | E. | N.E. | W. |
| Tuesday, „ 15, | 29·998 | 78·2 | 47·5 | 62·9 | 65·7 | 60·8 | ·780 | ·1 | ·000 | S. | S.E. | N. |
| Wednesday, „ 16, | 30·975 | 80·9 | 53·6 | 67·2 | 68·3 | 62·1 | ·739 | ·4 | ·000 | S.E. | N.E. | E. |
| Thursday, „ 17, | 29·870 | 80·7 | 53·6 | 67·2 | 65·8 | 62·2 | ·821 | ·6 | ·740 | E. | N.E. | N.E. |
| Friday, „ 18, | 29·942 | 73·2 | 55·0 | 64·1 | 62·3 | 59·6 | ·855 | ·2 | ·030 | E.S.E. | S.E. | Calm. |
| Saturday, „ 19, | 29·925 | 70·4 | 53·5 | 61·9 | 63·3 | 60·7 | ·862 | ·6 | ·000 | N.E. | N.E. | N.E. |
| Mean, . . | 29·940 | 77·2 | 52·2 | 64·7 | 65·8 | 61·6 | ·805 | ·4 | Total, ·770 | Prevailing wind, N.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstands. | |
|---|---|---|
| Sunday, Aug. 13, | A.M. Warm and pleasant. | P.M. Gloomy. |
| Monday, „ 14, | A.M. Hazy. | P.M. Fine and starlight. |
| Tuesday, „ 15, | A.M. Fine. | P.M. Fine starlight night. |
| Wednesday, „ 16, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 17, | A.M. Fine, with slight haze. | P.M. Dull, with vivid lightning and thunder. |
| Friday, „ 18, | A.M. Raining. | P.M. Gloomy. |
| Saturday, „ 19, | A.M. Overcast. | P.M. Dull. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 19th August, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. | | | SOUTH CITY. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | Districts. | | | Districts. | | | | | | | | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 30 084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 374,666 | — |
| **Deaths from all Causes,** | 12 | 7 | 7 | 14 | 12 | 14 | 12 | 6 | 8 | 2 | 4 | 98 | 2 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Measles, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Scarlet Fever (Scarlatina), | 1 | . | . | . | . | 3 | . | . | . | . | . | 4 | . |
| Diphtheria, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping Cough, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Fever, | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Diarrhœa, | . | 1 | 1 | 2 | 3 | 2 | 1 | . | 1 | . | . | 11 | . |
| Other Zymotic Diseases, | 1 | . | . | 1 | . | 1 | 2 | . | . | . | . | 5 | . |
| Total, | 3 | 1 | 1 | 3 | 4 | 6 | 4 | 1 | 1 | . | 1 | 25 | . |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 2 | 3 | 2 | . | 1 | 1 | . | 2 | . | . | 14 | . |
| Other Constitutional Diseases | 3 | . | 1 | 2 | 2 | . | 1 | . | 1 | . | . | 10 | . |
| Total, | 6 | 2 | 4 | 4 | 2 | 1 | 2 | . | 3 | . | . | 24 | . |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Disease of the Brain and Nervous System, | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . | . | . | 10 | . |
| Disease of the Heart and Circulatory Organs, | . | . | 1 | . | . | 1 | 1 | 2 | 1 | . | . | 6 | 1 |
| Disease of the Respiratory Organs, | . | 3 | . | 2 | 3 | 3 | . | . | . | . | . | 11 | . |
| Disease of the Digestive Organs, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Disease of the Urinary Organs, | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . |
| Disease of the Organs of Generation, | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Disease of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Disease of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 1 | 4 | 2 | 4 | 5 | 5 | 4 | 3 | 1 | . | 1 | 30 | 1 |
| DEVELOPMENTAL DISEASES, | . | . | . | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 2 | 16 | 1 |
| VIOLENT DEATHS, | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 12·5 | 11·2 | 14·4 | 24·3 | 22·0 | 19·0 | 15·3 | 14·6 | 18·7 | 14·4 | 11·2 | | — |
| | 12·5 | | | 19·7 | | | | 15·0 | | | | 16·3 | |
| | 16·5 | | | | | | | | | | | | |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | . | 1 | . | . | 1 | 1 | . | . | . | . | 3 | 1 |
| Workhouse Hospitals, | 1 | 1 | 2 | 3 | 3 | 2 | 1 | . | . | . | . | 13 | 1 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Cosgrave-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes. | From Seven Zymotic Diseases | TOTAL DEATHS. | NUMBER OF DEATHS FROM SEVEN PRINCIPAL ZYMOTIC DISEASES: Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City, No. 1. (*Office, Summer-hill.*) | June 17, | 17·7 | 2·1 | 17 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 3 |
| | „ 24, | 11·4 | 1·0 | 11 | . | . | 1 | . | . | . | . | . | 2 | 1 | . |
| | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 2 |
| | „ 8, | 10·1 | . | 10 | . | . | . | . | . | . | . | . | . | 4 | . |
| | „ 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 3 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 9·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 3·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | 2 |
| | Average, | 17·0 | 2·2 | 16·4 | . | . | 0·5 | 0·3 | 0·2 | 0·5 | 0·6 | 1·1 | 2·4 | 2·2 | 0·9 |
| North City, No. 2. (*Office, Coleraine-street.*) | June 17, | 20·7 | . | 13 | . | . | . | . | . | . | . | 1 | . | 2 | 2 |
| | „ 24, | 30·3 | 1·6 | 19 | . | . | 1 | . | . | . | . | 1 | 1 | 6 | . |
| | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 20·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 2 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | Average, | 20·2 | 2·2 | 12·7 | . | 0·2 | 0·3 | . | 0·2 | 0·1 | 0·6 | 0·7 | 2·1 | 2·5 | 0·6 |
| North City, No. 3. (*Office, Blackhall-street.*) | June 17, | 26·7 | 2·1 | 18 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | . |
| | „ 24, | 18·5 | 2·1 | 9 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 5 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | Average, | 22·4 | 2·1 | 10·9 | . | . | 0·4 | . | . | 0·2 | 0·4 | 1·1 | 1·7 | 2·0 | 0·3 |
| South City, No. 1. (*Office, Meath-street.*) | June 17, | 29·5 | 3·5 | 17 | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 |
| | „ 24, | 20·8 | 3·5 | 12 | . | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . |
| | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . |
| | Average, | 23·1 | 2·6 | 13·3 | . | 0·1 | 0·1 | . | 0·4 | 0·4 | 0·5 | 0·8 | 2·0 | 1·5 | 0·5 |
| South City, No. 2. (*Office, High-street.*) | June 17, | 11·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ 24, | 34·9 | 1·8 | 19 | . | 1 | . | . | . | . | . | 4 | 3 | 6 | 1 |
| | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·8 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | Average, | 21·9 | 2·6 | 11·9 | . | 0·2 | 0·1 | . | 0·1 | 0·3 | 0·7 | 1·5 | 0·7 | 2·4 | 0·5 |
| South City, No. 3. (*Office, Peter-street.*) | June 17, | 24·4 | 1·4 | 18 | . | . | . | . | . | . | 1 | 2 | . | 5 | 1 |
| | „ 24, | 16·3 | 2·7 | 13 | . | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 2 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | Average, | 18·9 | 1·8 | 13·9 | . | . | 0·5 | . | . | 0·5 | 0·3 | 1·6 | 0·6 | 3·1 | 0·6 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | June 17, | 20·7 | 2·6 | 24 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | 6 |
| | „ 24, | 25·6 | 2·6 | 20 | . | . | 1 | . | . | 1 | . | 4 | 3 | 2 | 2 |
| | July 1, | 12·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 3 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | 3 | . | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 2 | 5 | 1 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | 1 | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | Average, | 18·5 | 2·5 | 14·5 | 0·1 | 0·4 | 0·6 | . | . | 0·1 | 0·7 | 1·3 | 2·3 | 1·6 | 1·3 |
| **Rathmines.** | June 17, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 24, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | Average, | 16·3 | 0·7 | 6·7 | . | . | 0·1 | . | 0·1 | . | 0·1 | 0·4 | 0·9 | 0·9 | 0·3 |
| **Donnybrook.** | June 17, | 37·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | „ 24, | 21·3 | 2·3 | 9 | . | 1 | . | . | . | . | . | . | 1 | 1 | . |
| | July 1, | 35·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | Average, | 21·3 | 1·9 | 9·1 | . | 0·2 | 0·1 | 0·1 | . | 0·2 | 0·2 | 0·1 | 1·1 | 0·9 | 0·1 |
| **Blackrock.** | June 17, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 15·0 | 1·4 | 2·2 | . | . | . | 0·1 | 0·1 | . | . | . | . | 0·3 | 0·1 |
| **Kingstown.** | June 17, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 24, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | Average, | 14·3 | 0·6 | 5·1 | . | . | 0·1 | . | . | 0·1 | . | . | 0·4 | 0·5 | . |
| **Total, Dublin Registration District.** | June 17, | 22·6 | 1·3 | 137 | . | . | 2 | . | . | 1 | 5 | 7 | 15 | 22 | 17 |
| | „ 24, | 21·0 | 1·8 | 127 | . | 3 | 3 | . | . | 5 | . | 11 | 16 | 24 | 3 |
| | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | „ 29, | 18·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 12 | 24 | 2 |
| | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 2 | 9 | 9 | 13 | 9 | 7 |
| | „ 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | Average, | 19·3 | 2·0 | 116·7 | 0·1 | 1·1 | 2·8 | 0·5 | 1·1 | 2·4 | 4·1 | 8·6 | 14·2 | 17·9 | 5·2 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the THIRTY-THIRD WEEK, ending Saturday, 19th August, 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH, | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of 10 years 1866-75. | Week ending Saturday, Aug. 19th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Aug 18 1866 | Aug 17 1867 | Aug 15 1868 | Aug 21 1869 | Aug 20 1870 | Aug 19 1871 | Aug 17 1872 | Aug 16 1873 | Aug 22 1874 | Aug 21 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 56·7 | ° 62·4 | ° 59·6 | ° 57·2 | ° 58·6 | ° 59·3 | ° 58·2 | ° 59·9 | ° 61·7 | ° 58·8 | ° 59·7 | ° 64·7 | | | | | | | |
| | **ALL CAUSES,** | 136 | 131 | 161 | 109 | 128 | 112 | 123 | 99 | 138 | 142 | 127·3 | 100 | 38 | 9 | 5 | 13 | 12 | 16 | 6 |
| | **SPECIFIED CAUSES,** | 134 | 130 | 158 | 105 | 126 | 112 | 123 | 97 | 134 | 139 | 125·8 | 99 | 37 | 9 | 5 | 13 | 12 | 15 | 6 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 36 | 36 | 47 | 28 | 40 | 32 | 29 | 20 | 47 | 35 | 35·0 | 25 | 17 | 2 | 3 | 1 | 2 | . | . |
| II. | CONSTITUTIONAL „ | 34 | 28 | 30 | 21 | 26 | 24 | 30 | 28 | 24 | 32 | 27·7 | 24 | 5 | 5 | 1 | 7 | 3 | 3 | . |
| III. | LOCAL „ | 48 | 48 | 61 | 42 | 43 | 43 | 39 | 39 | 43 | 47 | 45·3 | 31 | 10 | 2 | 1 | 4 | 7 | 7 | . |
| IV. | DEVELOPMENTAL „ | 13 | 16 | 19 | 12 | 12 | 10 | 17 | 8 | 19 | 18 | 14·3 | 17 | 3 | . | . | 1 | . | 3 | 3 |
| V. | VIOLENT DEATHS, | 3 | 3 | 1 | 2 | 5 | 3 | 8 | 2 | 1 | 7 | 3·5 | 2 | 2 | . | . | . | . | . | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 4 | . | . | . | . | 2 | 10 | . | . | . | 1·6 | 1 | . | . | 1 | . | . | . | . |
| | 2. Measles, | . | 7 | 1 | 2 | 2 | . | 7 | 3 | 1 | 3 | 2·6 | 1 | 1 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 5 | 6 | 5 | 5 | 9 | 1 | 2 | 22 | 2 | 5·3 | 4 | 3 | . | . | 1 | . | . | . |
| | 4. Diphtheria, | . | . | 1 | . | 1 | 1 | . | 1 | 1 | 1 | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | 1 | 2 | . | 1 | 2 | 2 | . | 2 | 1 | 1·1 | 3 | 3 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 2 | 9 | 1 | . | 1 | 2 | 1 | 5 | . | 5 | 2·6 | 1 | 1 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 3 | 2 | 1 | 1 | | | | | | | | | | | | |
| | – Enteric or Typhoid Fever, | 4 | 6 | 5 | 3 | 3 | 2 | 4 | 1 | 2 | 4 | 5·0 | 1 | . | . | 1 | . | . | . | . |
| | – Simple continued Fever, | | | | 2 | 2 | . | . | . | 4 | 1 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 2 | 1 | . | . | 2 | 2 | . | 1 | . | 1 | ·9 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | . | 2 | . | 1 | 2 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 7 | 5 | 26 | 12 | 18 | 7 | 2 | 7 | 11 | 15 | 11·0 | 11 | 8 | 2 | . | . | 1 | . | . |
| | 15. Simple Cholera, | 13 | . | . | . | 1 | . | . | . | . | 1 | 1·5 | 1 | . | . | 1 | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 2 | . | . | . | 1 | 1 | . | . | 1 | . | ·5 | 1 | . | . | . | . | 1 | . | . |
| | 19. Other Zymotic Diseases, | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | 2 | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens / Intemperance, | . | . | 1 | . | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 1 | 1 | 2 | 2 | 4 | 3 | 1 | 1 | 4 | 5 | 2·4 | 2 | . | . | . | . | 1 | 1 | . |
| | 3. Cancer, | 2 | 2 | 5 | 3 | 4 | 2 | 3 | . | 4 | 7 | 3·2 | . | . | . | . | . | . | . | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | 1 | 1 | . | . | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 3 | 2 | . | . | 1 | 2 | . | 1 | 2 | 2 | 1·3 | 2 | . | 2 | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 4 | 5 | 2 | 1 | 3 | 4 | 2 | . | 2 | 2 | 2·5 | 4 | 3 | 1 | . | . | . | . | . |
| | 3. Phthisis, | 17 | 15 | 20 | 13 | 10 | 9 | 23 | 21 | 7 | 16 | 15·1 | 14 | 1 | 1 | 1 | 7 | 3 | 1 | . |
| | 4. Hydrocephalus, | 6 | 2 | . | 2 | 4 | 3 | . | 4 | 5 | . | 2·6 | 2 | 1 | 1 | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 3 | 2 | 3 | 1 | 1 | 1 | 3 | 1 | 2 | . | 1·7 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 3 | . | 3 | 4 | 1 | 5 | 3 | . | 1 | 3 | 2·3 | . | . | . | . | . | . | 1 | . |
| | 3. Paralysis, | 1 | 3 | 3 | 1 | 3 | 1 | . | 5 | 1 | 2 | 2·2 | 1 | . | . | . | . | . | . | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 2 | 2 | 1 | . | . | . | . | . | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 9 | 11 | 20 | 8 | 11 | 11 | 9 | 8 | 9 | 8 | 10·4 | 9 | 9 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 1 | 1 | 2 | 3 | 3 | 3 | 3 | 1 | 1 | . | 1·8 | . | . | . | . | . | . | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| | 2. Aneurism, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Heart Disease, &c.* | 7 | 7 | 4 | 5 | 4 | 3 | 8 | 3 | 4 | 7 | 5·2 | 4 | . | . | . | 2 | . | 2 | . |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 5 | 13 | 7 | 8 | 5 | 3 | 5 | 9 | 8 | 12 | 7·5 | 8 | 1 | 1 | . | . | 3 | 3 | . |
| | 3. Pleurisy, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 3 | 1 | 1 | 1 | 1 | 3 | 1 | 3 | 2 | 2 | 1·7 | 1 | . | . | 1 | . | . | . | . |
| | 5. Asthma, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 2 | 2 | 1 | 1 | 2 | 3 | 1 | 1 | 2 | 1 | 1·6 | 2 | . | . | 1 | 1 | . | . | . |

ATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, egistered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Aug 18 1866 | Aug 17 1867 | Aug 15 1868 | Aug 21 1869 | Aug 20 1870 | Aug 19 1871 | Aug 17 1872 | Aug 16 1873 | Aug 22 1874 | Aug 21 1875 | Average in 53rd Week of the 10 years 1866–75. | Week ending Saturday, Aug. 19th, 1876. Deaths of Persons of the Ages: ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20 | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 56·7 | 62·4 | 59·6 | 57·9 | 58·6 | 59·3 | 58·5 | 59·9 | 61·7 | 62·8 | 59·7 | 64·7 | | | | | | | |
| III. con. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | 1 | . | . | . | . | . | . | . | 1 | 1 | 3 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | . | . | . | . | 1 | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | . | 2 | 2 | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | 1 | . | 1 | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | 1 | . | . | . | 1 | . | . | 1 | . | 1 | 3 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | 2 | . | . | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 2 | 2 | 2 | 1 | 1 | 1 | . | 2 | 1 | 1·3 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | 1 | . | 1 | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | 1 | 1 | . | . | 1 | 1 | . | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 2 | . | 3 | . | 3 | 1 | . | 3 | 3 | 2 | 2·2 | . | . | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | . | . | . | 1 | . | . | 1 | 3 | 3 | 1·9 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | . | 1 | 2 | 1 | 2 | 1 | . | . | . | . | ·7 | . | . | . | . | . | 1 | . | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | 1 | . | . | . | . | 1 | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | . | 1 | 1 | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 1 | 5 | 2 | 1 | . | . | . | 2 | . | 1·1 | . | . | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 4 | 5 | 8 | 6 | 4 | 8 | 10 | 7 | 6 | 7 | 6·5 | 12 | . | . | . | . | . | 7 | 5 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 7 | 9 | 6 | 4 | 6 | 1 | 7 | 1 | 11 | 10 | 6·2 | 5 | 3 | . | . | 1 | . | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 3 | 1 | 1 | 1 | 3 | 1 | . | 1 | . | 4 | 1·5 | . | . | . | . | . | . | . | . |
| | 2. Wounds, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | 2 | . | 1 | . | 1 | 2 | . | 1 | 3 | 1·0 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 2 | 1 | 3 | 4 | 2 | . | . | 1 | 4 | 3 | 2·0 | 1 | 1 | . | . | . | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 19th August, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 19TH AUGUST, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,060 | 314,666 | 17 | 144 | 100 | 25 | 23 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 2 | 1 | 18 |
| BELFAST,* . . | 20,687 | 182,082 | 19 | 99 | 65 | 18 | 6 | . | . | . | . | 5 | . | 6 | . | . | 6 |
| CORK, . . . | 13,816 | 91,965 | 27 | 52 | 47 | 6 | 10 | . | . | 1 | . | . | . | 2 | . | 4 | 19 |
| LIMERICK, . . | 8,609 | 44,209 | 22 | 16 | 19 | 7 | 3 | . | . | . | . | . | . | . | . | . | 7 |
| LONDONDERRY,† . | 21,865 | 30,884 | 17 | 16 | 10 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 19 | 15 | 11 | 3 | 1 | . | . | . | . | . | . | 1 | 1 | 1 | 1 |
| GALWAY, (*a*) . . | 21,358 | 19,692 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 30,235 | 17,285 | 6 | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 19th August, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 18 | 11 | 7 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 2, | 17,938 | 12 | 10 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 3, | 39,311 | 17 | 26 | 13 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 46 | 14 | 17 | 3 | 2 | . | . | . | . | 3 | . | . | . | . | 5 |
| | ,, ,, 5, | 19,616 | 13 | 7 | 5 | 2 | 1 | . | . | . | . | 1 | . | 1 | . | . | . |
| | ,, ,, 6, | 26,652 | 13 | 15 | 9 | 6 | . | . | . | . | . | 1 | . | 2 | . | . | . |
| | ,, ,, 9, | 5,296 | 20 | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 19 | 6 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 16 | 10 | 5 | 2 | . | . | . | . | . | . | . | 2 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 26 | 9 | 5 | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| | ,, ,, 2, | 11,555 | 14 | 10 | 3 | 1 | . | . | . | 1 | . | . | . | . | . | . | 2 |
| | ,, ,, 3, | 6,818 | 31 | 4 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 25 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 5, | 11,289 | 14 | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 14 | 8 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 7, | 7,586 | 21 | 3 | 3 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 51 | 9 | 18 | 2 | 5 | . | . | . | . | . | . | 1 | . | 2 | 13 |
| | ,, ,, 9, | 4,790 | 43 | 3 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 13 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 52 | 3 | 9 | 3 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 11,424 | 18 | 1 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 13 | 10 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 19 | 2 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 25 | 10 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 19 | 15 | 11 | 3 | 1 | . | . | . | . | . | . | 1 | 1 | 1 | 1 |
| GALWAY, | Galway, No. 1, (*a*) | 10,700 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 93 | 10 | 16 | 3 | 5 | . | . | . | . | . | . | 1 | . | . | 6 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 16 | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 2 |

(*a*) Return for Galway, No. 1 District, not received.

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.

† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, AUGUST 26, 1876. [No. 34.

*General Register Office, Charlemont House, Dublin, August 28th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 26th August, 1876, represent an annual mortality of 17·0 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 15·9 per 1,000. In London the death-rate was 20 in every 1,000 of the estimated population; in Glasgow, 19; and in Edinburgh, 16.

In the Dublin Registration District the births *registered* during the week amounted to 164—83 boys and 81 girls,—and the deaths to 103—58 males and 45 females. The *average* numbers in the corresponding week of the previous ten years were—births, 165, and deaths, 137.

The number of deaths from zymotic diseases *registered* during the week amounted to 26 (the average number of deaths from zymotic diseases for the corresponding week of the previous ten years was 39·7.) Of those registered last week, 3 were referred to fever, viz., 2 typhus and 1 typhoid or enteric fever, 3 each to scarlet fever and whooping-cough, 1 each to diphtheria and measles, 10 to diarrhœa (8 children under 5 years of age and 2 adults), and 2 to infantile cholera.

Fourteen children died from convulsions.

Bronchitis and pneumonia or inflammation of the lungs caused 4 deaths each and lung disease unspecified 1.

Only 1 death was ascribed to heart disease, 2 were referred to paralysis, 1 each to apoplexy, epilepsy and brain disease unspecified, 2 to liver disease, 1 each to jaundice and nephria or Bright's disease.

Thirteen persons died from phthisis or pulmonary consumption, 2 from mesenteric disease, 1 from hydrocephalus or water on the brain, and 3 each from cancer and dropsy.

Two accidental deaths were registered.

Forty-four of the persons whose deaths were *registered* during the week were under 5 years of age (30 being infants under 1 year old); and 18 were aged 60 and upwards, including 12 persons aged 70 and upwards, of whom 3 were octogenarians, and 1 (a man) was stated to have been aged 90 years.

Twenty-seven of the deaths *registered* occurred in hospitals and other public institutions; of this number 2 took place in the North Dublin, and 7 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 15·9 per 1,000; the rate in the city was 16·5 (18·8 on the North side and 14·8 on the South), and in the suburbs 13·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 3·5 per 1,000 inhabitants, the rate for the city being 3·4 (2·4 in the North City Districts and 4·2 in the South), and for the suburbs 3·8 per 1,000.

*No. 1, North City District* (Summer-hill). The deaths in this district represent an annual rate of 15·6 per 1,000 inhabitants. The only death from zymotic disease is 1 from diarrhœa.

*No. 2, North City District* (Coleraine-street). The annual rate afforded by the deaths chargeable to this district is 14·4 per 1,000. One death resulted from scarlatina and 1 from whooping-cough.

*No.* 3, *North City District* (Blackhall-street). The deaths tabulated for this district represent an annual rate of 30·8 per 1,000 against a rate of 14·4 per 1,000 in each of the two preceding weeks. Of the deaths recorded last week 1 was caused by scarlatina, 1 by diarrhœa, and 1 by infantile cholera.

*No.* 1, *South City District* (Meath-street). The number of deaths of inhabitants of this district was 11, the equivalent annual rate per 1,000 inhabitants being 19·1 Two deaths resulted from whooping-cough and 2 from diarrhœa, these 4 deaths being equal to an annual rate of 6·9 per 1,000 inhabitants. The average annual rate afforded by deaths from the seven principal zymotic diseases for the last ten weeks has been 3·0 per 1,000.

*No.* 2, *South City District* (High-street). The death-rate in this district was only 11·0 per 1,000 against 22·0 in the preceding week. There were no deaths from zymotic disease.

*No.* 3, *South City District* (Peter-street). The deaths chargeable to this district represent an annual rate of 17·6 per 1,000 inhabitants. There was 1 death from scarlatina and 1 from diarrhœa.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The death-rate was 11·5 per 1,000. Of the 9 deaths tabulated, 1 each resulted from diphtheria, measles, typhus, and infantile cholera, and 2 from diarrhœa.

*Suburban Districts.* The respective death-rates were, Rathmines 12·2 per 1,000; Donnybrook 18·7; Blackrock 7·2; and Kingstown 11·2 per 1,000. The deaths from zymotic diseases were 1 from diarrhœa in Rathmines, 2 from fever and 1 from diarrhœa in Donnybrook, and 1 from diarrhœa in Kingstown.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·960 inches. The highest daily mean reading (30·144) occurred on Friday, and the lowest (29·823) on Saturday.

The mean temperature during the week was 57·1° (being 3·4° under the average in the corresponding week of the previous ten years); the lowest daily mean (49·4°) occurred on Thursday, and the highest (64·4°) on Monday.

The temperature was highest on Monday, when the thermometer registered 73·2°, and was lowest on Thursday, the mercury having fallen to 36·9°. The highest reading of the barometer during the week (30·171) occurred on Friday, at 9.30 P.M., wind N.N.W., and the lowest (29·752) on Saturday, at 9.30 P.M., wind, W. The mean of the Dry Bulb for the week was 58·6°; and of the Wet Bulb 54·0°. The mean humidity of the air was ·758; complete saturation being represented by 1·0. The rain-fall during the week measured ·019 in.

At Greenwich the mean temperature of the week was 59·0°; and the rain-fall measured ·64 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. 1·0. | Rain-Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Aug. 20, | 29·885 | 73·0 | 50·5 | 61·7 | 66·4 | 60·3 | ·726 | ·7 | ·000 | N.N.E. | N.E. | N. |
| Monday, „ 21, | 29·928 | 73·2 | 55·5 | 64·4 | 64·9 | 61·4 | ·826 | ·8 | ·000 | N.N.W. | N.W. | N.W. |
| Tuesday, „ 22, | 29·989 | 73·1 | 39·2 | 56·1 | 57·6 | 52·5 | ·727 | ·6 | ·000 | N.N.W. | N.W. | N. |
| Wednesday, „ 23, | 29·970 | 66·1 | 43·3 | 54·7 | 57·4 | 51·5 | ·692 | ·7 | ·009 | N.W. | N.W. | Calm. |
| Thursday, „ 24, | 29·980 | 61·9 | 36·9 | 49·4 | 50·6 | 48·2 | ·842 | ·6 | ·015 | W. | N.N.W. | W. |
| Friday, „ 25, | 30·144 | 61·9 | 45·1 | 53·5 | 55·6 | 50·1 | ·697 | ·6 | ·000 | N.W. | N. | N.N.W. |
| Saturday, „ 26, | 29·823 | 64·5 | 55·0 | 59·8 | 57·8 | 54·3 | ·793 | ·4 | ·004 | W. | W. | W. |
| Mean, . . | 29·960 | 67·6 | 46·5 | 57·1 | 58·6 | 54·0 | ·758 | ·6 | Total, ·019 | Prevailing wind, N.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Aug. 20, | A.M. Warm and pleasant. | P.M. Fine starlight night. |
| Monday, „ 21, | A.M. Fine. | P.M. Overcast. |
| Tuesday, „ 22, | A.M. Fine. | P.M. Fine starlight night. |
| Wednesday, „ 23, | A.M. Fine. | P.M. Fine starlight night. |
| Thursday, „ 24, | A.M. Fine. | P.M. Fine and starlight. |
| Friday, „ 25, | A.M. Fine. | P.M. Fine starlight night. |
| Saturday, „ 26, | A.M. Dull, but fine. | P.M. Overcast. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrar-General of England.

**Table II.—Deaths** in the several **Registrars' Districts** of the **City of Dublin** (Municipal Boundary), and in the **Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown**, registered during the Week ending Saturday, 26th August, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook. | Blackrock. | Kingstown. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. R. & W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 30,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 15 | 9 | 15 | 11 | 6 | 13 | 9 | 5 | 8 | 1 | 4 | 96 | 7 |
| Zymotic Diseases: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Scarlet Fever (Scarlatina), | . | 1 | 1 | . | . | 1 | . | . | . | . | . | 3 | . |
| Diphtheria, | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Whooping Cough, | . | 1 | . | 2 | . | . | . | . | . | . | . | 3 | . |
| Fever, | . | . | . | . | . | . | 1 | . | 2 | . | . | 3 | . |
| Diarrhœa, | 1 | . | 1 | 2 | . | 1 | 2 | 1 | 1 | . | 1 | 10 | . |
| Other Zymotic Diseases, | . | 1 | 1 | . | . | 1 | 1 | . | . | . | . | 4 | 1 |
| Total, | 1 | 3 | 3 | 4 | . | 3 | 6 | 1 | 3 | . | 1 | 25 | 1 |
| Constitutional Diseases: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 2 | 3 | . | 1 | . | 1 | . | 1 | . | . | 11 | 2 |
| Other Constitutional Diseases | 2 | 1 | . | 1 | 1 | . | 2 | . | 1 | . | . | 8 | 1 |
| Total, | 5 | 3 | 3 | 1 | 2 | . | 3 | . | 2 | . | . | 19 | 3 |
| Local Diseases: Diseases of the Brain and Nervous System, | 1 | 1 | 4 | 3 | 2 | 3 | . | 1 | 2 | 1 | 1 | 19 | . |
| Heart and Circulatory Organs, | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Respiratory Organs, | 3 | 1 | 1 | . | 1 | 2 | . | 1 | . | . | . | 9 | . |
| Digestive Organs, | . | . | . | 1 | . | . | . | . | 1 | . | . | 2 | 2 |
| Urinary Organs, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 3 | 5 | 4 | 3 | 5 | . | 2 | 3 | 1 | 2 | 33 | 2 |
| Developmental Diseases, | 3 | . | 3 | 1 | 1 | 5 | . | 1 | . | . | 1 | 15 | . |
| Violent Deaths, | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| Causes not Specified or Ill-Defined, | 1 | . | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 15·6 | 14·4 | 30·8 | 19·1 | 11·6 | 17·6 | 11·5 | 12·2 | 18·7 | 7·2 | 11·2 | | — |
| | 18·8 | | | 14·8 | | | | | | | | 15·9 | |
| | 16·5 | | | | | | | 13·5 | | | | | |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 5 | 3 | . | . | . | 2 | . | . | . | . | 11 | 7 |
| Workhouse Hospitals, | 1 | . | 1 | 4 | 1 | 2 | . | . | . | . | . | 9 | . |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 19, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Berestord-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Celestine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 10, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From all Causes. | From Seven Zymotic Diseases. | TOTAL DEATHS. | NUMBER OF DEATHS FROM SEVEN PRINCIPAL ZYMOTIC DISEASES. Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City, No. 1. (*Office, Summer-hill.*) | June 24, | 11·4 | 1·0 | 11 | . | . | 1 | . | . | . | . | . | 2 | 1 | . |
| | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 2 |
| | „ 8, | 10·4 | . | 10 | . | . | . | . | . | . | . | . | . | 4 | . |
| | „ 15, | 13·5 | 2·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 3 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 3·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | 1 |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 1 |
| | Average, | 16·8 | 2·1 | 16·2 | . | . | 0·4 | 0·3 | 0·2 | 0·5 | 0·6 | 1·1 | 2·3 | 2·4 | 0·7 |
| North City, No. 2. (*Office, Coleraine-street.*) | June 24, | 30·3 | 1·6 | 19 | . | . | 1 | . | . | . | . | 1 | 1 | 6 | . |
| | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 2 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 20·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 3 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Average, | 19·6 | 2·6 | 12·3 | . | 0·2 | 0·4 | . | 0·3 | 0·1 | 0·6 | 0·6 | 2·3 | 2·4 | 0·4 |
| North City, No. 3. (*Office, Blackhall-street.*) | June 24, | 18·5 | 2·1 | 9 | . | . | . | . | . | 1 | . | . | 1 | 2 | . |
| | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 5 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Average, | 22·8 | 2·3 | 11·1 | . | . | 0·5 | . | . | 0·2 | 0·4 | 1·3 | 1·8 | 2·0 | 0·4 |
| South City, No. 1. (*Office, Meath-street.*) | June 24, | 20·8 | 3·5 | 12 | . | 1 | . | . | . | 1 | . | 1 | 1 | 2 | . |
| | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | 1 | . | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Average, | 22·0 | 3·0 | 12·7 | . | 0·1 | 0·1 | . | 0·6 | 0·3 | 0·6 | 1·0 | 1·7 | 1·2 | 0·2 |
| South City, No. 2. (*Office, High-street.*) | June 24, | 34·9 | 1·8 | 19 | . | 1 | . | . | . | . | . | 4 | 3 | 6 | 1 |
| | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·8 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 2 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Average, | 21·9 | 2·6 | 11·9 | . | 0·2 | 0·1 | . | 0·1 | 0·3 | 0·7 | 1·7 | 0·7 | 2·4 | 0·4 |
| South City, No. 3. (*Office, Peter-street.*) | June 24, | 16·3 | 2·7 | 12 | . | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 2 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | 1 | 3 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 3 | . |
| | Average, | 18·2 | 1·9 | 13·4 | . | . | 0·6 | . | . | 0·5 | 0·3 | 1·7 | 0·6 | 2·8 | 0·5 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| South City, No. 4. (*Offices, Denzille-street and Grand Canal-street.*) | June 24, | 25·6 | 2·6 | 20 | . | . | 1 | . | . | 1 | . | 4 | 3 | 2 | 2 |
| | July 1, | 13·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 3 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | 1 | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | „ 26, | 11·5 | 6·4 | 9 | . | 1 | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Average, | 16·6 | 2·8 | 13·0 | 0·1 | 0·5 | 0·5 | 0·1 | . | 0·2 | 0·8 | 1·3 | 2·1 | 1·3 | 0·7 |
| Rathmines. | June 24, | 21·9 | . | 9 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 26, | 12·2 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Average, | 15·3 | 1·0 | 6·3 | . | . | 0·1 | . | 0·1 | . | 0·2 | 0·3 | 0·8 | 0·8 | 0·3 |
| Donnybrook. | June 24, | 21·3 | 2·3 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | . |
| | July 1, | 35·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | 1 | 1 | . | . | 1 | . | . | 1 | . | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Average, | 19·4 | 2·6 | 8·3 | . | 0·2 | 0·1 | 0·1 | . | 0·4 | 0·3 | 0·1 | 1·1 | 0·6 | . |
| Blackrock. | June 24, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Average, | 15·9 | 1·4 | 2·2 | . | . | . | 0·1 | 0·1 | . | . | 0·1 | . | 0·3 | 0·1 |
| Kingstown. | June 24, | 8·4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . |
| | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Average, | 14·6 | 0·8 | 5·2 | . | . | 0·1 | . | . | 0·1 | 0·1 | 0·1 | 0·4 | 0·4 | . |
| Total, Dublin Registration District. | June 24, | 21·0 | 1·8 | 127 | . | 3 | 3 | . | . | 5 | . | 11 | 16 | 24 | 3 |
| | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 96 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | „ 29, | 18·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 12 | 24 | 2 |
| | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 2 | 9 | 9 | 13 | 9 | 7 |
| | „ 19, | 16·2 | 3·3 | 96 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 2 |
| | Average, | 18·6 | 2·2 | 112·6 | 0·1 | 1·2 | 2·9 | 0·6 | 1·4 | 2·6 | 4·6 | 9·3 | 13·3 | 16·6 | 3·7 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the THIRTY-FOURTH WEEK, ending Saturday, 26th August, 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | In 34th Week of the years 1866-75. | Week ending Saturday, Aug. 26th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | |
| | | Aug 25 1866 | Aug 24 1867 | Aug 22 1868 | Aug 28 1869 | Aug 27 1870 | Aug 26 1871 | Aug 24 1872 | Aug 23 1873 | Aug 29 1874 | Aug 28 1875 | Average of the years 1866-75. | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 61·7 | ° 62·7 | ° 57·9 | ° 64·7 | ° 57·4 | ° 58·8 | ° 63·1 | ° 58·6 | ° 58·9 | ° 61·6 | ° 60·5 | Mean Temp. ° 57·1 | | | | | | | |
| | **ALL CAUSES,** | 123 | 161 | 156 | 139 | 139 | 128 | 124 | 128 | 128 | 152 | 137·3 | 103 | 44 | 7 | 3 | 15 | 16 | 14 | 4 |
| | **SPECIFIED CAUSES,** | 122 | 159 | 153 | 139 | 137 | 126 | 121 | 120 | 121 | 147 | 134·5 | 99 | 42 | 7 | 2 | 15 | 15 | 14 | 4 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 44 | 45 | 69 | 33 | 41 | 38 | 35 | 28 | 32 | 35 | 39·7 | 26 | 16 | 3 | 1 | 3 | 2 | 1 | |
| II. | CONSTITUTIONAL „ | 19 | 35 | 21 | 33 | 29 | 30 | 29 | 23 | 23 | 29 | 27·1 | 22 | 4 | 2 | 1 | 6 | 7 | 3 | |
| III. | LOCAL „ | 45 | 51 | 49 | 59 | 45 | 44 | 41 | 50 | 48 | 64 | 49·6 | 34 | 16 | 1 | . | 6 | 6 | 5 | |
| IV. | DEVELOPMENTAL „ | 10 | 22 | 12 | 9 | 18 | 16 | 14 | 11 | 16 | 17 | 14·8 | 15 | 7 | . | . | . | . | 5 | 3 |
| V. | VIOLENT DEATHS, | 4 | 6 | 2 | 5 | 4 | 1 | 2 | 5 | 2 | 2 | 3·3 | 2 | . | 1 | . | . | . | . | 1 |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | . | 10 | . | . | . | 1·1 | . | . | . | . | . | . | . | |
| | 2. Measles, | 1 | 5 | 2 | 6 | . | 1 | 2 | 2 | 3 | 5 | 2·7 | 1 | 1 | . | . | . | . | . | |
| | 3. Scarlet Fever (Scarlatina), | 2 | 4 | 3 | 9 | 7 | 4 | 2 | 1 | 13 | . | 4·5 | 3 | . | 2 | 1 | . | . | . | |
| | 4. Diphtheria, | . | . | . | . | . | 2 | 1 | 1 | 3 | 1 | ·8 | 1 | . | 1 | . | . | . | . | |
| | 5. Quinsy, | . | 1 | . | 1 | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | |
| | 6. Croup, | 1 | 2 | 3 | . | . | 1 | . | . | 1 | . | ·8 | . | . | . | . | . | . | . | |
| | 7. Whooping Cough, | 1 | 5 | . | 1 | 2 | . | 5 | . | 5 | 2 | 2·1 | 3 | 3 | . | . | . | . | . | |
| | 8. Typhus, | | | | . | 2 | 2 | . | 1 | . | 1 | | 2 | 1 | . | . | . | 1 | . | |
| | — Enteric or Typhoid Fever, | 10 | 4 | 3 | 8 | 1 | 4 | 2 | 2 | 2 | 6 | 5·3 | 1 | 1 | . | . | . | . | . | |
| | — Simple continued Fever, | | | | . | 5 | 3 | . | . | . | 2 | | . | . | . | . | . | . | . | |
| | 9. Erysipelas, | 1 | . | 2 | 1 | . | 1 | . | 1 | 1 | 1 | ·8 | . | . | . | . | . | . | . | |
| | 10. Puerperal Fever (Metria), | . | . | . | . | . | 1 | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 13. Dysentery, | . | 1 | . | 2 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | |
| | 14. Diarrhœa, | 10 | 20 | 49 | 7 | 19 | 10 | 14 | 12 | 6 | 13 | 16·0 | 10 | 8 | . | . | 1 | . | 1 | |
| | 15. Simple Cholera, | 15 | 1 | . | . | 2 | 3 | . | . | . | . | 2·1 | 2 | 2 | . | . | . | . | . | |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 18. Rheumatism, | . | . | 2 | 1 | . | 1 | . | 2 | 2 | 1 | ·9 | . | . | . | . | . | . | . | |
| | 19. Other Zymotic Diseases, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | 2 | 2 | 1 | . | . | . | . | . | ·5 | . | . | . | . | . | . | . | |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 3. Purpura and Scurvy, | . | . | 1 | . | . | 1 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | |
| | 4. Alcoholism, { Delirium Tremens | . | . | 1 | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | |
| | 4. Alcoholism, { Intemperance, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | |
| | 2. Worms, &c. | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Dropsy, | 1 | 4 | . | 2 | . | 3 | 1 | . | . | 1 | 1·2 | 3 | . | . | . | . | 2 | 1 | |
| | 3. Cancer, | 2 | 4 | 3 | 3 | 1 | 2 | 4 | 2 | 2 | 3 | 2·6 | 3 | 1 | . | . | . | . | 2 | |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 5. Mortification, | . | 2 | . | . | 1 | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | . | 2 | . | 1 | 3 | 2 | 1 | 1 | 1 | 1·1 | . | . | . | . | . | . | . | |
| | 2. Tabes Mesenterica, | 2 | 6 | 3 | 4 | 2 | 1 | 2 | 1 | 3 | 1 | 2·5 | 2 | 1 | 1 | . | . | . | . | |
| | 3. Phthisis, | 12 | 18 | 10 | 18 | 23 | 17 | 16 | 13 | 14 | 17 | 15·8 | 13 | . | 1 | 1 | 6 | 5 | . | |
| | 4. Hydrocephalus, | 1 | 1 | 3 | 6 | 1 | 4 | 3 | 7 | 3 | 6 | 3·5 | 1 | 1 | . | . | . | . | . | |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 5 | 2 | 1 | 2 | . | 1 | 3 | . | 2 | 1·6 | . | . | . | . | . | . | . | |
| | 2. Apoplexy, | 4 | 2 | 1 | . | 1 | . | . | . | . | 7 | 1·5 | 1 | . | . | . | . | 1 | . | |
| | 3. Paralysis, | 2 | 1 | . | 3 | 2 | 1 | 7 | 3 | 2 | 5 | 2·7 | 2 | . | . | . | 1 | . | 1 | |
| | 4. Insanity, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 6. Epilepsy, | 1 | . | . | . | . | . | 1 | 2 | . | . | ·4 | 1 | . | . | . | 1 | . | . | |
| | 7. Convulsions, | 10 | 14 | 15 | 14 | 13 | 13 | 7 | 9 | 16 | 11 | 12·2 | 14 | 13 | 1 | . | . | . | . | |
| | 8. *Brain Disease, &c.* | 1 | 1 | 4 | 4 | 1 | 4 | 2 | 3 | 2 | 1 | 2·3 | 1 | 1 | . | . | . | . | . | |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | 2 | . | . | 1 | ·3 | . | . | . | . | . | . | . | |
| | 2. Aneurism, | . | . | 1 | 2 | . | 2 | . | . | . | . | ·5 | . | . | . | . | . | . | . | |
| | 3. *Heart Disease, &c.* | 1 | 4 | 10 | 6 | 4 | 4 | 5 | 8 | 9 | 11 | 6·2 | 1 | . | . | . | 1 | . | . | |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Bronchitis, | 9 | 9 | 7 | 15 | 11 | 6 | 8 | 11 | 9 | 9 | 9·4 | 4 | . | . | . | . | 1 | 1 | |
| | 3. Pleurisy, | 1 | . | 2 | . | . | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | |
| | 4. Pneumonia, | 3 | 2 | 2 | 3 | 2 | 4 | . | 4 | 2 | 4 | 2·6 | 4 | . | . | . | 1 | 2 | 1 | |
| | 5. Asthma, | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| | 6. *Lung Disease, &c.* | 2 | 2 | 1 | 2 | 2 | . | . | 1 | . | . | 1·2 | 1 | . | . | . | . | 1 | . | |

RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Aug 25 1866 | Aug 24 1867 | Aug 22 1868 | Aug 28 1869 | Aug 27 1870 | Aug 26 1871 | Aug 24 1872 | Aug 23 1873 | Aug 29 1874 | Aug 28 1875 | Average in 24th Week of the 10 years 1866–75. | Week ending Saturday, Aug. 26th, 1876. Deaths of Persons of the Ages: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 61·7 | 62·7 | 57·9 | 64·7 | 57·4 | 58·8 | 62·1 | 58·6 | 58·9 | 61·6 | 60·5 | 57·1 | | | | | | | |
| III con. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | 1 | 1 | . | . | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | 1 | . | 3 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | 1 | . | . | . | 2 | . | . | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| | 6. Hernia, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | 2 | . | 3 | 1 | 1 | . | . | . | 4 | 1·2 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | 2 | . | . | . | 1 | . | . | . | 1 | ·5 | 1 | . | . | . | . | . | 1 | . |
| | 15. *Liver Disease, &c.* | 1 | 2 | 1 | 2 | 1 | 2 | . | 1 | 3 | 5 | 1·8 | 2 | . | . | . | . | 2 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | . | 1 | 1 | . | 2 | . | . | . | ·4 | 1 | . | . | . | 1 | . | . | . |
| | 4. Diabetes, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | . | 1 | 1 | . | 1 | 3 | . | 2 | 1 | 1·0 | . | . | . | . | . | . | . | . |
| | ORD 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | 1 | 1 | . | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c* | 1 | . | 1 | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | 1 | . | . | . | 1 | . | . | 1 | 1 | ·4 | 1 | 1 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | 2 | 2 | 1 | 4 | 1 | 1 | . | 1 | 3 | 1·6 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | 2 | 1 | . | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 4 | 7 | 6 | 6 | 10 | 7 | 10 | 6 | 6 | 3 | 6·5 | 6 | . | . | . | . | . | 3 | 3 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 5 | 10 | 3 | 2 | 3 | 7 | 3 | 8 | 8 | 10 | 5·9 | 7 | 5 | . | . | . | . | 2 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 3 | 1 | 1 | 4 | 1 | . | . | 2 | 1 | 2 | 1·5 | 1 | . | . | . | . | . | . | 1 |
| | 2. Wounds, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | 1 | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 1 | . | 1 | 1 | . | 1 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | 1 | 1 | . | . | . | 1 | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 1 | 3 | . | 2 | 2 | 3 | 8 | 2 | 5 | 2·7 | 4 | 2 | . | 1 | . | 1 | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 26th August, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 26TH AUGUST, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, | 10,050 | 314,666 | 17 | 164 | 103 | 30 | 18 | . | 1 | 3 | 1 | 3 | 3 | 10 | 2 | 3 | 27 |
| BELFAST,* | 20,687 | 182,082 | 21 | 134 | 75 | 15 | 9 | . | . | 3 | . | 2 | 7 | 7 | 2 | 2 | 14 |
| CORK, | 13,816 | 91,965 | 29 | 45 | 52 | 8 | 14 | . | 1 | . | . | 1 | 1 | 4 | 6 | 8 | 18 |
| LIMERICK, | 8,509 | 44,209 | 22 | 14 | 19 | 5 | 6 | . | . | . | . | . | 3 | 1 | . | . | 9 |
| LONDONDERRY,† | 21,865 | 30,884 | 22 | 15 | 13 | 3 | 3 | . | . | . | . | . | . | . | 2 | 2 | 2 |
| WATERFORD, | 17,209 | 30,626 | 20 | 15 | 12 | 2 | 2 | . | . | . | . | . | . | . | 1 | 1 | . |
| GALWAY, | 21,358 | 19,692 | 8 | 15 | 3 | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| SLIGO, | 30,235 | 17,285 | 15 | 4 | 5 | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 26th August, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 34 | 11 | 13 | 2 | 1 | . | . | 2 | . | . | 2 | 2 | 1 | 1 | . |
| | ,, ,, 2, | 17,938 | 41 | 16 | 14 | 2 | 2 | . | . | . | . | 1 | . | 1 | . | . | 6 |
| | ,, ,, 3, | 39,311 | 9 | 32 | 7 | 3 | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 30 | 10 | 11 | 1 | 1 | . | . | . | . | . | 3 | 1 | . | . | 8 |
| | ,, ,, 5, | 19,616 | 16 | 12 | 6 | 2 | 1 | . | . | . | . | . | 1 | 1 | . | . | . |
| | ,, ,, 6, | 26,652 | 17 | 25 | 12 | 3 | 2 | . | . | . | . | 1 | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 29 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 38 | 7 | 6 | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 10 | 18 | 3 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 14 | 3 | 3 | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 3, | 6,818 | 38 | 6 | 5 | 1 | . | . | 1 | . | . | 1 | 1 | . | . | . | . |
| | ,, ,, 4, | 6,227 | 17 | 3 | 2 | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | ,, ,, 5, | 11,289 | 37 | 7 | 8 | 1 | 4 | . | . | . | . | . | . | . | . | 3 | 3 |
| | ,, ,, 6, | 15,230 | 10 | 8 | 3 | 2 | . | . | . | . | . | . | . | 1 | . | . | 2 |
| | ,, ,, 7, | 7,586 | 35 | 3 | 5 | 2 | 2 | . | . | . | . | . | . | . | 2 | 2 | 2 |
| | ,, ,, 8, *W.* | 18,364 | 48 | 5 | 17 | 1 | 7 | . | . | . | . | . | . | 1 | . | . | 7 |
| | ,, ,, 9, | 4,790 | 87 | 8 | 8 | . | 1 | . | . | . | . | . | . | . | 4 | 6 | 6 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 33 | 3 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 52 | 1 | 9 | 1 | 5 | . | . | . | . | . | 2 | . | . | . | 9 |
| | ,, ,, 3, | 11,424 | 9 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 10 | 8 | 3 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 34 | 7 | 9 | 1 | 2 | . | . | . | . | . | . | . | 2 | 2 | 2 |
| | Glendermot, *W.* | 8,483 | 12 | 4 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 20 | 15 | 12 | 2 | 2 | . | . | . | . | . | . | . | 1 | 1 | . |
| GALWAY, | Galway, No. 1, | 10,700 | . | 11 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 17 | 4 | 3 | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, | 10,829 | 19 | 2 | 4 | . | 1 | . | . | . | . | . | . | 1 | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN,

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, SEPTEMBER 2, 1876. [No. 35.


BIBLIOTHECA BODLEIANA

*General Register Office, Charlemont House, Dublin, September 4th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 2nd September, 1876, represent an annual mortality of 24·5 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 24·0 per 1,000. In London the death-rate was 18 in every 1,000 of the estimated population; in Glasgow, 21; and in Edinburgh, 17.

In the Dublin Registration District the births *registered* during the week amounted to 163—88 boys and 75 girls,—and the deaths to 148—68 males and 80 females. The *average* numbers in the corresponding week of the previous ten years were—births, 164, and deaths, 142.

The deaths from zymotic diseases *registered* during the week amounted to 42 (the average for the corresponding week of the preceding ten years was 42·2.) Of the deaths from zymotic diseases, 10 were referred to fever (9 typhoid and 1 simple continued fever), 6 to scarlet fever, 20 to diarrhœa (18 of them being of children under 5 years of age), 3 to croup, &c..

Seventeen children died from convulsions.

Fourteen deaths resulted from bronchitis, 3 from pneumonia or inflammation of the lungs, 2 from asthma, and 1 from lung disease unspecified.

One death was caused by apoplexy, a like number by paralysis and epilepsy, 3 by cephalitis or inflammation of the brain, and 4 by brain disease unspecified, 5 by heart disease, 4 by peritonitis, and 1 each by inflammation of the stomach, inflammation of the bowels, hernia, stomach disease unspecified, liver disease, cystitis, and kidney disease unspecified.

Thirteen deaths were attributed to phthisis or pulmonary consumption, 2 to mesenteric disease, 1 to hydrocephalus or water on the brain, 4 to dropsy, and 3 to cancer.

Two accidental deaths were registered during the week.

Sixty of the persons whose deaths were *registered* during the week were under 5 years of age (42 being infants under 1 year old); and 33 were aged 60 and upwards, including 18 persons aged 70 and upwards, of whom 8 were octogenarians, and 1 (a man) was stated to have been aged 94 years.

Thirty-two of the deaths *registered* occurred in hospitals and other public institutions; of this number 4 took place in the North Dublin, and 9 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 24·0 per 1,000; the rate in the city was 24·8 (20·2 on the North side and 28·4 on the South), and in the suburbs 21·0.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 5·8 per 1,000 inhabitants, the rate for the city being 5·9 (6·3 in the North City Districts and 5·7 in the South), and for the suburbs 5·3 per 1,000.

*No.* 1, *North City District* (Summer-hill). The annual rate per 1,000 inhabitants represented by the deaths chargeable to this district is 16·6. The deaths include 3 from diarrhœa, and 1 each from scarlatina and typhoid fever, these 5 deaths being equal to an annual rate of 5·2 per 1,000.

*No.* 2, *North City District* (Coleraine-street). The deaths of inhabitants of this district equal an annual mortality of 19·1 per 1,000. The deaths from zymotic diseases are 2 from diarrhœa and 1 from scarlatina.

*No.* 3, *North City District* (Blackhall-street). The annual rate afforded by the deaths in this district is 28·7 per 1,000: the average rate for the last ten weeks has been 23·8 per 1,000

Of the deaths recorded last week 1 resulted from simple fever and 4 from diarrhœa, these 5 deaths being equal to an annual mortality of 10·3 per 1,000 inhabitants; but the average annual rate yielded by deaths from the seven principal zymotic diseases for the last ten weeks has been only 3·1 per 1,000.

*No.* 1, *South City District* (Meath-street). The deaths chargeable to this district equal an annual mortality of 27·7 per 1,000 inhabitants: the average rate for the last ten weeks has been 22·7. The deaths from zymotic diseases were 2 each from enteric or typhoid fever and diarrhœa, the rate represented thereby being 6·9 per 1,000: the average rate afforded by deaths from the seven principal zymotic diseases for the last ten weeks has been 3·3 per 1,000.

*No.* 2, *South City District* (High-street). Nineteen deaths are tabulated for this district, the annual rate afforded thereby being 34·9 per 1,000 inhabitants. The only deaths from zymotic disease are 2 from diarrhœa; amongst the remaining deaths are 3 each from heart disease, phthisis or pulmonary consumption, and convulsions. The average death-rate in this district for the last ten weeks has been 21·9 per 1,000.

*No.* 3, *South City District* (Peter-street). The death-rate in this district was 33·9 per 1,000, against an average rate of 19·9 per 1,000 for the last ten weeks. Of the 25 deaths recorded, 3 resulted from diarrhœa, 1 from scarlatina, and 1 from typhoid or enteric fever.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The deaths (15) for this district represent an annual rate of 19·2 per 1,000 inhabitants. They include 3 from typhoid or enteric fever and 1 from scarlatina.

*Suburban Districts.* The respective death-rates were, Rathmines 24·3 per 1,000; Donnybrook 14·0; Blackrock 7·2; and Kingstown 30·9 per 1,000. The deaths from the seven principal zymotic diseases were 1 from enteric or typhoid fever and 2 from diarrhœa, in Donnybrook; 1 from diarrhœa in Blackrock; and 2 from scarlatina and 1 from enteric fever in Kingstown. There were no deaths from zymotic disease in Rathmines.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·730 inches. The highest daily mean reading (29·941) occurred on Sunday, and the lowest (29·390) on Wednesday.

The mean temperature during the week was 55·9° (being 2·0° under the average in the corresponding week of the previous ten years); the lowest daily mean (53·1°) occurred on Saturday, and the highest (59·1°) on Monday.

The temperature was highest on Monday, when the thermometer registered 69·1°, and was lowest on Wednesday, the mercury having fallen to 41·3°. The highest reading of the barometer during the week (30·014) occurred on Sunday, at 9.30 P.M., wind W., and the lowest (29·292) on Wednesday, at 9.30 P.M., wind, W. The mean of the Dry Bulb for the week was 56·6°; and of the Wet Bulb 52·7°. The mean humidity of the air was ·778; complete saturation being represented by 1·0. The rain-fall during the week measured ·241 in.

At Greenwich the mean temperature of the week was 56·7°; and at Glasgow, 53·8. The rain-fall during the week at Greenwich measured ·74 in., and at Glasgow, 2·48 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7) | (8.) | (9.) In. | | | |
| Sunday, Aug. 27, | 29·941 | 65·7 | 51·6 | 58·6 | 57·1 | 53·1 | ·775 | ·6 | ·025 | W. | N.W. | W. |
| Monday, „ 28, | 29·806 | 69·1 | 49·0 | 59·1 | 63·3 | 58·4 | ·761 | ·7 | ·065 | W. | W. | S.W. |
| Tuesday, „ 29, | 29·782 | 65·5 | 48·5 | 57·0 | 57·4 | 52·7 | ·739 | ·6 | ·000 | W. | W. | W. |
| Wednesday, „ 30, | 29·390 | 66·7 | 41·3 | 54·0 | 54·5 | 50·6 | ·767 | ·8 | ·090 | S.S.W. | S.W. | W. |
| Thursday, „ 31, | 29·477 | 62·1 | 45·2 | 53·6 | 53·0 | 49·9 | ·807 | ·7 | ·000 | N.N.W. | N.W. | N.N.W. |
| Friday, Sept. 1, | 29·778 | 65·0 | 47·0 | 56·0 | 56·4 | 52·6 | ·789 | ·8 | ·061 | W. | N.W. | W. |
| Saturday, „ 2, | 29·938 | 60·2 | 46·0 | 53·1 | 54·9 | 51·7 | ·808 | ·3 | ·000 | N. | W. | Calm. |
| Mean, . . | 29·730 | 64·9 | 46·9 | 55·9 | 56·6 | 52·7 | ·778 | ·6 | Total, ·241 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Aug. 27, | A.M. Dull. | P.M. Fine and starlight. |
| Monday, „ 28, | A.M. Dull. | P.M. Overcast and spitting rain. |
| Tuesday, „ 29, | A.M. Gloomy. | P.M. Gloomy. |
| Wednesday, „ 30, | A.M. Dull. | P.M. Dull and gloomy. |
| Thursday, „ 31, | A.M. Dull and gloomy. | P.M. Fine. |
| Friday, Sept. 1, | A.M. Warm and pleasant. | P.M. Fine. |
| Saturday, „ 2, | A.M. Gloomy. | P.M. Dull. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrar-General of England.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 2nd September, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 16 | 12 | 14 | 16 | 19 | 25 | 15 | 16 | 6 | 1 | 11 | 145 | 3 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | 1 | 1 | . | . | . | 1 | 1 | . | . | . | 2 | 6 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Fever, | 1 | . | 1 | 2 | . | 1 | 3 | . | 1 | . | 1 | 10 | . |
| Diarrhœa, | 3 | 2 | 4 | 2 | 2 | 3 | . | . | 2 | 1 | . | 19 | 1 |
| Other Zymotic Diseases, | . | . | 1 | . | . | 2 | 1 | . | . | . | 2 | 6 | . |
| Total, | 5 | 3 | 6 | 4 | 2 | 7 | 5 | . | 3 | 1 | 5 | 41 | 1 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | . | 3 | 2 | 3 | . | 2 | 1 | . | . | 1 | 13 | . |
| Other Constitutional Diseases | 2 | 1 | 1 | . | . | 3 | 1 | 1 | . | . | 1 | 10 | . |
| Total, | 3 | 1 | 4 | 2 | 3 | 3 | 3 | 2 | . | . | 2 | 23 | . |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 2 | 3 | 3 | 2 | 5 | 5 | 4 | 2 | . | . | 1 | 27 | . |
| Diseases of the Heart and Circulatory Organs, | . | 2 | . | . | 3 | . | . | . | . | . | . | 5 | . |
| Diseases of the Respiratory Organs, | 3 | 2 | . | 4 | 1 | 3 | . | 4 | 1 | . | 1 | 19 | 1 |
| Diseases of the Digestive Organs, | 1 | . | . | 1 | . | 3 | 2 | . | 1 | . | 1 | 9 | . |
| Diseases of the Urinary Organs, | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 6 | 7 | 3 | 7 | 9 | 13 | 6 | 6 | 2 | . | 3 | 43 | 1 |
| DEVELOPMENTAL DISEASES, | 2 | 1 | 1 | 2 | 4 | 1 | . | 2 | 1 | . | 1 | 15 | 1 |
| VIOLENT DEATHS, | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 16·6 | 19·1 | 28·7 | 27·7 | 34·9 | 33·9 | 19·2 | 24·3 | 14·0 | 7·2 | 30·9 | | — |
| | 20·2 | | | 28·4 | | | | | | | | | |
| | 24·8 | | | | | | | 21·0 | | | | 24·0 | |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 3 | 1 | 2 | 2 | 3 | 2 | . | 1 | . | 2 | 17 | 2 |
| Workhouse Hospitals, | 1 | 2 | . | 2 | 3 | 3 | 1 | . | . | . | . | 12 | 1 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 16, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Disease of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | July 1, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 2 |
| | „ 8, | 10·4 | . | 10 | . | . | . | . | . | . | . | . | . | 4 | . |
| | „ 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 3 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 3·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 19·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | 2 |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 1 |
| | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | Average, | 17·3 | 2·5 | 16·7 | . | . | 0·4 | 0·3 | 0·2 | 0·6 | 0·9 | 1·3 | 2·2 | 2·6 | 0·7 |
| North City, No. 2. (*Office, Coleraine-street.*) | July 1, | 19·1 | . | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 |
| | „ 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 20·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 1 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 3 | . | 2 | . |
| | Average, | 18·5 | 2·9 | 11·6 | . | 0·2 | 0·4 | . | 0·3 | 0·1 | 0·8 | 0·8 | 2·2 | 2·0 | 0·4 |
| North City, No. 3. (*Office, Blackhall-street.*) | July 1, | 24·6 | 2·1 | 12 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | „ 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 5 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | Average, | 23·8 | 3·1 | 11·6 | . | . | 0·5 | . | . | 0·2 | 0·8 | 1·6 | 2·0 | 1·8 | 0·4 |
| South City, No. 1. (*Office, Meath-street.*) | July 1, | 22·5 | . | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | Average, | 22·7 | 3·3 | 13·1 | . | . | 0·1 | . | 0·6 | 0·4 | 0·8 | 1·0 | 1·8 | 1·4 | 0·2 |
| South City, No. 2. (*Office, High-street.*) | July 1, | 22·0 | 1·8 | 12 | . | . | . | . | . | 1 | . | 2 | . | 3 | 1 |
| | „ 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·8 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Sept. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | Average, | 21·9 | 2·7 | 11·9 | . | 0·1 | 0·1 | . | 0·1 | 0·3 | 0·9 | 1·6 | 0·7 | 1·9 | 0·4 |
| South City, No. 3. (*Office, Peter-street.*) | July 1, | 21·7 | 1·4 | 16 | . | . | . | . | . | 1 | . | 2 | 2 | 4 | 1 |
| | „ 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | . |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | . |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 3 | 1 |
| | Average, | 19·9 | 2·3 | 14·7 | . | . | 0·7 | . | . | 0·4 | 0·6 | 1·9 | 0·5 | 2·9 | 0·3 |

of Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| Registrars' Districts. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Seven Zymotic Diseases. | Total Deaths. | Number of Deaths from Seven principal Zymotic Diseases. Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| South City, No. 4. (*Offices, Denzille-street and Grand Canal-street.*) | July 1, | 12·8 | 2·6 | 10 | . | 2 | . | . | . | . | . | . | 2 | 1 | 1 |
| | „ 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | 1 | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | „ 26, | 11·5 | 6·4 | 9 | . | 1 | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | Average, | 16·0 | 3·1 | 12·5 | 0·1 | 0·5 | 0·5 | 0·1 | . | 0·4 | 0·8 | 1·0 | 2·0 | 1·1 | 0·5 |
| Rathmines. | July 1, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 26, | 12·2 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 | . |
| | Average, | 15·6 | 1·0 | 6·4 | . | . | 0·1 | . | 0·1 | . | 0·2 | 0·4 | 0·6 | 1·1 | 0·3 |
| Donnybrook. | July 1, | 35·1 | . | 15 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | . | 1 | . | 1 | . | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | Average, | 18·7 | 3·0 | 8·0 | . | 0·1 | 0·1 | 0·1 | . | 0·5 | 0·5 | 0·1 | 1·0 | 0·7 | . |
| Blackrock. | July 1, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | Average, | 13·7 | 2·2 | 1·9 | . | . | . | 0·1 | 0·1 | . | 0·1 | 0·1 | . | 0·2 | 0·1 |
| Kingstown. | July 1, | 25·3 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | Average, | 16·8 | 1·7 | 6·0 | . | . | 0·3 | . | . | 0·2 | 0·1 | 0·1 | 0·5 | 0·4 | . |
| Total, Dublin Registration District. | July 1, | 21·5 | 1·2 | 130 | . | 2 | 1 | . | . | 3 | 1 | 7 | 20 | 19 | 7 |
| | „ 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | „ 29, | 13·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 12 | 24 | 2 |
| | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 2 | 9 | 9 | 13 | 9 | 7 |
| | „ 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 2 |
| | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | 10 | 19 | 17 | 13 | 19 | 2 |
| | Average, | 18·9 | 2·6 | 114·4 | 0·1 | 0·9 | 3·2 | 0·6 | 1·4 | 3·1 | 6·5 | 9·9 | 13·5 | 16·1 | 3·6 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the THIRTY-FIFTH WEEK, ending Saturday, 2nd September, 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 30th Week of the 10 years 1866-75. | Week ending Saturday, Sept. 2nd, 1876. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Sep. 1 1866 | Aug 31 1867 | Aug 29 1868 | Sep. 4 1869 | Sep. 3 1870 | Sep. 2 1871 | Aug 31 1872 | Aug 30 1873 | Sep. 5 1874 | Sep. 4 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 57·5 | ° 60·3 | ° 56·8 | ° 53·6 | ° 55·6 | ° 60·4 | ° 58·4 | ° 58·5 | ° 56·2 | ° 60·4 | ° 57·9 | Mean Temp. ° 55·9 | | | | | | | |
| | **ALL CAUSES,** | 147 | 126 | 172 | 151 | 141 | 107 | 135 | 135 | 181 | 129 | 142·4 | 148 | 60 | 8 | 7 | 19 | 21 | 24 | 9 |
| | **SPECIFIED CAUSES,** | 146 | 126 | 170 | 149 | 139 | 106 | 132 | 131 | 174 | 127 | 140·0 | 146 | 60 | 7 | 7 | 19 | 21 | 23 | 9 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 63 | 35 | 59 | 41 | 51 | 23 | 31 | 31 | 54 | 34 | 42·2 | 42 | 30 | 5 | . | 5 | . | 2 | . |
| II. | CONSTITUTIONAL ,, | 20 | 26 | 33 | 36 | 31 | 32 | 30 | 27 | 27 | 25 | 28·7 | 23 | 3 | 1 | 2 | 4 | 8 | 4 | 1 |
| III. | LOCAL ,, | 47 | 47 | 55 | 56 | 42 | 36 | 50 | 54 | 69 | 53 | 50·9 | 63 | 26 | 1 | 4 | 9 | 12 | 10 | 1 |
| IV. | DEVELOPMENTAL ,, | 14 | 13 | 18 | 12 | 13 | 10 | 21 | 15 | 18 | 12 | 14·6 | 16 | 1 | . | . | . | . | 7 | 8 |
| V. | VIOLENT DEATHS, | 2 | 5 | 5 | 4 | 2 | 5 | . | 4 | 6 | 3 | 3·6 | 2 | . | . | . | 1 | 1 | . | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | 1 | 7 | . | . | . | ·9 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 3 | 6 | . | 4 | 2 | 1 | 3 | 1 | 2 | 8 | 3·0 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 5 | 4 | 1 | 10 | 7 | 5 | 1 | 1 | 18 | 2 | 5·4 | 6 | 5 | . | . | 1 | . | . | . |
| | 4. Diphtheria, | . | . | . | . | 1 | 1 | . | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 6. Croup, | . | 1 | 2 | 1 | 2 | 1 | 1 | . | 4 | . | 1·2 | 3 | 2 | 1 | . | . | . | . | . |
| | 7. Whooping Cough, | . | 4 | 3 | . | 2 | . | . | 9 | 1 | 4 | 2·3 | . | . | . | . | . | . | . | . |
| | 8. Typhus, | | | | | 1 | 3 | . | 3 | 2 | . | | | | | | | | | |
| | — Enteric or Typhoid Fever, | 6 | 7 | 7 | 5 | 8 | 2 | 4 | 4 | 2 | 1 | 5·6 | 9 | 3 | 3 | . | 2 | . | 1 | . |
| | — Simple continued Fever, | | | | 3 | 2 | . | . | . | 1 | . | | 1 | . | 1 | . | . | . | . | . |
| | 9. Erysipelas, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | . | . | 1 | 1 | 1 | . | 1 | . | 1 | 1 | ·6 | 1 | . | . | . | 1 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | 5 | 1 | 1 | . | 1 | . | . | 1 | ·9 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 5 | 9 | 34 | 14 | 24 | 8 | 7 | 10 | 17 | 13 | 14·1 | 20 | 18 | . | . | 1 | . | 1 | . |
| | 15. Simple Cholera, | 41 | 2 | 1 | . | 2 | . | . | . | . | 1 | 4·7 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | . | 2 | . | 1 | 1 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | 2 | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | 1 | . | . | . | . | . | 2 | 1 | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | 1 | . | . | . | . | 1 | . | 2 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | 1 | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 2. Worms; &c. | . | . | 2 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 2 | 3 | 3 | 2 | 4 | 3 | 4 | 1 | 2 | 2 | 2·6 | 4 | . | . | 1 | . | 2 | 1 | . |
| | 3. Cancer, | 2 | 1 | 7 | 2 | 2 | 4 | 2 | 3 | 5 | 1 | 2·9 | 3 | . | . | . | . | 1 | 2 | . |
| | 4. Cancrum Oris (Noma), | . | 1 | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | 1 | . | . | 1 | . | . | 2 | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | . | 2 | . | 2 | . | . | 1 | 2 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 1 | 8 | 4 | 6 | 5 | 4 | 4 | 3 | 2 | 3 | 4·0 | 2 | 2 | . | . | . | . | . | . |
| | 3. Phthisis, | 14 | 9 | 16 | 21 | 19 | 19 | 17 | 16 | 14 | 13 | 15·8 | 13 | 1 | 1 | 1 | 4 | 5 | 1 | . |
| | 4. Hydrocephalus, | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 3 | 4 | 1·9 | 1 | . | . | 1 | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | . | . | 6 | 1 | . | . | 3 | 4 | 3 | 1·7 | 3 | 2 | . | 1 | . | . | . | . |
| | 2. Apoplexy, | 1 | . | 2 | 1 | 2 | 2 | 2 | 1 | 4 | 2 | 1·7 | 1 | . | . | . | . | . | 1 | . |
| | 3. Paralysis, | 2 | . | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 6 | 2·5 | 1 | . | . | . | . | . | 1 | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | 2 | . | 1 | 1 | 1 | . | . | . | ·6 | 1 | . | . | . | 1 | . | . | . |
| | 7. Convulsions, | 4 | 16 | 18 | 16 | 15 | 14 | 12 | 9 | 20 | 15 | 13·9 | 17 | 17 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 3 | 2 | 4 | 1 | 1 | . | 3 | 5 | 5 | 1 | 2·5 | 4 | 1 | . | 2 | . | . | 1 | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 2 | . | 1 | 1 | . | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 5 | 4 | 7 | 5 | 5 | 7 | 7 | 5 | 6 | 7 | 5·8 | 5 | . | 1 | . | 3 | . | 1 | . |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 12 | 9 | 5 | 10 | 4 | 3 | 15 | 11 | 8 | 6 | 8·3 | 14 | 4 | . | . | . | 6 | 4 | . |
| | 3. Pleurisy, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 7 | 5 | 3 | 1 | . | . | 2 | 4 | 3 | 5 | 3·0 | 3 | 2 | . | . | . | 1 | . | . |
| | 5. Asthma, | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | 2 | . | . | . | 1 | 1 | . | . |
| | 6. *Lung Disease, &c.* | . | . | 1 | 2 | 2 | 1 | 1 | . | 4 | 1 | 1·2 | 1 | . | . | . | . | 1 | . | . |

ATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, egistered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| lass. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 39th Week of the 10 years 1866-75. | Week ending Saturday, Sept. 2nd, 1876. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Sep. 1 1866 | Aug 31 1867 | Aug 29 1868 | Sep. 4 1869 | Sep. 3 1870 | Sep. 2 1871 | Aug 31 1872 | Aug 30 1873 | Sep. 5 1874 | Sep. 4 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60 | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 57·5 ° | 60·5 ° | 56·8 ° | 53·6 ° | 55·6 ° | 60·4 ° | 58·4 ° | 58·5 ° | 56·9 ° | 60·4 ° | 57·9 ° | 55·9 ° | | | | | | | |
| III. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| con. | 1. Gastritis, | . | . | . | 1 | 1 | . | . | 2 | 1 | . | ·5 | 1 | . | . | . | . | . | . | 1 |
| | 2. Enteritis, | . | 2 | . | . | 1 | . | . | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| | 3. Peritonitis, | 1 | . | . | 1 | 2 | . | . | 3 | 2 | 1 | 1·0 | 4 | . | . | . | 4 | . | . | . |
| | 4. Ascites, | . | 2 | . | 2 | . | 1 | . | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | 1 | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 7. Ileus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 2 | . | 1 | . | 4 | 1 | 2 | 1 | . | . | 1·1 | 1 | . | . | . | . | . | 1 | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 2 | 2 | 5 | . | 2 | 1 | 1 | 2 | 2 | 3 | 2·0 | 1 | . | . | 1 | . | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 2 | . | . | . | . | 1 | . | 1 | 2 | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 7. *Kidney Disease, &c.* | 1 | . | . | 2 | . | 1 | . | 1 | . | 1 | ·6 | 1 | . | . | . | . | 1 | . | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | 2 | 1 | 2 | . | . | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | . | . | 1 | . | . | 1 | 1 | 2 | ·5 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 2 | 1 | 4 | 2 | . | . | 1 | 1 | 1 | . | 1·2 | . | . | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Parahœmia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | 1 | 2 | . | . | . | 2 | 1 | 1 | 1 | . | ·8 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 2 | 4 | 7 | 7 | 10 | 5 | 10 | 8 | 11 | 4 | 6·8 | 14 | . | . | . | . | . | 6 | 8 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 9 | 6 | 7 | 3 | 2 | 3 | 9 | 4 | 4 | 6 | 5·3 | 2 | 1 | . | . | . | . | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | 3 | . | 1 | 1 | 2 | . | 1 | 1 | 2 | 1·2 | 2 | . | . | . | 1 | 1 | . | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | . | 2 | . | 1 | 1 | . | 1 | 3 | . | ·8 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 2 | 2 | 1 | . | . | . | 1 | 2 | 1 | 1·0 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | 1 | . | 2 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | { Cut, Stab, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Sudden Deaths (Cause unascertd.) | . | . | . | 1 | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | . | 2 | 1 | 2 | 1 | 2 | 3 | 7 | 2 | 2·1 | 2 | . | 1 | . | . | . | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 2nd September, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 2ND SEPTEMBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 24 | 163 | 148 | 42 | 33 | . | . | 6 | . | . | 10 | 20 | 2 | 2 | 32 |
| BELFAST,* . . | 20,687 | 182,082 | 31 | 138 | 107 | 35 | 13 | . | . | 1 | . | 6 | 2 | 10 | 3 | 3 | 13 |
| CORK, . . . | 13,816 | 91,968 | 28 | 54 | 49 | 9 | 10 | . | . | . | 1 | . | . | 3 | 2 | 3 | 16 |
| LIMERICK, . . | 8,509 | 44,209 | 25 | 24 | 21 | 10 | 4 | . | . | . | . | . | . | . | 2 | 2 | 3 |
| LONDONDERRY,† . | 21,865 | 30,884 | 19 | 21 | 11 | 1 | 4 | . | . | 1 | . | 2 | . | . | . | . | 3 |
| WATERFORD, . . | 17,209 | 30,626 | 7 | 12 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 24 | 13 | 9 | . | 3 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . . . | 30,835 | 17,285 | 15 | 9 | 5 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 2nd September, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, . | Belfast, No. 1, | 19,679 | 16 | 5 | 6 | . | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 2, | 17,938 | 64 | 8 | 22 | 7 | 6 | . | . | 1 | . | 1 | 1 | 1 | 3 | 3 | 6 |
| | ,, ,, 3, | 39,311 | 24 | 40 | 18 | 10 | 2 | . | . | . | . | 1 | . | 2 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 35 | 26 | 13 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | 3 |
| | ,, ,, 5, | 19,616 | 29 | 12 | 11 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 30 | 16 | 21 | 4 | 1 | . | . | . | . | 1 | . | 2 | . | . | . |
| | ,, ,, 9, | 5,296 | 29 | 6 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 39 | 22 | 12 | 7 | . | . | . | . | . | 3 | . | 2 | . | . | . |
| CORK, . . | Cork, No. 1, | 10,156 | 20 | 7 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 14 | 4 | 3 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 3, | 6,818 | 23 | 10 | 3 | 1 | 1 | . | . | . | 1 | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 25 | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 5, | 11,289 | 60 | 10 | 13 | 5 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 |
| | ,, ,, 6, | 15,230 | 20 | 3 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 7, | 7,586 | 14 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 34 | 10 | 12 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | 3 |
| | ,, ,, 9, | 4,790 | 38 | 3 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 1 |
| LIMERICK, . | Limerick, No. 1, | 7,918 | 26 | 5 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 29 | 5 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, ,, 3, | 11,424 | 36 | 6 | 8 | 5 | . | . | . | . | . | . | . | . | 2 | 2 | 1 |
| | ,, ,, 4, | 15,875 | 13 | 8 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 27 | 8 | 7 | . | 2 | . | . | 1 | . | 2 | . | . | . | . | 3 |
| | Glendermot, *W.* | 8,483 | 18 | 9 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . | Waterford, *W.* | 30,626 | 7 | 12 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . | Galway, No. 1, | 10,700 | 29 | 13 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 17 | . | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . | Sligo, No. 1, *W.* | 6,456 | 32 | 5 | 4 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 2, | 10,829 | 5 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, SEPTEMBER 9, 1876. [No. 36.



ROYAL DUBLIN SOCIETY LIBRARY


*General Register Office, Charlemont House, Dublin, September 11th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 9th September, 1876, represent an annual mortality of 19·5 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 19·0 per 1,000. In London the death-rate was 18 in every 1,000 of the estimated population; in Glasgow, 21; and in Edinburgh, 17.

In the Dublin Registration District the births *registered* during the week amounted to 206—104 boys and 102 girls,—and the deaths to 118—62 males and 56 females. The *average* numbers in the corresponding week of the previous ten years were—births, 159, and deaths, 155.

The number of deaths from zymotic diseases *registered* during the week amounted to 35, against a weekly average of 45·8 for the corresponding period of the preceding ten years. Of these deaths, 4 were caused by fever (3 typhoid or enteric and 1 simple continued fever), 5 by scarlet fever, 2 by measles, 1 each by diphtheria, croup, and whooping-cough, 19 by diarrhœa, and 1 by dysentery, &c.

Twelve deaths were caused by convulsions.

Only 2 deaths were referred to bronchitis, 3 each to pneumonia or inflammation of the lungs and lung disease unspecified.

Six deaths were attributed to liver disease, 2 to inflammation of the bowels, 4 to heart disease, 1 each to apoplexy and epilepsy, 4 to paralysis, and 1 to brain disease unspecified.

Eleven deaths were ascribed to phthisis, 3 to mesenteric disease, 4 to cancer, and 3 to dropsy.

Four accidental deaths were registered, 3 of which were from drowning, and 1 from a fall.

Forty-seven of the persons whose deaths were *registered* during the week were under 5 years of age (34 being infants under 1 year old); and 26 were aged 60 and upwards, including 14 persons aged 70 and upwards, of whom 4 were octogenarians, and 1 (a man) was stated to have been aged 93 years.

Twenty-five of the deaths *registered* occurred in hospitals and other public institutions; of this number 3 took place in the North Dublin, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 19·0 per 1,000; the rate in the city was 20·6 (18·8 on the North side and 22·0 on the South), and in the suburbs 13·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 5·3 per 1,000 inhabitants, the rate for the city being 5·7 (4·8 in the North City Districts and 6·4 in the South), and for the suburbs 3·8 per 1,000.

*No. 1, North City District* (Summer-hill). The deaths tabulated for this district represent an annual mortality of 18·7 in every 1,000 inhabitants. The deaths from zymotic diseases are 4 from diarrhœa, and 1 each from scarlatina, whooping-cough, and enteric fever; these 7 deaths being equal to an annual rate of 7·3 per 1,000 persons. The average annual rate afforded by deaths from the seven principal zymotic diseases during the last ten weeks has been 3·0 per 1,000, the rate for the week ended 2nd September being 5·2.

*No. 2, North City District* (Coleraine street). The annual rate represented by the deaths chargeable to this district is 12·8 per 1,000: the average rate for the last ten weeks has been 17·9. Of the deaths last week only 1 (a death from scarlatina) resulted from zymotic disease.

*No.* 3, *North City District* (Blackhall-street). The deaths of inhabitants of this district afford an annual rate of 26·7 per 1,000, against 28·7 for the preceding week, and an average of 24·0 for the last ten weeks. The only deaths from zymotic disease last week were 2 from diarrhœa.

*No.* 1. *South City District* (Meath-street). The annual rate afforded by deaths in this district is 29·5 per 1,000 persons, against an average rate of 23·4 for the last ten weeks. Of the deaths last week, 4 were caused by diarrhœa and 1 by scarlatina; these 5 deaths being equal to an annual mortality of 8·7 per 1,000. The average annual rate of mortality from the seven principal zymotic diseases for the last ten weeks has been 4·2 per 1,000.

*No.* 2, *South City District* (High-street). The deaths chargeable to this district are equal to an annual mortality of 20·2 per 1,000. The deaths from zymotic diseases were 2 from measles and 2 from diarrhœa, the annual rate afforded thereby being 7·3 per 1,000 persons, which is more than double the average mortality from the seven principal zymotic diseases for the last ten weeks.

*No.* 3, *South City District* (Peter-street). The death-rate for this district is 21·7 per 1,000. Of the 16 deaths tabulated, 3 resulted from fever (2 enteric and 1 simple continued fever), and 1 from scarlatina.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The deaths of inhabitants of this district represent an annual mortality of 17·9 per 1,000. Three of the 14 deaths tabulated were caused by diarrhœa and 1 by scarlatina.

*Suburban Districts.* There were no deaths registered in Kingstown during the week. The respective death-rates in the other districts were, Rathmines 14·6 per 1,000; Donnybrook 18·7; and Blackrock 28·9. The deaths from the seven principal zymotic diseases were 1 each from diphtheria and diarrhœa in Rathmines; 2 from diarrhœa in Donnybrook; and 1 from diarrhœa in Blackrock.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·675 inches. The highest daily mean reading (29·892) occurred on Saturday, and the lowest (29·473) on Monday.

The mean temperature during the week was 57·4° (being 0·1° under the average in the corresponding week of the previous ten years); the lowest daily mean (53·0°) occurred on Thursday, and the highest (61·0°) on Monday.

The temperature was highest on Monday, when the thermometer registered 69·2°, and was lowest on Thursday, the mercury having fallen to 44·0°. The highest reading of the barometer during the week (29·976) occurred on Sunday, at 9.30 A.M., wind S., and the lowest (29·319) on Monday, at 9.30 P.M., wind, S. The mean of the Dry Bulb for the week was 56·6°; and of the Wet Bulb 52·9°. The mean humidity of the air was ·793; complete saturation being represented by 1·0. The rain-fall during the week measured 1·070 in.

At Greenwich the mean temperature of the week was 57·5°; and the rain-fall measured ·99 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Sept. 3, | 29·856 | 63·9 | 57·0 | 60·4 | 55·1 | 52·3 | ·827 | ·8 | ·462 | S. | S.E. | S.E. |
| Monday, „ 4, | 29·473 | 69·2 | 52·8 | 61·0 | 61·3 | 58·0 | ·834 | ·9 | ·548 | S.W. | S. | S. |
| Tuesday, „ 5, | 29·483 | 66·5 | 48·2 | 57·4 | 60·3 | 54·6 | ·720 | ·6 | ·090 | S.S.W. | S. | S. |
| Wednesday, „ 6, | 29·562 | 66·4 | 45·4 | 55·9 | 55·3 | 51·8 | ·791 | ·6 | ·000 | S.W. | S.W. | S.W. |
| Thursday, „ 7, | 29·647 | 62·1 | 44·0 | 53·0 | 53·5 | 50·3 | ·808 | ·7 | ·060 | W. | W. | W. |
| Friday, „ 8, | 29·820 | 61·9 | 57·1 | 59·5 | 55·0 | 51·8 | ·804 | ·8 | ·000 | W. | W. | W. |
| Saturday, „ 9, | 29·892 | 63·1 | 46·6 | 54·9 | 55·9 | 51·8 | ·770 | ·9 | ·000 | N. | W. | W. |
| Mean, . . | 29·675 | 64·7 | 50·2 | 57·4 | 56·6 | 52·9 | ·793 | ·7 | Total, 1·070 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Sept. 3. | A.M. Slight haze. | P.M. Raining. |
| Monday, „ 4. | A.M. Fine. | P.M. Raining. |
| Tuesday, „ 5. | A.M. Dull but fine. | P.M. Overcast. |
| Wednesday, „ 6. | A.M. Dull. | P.M. Fine. |
| Thursday, „ 7. | A.M. Fine. | P.M. Fine. |
| Friday, „ 8. | A.M. Fine. | P.M. Dull and overcast. |
| Saturday, „ 9. | A.M. Gloomy. | P.M. Fine and starlight. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrar-General of England.

**Table II.—Deaths in the several Registrars' Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, registered during the Week ending Saturday, 9th September, 1876.** *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| Names of Diseases, &c. | Registrars' Districts. | | | | | | | | | | | Total for Dublin Registration District. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook. | Blackrock. | Kingstown. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4 E. & W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 30,084 | 32,609 | 25,358 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,201 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 18 | 8 | 13 | 17 | 11 | 16 | 14 | 6 | 8 | 4 | . | 115 | 3 |
| Zymotic Diseases: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | 2 | . | . | . | . | . | . | 2 | . |
| Scarlet Fever (Scarlatina), | 1 | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 5 | . |
| Diphtheria, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Whooping Cough, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Fever, | 1 | . | . | . | . | 3 | . | . | . | . | . | 4 | . |
| Diarrhœa, | 4 | . | 2 | 4 | 2 | . | 3 | 1 | 2 | 1 | . | 19 | . |
| Other Zymotic Diseases, | . | . | . | 1 | . | . | . | . | 2 | . | . | 3 | . |
| Total, | 7 | 1 | 2 | 6 | 4 | 4 | 4 | 2 | 4 | 1 | . | 35 | . |
| Constitutional Diseases: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | . | 2 | 2 | 2 | 1 | . | 2 | 1 | . | . | 11 | . |
| Other Constitutional Diseases | 3 | . | 2 | . | 1 | 1 | 2 | . | . | . | . | 9 | 1 |
| Total, | 4 | . | 4 | 2 | 3 | 2 | 2 | 2 | 1 | . | . | 20 | 1 |
| Local Diseases: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 6 | 2 | 1 | 2 | 2 | 3 | . | . | 1 | 2 | . | 19 | . |
| Heart and Circulatory Organs, | . | 1 | 1 | 2 | . | . | . | . | . | . | . | 4 | . |
| Respiratory Organs, | . | 1 | 3 | . | . | 3 | 1 | . | . | . | . | 8 | . |
| Digestive Organs, | . | 1 | 1 | 1 | . | 1 | . | 2 | 1 | . | . | 7 | 1 |
| Urinary Organs, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Organs of Generation, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Total, | 6 | 5 | 6 | 5 | 2 | 8 | 1 | 2 | 2 | 2 | . | 39 | 2 |
| Developmental Diseases, | . | 2 | . | 3 | 2 | . | 4 | . | 1 | 1 | . | 13 | . |
| Violent Deaths, | . | . | . | 1 | . | 1 | 2 | . | . | . | . | 4 | . |
| Causes not Specified or Ill-Defined, | 1 | . | 1 | . | . | 1 | 1 | . | . | . | . | 4 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 18·7 | 12·8 | 26·7 | 29·5 | 20·2 | 21·7 | 17·9 | 14·6 | 18·7 | 28·9 | . | | — |
| | 18·8 | | | 22·0 | | | | | | | | | |
| | 20·6 | | | | | | | 13·5 | | | | 19·0 | |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | . | . | 2 | 3 | 2 | . | . | . | . | . | 9 | 3 |
| Workhouse Hospitals, | . | 1 | 2 | 3 | 2 | 3 | 2 | . | . | . | . | 13 | . |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Green-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 30, Cavendish-row.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 27, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence Accidental, Homicidal, and Suicidal. |
| North City, No. 1. (*Office, Summer-hill.*) | July 8, | 10·4 | . | 10 | . | . | . | . | . | 1 | . | . | . | 4 | . |
| | „ 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 2 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 3·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | 2 |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 1 |
| | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | Average, | 16·7 | 3·0 | 16·1 | . | . | 0·5 | 0·3 | 0·3 | 0·6 | 1·2 | 1·7 | 1·9 | 2·4 | 0·5 |
| North City, No. 2. (*Office, Coleraine-street.*) | July 8, | 22·3 | 3·2 | 14 | . | . | 2 | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 30·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 3 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 3 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | Average, | 17·9 | 3·0 | 11·2 | . | 0·2 | 0·5 | . | 0·3 | 0·1 | 0·8 | 0·9 | 1·8 | 2·0 | 0·3 |
| North City, No. 3. (*Office, Blackhall-street.*) | July 8, | 34·9 | . | 17 | . | . | . | . | . | . | . | 1 | 4 | 3 | 1 |
| | „ 15, | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 16 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . |
| | Average, | 24·0 | 3·3 | 11·7 | . | . | 0·4 | . | . | 0·2 | 1·0 | 1·6 | 2·1 | 1·8 | 0·4 |
| South City, No. 1. (*Office, Meath-street.*) | July 8, | 24·3 | 3·5 | 14 | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . |
| | „ 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | Average, | 23·4 | 4·2 | 13·5 | . | . | 0·2 | . | 0·6 | 0·4 | 1·2 | 1·0 | 1·7 | 1·3 | 0·3 |
| South City, No. 2. (*Office, High-street.*) | July 8, | 22·0 | 1·8 | 12 | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | „ 15, | 18·4 | 5·5 | 10 | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | 1 | . | 1 | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·8 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Sept. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | Average, | 21·7 | 3·3 | 11·8 | . | 0·3 | 0·1 | . | 0·1 | 0·2 | 1·1 | 1·5 | 0·9 | 1·6 | 0·3 |
| South City, No. 3. (*Office, Peter-street.*) | July 8, | 19·0 | 1·4 | 14 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | . |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | . |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 2 | . | 1 | 1 | 3 | 1 |
| | Average, | 19·9 | 2·7 | 14·7 | . | . | 0·8 | . | . | 0·6 | 0·6 | 1·8 | 0·4 | 2·8 | 0·5 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| South City, No. 4. (*Offices, Denzille-street and Grand Canal-street.*) | July 8, | 12·8 | . | 10 | . | . | . | . | . | . | . | . | 2 | 3 | . |
| | „ 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | 1 | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | „ 26, | 11·5 | 6·4 | 9 | . | 1 | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 | 2 |
| | Average, | 16·5 | 3·3 | 12·9 | 0·1 | 0·3 | 0·6 | 0·1 | . | 0·4 | 1·1 | 1·0 | 1·7 | 1·1 | 0·6 |
| Rathmines. | July 8, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 26, | 12·2 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 | . |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | Average, | 15·6 | 1·5 | 6·4 | . | . | 0·1 | 0·1 | 0·1 | . | 0·3 | 0·4 | 0·8 | 0·9 | 0·3 |
| Donnybrook. | July 8, | 2·3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | Average, | 17·1 | 3·5 | 7·3 | . | 0·1 | 0·1 | 0·1 | . | 0·5 | 0·7 | 0·1 | 0·8 | 0·6 | . |
| Blackrock. | July 8, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | . |
| | „ 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | Average, | 15·9 | 2·9 | 2·2 | . | . | . | 0·1 | 0·1 | . | 0·2 | 0·3 | . | 0·2 | 0·1 |
| Kingstown. | July 8, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 14·3 | 1·7 | 5·1 | . | . | 0·3 | . | . | 0·2 | 0·1 | 0·1 | 0·5 | 0·3 | . |
| Total, Dublin Registration District. | July 8, | 17·8 | 1·0 | 108 | . | . | 3 | . | 1 | 1 | 1 | 4 | 8 | 23 | 4 |
| | „ 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | „ 29, | 18·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 12 | 24 | 2 |
| | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 2 | 2 | 9 | 9 | 13 | 9 | 7 |
| | „ 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 2 |
| | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | 10 | 19 | 17 | 13 | 19 | 2 |
| | „ 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 4 | 19 | 12 | 11 | 8 | 4 |
| | Average, | 18·6 | 3·0 | 112·9 | 0·1 | 0·9 | 3·6 | 0·7 | 1·5 | 3·2 | 8·3 | 10·4 | 12·6 | 15·0 | 3·3 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the THIRTY-SIXTH WEEK, ending Saturday, 9th September, 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average for the 10 years 1866-75. | Week ending Saturday, Sept. 9th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age- | | | | | | |
| | | Sep. 8 1866 | Sep. 7 1867 | Sep 5 1868 | Sep. 11 1869 | Sep. 10 1870 | Sep. 9 1871 | Sep. 7 1872 | Sep. 6 1873 | Sep. 12 1874 | Sep. 11 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20 | 20 and under 40 | 40 and under 60 | 60 and under 80. | 80 and upwards |
| | Mean Temperature, | ° 54·9 | ° 59·3 | ° 62·1 | ° 59·8 | ° 57·1 | ° 57·4 | ° 58·6 | ° 55·2 | ° 54·1 | ° 56·5 | ° 57·5 | Mean Temp. ° 57·4 | | | | | | | |
| | **ALL CAUSES,** | 184 | 158 | 210 | 135 | 158 | 138 | 143 | 143 | 142 | 144 | 155·5 | 118 | 47 | 7 | 2 | | 20 | 21 | 1 |
| | **SPECIFIED CAUSES,** | 183 | 157 | 207 | 134 | 156 | 137 | 140 | 138 | 141 | 142 | 153·5 | 114 | 47 | 7 | 2 | 15 | 18 | 20 | 1 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 81 | 44 | 58 | 34 | 60 | 44 | 32 | 27 | 40 | 38 | 45·8 | 35 | 29 | 4 | . | 1 | 1 | . | . |
| II. | CONSTITUTIONAL ,, | 33 | 35 | 43 | 23 | 32 | 36 | 39 | 30 | 24 | 30 | 32·5 | 21 | 4 | 1 | 1 | 7 | 6 | 2 | . |
| III. | LOCAL ,, | 52 | 55 | 70 | 57 | 52 | 39 | 53 | 58 | 56 | 58 | 55·0 | 41 | 13 | 2 | 1 | 5 | 10 | 8 | 2 |
| IV. | DEVELOPMENTAL ,, | 13 | 17 | 28 | 18 | 10 | 16 | 14 | 21 | 16 | 14 | 16·7 | 13 | 1 | . | . | . | . | 9 | 3 |
| V. | VIOLENT DEATHS, | 4 | 6 | 8 | 2 | 2 | 2 | 2 | 2 | 5 | 2 | 3·5 | 4 | . | . | . | 2 | 1 | . | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | 2 | 5 | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 3 | . | 7 | 2 | . | 6 | . | 1 | 4 | 2·4 | 2 | 2 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | . | 1 | 4 | 5 | 13 | 1 | 2 | 2 | 17 | 1 | 4·6 | 5 | 4 | 1 | . | . | . | . | . |
| | 4. Diphtheria, | . | 1 | . | . | . | . | . | . | 1 | 2 | ·2 | 1 | . | 1 | . | . | . | . | . |
| | 5. Quinsy, | 1 | . | . | . | . | . | . | 1 | 1 | 3 | ·8 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | 2 | 2 | 2 | 2 | 5 | . | 1 | 1 | 2 | 1·7 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 1 | 6 | 3 | . | 5 | 2 | . | 3 | . | 3 | 2·3 | 1 | 1 | . | . | . | . | . | . |
| | 8. Typhus, | 9 | 10 | 7 | 2 | 3 | 3 | . | 2 | 1 | 1 | 6·4 | . | . | . | . | . | . | . | . |
| | – Enteric or Typhoid Fever, | | | | 1 | 2 | 4 | . | 5 | 2 | 1 | | 3 | 2 | . | . | . | 1 | . | . |
| | – Simple continued Fever, | | | | . | 2 | 2 | . | 1 | 6 | . | | 1 | . | 1 | . | . | . | . | . |
| | 9. Erysipelas, | . | 1 | . | . | 2 | 1 | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | . | . | 2 | . | . | . | . | . | 1 | ·4 | 1 | 1 | . | . | . | . | . | . |
| | 14. Diarrhœa, | 13 | 18 | 37 | 11 | 25 | 17 | 15 | 13 | 9 | 19 | 17·2 | 19 | 17 | 1 | . | 1 | . | . | . |
| | 15. Simple Cholera, | 52 | 3 | 2 | 1 | 2 | 2 | 1 | . | 1 | . | 6·4 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | . | . | 2 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | 2 | 1 | 1 | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | 1 | . | 2 | . | 1 | . | . | . | 2 | ·7 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | 1 | . | . | . | 1 | 2 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 2 | 2 | 5 | 2 | 1 | 7 | 4 | 3 | 2 | 6 | 3·4 | 3 | 1 | . | . | 1 | . | 1 | . |
| | 3. Cancer, | 3 | 5 | 4 | 3 | 2 | 3 | 4 | 1 | 2 | 5 | 3·2 | 4 | . | . | . | . | 3 | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 1 | . | . | . | 1 | . | 2 | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 2 | 2 | 2 | 1 | 1 | . | 1 | . | 1 | 1·1 | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 5 | 3 | 9 | 4 | 6 | 1 | 2 | 1 | 2 | 5 | 3·8 | 3 | 2 | 1 | . | . | . | . | . |
| | 3. Phthisis, | 17 | 19 | 21 | 11 | 17 | 21 | 23 | 20 | 17 | 12 | 17·6 | 11 | 1 | . | 1 | 6 | 3 | . | . |
| | 4. Hydrocephalus, | 4 | 4 | 2 | 1 | 4 | 3 | 4 | 3 | 1 | 1 | 2·7 | . | . | . | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 3 | 3 | 2 | 5 | 2 | 2 | 2 | 1 | 2 | 1 | 2·3 | . | . | . | . | . | . | . | . |
| | 2. Apoplexy, | 3 | 6 | 2 | 2 | 3 | 4 | 5 | . | 3 | 4 | 3·2 | 1 | . | . | . | . | 1 | . | . |
| | 3. Paralysis, | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 5 | 2·8 | 4 | . | . | . | 1 | . | 3 | . |
| | 4. Insanity, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | 1 | . | . | . | 2 | . | 2 | 1 | . | ·7 | 1 | . | . | . | . | . | 1 | . |
| | 7. Convulsions, | 12 | 19 | 25 | 11 | 15 | 10 | 10 | 11 | 16 | 14 | 14·3 | 12 | 11 | 1 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 4 | . | 5 | 1 | 4 | . | 3 | 5 | 4 | . | 2·6 | 1 | . | . | 1 | . | 1 | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 1 | . | 1 | 2 | 1 | 1 | . | 1 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c* | 3 | 4 | 8 | 7 | 6 | 4 | 7 | 7 | 5 | 6 | 5·7 | 4 | . | . | . | . | 3 | 1 | . |
| | ORDER 3.—RESPIRATORY ORGANS | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 10 | 8 | 9 | 9 | 10 | 2 | 14 | 14 | 11 | 11 | 9·8 | 2 | . | . | . | 1 | 1 | . | . |
| | 3. Pleurisy, | 1 | . | . | 1 | 2 | . | . | 1 | . | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 1 | 2 | 2 | 1 | . | 1 | 3 | 1 | 4 | 4 | 1·9 | 3 | . | 1 | . | 1 | 1 | . | . |
| | 5. Asthma, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 1 | 1 | 1 | . | 2 | 1 | 2 | 2 | 4 | 1·5 | 3 | 1 | . | . | . | . | . | 1 |

ATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of the 10th Years 1866-75. | Week ending Saturday, Sept. 9th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Sep 8 1866 | Sep. 7 1867 | Sep. 5 1868 | Sep. 11 1869 | Sep. 10 1870 | Sep 9 1871 | Sep. 7 1872 | Sep. 6 1873 | Sep. 12 1874 | Sep. 11 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60 | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 54·9 | 59·3 | 62·1 | 59·8 | 57·1 | 57·4 | 58·6 | 55·2 | 51·1 | 56·5 | 57·5 | 57·4 | | | | | | | |
| III | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| ron. | 1. Gastritis, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 4 | . | 3 | 1 | 2 | . | 1 | . | . | . | 1·1 | 2 | 1 | . | . | . | 1 | . | . |
| | 3. Peritonitis, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | 1 | 2 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | 1 | . | . | . | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | . | 1 | 2 | . | 1 | . | 1 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | 1 | . | . | 3 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | . | 1 | 1 | 4 | 2 | . | 2 | 4 | 2 | 4 | 2·0 | 6 | . | . | . | 2 | 3 | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephritis), | 1 | 2 | . | . | 1 | 2 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | 1 | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | . | 3 | 2 | 3 | 1 | . | . | 2 | 2 | 1 | 1·4 | . | . | . | . | . | . | . | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 2. *Uterus Disease, &c.* | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | 1 | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | 7 | . | . | . | 1 | 1 | 5 | 1 | 1·7 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | . | 1 | 2 | . | 1 | . | 2 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 5 | 8 | 8 | 7 | 9 | 9 | 10 | 15 | 8 | 7 | 8·6 | 12 | . | . | . | . | . | 9 | 3 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 7 | 7 | 12 | 9 | 1 | 6 | 3 | 3 | 3 | 5 | 5·6 | . | . | . | . | . | . | . | . |
| V | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 3 | 2 | 3 | 1 | 1 | 2 | . | . | 2 | 2 | 1·6 | 1 | . | . | . | . | . | 1 | . |
| | 2. Wounds, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | . | 2 | . | 1 | . | 2 | . | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 3 | 2 | . | . | . | . | 1 | . | . | ·7 | 3 | . | . | . | 2 | 1 | . | . |
| | 6. Suffocation, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Death (Cause unascertd.), Causes not specified or ill-defined | 1 | 1 | 3 | 1 | 2 | 1 | 3 | 5 | 1 | 2 | 2·0 | 4 | . | . | . | 1 | 2 | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 9th September, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 9TH SEPTEMBER, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 20 | 206 | 118 | 34 | 26 | . | 2 | 5 | 1 | 1 | 4 | 19 | 4 | 4 | 28 |
| BELFAST,* . . | 20,687 | 182,082 | 26 | 124 | 90 | 22 | 11 | . | . | 2 | . | 7 | 2 | 9 | . | . | 7 |
| CORK, . . . | 13,816 | 91,565 | 18 | 56 | 31 | 11 | 8 | . | . | . | 1 | . | . | 4 | . | . | 2 |
| LIMERICK, . . | 8,509 | 44,309 | 9 | 11 | 8 | 1 | 4 | . | . | 1 | . | . | . | 1 | . | . | 2 |
| LONDONDERRY,† . | 21,865 | 30,884 | 37 | 23 | 22 | 1 | 5 | . | . | 1 | . | . | . | . | . | . | 14 |
| WATERFORD, . . | 17,209 | 30,626 | 27 | 7 | 16 | 1 | 4 | . | . | . | . | . | 2 | 2 | . | . | 13 |
| GALWAY, . . | 21,358 | 19,692 | 24 | 15 | 9 | 1 | 4 | . | . | . | . | . | . | 1 | . | 1 | 4 |
| SLIGO, . . . | 30,835 | 17,285 | 15 | 8 | 5 | . | 4 | . | . | . | . | . | . | 2 | . | . | 5 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 9th September, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 32 | 10 | 12 | 3 | . | . | . | 2 | . | 1 | . | 2 | . | . | . |
| | ,, ,, 2, | 17,938 | 32 | 9 | 11 | 4 | 2 | . | . | . | . | . | 1 | 1 | . | . | 3 |
| | ,, ,, 3, | 39,311 | 26 | 34 | 20 | 3 | 3 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 27 | 10 | 10 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 19,616 | 19 | 11 | 7 | 2 | 2 | . | . | . | . | 2 | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 21 | 26 | 15 | 3 | 2 | . | . | . | . | . | . | 2 | . | . | 1 |
| | ,, ,, 9, | 5,296 | 20 | 2 | 2 | 1 | . | . | . | . | . | 1 | . | 3 | . | . | . |
| | ,, ,, 10, | 8,115 | 38 | 8 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | 3 |
| | Castlereagh ,, 1, | 16,155 | 23 | 14 | 7 | 3 | . | . | . | . | . | 3 | 1 | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 3 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, | 11,555 | 5 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 38 | 6 | 5 | 2 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 4, | 6,227 | 42 | 3 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 5, | 11,289 | 14 | 6 | 3 | 2 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 6, | 15,230 | 10 | 12 | 3 | 2 | . | . | . | . | . | . | . | 2 | . | . | . |
| | ,, ,, 7, | 7,586 | 35 | 5 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 8 | 14 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 4,790 | 33 | 2 | 3 | 1 | . | . | . | . | . | 1 | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 20 | 2 | 3 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 12 | . | 2 | . | 2 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 3, | 11,424 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 10 | 8 | 3 | . | 1 | . | . | . | . | . | . | 1 | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 27 | 12 | 7 | . | 2 | . | . | . | . | . | . | . | . | . | 4 |
| | Glendermot, *W.* | 8,483 | 86 | 6 | 14 | 1 | 3 | . | . | 1 | . | . | . | . | . | . | 10 |
| WATERFORD, | Waterford, *W.* | 30,626 | 27 | 7 | 16 | 1 | 4 | . | . | . | . | . | 2 | 2 | . | . | 13 |
| GALWAY, | Galway, No. 1, | 10,700 | 29 | 9 | 6 | . | 2 | . | . | . | . | . | . | 1 | . | 1 | 1 |
| | ,, ,, 2, *W.* | 8,992 | 17 | 6 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | 3 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 40 | 3 | 5 | . | 4 | . | . | . | . | . | . | 2 | . | . | 5 |
| | ,, ,, 2, | 10,829 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

BODLEIAN LIBRARY

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, SEPTEMBER 16, 1876. [No. 37.

*General Register Office, Charlemont House, Dublin, September 18th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 16th September, 1876, represent an annual mortality of 22·6 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 22·3 per 1,000. In London the death-rate was 16·7 in every 1,000 of the estimated population; in Glasgow, 21; and in Edinburgh, 18.

In the Dublin Registration District the births *registered* during the week amounted to 159—87 boys and 72 girls,—and the deaths to 137—71 males and 66 females. The *average* numbers in the corresponding week of the previous ten years were—births, 170, and deaths, 151.

The number of deaths from zymotic diseases *registered* during the week amounted to 30, against 49·9 in the corresponding week of the preceding ten years. Of the deaths from zymotic diseases, 4 were referred to fever (1 typhus and 3 typhoid or enteric fever), 2 to scarlet fever, 20 to diarrhœa, and 1 each to whooping-cough and croup, &c.

Nine children died from convulsions.

Fourteen deaths were caused by bronchitis, 2 by pneumonia, 1 each by laryngitis and lung disease unspecified; 4 by apoplexy; 1 each by epilepsy, insanity, and inflammation of the brain; 4 by brain disease unspecified; 6 by heart disease; 2 by aneurism; 1 by pericarditis or inflammation of the heart's covering; 1 by liver disease; 3 by stomach disease; 2 by obstruction of the bowels; 1 each by peritonitis, enteritis, and gastritis; 1 each by nephria or Bright's disease and kidney disease unspecified.

Eleven deaths were ascribed to phthisis or pulmonary consumption, 3 to hydrocephalus or water on the brain, 1 each to mesenteric disease and scrofula, and 4 to cancer.

Three deaths from violent causes were registered.

Forty-two of the persons whose deaths were *registered* during the week were under 5 years of age (25 being infants under 1 year old); and 36 were aged 60 and upwards, including 15 persons aged 70 and upwards, of whom 5 were octogenarians, and 1 (a woman) was stated to have been aged 100 years.

Forty-four of the deaths *registered* occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 22·3 per 1,000; the rate in the city was 24·8 (21·2 on the North side and 27·6 on the South), and in the suburbs 13·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 4·5 per 1,000 inhabitants, the rate for the city being 5·3 (3·9 in the North City Districts and 6·4 in the South), and for the suburbs 1·5 per 1,000.

*No.* 1, *North City District* (Summer-hill). The annual rate represented by the deaths of inhabitants of this district is 16·6 per 1,000; the deaths from zymotic diseases are 2 from scarlatina, and 1 each from whooping-cough and diarrhœa, the four deaths being equal to an annual mortality of 4·2 per 1,000 persons.

*No.* 2, *North City District* (Coleraine-street). The deaths chargeable to this district afford an annual rate of 25·5 per 1,000 inhabitants. There were no deaths from zymotic disease.

*No.* 3, *North City District* (Blackhall-street). The annual rate represented by the deaths tabulated for this district is 24·6 per 1,000 persons. The only one of the seven principal

zymotic diseases from which deaths are recorded is diarrhœa, from which 4 deaths resulted; this number being equal to an annual mortality of 8·2 per 1,000 inhabitants, which is double the average mortality from the seven principal zymotic diseases for the last ten weeks.

*No.* 1, *South City District* (Meath-street). The deaths of inhabitants of this district are equal to an annual mortality of 36·4 per 1,000. Diarrhœa is the only zymotic disease which proved fatal: it caused 6 deaths, a number equal to an annual mortality of 10·4 per 1,000. The average death-rate yielded by deaths from the seven principal zymotic diseases for the last ten weeks has been 4·9 per 1,000 persons.

*No.* 2, *South City District* (High-street). The death-rate for this district is 25·7 per 1,000, against an average of 22·0 for the last ten weeks. The only deaths from zymotic disease are 2 from diarrhœa.

*No.* 3, *South City District* (Peter-street). The deaths chargeable to this district represent an annual rate of 20·3 per 1,000 inhabitants. There were 3 deaths from fever (1 typhus and 2 enteric), and 2 from diarrhœa; these 5 deaths being equal an annual rate of 6·8 per 1,000. There were 3 deaths from fever tabulated for this district in the preceding week also.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The death-rate for this district is 29·4 per 1,000. Four of the 23 deaths tabulated were caused by diarrhœa, these being the only deaths from zymotic disease.

*Suburban Districts.* The respective death-rates are—Rathmines, 9·7 per 1,000; Donnybrook, 14·0; Blackrock, 14·4; and Kingstown, 16·8. The only deaths from any of the seven principal zymotic diseases were 1 each from enteric fever and diarrhœa, in Donnybrook; these 2 deaths being equal to an annual rate of 4·7 per 1,000 inhabitants of that district, against an average rate of 4·0 for the last ten weeks.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·870 inches. The highest daily mean reading (30·035) occurred on Tuesday, and the lowest (29·618) on Saturday.

The mean temperature during the week was 50·9° (being 6·2° under the average in the corresponding week of the previous ten years); the lowest daily mean (44·5°) occurred on Thursday, and the highest (55·3°) on Friday.

The temperature was highest on Saturday, when the thermometer registered 63·1°, and was lowest on Thursday, the mercury having fallen to 33·3°. The highest reading of the barometer during the week (30·043) occurred on Tuesday, at 9.30 P.M., wind N., and the lowest (29·589) on Saturday, at 9.30 A.M., wind, S.E. The mean of the Dry Bulb for the week was 51·7°; and of the Wet Bulb 48·6°. The mean humidity of the air was ·800; complete saturation being represented by 1·0. The rain-fall during the week measured ·605 in.

At Greenwich the mean temperature of the week was 51·5°; and the rain-fall measured ·18 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, Sept. 10, | 29·934 | 60·6 | 42·0 | 51·3 | 53·9 | 50·7 | ·807 | ·8 | ·000 | N. | N. | W. |
| Monday, „ 11, | 29·964 | 58·0 | 45·2 | 51·6 | 50·4 | 47·4 | ·797 | ·4 | ·009 | N.W. | N.W. | N.W. |
| Tuesday, „ 12, | 30·035 | 54·1 | 48·2 | 49·6 | 50·4 | 45·9 | ·712 | ·6 | ·000 | N. | N.W. | N. |
| Wednesday, „ 13, | 29·979 | 57·3 | 45·0 | 51·2 | 52·0 | 48·8 | ·791 | ·4 | ·000 | N. | N. | N.N.W |
| Thursday, „ 14, | 29·859 | 55·8 | 33·3 | 44·5 | 47·7 | 45·2 | ·838 | ·2 | ·000 | N.W. | N.W. | Calm. |
| Friday, „ 15, | 29·698 | 62·1 | 48·5 | 55·3 | 53·3 | 49·5 | ·760 | ·4 | ·465 | S.W. | S.E. | S.E. |
| Saturday, „ 16, | 29·618 | 63·1 | 42·5 | 52·8 | 54·1 | 52·4 | ·894 | ·3 | ·140 | S.E. | W. | W. |
| Mean, . . | 29·870 | 58·7 | 43·1 | 50·9 | 51·7 | 48·6 | ·800 | ·4 | Total, ·605 | Prevailing wind, N. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Sept. 10, | A.M. Fine. | P.M. Overcast. |
| Monday, „ 11, | A.M. Dull. | P.M. Overcast. |
| Tuesday, „ 12, | A.M. Gloomy. | P.M. Gloomy. |
| Wednesday, „ 13, | A.M. Dull. | P.M. Overcast. |
| Thursday, „ 14, | A.M. Fine. | P.M. Thick fog. |
| Friday, „ 15, | A.M. Slight haze. | P.M. Overcast. |
| Saturday, „ 16, | A.M. Raining. | P.M. Fine and starlight. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrar-General of England.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 16th September, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from Districts not in Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 30,084 | 32,609 | 25,355 | 29,968 | 28,330 | 38,344 | 40,651 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 16 | 16 | 12 | 21 | 14 | 15 | 23 | 4 | 6 | 2 | 6 | 135 | 2 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Fever, | . | . | . | . | . | 3 | . | . | 1 | . | . | 4 | . |
| Diarrhœa, | 1 | . | 4 | 6 | 2 | 2 | 4 | . | 1 | . | . | 20 | . |
| Other Zymotic Diseases, | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . |
| Total, | 4 | . | 5 | 6 | 2 | 6 | 4 | . | 2 | . | 1 | 30 | . |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 1 | . | 3 | 2 | . | . | 1 | . | . | 1 | 10 | 1 |
| Other Constitutional Diseases | 1 | 3 | . | 1 | 2 | . | 1 | . | 1 | . | . | 9 | . |
| Total, | 3 | 4 | . | 4 | 4 | . | 1 | 1 | 1 | . | 1 | 19 | 1 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | . | 1 | 2 | 4 | 3 | 2 | 4 | 1 | . | 1 | 1 | 19 | 1 |
| Diseases of the Heart and Circulatory Organs, | 2 | 3 | . | . | 1 | . | 1 | . | . | 1 | 1 | 9 | . |
| Diseases of the Respiratory Organs, | 1 | 2 | 2 | 5 | 2 | . | 4 | 1 | . | . | 1 | 18 | . |
| Diseases of the Digestive Organs, | 1 | 1 | 1 | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 9 | . |
| Diseases of the Urinary Organs, | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Diseases of the Integumentary System, | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 | . |
| Total, | 5 | 8 | 5 | 10 | 7 | 4 | 11 | 3 | 1 | 2 | 4 | 60 | 1 |
| DEVELOPMENTAL DISEASES, | 4 | 2 | 1 | 1 | . | 3 | 5 | . | 2 | . | . | 18 | . |
| VIOLENT DEATHS, | . | 1 | . | . | . | . | 2 | . | . | . | . | 3 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | 1 | 1 | . | 1 | 2 | . | . | . | . | . | 5 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 16·6 | 25·5 | 24·6 | 36·4 | 25·7 | 20·3 | 29·4 | 9·7 | 14·0 | 14·4 | 16·8 | | — |
| | 21·2 | | | 27·6 | | | | | | | | | |
| | 24·8 | | | | | | | 13·5 | | | | 22·3 | |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 4 | 1 | 1 | 2 | 1 | 1 | . | 2 | . | . | 14 | 2 |
| Workhouse Hospitals, | 2 | 2 | 3 | 9 | 2 | 3 | 7 | . | . | . | . | 28 | . |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of St Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence Accidental, Homicidal, and Suicidal. |
| **North City, No. 1.** (*Office, Summer-hill.*) | July 15, | 13·5 | 3·1 | 13 | . | . | 1 | . | . | 1 | 1 | 2 | 1 | 2 | . |
| | „ 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 2 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 3·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | 2 |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 1 |
| | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | „ 16, | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . |
| | Average, | 17·3 | 3·4 | 16·7 | . | . | 0·7 | 0·3 | 0·4 | 0·6 | 1·3 | 1·7 | 2·1 | 2·1 | 0·5 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | July 15, | 11·2 | 1·6 | 7 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 20·7 | 4·8 | 13 | . | 1 | . | . | . | 1 | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 3 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 3 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | „ 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | Average, | 18·2 | 2·7 | 11·4 | . | 0·2 | 0·3 | . | 0·3 | 0·1 | 0·8 | 0·9 | 1·7 | 1·9 | 0·4 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | July 15 | 18·5 | 4·1 | 9 | . | . | 1 | . | . | . | 1 | 3 | 1 | 1 | . |
| | „ 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . |
| | „ 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | Average, | 23·0 | 4·1 | 11·2 | . | . | 0·4 | . | . | 0·2 | 1·4 | 1·6 | 1·7 | 1·5 | 0·3 |
| **South City, No. 1.** (*Office, Meath-street.*) | July 15, | 19·1 | . | 11 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16, | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | Average, | 24·6 | 4·9 | 14·2 | . | . | 0·2 | . | 0·5 | 0·3 | 1·8 | 1·2 | 1·9 | 1·7 | 0·3 |
| **South City, No. 2.** (*Office, High-street.*) | July 15, | 18·4 | 5·5 | 10 | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | „ 22, | 18·4 | . | 10 | . | . | 1 | . | 1 | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·8 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Sept. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . |
| | Average, | 22·0 | 3·5 | 12·0 | . | 0·3 | 0·1 | . | 0·1 | 0·2 | 1·2 | 1·5 | 1·1 | 1·6 | 0·2 |
| **South City, No. 3.** (*Office, Peter-street.*) | July 15, | 24·4 | . | 18 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 |
| | „ 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | . |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 3 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 3 | . | 1 | 1 | 3 | 1 |
| | „ 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | Average, | 20·1 | 3·3 | 14·8 | . | . | 0·7 | . | . | 0·9 | 0·8 | 1·8 | 0·3 | 2·5 | 0·4 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | July 15, | 11·5 | . | 9 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | „ 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | . | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | „ 26, | 11·5 | 6·4 | 9 | 1 | 1 | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 | 2 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | Average, | 18·2 | 3·8 | 14·2 | 0·1 | 0·3 | 0·6 | 0·1 | . | 0·4 | 1·5 | 1·2 | 1·7 | 1·2 | 0·8 |
| **Rathmines.** | July 15, | 17·0 | 4·9 | 7 | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 |
| | „ 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 26, | 12·2 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | 1 | . | . | . | 2 | 1 | 4 | . |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | Average, | 14·8 | 1·5 | 6·1 | . | . | 0·1 | 0·1 | 0·1 | . | 0·3 | 0·5 | 0·9 | 1·0 | 0·2 |
| **Donnybrook.** | July 15, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | Average, | 18·2 | 4·0 | 7·8 | . | 0·1 | 0·1 | 0·1 | . | 0·6 | 0·8 | 0·1 | 0·8 | 0·6 | . |
| **Blackrock.** | July 15, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 4 | 2 | . | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 15·1 | 2·9 | 2·1 | . | . | . | 0·1 | 0·1 | . | 0·2 | 0·3 | . | . | 0·1 |
| **Kingstown.** | July 15, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 22, | 28·1 | 2·3 | 10 | . | . | 1 | . | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Average, | 14·3 | 1·7 | 5·1 | . | . | 0·3 | . | . | 0·2 | ·1 | 0·1 | 0·6 | 0·4 | . |
| **Total, Dublin Registration District.** | July 15, | 16·2 | 1·8 | 98 | . | . | 4 | . | 1 | 3 | 3 | 10 | 11 | 16 | 4 |
| | „ 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 | 4 |
| | „ 29, | 18·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 13 | 24 | 2 |
| | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 2 | 9 | 9 | 13 | 9 | 7 |
| | „ 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 2 |
| | Sept. 2, | 24·3 | 5·8 | 145 | . | . | 6 | . | . | 10 | 19 | 17 | 13 | 19 | 2 |
| | „ 9, | 19·0 | 5·2 | 115 | . | 2 | 5 | 1 | 1 | 4 | 19 | 12 | 11 | 8 | 4 |
| | „ 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 | 3 |
| | Average, | 19·1 | 3·4 | 115·6 | 0·1 | 0·9 | 3·5 | 0·7 | 1·5 | 3·5 | 10·2 | 10·9 | 12·8 | 14·5 | 3·2 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the THIRTY-SEVENTH WEEK, ending Saturday, 16th Sept., 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, Sep. 15 1866 | Sep. 14 1867 | Sep. 12 1868 | Sep. 18 1869 | Sep. 17 1870 | Sep. 16 1871 | Sep. 14 1872 | Sep. 13 1873 | Sep. 19 1874 | Sep. 18 1875 | Average in 37th Week of the 10 years 1866-75. | Week ending Saturday, Sept. 16th, 1876 — Deaths of Persons of the Age — ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 54·2 | ° 57·1 | ° 58·2 | ° 56·8 | ° 57·7 | ° 55·7 | ° 62·7 | ° 53·9 | ° 55·2 | ° 59·8 | ° 57·1 | Mean Temp. ° 50·9 | | | | | | | |
| | **ALL CAUSES,** | 181 | 156 | 136 | 153 | 142 | 144 | 154 | 121 | 180 | 139 | 150·6 | 137 | 42 | 8 | 3 | 19 | 29 | 30 | 6 |
| | **SPECIFIED CAUSES,** | 178 | 155 | 135 | 151 | 139 | 140 | 152 | 119 | 176 | 137 | 148·2 | 132 | 41 | 7 | 3 | 19 | 27 | 29 | 6 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 87 | 54 | 45 | 49 | 38 | 54 | 42 | 29 | 62 | 39 | 49·9 | 30 | 19 | 1 | . | 4 | 2 | 3 | 1 |
| II. | CONSTITUTIONAL „ | 32 | 30 | 30 | 31 | 31 | 22 | 35 | 29 | 33 | 17 | 29·0 | 20 | 2 | 3 | 1 | 6 | 6 | 2 | . |
| III. | LOCAL „ | 50 | 50 | 48 | 51 | 51 | 39 | 51 | 40 | 49 | 61 | 48·7 | 61 | 11 | 3 | 1 | 7 | 16 | 21 | 2 |
| IV. | DEVELOPMENTAL „ | 7 | 19 | 10 | 15 | 16 | 20 | 23 | 17 | 25 | 15 | 16·7 | 18 | 9 | . | . | . | 3 | 3 | 3 |
| V. | VIOLENT DEATHS, | 2 | 2 | 5 | 5 | 3 | 5 | 1 | 4 | 7 | 5 | 3·9 | 3 | . | . | 1 | 2 | . | . | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 4 | 4 | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 2 | 1 | 16 | . | . | 4 | 1 | 1 | 4 | 3·0 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 7 | 6 | 1 | 9 | 6 | . | 5 | 4 | 34 | . | 7·2 | 2 | 1 | 1 | . | . | . | . | . |
| | 4. Diphtheria, | . | 3 | . | . | . | . | 1 | 1 | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Croup, | . | 3 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | 2 | 1·7 | 1 | 1 | . | . | . | . | . | . |
| | 7. Whooping Cough, | 3 | 10 | 2 | 1 | 1 | 3 | 1 | 4 | . | 7 | 3·2 | 1 | 1 | . | . | . | . | . | . |
| | 8. Typhus, | | | | | . | 1 | 3 | 5 | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . |
| | – Enteric or Typhoid Fever, | 6 | 7 | 4 | 4 | 1 | 3 | 1 | 2 | 5 | 1 | 5·4 | 3 | 2 | . | . | . | 1 | . | . |
| | – Simple continued Fever, | | | | 2 | 1 | 2 | 2 | 1 | . | 1 | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 1 | . | . | . | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 2 | . | . | 1 | . | . | 1 | . | . | 1 | ·5 | 1 | . | . | . | . | 1 | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | 1 | . | 1 | 1 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 12 | 20 | 30 | 14 | 21 | 31 | 14 | 11 | 15 | 19 | 18·7 | 20 | 14 | . | . | . | 2 | 3 | 1 |
| | 15. Simple Cholera, | 55 | . | 2 | . | 2 | 2 | . | 1 | 1 | . | 6·3 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | . | . | . | 1 | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | 1 | 1 | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 1 | . | 3 | 4 | 4 | 1 | 1 | . | 2 | 1 | 1·7 | . | . | . | . | . | . | . | . |
| | 3. Cancer, | 6 | 1 | 2 | 2 | . | 2 | 6 | 3 | 3 | 3 | 2·8 | 4 | . | . | . | . | 1 | 1 | 2 |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | 1 | 2 | 1 | 1 | 1 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 2 | 2 | 1 | 2 | . | 1 | . | 2 | . | 1·2 | 1 | . | 1 | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 6 | 2 | 6 | 3 | 5 | 3 | 2 | 3 | 8 | 4 | 4·2 | 1 | 1 | . | . | . | . | . | . |
| | 3. Phthisis, | 15 | 21 | 8 | 19 | 16 | 13 | 21 | 15 | 13 | 7 | 14·8 | 11 | . | . | 1 | 5 | 5 | . | . |
| | 4. Hydrocephalus, | 2 | 3 | 7 | 1 | 3 | 2 | 4 | 8 | 4 | 2 | 3·6 | 3 | 1 | 2 | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 3 | 2 | 1 | 1 | 2 | . | . | 1 | 1 | . | 1·1 | 1 | . | 1 | . | . | . | . | . |
| | 2. Apoplexy, | 1 | 3 | 1 | 2 | . | . | . | 2 | 4 | 4 | 1·7 | 4 | . | . | . | . | 2 | 2 | . |
| | 3. Paralysis, | 5 | 4 | 1 | 3 | 1 | 1 | 2 | . | 1 | 2 | 2·0 | . | . | . | . | . | . | . | . |
| | 4. Insanity, | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 5. Chorea, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 2 | 2 | . | 1 | . | 2 | . | 3 | 1 | 1·1 | 1 | . | . | 1 | . | . | . | . | . |
| | 7. Convulsions, | 12 | 18 | 13 | 12 | 16 | 16 | 13 | 9 | 9 | 22 | 14·0 | 9 | 9 | . | . | . | . | 3 | . |
| | 8. *Brain Disease, &c.* | 1 | . | 1 | . | . | 3 | 5 | 1 | 1 | . | 1·2 | 4 | . | . | . | 1 | . | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | 1 | . | . | . | . | 1 | ·1 | 1 | . | 1 | . | . | . | . | . |
| | 2. Aneurism, | . | . | 1 | . | . | . | . | . | 1 | 1 | ·3 | 2 | . | . | . | 1 | 1 | . | . |
| | 3. *Heart Disease, &c.* | 5 | 2 | 9 | 10 | 6 | 2 | 8 | 8 | 5 | 11 | 6·6 | 6 | . | . | . | 1 | 1 | 3 | 1 |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 2. Bronchitis, | 6 | 7 | 10 | 12 | 8 | 8 | 9 | 5 | 6 | 6 | 7·7 | 14 | 1 | . | . | 1 | 6 | 5 | 1 |
| | 3. Pleurisy, | 1 | . | . | . | 1 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 2 | . | 2 | 3 | 5 | . | 1 | 1 | 4 | 3 | 2·1 | 2 | 1 | . | . | . | 1 | . | . |
| | 5. Asthma, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | . | 1 | 1 | 1 | . | . | 4 | 2 | 2 | 1·1 | 1 | . | . | . | . | 1 | . | . | . |

ATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, egistered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Ines. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Sep. 15 1866 | Sep. 14 1867 | Sep. 12 1868 | Sep. 18 1869 | Sep. 17 1870 | Sep. 16 1871 | Sep. 14 1872 | Sep. 13 1873 | Sep. 19 1874 | Sep. 18 1875 | Average in 37th Week of the 10 years 1866–75. | Week ending Saturday, Sept. 16th, 1876. Deaths of Persons of the Ages: ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 30. | 30 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 54·2 | ° 57·1 | ° 58·2 | ° 56·6 | ° 57·7 | ° 55·7 | ° 62·7 | ° 63·9 | ° 55·3 | ° 59·8 | ° 57·1 | Mean Temp. ° 50·9 | | | | | | | |
| III. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| con. | 1. Gastritis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 2. Enteritis, | 2 | . | . | . | . | 2 | . | 1 | . | 1 | ·6 | 1 | . | . | . | . | . | 1 | . |
| | 3. Peritonitis, | 1 | . | . | . | 2 | . | 1 | . | . | . | ·4 | 1 | . | . | . | . | . | 1 | . |
| | 4. Ascites, | . | . | . | 1 | . | . | . | 1 | 2 | . | ·4 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | 1 | . | 1 | 2 | . | . | . | 1 | ·5 | 2 | . | 1 | . | . | . | 1 | . |
| | 8. Intussusception, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 2 | . | 2 | . | 2 | . | 2 | 1 | 1 | . | 1·0 | 3 | . | . | . | 1 | 2 | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | 2 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 2 | . | 1 | 2 | 2 | 2 | 2 | 4 | 2 | 1·8 | 1 | . | . | . | . | . | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | 2 | . | 1 | . | . | . | 1 | . | 3 | ·7 | 1 | . | . | . | . | . | 1 | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 3 | 3 | . | 1 | . | . | 2 | 1 | 3 | 1 | 1·4 | 1 | . | . | . | . | . | 1 | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | 2 | . | . | . | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | . | 2 | . | 1 | . | . | . | . | . | ·4 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | 1 | . | . | 1 | . | . | 1 | . | 3 | ·6 | 3 | 3 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | 4 | 2 | 2 | 4 | . | 1 | 3 | 2 | . | 1·9 | 2 | 2 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | 1 | . | . | . | . | 2 | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 3 | 5 | 5 | 8 | 9 | 13 | 10 | 10 | 9 | 9 | 8·1 | 5 | . | . | . | . | . | 2 | 3 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 3 | 8 | 3 | 5 | 2 | 7 | 10 | 3 | 13 | 2 | 5·6 | 8 | 4 | . | . | . | 3 | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | . | 1 | 4 | 1 | . | 1 | 3 | 6 | 1 | 1·8 | 2 | . | . | 1 | 1 | . | . | . |
| | 2. Wounds, | . | 1 | . | . | . | 1 | . | . | . | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| | 3. Burns and Scalds, | . | . | 2 | 1 | 1 | 1 | . | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 1 | 1 | . | . | 2 | . | . | 1 | 2 | ·8 | . | . | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 3 | 1 | 1 | 2 | 3 | 4 | 2 | 2 | 4 | 2 | 2·4 | 5 | 1 | 1 | . | . | 2 | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 16th September, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 16TH SEPTEMBER, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 23 | 159 | 137 | 25 | 37 | . | . | 2 | . | 1 | 4 | 20 | 3 | 3 | 44 |
| BELFAST,* . . | 20,687 | 182,062 | 27 | 123 | 94 | 29 | 14 | . | . | 1 | . | . | 6 | 6 | 2 | . | 22 |
| CORK, . . . | 13,816 | 91,965 | 23 | 38 | 41 | 9 | 14 | . | . | . | . | . | 3 | 5 | 1 | 2 | 14 |
| LIMERICK, . . | 8,509 | 44,209 | 22 | 27 | 19 | 4 | 6 | . | . | . | . | . | . | . | 2 | 3 | 7 |
| LONDONDERRY,† . | 21,865 | 30,884 | 13 | 14 | 8 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 20 | 17 | 12 | 4 | 1 | . | . | . | . | . | 1 | 3 | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 34 | 8 | 13 | . | 9 | . | . | . | . | . | . | . | . | 1 | 5 |
| SLIGO, . . . | 30,835 | 17,285 | 21 | 7 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | 1 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 16th September, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 29 | 10 | 11 | 5 | 2 | . | . | . | . | . | . | 2 | . | . | . |
| | " " 2, | 17,938 | 32 | 16 | 11 | 2 | 2 | . | . | . | . | . | . | 1 | 2 | . | 3 |
| | " " 3, | 39,311 | 22 | 26 | 17 | 7 | 1 | . | . | . | . | . | 2 | 1 | . | . | . |
| | " " 4, *W.* | 19,320 | 67 | 18 | 25 | 2 | 5 | . | . | . | . | . | 3 | . | . | . | 19 |
| | " " 5, | 19,616 | 8 | 8 | 3 | 2 | . | . | . | 1 | . | . | . | . | . | . | . |
| | " " 6, | 36,652 | 23 | 20 | 16 | 7 | 2 | . | . | . | . | . | 1 | 3 | . | . | . |
| | " " 9, | 5,296 | 20 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | " " 10, | 8,115 | 32 | 11 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh " 1, | 16,155 | 13 | 12 | 4 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 31 | 5 | 6 | 3 | 2 | . | . | . | . | . | 1 | 1 | . | . | . |
| | " " 2, | 11,555 | 36 | 4 | 8 | 1 | 1 | . | . | . | . | . | 2 | 3 | . | . | 2 |
| | " " 3, | 6,818 | 31 | 8 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 4, | 6,327 | 8 | 1 | 1 | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 |
| | " " 5, | 11,289 | 9 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | " " 6, | 15,230 | 10 | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| | " " 7, | 7,586 | 7 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | " " 8, *W.* | 18,364 | 45 | 8 | 16 | 1 | 8 | . | . | . | . | . | . | . | 1 | 1 | 11 |
| | " " 9, | 4,790 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 20 | 6 | 3 | . | 2 | . | . | . | . | . | . | . | 2 | 3 | 1 |
| | " " 2, *W.* | 8,992 | 52 | 3 | 9 | 2 | 3 | . | . | . | . | . | . | . | . | . | 6 |
| | " " 3, | 11,424 | 14 | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 4, | 15,875 | 13 | 13 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 5 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, | 13,569 | 11 | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 12 | 2 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 20 | 17 | 12 | 4 | 1 | . | . | . | . | . | 1 | 3 | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 24 | 6 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, *W.* | 8,992 | 46 | 2 | 8 | . | 7 | . | . | . | . | . | . | . | . | 1 | 5 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 40 | 4 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| | " " 2, | 10,829 | 10 | 3 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

BODLEIANA · BIBLIOTHECA · DUBLIN

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, SEPTEMBER 23, 1876. [No. 38.

*General Register Office, Charlemont House, Dublin, September 25th*, 1876.

The total deaths *registered* in the Dublin Registration District during the week ending 23rd September, 1876, represent an annual mortality of 24·8 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 24·0 per 1,000. In London the death-rate was 19·1 in every 1,000 of the estimated population; in Glasgow, 20; and in Edinburgh, 21.

In the Dublin Registration District the births *registered* during the week amounted to 183—84 boys and 99 girls,—and the deaths to 150—75 males and 75 females. The *average* numbers in the corresponding week of the previous ten years were—births, 161, and deaths, 140.

The deaths from zymotic diseases *registered* during the week numbered 33, against an average of 43·6 for the corresponding week of the preceding ten years. Of these deaths, 7 resulted from fever (3 typhus, and 4 typhoid or enteric fever), 2 from whooping-cough, 1 from scarlet fever, and 16 from diarrhœa, &c.

Twelve children died from convulsions.

Four deaths each were caused by bronchitis and pneumonia or inflammation of the lungs, 1 by laryngitis, and 4 by lung disease unspecified; 8 by heart disease; 2 by liver disease, 1 by jaundice, 1 by ulceration of the intestines; and 1 by kidney disease unspecified.

Three deaths were referred to apoplexy, 2 to cephalitis or inflammation of the brain, 1 each to paralysis and epilepsy, and 2 to brain disease unspecified.

Twenty-six deaths were ascribed to phthisis or pulmonary consumption, 7 to hydrocephalus or water on the brain, 2 to scrofula, and 4 to cancer.

Nine violent deaths were *registered*—6 were accidental, 1 homicidal, and 2 suicidal.

Forty-nine of the persons whose deaths were *registered* during the week were under 5 years of age (34 being infants under 1 year old); and 26 were aged 60 and upwards, including 12 persons aged 70 and upwards, of whom 1 was an octogenarian, and 1 (a woman) was stated to have been aged 90 years.

Forty-one of the deaths *registered* occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin, and 8 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 24·0 per 1,000; the rate in the city was 23·5 (23·1 on the North side and 23·9 on the South), and in the suburbs 25·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 4·1 per 1,000 inhabitants, the rate for the city being 3·4 (4·3 in the North City Districts and 2·7 in the South), and for the suburbs 6·8 per 1,000.

*No.* 1, *North City District* (Summer-hill). The deaths (20) tabulated for this district represent an annual mortality of 20·8 per 1,000 inhabitants. One death resulted from typhoid fever, 2 deaths from diarrhœa, and 5 from phthisis or pulmonary consumption.

*No.* 2, *North City District* (Coleraine-street). The annual rate afforded by the deaths of inhabitants of this district is 30·3 per 1,000; the average rate for the last ten weeks has been 20·1. Of the deaths recorded last week, 2 were caused by diarrhœa, and 1 each by scarlatina, whooping-cough, and enteric fever, these 5 deaths being equal to an annual mortality of 8·0 per 1,000; the average rate yielded by deaths from the seven principal zymotic diseases for the last ten weeks has been 3·4.

*No.* 3, *North City District* (Blackhall-street). The deaths chargeable to this district represent an annual mortality of 18·5 per 1,000, against an average rate of 23·0 for the last ten weeks. The only death from zymotic disease is 1 from diarrhœa.

*No.* 1, *South City District* (Meath-street). The annual rate represented by the deaths tabulated for this district is 39·9 per 1,000 persons, against an average rate of 26·7 per 1,000 for the last ten weeks. Two deaths resulted from typhus fever, and 3 from diarrhœa, these 5 deaths being equal to an annual mortality of 8·7 per 1,000 inhabitants. The average rate afforded by deaths from the seven principal zymotic diseases during the last ten weeks has been 5·7.

*No.* 2, *South City District* (High-street). The deaths of inhabitants of this district are equal to an annual rate of 23·9 per 1,000. The only death from zymotic disease is 1 from diarrhœa.

*No.* 3, *South City District* (Peter-street). The rate for this district is only 16·3 per 1,000. There were no deaths from zymotic disease.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The deaths chargeable to this district represent an annual mortality of 19·2 per 1,000 inhabitants. The only death from any of the seven principal zymotic diseases is 1 from diarrhœa.

*Suburban Districts.* The respective death-rates are—Rathmines, 24·3 per 1,000; Donnybrook, 18·7; Blackrock, 14·4; and Kingstown, 39·3 per 1,000 (the average rate in Kingstown for the last ten weeks has been 16·6). The deaths from the principal zymotic diseases are—1 each from whooping-cough and diarrhœa, in Rathmines; 1 from fever and 2 from diarrhœa, in Donnybrook; and 1 from typhoid fever and 3 from diarrhœa, in Kingstown. There were no deaths from zymotic disease registered in Blackrock.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·971 inches. The highest daily mean reading (30·269) occurred on Tuesday, and the lowest (29·697) on Sunday.

The mean temperature during the week was 57·5° (being 3·1° over the average in the corresponding week of the previous ten years); the lowest daily mean (54·9°) occurred on Monday, and the highest (61·9°) on Wednesday.

The temperature was highest on Saturday, when the thermometer registered 70·5°, and was lowest on Sunday, the mercury having fallen to 45·2°. The highest reading of the barometer during the week (30·313) occurred on Wednesday, at 9.30 A.M., wind W., and the lowest (29·690) on Sunday, at 3.30 P.M., wind, W. The mean of the Dry Bulb for the week was 58·2°; and of the Wet Bulb 55·2°. The mean humidity of the air was ·833; complete saturation being represented by 1·0. The rain-fall during the week measured ·465 in.

At Greenwich the mean temperature of the week was 57·5°, and at Glasgow, 55·3°. The rain-fall during the week at Greenwich measured ·29 in., and at Glasgow ·47 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Sept. 17, | 29·697 | 65·5 | 45·2 | 55·3 | 55·1 | 51·6 | ·793 | ·5 | ·045 | S.S.W. | W. | W. |
| Monday, „ 18, | 29·972 | 64·2 | 45·8 | 54·9 | 55·6 | 53·0 | ·855 | ·5 | ·000 | W. | W. | W. |
| Tuesday, „ 19, | 30·269 | 64·4 | 47·5 | 56·0 | 53·8 | 52·5 | ·921 | ·1 | ·000 | W. | S.E. | Calm. |
| Wednesday, „ 20, | 30·263 | 65·8 | 58·0 | 61·9 | 58·4 | 55·7 | ·843 | ·1 | ·000 | W. | S.S.E. | Calm. |
| Thursday, „ 21, | 30·055 | 61·0 | 55·0 | 58·0 | 63·4 | 59·1 | ·778 | ·5 | ·040 | S.E. | S. | S.E. |
| Friday, „ 22, | 29·790 | 64·3 | 48·0 | 57·1 | 60·0 | 58·0 | ·884 | ·5 | ·060 | S.E. | S.E. | E. |
| Saturday, „ 23, | 29·751 | 70·5 | 48·0 | 59·3 | 61·3 | 56·4 | ·758 | ·7 | ·320 | S. | S. | Calm. |
| Mean, . . | 29·971 | 65·4 | 49·6 | 57·5 | 58·2 | 55·2 | ·833 | ·4 | Total, ·465 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Sept. 17, | A.M. Fine. | P.M. Fine. |
| Monday, „ 18, | A.M. Dull. | P.M. Fine and starlight. |
| Tuesday, „ 19, | A.M. Close, with fog. | P.M. Thick fog. |
| Wednesday, „ 20, | A.M. Close, with fog. | P.M. Fine and starlight. |
| Thursday, „ 21, | A.M. Fine. | P.M. Dull. |
| Friday, „ 22, | A.M. Raining. | P.M. Gloomy. |
| Saturday, „ 23, | A.M. Fine. | P.M. Gloomy. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

**TABLE II.—DEATHS** in the several **REGISTRARS' DISTRICTS** of the **CITY** of **DUBLIN** (Municipal Boundary), and in the **SUBURBAN DISTRICTS** of **RATHMINES, DONNYBROOK, BLACKROCK,** and **KINGSTOWN,** registered during the Week ending Saturday, 23rd September, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4 E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 915 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 20 | 19 | 9 | 23 | 13 | 12 | 15 | 10 | 8 | 2 | 14 | 145 | 5 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever (Scarlatina), | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | 1 | . | . | . | . | . | 1 | . | . | 2 | 2 | . |
| Fever, | 1 | 1 | . | 2 | . | . | . | . | 1 | . | 1 | 6 | 1 |
| Diarrhœa, | 2 | 2 | 1 | 3 | 1 | . | 1 | 1 | 2 | . | 3 | 16 | . |
| Other Zymotic Diseases, | 2 | 1 | . | 1 | . | . | 2 | . | 1 | . | . | 7 | . |
| Total, | 5 | 6 | 1 | 6 | 1 | . | 3 | 2 | 4 | . | 4 | 32 | 1 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 5 | 2 | 3 | 5 | 1 | . | 2 | 2 | 1 | 1 | 2 | 24 | 2 |
| Other Constitutional Diseases | 1 | 1 | . | 4 | . | 4 | 2 | . | . | . | 1 | 13 | . |
| Total, | 6 | 3 | 3 | 9 | 1 | 4 | 4 | 2 | 1 | 1 | 3 | 37 | 2 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Disease of the Brain and Nervous System, | 5 | 1 | 2 | 2 | 2 | 4 | 2 | 2 | . | . | 1 | 21 | . |
| Disease of the Heart and Circulatory Organs, | . | . | 1 | 1 | 2 | 1 | . | 1 | . | . | 1 | 7 | 1 |
| Disease of the Respiratory Organs, | 1 | 4 | . | 2 | 1 | . | 1 | 1 | 2 | . | 1 | 13 | . |
| Disease of the Digestive Organs, | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 4 | . |
| Disease of the Urinary Organs, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Disease of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Disease of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Disease of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | | 5 | 3 | 5 | 6 | 5 | 3 | 4 | 3 | 1 | 4 | 46 | 1 |
| DEVELOPMENTAL DISEASES, | 1 | 3 | 1 | 1 | 3 | 2 | 4 | 1 | . | . | 2 | 16 | 1 |
| VIOLENT DEATHS, | 1 | 1 | 1 | 1 | 2 | . | 1 | 1 | . | . | 1 | 9 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | 1 | . | 1 | . | 1 | . | . | . | . | . | 3 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 20·8 | 30·3 | 18·5 | 39·9 | 23·9 | 16·3 | 19·2 | 24·3 | 18·7 | 14·4 | 39·3 | | — |
| | 23·1 | | | 23·9 | | | | 25·5 | | | | 24·0 | |
| | 23·5 | | | | | | | | | | | | |

**NUMBER** of the above **DEATHS** which occurred in **HOSPITALS, PRISONS, LUNATIC ASYLUMS,** and **WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 3 | 3 | 2 | 1 | 4 | 3 | 1 | . | . | 3 | 22 | 4 |
| Workhouse Hospitals, | 2 | 2 | 2 | 2 | 1 | 2 | 3 | . | . | . | . | 14 | 1 |

**CITY REGISTRATION DISTRICTS.—NORTH CITY.**—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 30, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

**SOUTH CITY.**—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal.). |
| **North City, No. 1.** (*Office, Summer-hill.*) | July 22, | 14·5 | 2·1 | 14 | . | . | . | 1 | 1 | . | . | 1 | 2 | 3 | . |
| | „ 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 2·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | 2 |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 1 |
| | Sept. 2. | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | „ 16. | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . |
| | „ 23, | 20·8 | 3·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | Average, | 18·1 | 3·4 | 17·4 | . | . | 0·6 | 0·3 | 0·4 | 0·6 | 1·4 | 1·8 | 2·5 | 2·0 | 0·6 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | July 22, | 22·3 | 3·2 | 14 | . | 1 | . | . | . | . | 1 | . | 6 | 3 | . |
| | „ 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 20·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 1 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 3 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | „ 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | „ 23, | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | Average, | 20·1 | 3·4 | 12·6 | . | 0·2 | 0·4 | . | 0·4 | 0·1 | 1·0 | 1·0 | 1·7 | 2·2 | 0·5 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | July 22, | 26·7 | 4·1 | 13 | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | „ 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . |
| | „ 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | Average, | 23·0 | 3·9 | 11·2 | . | . | 0·3 | . | . | 0·2 | 1·4 | 1·5 | 1·9 | 1·4 | 0·4 |
| **South City, No. 1.** (*Office, Meath-street.*) | July 22, | 22·5 | 3·5 | 13 | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 1 |
| | „ 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | 2 | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16, | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23, | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | Average, | 26·7 | 5·7 | 15·4 | . | . | 0·2 | . | 0·5 | 0·5 | 2·1 | 1·2 | 2·4 | 1·9 | 0·4 |
| **South City, No. 2.** (*Office, High-street.*) | July 22, | 18·4 | . | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·8 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Sept. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . |
| | „ 23, | 23·9 | 1·8 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 2 |
| | Average, | 22·6 | 3·1 | 12·3 | . | 0·3 | . | . | . | 0·1 | 1·3 | 1·5 | 1·0 | 1·7 | 0·4 |
| **South City, No. 3.** (*Office, Peter-street.*) | July 22, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 |
| | „ 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | . |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 3 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 3 | . | 1 | 1 | 3 | 1 |
| | „ 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | Average, | 19·3 | 3·3 | 14·2 | . | . | 0·7 | . | . | 0·9 | 0·8 | 1·8 | 0·2 | 2·0 | 0·3 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the An
principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Pul*
*from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | July 22, | 23·0 | 2·6 | 18 | . | . | 1 | . | . | . | 1 | 3 | 5 | 1 |
| | „ 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 26, | 11·5 | 6·4 | 9 | 1 | 1 | . | 1 | . | 1 | 2 | . | 1 | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 |
| | Average, | 18·9 | 4·0 | 14·8 | 0·1 | 0·3 | 0·6 | 0·1 | . | 0·4 | 1·6 | 1·3 | 1·7 | 0·9 |
| **Rathmines.** | July 22, | 2·4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 |
| | „ 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . |
| | „ 26, | 12·3 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | Average, | 15·6 | 1·5 | 6·4 | . | . | . | 0·1 | 0·2 | . | 0·3 | 0·5 | 1·0 | 1·1 |
| **Donnybrook.** | July 22, | 16·4 | 7·0 | 7 | . | . | 1 | 1 | . | 1 | . | . | 1 | . |
| | „ 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 |
| | Average, | 18·7 | 4·7 | 8·0 | . | 0·1 | 0·1 | 0·1 | . | 0·7 | 1·0 | 0·1 | 0·8 | 0·6 |
| **Blackrock.** | July 22, | 28·9 | 7·2 | 4 | . | . | . | 1 | . | . | . | . | . | . |
| | „ 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . |
| | Average, | 15·1 | 2·9 | 2·1 | . | . | . | 0·1 | 0·1 | . | 0·2 | 0·3 | 0·1 | . |
| **Kingstown.** | July 22, | 28·1 | 2·8 | 10 | . | . | 1 | . | . | . | . | . | . | . |
| | „ 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 |
| | Average, | 16·6 | 2·8 | 5·9 | . | . | 0·3 | . | . | 0·3 | 0·4 | 0·1 | 0·8 | 0·4 |
| **Total, Dublin Registration District.** | July 22, | 19·0 | 2·6 | 115 | . | 1 | 6 | 3 | 1 | 2 | 3 | 7 | 17 | 14 |
| | „ 29, | 18·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 12 | 24 |
| | Aug. 5, | 20·7 | 2·6 | 123 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 2 | 9 | 9 | 13 | 9 |
| | „ 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 |
| | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | 10 | 19 | 17 | 13 | 19 |
| | „ 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 4 | 19 | 12 | 11 | 8 |
| | „ 16, | 22·3 | 4·5 | 138 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 12 | 24 | 13 |
| | Average, | 19·9 | 3·6 | 120·3 | 0·1 | 0·9 | 3·2 | 0·7 | 1·6 | 3·8 | 11·5 | 11·1 | 14·1 | 14·1 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of Registered in the THIRTY-EIGHTH WEEK, ending Saturday, 23rd Sept., 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 38th Week of the 10 years 1866-75. | Week ending Saturday, Sept. 23rd, 1876 | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Sep. 22 1866 | Sep. 21 1867 | Sep. 19 1868 | Sep. 25 1869 | Sep. 24 1870 | Sep. 23 1871 | Sep. 21 1872 | Sep. 20 1873 | Sep. 26 1874 | Sep. 25 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20 | 20 and under 40 | 40 and under 60 | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 51·4 | ° 53·1 | ° 55·4 | ° 55·7 | ° 59·1 | ° 49·2 | ° 51·2 | ° 53·6 | ° 57·4 | ° 57·4 | ° 54·4 | Mean Temp. ° 57·5 | | | | | | | |
| | **ALL CAUSES,** | 164 | 148 | 140 | 145 | 122 | 139 | 130 | 135 | 134 | 143 | 140·0 | 150 | 49 | 9 | 3 | 26 | 27 | 24 | 3 |
| | **SPECIFIED CAUSES,** | 163 | 148 | 140 | 145 | 120 | 137 | 129 | 133 | 132 | 136 | 138·3 | 147 | 48 | 9 | 3 | 26 | 26 | 23 | 3 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 95 | 54 | 35 | 42 | 40 | 42 | 28 | 23 | 36 | 41 | 43·6 | 33 | 19 | . | . | 6 | 4 | 4 | . |
| II. | CONSTITUTIONAL „ | 24 | 32 | 28 | 33 | 18 | 26 | 35 | 34 | 24 | 27 | 28·1 | 39 | 5 | 7 | 2 | 19 | 6 | . | . |
| III. | LOCAL „ | 36 | 47 | 51 | 57 | 44 | 53 | 48 | 57 | 49 | 43 | 48·5 | 47 | 14 | 1 | 1 | 7 | 13 | 11 | . |
| IV. | DEVELOPMENTAL „ | 7 | 12 | 21 | 13 | 14 | 15 | 10 | 16 | 21 | 22 | 15·1 | 19 | 10 | . | . | . | . | 7 | 3 |
| V. | VIOLENT DEATHS, | 1 | 3 | 5 | . | 4 | 1 | 8 | 3 | 2 | 3 | 3·0 | 9 | . | 1 | . | 4 | 3 | 1 | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 4 | 4 | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 5 | . | 6 | . | . | 3 | 1 | 2 | 4 | 2·2 | . | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | . | 7 | 4 | 13 | 12 | 2 | 1 | 4 | 18 | 1 | 6·2 | 1 | 1 | . | . | . | . | . | . |
| | 4. Diphtheria, | . | . | 1 | 1 | . | 1 | . | . | 2 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 6. Croup, | 2 | 2 | 3 | 2 | 1 | 4 | 2 | 2 | 2 | . | 2·0 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 2 | 6 | 8 | . | 3 | 2 | . | 5 | . | 5 | 2·6 | 2 | 2 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 2 | 1 | 5 | . | 1 | . | 2 | | 3 | 1 | . | . | 1 | 1 | . | . |
| | – Enteric or Typhoid Fever, | 6 | 4 | 2 | 2 | 2 | 5 | 6 | 3 | . | 3 | 5·1 | 4 | 1 | . | . | 3 | . | . | . |
| | – Simple continued Fever, | | | | . | 2 | . | 1 | 1 | 3 | . | | . | . | . | . | . | . | . | . |
| | 9. Erysipelas, | 2 | . | 1 | 1 | 1 | . | . | . | . | . | ·5 | 2 | . | . | . | . | 2 | . | . |
| | 10. Puerperal Fever (Metria), | . | . | . | 1 | . | 1 | . | . | . | 3 | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | . | . | . | 1 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 14 | 23 | 19 | 11 | 17 | 14 | 10 | 4 | 7 | 19 | 13·8 | 16 | 13 | . | . | . | 1 | 1 | . |
| | 15. Simple Cholera, | 65 | 2 | . | 2 | . | 2 | 1 | . | 1 | . | 7·3 | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | . | . | 2 | . | . | . | 1 | ·3 | 2 | . | . | . | 1 | . | 1 | . |
| | 19. Other Zymotic Diseases, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | 2 | . | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | 1 | . | . | . | . | . | 1 | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 4 | 3 | 1 | 2 | 1 | . | 4 | . | 2 | 3 | 2·0 | . | . | . | . | . | . | . | . |
| | 3. Cancer, | 3 | 1 | 2 | 1 | 1 | 3 | 1 | 5 | 3 | 2 | 2·2 | 4 | . | . | . | 2 | 2 | . | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 1 | 1 | . | . | 1 | 1 | . | . | 2 | ·8 | 2 | . | 2 | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 3 | 5 | 3 | 7 | 5 | 2 | 5 | 3 | 1 | 6 | 4·0 | . | . | . | . | . | . | . | . |
| | 3. Phthisis, | 11 | 18 | 19 | 19 | 8 | 15 | 17 | 22 | 15 | 13 | 15·7 | 26 | . | 3 | 2 | 17 | 4 | . | . |
| | 4. Hydrocephalus, | 1 | 4 | 1 | 4 | 3 | 5 | 6 | 4 | 3 | 1 | 3·2 | 7 | 5 | 2 | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 3 | 2 | . | . | 1 | . | . | . | 1 | ·8 | 2 | . | . | 1 | 1 | . | . | . |
| | 2. Apoplexy, | . | 3 | 2 | 1 | . | 4 | 5 | 4 | 4 | 1 | 2·4 | 3 | . | . | . | . | 2 | 1 | . |
| | 3. Paralysis, | . | 2 | 3 | 2 | 2 | 3 | 1 | 2 | 3 | 4 | 2·2 | 1 | . | . | . | . | . | 1 | . |
| | 4. Insanity, | . | . | . | . | . | . | 1 | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| | 7. Convulsions, | 12 | 17 | 11 | 12 | 13 | 10 | 16 | 15 | 9 | 14 | 12·9 | 12 | 12 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | . | 2 | 3 | . | 2 | 3 | 2 | 2 | . | 1·6 | 2 | . | . | . | . | . | 2 | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 1 | . | . | 1 | 1 | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 3 | 3 | 8 | 5 | 5 | 5 | 4 | 7 | 6 | 4 | 5·0 | 8 | . | 1 | . | 2 | 3 | 2 | . |
| | ORDER 3.—RESPIRATORY ORGANS | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 2. Bronchitis, | 6 | 5 | 6 | 13 | 11 | 6 | 6 | 7 | 5 | 4 | 6·9 | 4 | . | . | . | 2 | 1 | 1 | . |
| | 3. Pleurisy, | . | . | . | . | . | 1 | . | 2 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 4 | 1 | 4 | 4 | 3 | 3 | 2 | 2 | 3 | 1 | 2·7 | 4 | 1 | . | . | . | 1 | 2 | . |
| | 5. Asthma, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 2 | 3 | 2 | 4 | 4 | . | 2 | 1 | 2 | 2·1 | 4 | . | . | . | 1 | 2 | 1 | . |

ATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, egistered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Sep. 22 1866 | Sep. 21 1867 | Sep. 19 1868 | Sep. 25 1869 | Sep. 24 1870 | Sep. 23 1871 | Sep. 21 1872 | Sep. 20 1873 | Sep. 26 1874 | Sep. 25 1875 | Average in 38th Week of the 10 years 1866–75. | Week ending Saturday, Sept. 23rd, 1876. Deaths of Persons of the Ages ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60 | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 51·4 | ° 53·1 | ° 55·4 | ° 55·7 | ° 59·1 | ° 49·2 | ° 51·2 | ° 53·6 | ° 57·4 | ° 57·4 | ° 54·4 | Mean Temp. ° 57·5 | | | | | | | |
| III. con. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | 1 | 1 | . | 1 | . | . | . | . | 3 | 1 | ·7 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | . | . | . | 1 | . | 2 | . | 1 | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | 1 | 1 | . | 2 | 1 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 6. Hernia, | . | 1 | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | 2 | 4 | 2 | 1 | . | 2 | 1 | 2 | 1 | 1·5 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | 1 | . | . | . | . | . | . | 2 | ·3 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | . | . | . | . | 1 | . | . | 1 | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| | 15. *Liver Disease, &c.* | 3 | 3 | 2 | 2 | 2 | 3 | 4 | 7 | 3 | 1 | 3·0 | 2 | . | . | . | . | 1 | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | 2 | 1 | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | 1 | . | . | . | 2 | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | 1 | 2 | 2 | . | 1 | 2 | 1 | 2 | 1 | 1·3 | 1 | . | . | . | . | 1 | . | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 1 | . | . | . | . | . | . | 2 | ·3 | 2 | 2 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | 1 | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | . | . | . | 3 | . | 1 | 2 | 5 | 2 | 1·3 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | 1 | . | 2 | 1 | 2 | 1 | . | . | . | 2 | ·9 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | . | 6 | 9 | 5 | 6 | 9 | 4 | 8 | 6 | 10 | 6·3 | 9 | . | . | . | . | . | 7 | 2 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 6 | 6 | 9 | 7 | 2 | 5 | 5 | 6 | 9 | 6 | 6·1 | 7 | 7 | . | . | . | . | . | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | 2 | 2 | . | 2 | . | 3 | . | . | 3 | 1·2 | 4 | . | . | . | 3 | . | 1 | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | . | . | . | 1 | . | 2 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | 1 | 2 | . | . | 1 | 2 | 1 | . | . | ·7 | 2 | . | 1 | . | . | 1 | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, Cut, Stab, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 5. Otherwise, | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | . | . | . | . | 2 | 2 | 1 | 2 | 2 | 7 | 1·6 | 3 | 1 | . | . | . | 1 | 1 | . |

ABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871: the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the NUMBER of DEATHS *registered* during the Week ending Saturday, 22nd September, 1876; the TOTAL NUMBER of BIRTHS and DEATHS *registered* during the Week, with the NUMBER of DEATHS at certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | Area, in Statute Acres. | Population by the Census of 1871. | WEEK ENDING SATURDAY, 22nd SEPTEMBER, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 Inhabitants. | Total Births registered. | Total Deaths registered. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| Dublin, . . | 10,250 | 314,998 | 25 | 183 | 150 | 34 | 35 | - | - | - | 1 | - | 2 | 7 | 15 | 9 | 10 | 11 |
| Belfast,* . . | 20,257 | 182,082 | 21 | 141 | 74 | 17 | 11 | - | - | - | 2 | - | - | 4 | 7 | 2 | 6 | 13 |
| Cork, . . . | 12,516 | 91,563 | 19 | 46 | 34 | 7 | 6 | - | - | - | - | 1 | - | 5 | 1 | - | - | 5 |
| Limerick, . . | 8,000 | 44,269 | 25 | 23 | 21 | 5 | 4 | - | - | - | - | - | - | - | - | 2 | 3 | 5 |
| Londonderry,† . | 21,205 | 20,884 | 8 | 8 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Waterford, . . | 17,200 | 29,726 | 15 | 11 | 9 | 3 | 3 | - | - | - | - | - | - | - | 3 | 2 | 3 | 1 |
| Galway, . . | 21,200 | 19,692 | 29 | 9 | 11 | 1 | 6 | - | - | - | - | - | - | 1 | 1 | - | - | 5 |
| Sligo, . . . | 20,256 | 17,200 | 9 | 3 | 3 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - |

ABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 23rd September, 1876.

| REGISTRARS' DISTRICTS. | | Population by the Census of 1871. | Annual rate of mortality per 1,000 Inhabitants | Total Births registered. | Total Deaths registered. | Deaths under 1 year of age | Deaths at 60 years of age and upwards | NUMBER OF DEATHS FROM Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Belfast,* | Belfast, No. 1, | 19,679 | 5 | 14 | 2 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 5 |
| | " " 2, | 17,938 | 29 | 3 | 10 | . | . | . | . | . | . | . | . | . | . | . | . |
| | " " 3, | 20,311 | 17 | 43 | 13 | 2 | 2 | . | . | 1 | . | . | 1 | . | . | . | 6 |
| | " " 4, W. | 19,320 | 43 | 31 | 16 | 3 | 3 | . | . | . | . | . | 1 | 4 | . | . | . |
| | " " 5, | 19,616 | 29 | 12 | 11 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | " " 6, | 26,652 | 11 | 16 | 8 | 4 | 2 | . | . | . | . | . | . | . | . | . | . |
| | " " 9, | 5,296 | 20 | 6 | 2 | . | 2 | . | . | . | . | . | 1 | 2 | . | . | . |
| | " " 10, | 8,115 | 45 | 5 | 7 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | 1 |
| | Castlereagh " 1, | 16,155 | 16 | 11 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| Cork, | Cork, No. 1, | 10,156 | 10 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 2 |
| | " " 2, | 11,585 | 27 | 12 | 6 | . | 1 | . | . | . | . | . | 3 | 1 | . | . | . |
| | " " 3, | 6,818 | 31 | 5 | 4 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . |
| | " " 4, | 6,227 | 25 | 2 | 3 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | " " 5, | 11,289 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 3 |
| | " " 6, | 15,230 | 31 | 5 | 9 | 1 | 1 | . | . | . | 1 | . | . | . | . | . | . |
| | " " 7, | 7,586 | 48 | 4 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | . | . |
| | " " 8, W. | 18,364 | 8 | 11 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | " " 9, | 4,790 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | Limerick, No. 1, | 7,918 | 20 | 1 | 3 | 2 | . | . | . | . | . | . | . | . | . | 1 | . |
| | " " 2, W. | 8,992 | 40 | 9 | 7 | 2 | 3 | . | . | . | . | . | . | . | 2 | 3 | 4 |
| | " " 3, | 11,424 | 18 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | " " 4, | 16,875 | 23 | 9 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| Londonderry, | Londonderry, No. 1, | 8,832 | 12 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | " " 2, | 13,569 | 11 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, W. | 8,483 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | Waterford, W. | 30,626 | 15 | 11 | 9 | 3 | 3 | . | . | . | . | . | . | 3 | 2 | 3 | 1 |
| Galway, | Galway, No. 1, | 10,700 | 19 | 6 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, W. | 8,992 | 40 | 3 | 7 | 1 | 4 | . | . | . | . | . | 1 | 1 | . | . | 5 |
| Sligo, | Sligo, No. 1, W. | 6,456 | 16 | 1 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | " " 2, | 10,829 | 5 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, SEPTEMBER 30, 1876. [No. 39.


*General Register Office, Charlemont House, Dublin, October 2nd, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 30th September, 1876, represent an annual mortality of 23·8 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 23·0 per 1,000. In London the death-rate was 18·4 in every 1,000 of the estimated population; in Glasgow, 19·6; and in Edinburgh, 16·0.

In the Dublin Registration District the births *registered* during the week amounted to 185—95 boys and 90 girls,—and the deaths to 144—74 males and 70 females. The *average* numbers in the corresponding week of the previous ten years were—births, 177, and deaths, 160.

The number of deaths from zymotic diseases *registered* during the week was 33, against an average of 53·5 for the corresponding week of the preceding ten years. Of these deaths, 1 resulted from small pox—that of a boy, thirteen years old, who died in the South Dublin Union Workhouse on the 30th ult; no mention is made in the return as to vaccination; 7 were caused by fever (1 typhus, 5 typhoid or enteric, and 1 simple continued fever); 3 by measles; 2 each by whooping-cough and erysipelas; 1 each by scarlet fever and dysentery; 10 by diarrhœa, &c.

Twelve children died from convulsions.

Eleven deaths resulted from bronchitis, 3 each from pneumonia or inflammation of the lungs, and lung disease unspecified; 7 from heart disease, 1 from aneurism; 1 from jaundice, 2 from liver disease; 2 from kidney disease unspecified; and 2 each from apoplexy, paralysis, and cephalitis or inflammation of the brain.

Phthisis or pulmonary consumption caused 20 deaths; scrofula and hydrocephalus or water on the brain, 3 each; and mesenteric disease, cancer, and dropsy, 2 each.

Three accidental deaths were *registered*—viz., 1 from fractures, and 2 from drowning.

Forty-two of the persons whose deaths were *registered* during the week were under 5 years of age (26 being infants under 1 year old); and 30 were aged 60 and upwards, including 16 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (females) were stated to have been aged respectively 94 and 97 years.

Thirty-nine of the deaths *registered* occurred in hospitals and other public institutions; of this number 3 took place in the North Dublin, and 8 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 23·0 per 1,000; the rate in the city was 22·9 (22·1 on the North side and 23·5 on the South), and in the suburbs 23·3.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 4·0 per 1,000 inhabitants, the rate for the city being 4·2 (5·3 in the North City Districts and 3·4 in the South), and for the suburbs 3·0 per 1,000.

*No.* 1, *North City District* (Summer-hill). The annual rate represented by the deaths tabulated for this district is 13·5 per 1,000 inhabitants. The only deaths from zymotic disease are 2 from typhoid or enteric fever.

*No.* 2, *North City District* (Coleraine-street). The deaths chargeable to this district are equivalent to an annual mortality of 27·1 per 1,000 persons; they include 2 from typhoid fever, 1 from whooping-cough, and 1 from diarrhœa, these four deaths being equal to an annual rate of 6·4 per 1,000 inhabitants: the average rate represented by deaths from the seven principal zymotic diseases for the last ten weeks is 3·7 per 1,000.

*No.* 3, *North City District* (Blackhall-street). The annual rate represented by deaths of inhabitants of this district is 32·8 per 1,000 against an average of 23·6 for the last ten weeks. The deaths include 4 from diarrhœa and 1 from measles, these five deaths being equal to an annual rate of 10·3 per 1,000: the average rate afforded by deaths from the seven principal zymotic diseases for the last ten weeks is 4·5 per 1,000.

*No.* 1, *South City District* (Meath-street). The deaths chargeable to this district are equal to an annual mortality of 32·9 per 1,000 inhabitants: the average rate for the last ten weeks has been 27·7. The deaths recorded last week include 1 from small pox (already referred to), 1 from typhus fever, and 2 each from measles and diarrhœa, the annual rate afforded thereby being 10·4 per 1,000: the average mortality from the seven principal zymotic diseases for the last ten weeks has been equal to an annual rate of 6·4 per 1,000.

*No.* 2, *South City District* (High-street). The annual rate represented by the deaths (12) tabulated for this district is 22·0 per 1,000. The deaths from zymotic disease are 1 each from whooping-cough and diarrhœa.

*No.* 3, *South City District* (Peter-street). The deaths chargeable to this district only afford a rate of 16·3 per 1,000 persons: the only death from zymotic disease is 1 from diarrhœa.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The rate for this district is 24·3 per 1,000. There were no deaths from any of the seven principal zymotic diseases.

*Suburban Districts.* The respective death-rates are—Rathmines, 24·3 per 1,000; Donnybrook, 14·0; Blackrock, 14·4; and Kingstown, 36·5 per 1,000. The only suburban district in which deaths from any of the seven principal zymotic diseases were recorded is Kingstown, in which 2 deaths resulted from fever, and 1 each from scarlatina and diarrhœa, these four deaths being equal to an annual rate of 11·2 per 1,000. This was also the rate afforded by deaths from these diseases in the preceding week, but the average rate for the last ten weeks has been only 3·6 per 1,000. Two of the deaths tabulated for Kingstown are accidental deaths (inquest cases), which occurred in the middle of the month of August last, but were not *registered* until last week.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·670 inches. The highest daily mean reading (29·691) occurred on Monday, and the lowest (29·512) on Sunday.

The mean temperature during the week was 54·1° (being 1·1° over the average in the corresponding week of the previous ten years); the lowest daily mean (49·5°) occurred on Saturday, and the highest (59·1°) on Monday.

The temperature was highest on Sunday and Monday, when the thermometer registered 67·1°, and was lowest on Tuesday, the mercury having fallen to 43·0°. The highest reading of the barometer during the week (29·912) occurred on Monday, at 3.30 P.M., wind W., and the lowest (29·423) on Sunday, at 3.30 P.M., wind, W. The mean of the Dry Bulb for the week was 53·8°; and of the Wet Bulb 51·7°. The mean humidity of the air was ·869; complete saturation being represented by 1·0. The rain-fall during the week measured ·998 in.

At Greenwich the mean temperature of the week was 56·8°, and at Glasgow, 50·5°. The rain-fall during the week at Greenwich measured ·96 in., and at Glasgow ·60 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Sept. 24, | 29·512 | 67·1 | 51·0 | 59·0 | 57·3 | 55·7 | ·903 | ·7 | ·050 | S.E. | W. | N.W. |
| Monday, „ 25, | 29·891 | 67·1 | 51·0 | 59·1 | 58·4 | 55·3 | ·826 | ·4 | ·562 | W. | W. | Calm. |
| Tuesday, „ 26, | 29·716 | 59·0 | 43·0 | 51·0 | 51·5 | 50·2 | ·915 | ·5 | ·000 | N.E. | N. | Calm. |
| Wednesday, „ 27, | 29·683 | 59·0 | 50·5 | 54·7 | 53·7 | 52·1 | ·891 | ·4 | ·000 | W. | N.E. | N.E. |
| Thursday, „ 28, | 29·553 | 58·2 | 43·2 | 50·7 | 52·0 | 49·5 | ·836 | ·4 | ·000 | N.E. | N. | N.E. |
| Friday, „ 29, | 29·728 | 63·5 | 45·2 | 54·4 | 54·6 | 51·4 | ·812 | ·4 | ·006 | W. | N.E. | S.E. |
| Saturday, „ 30, | 29·608 | 52·8 | 46·2 | 49·5 | 49·3 | 47·9 | ·960 | 1·0 | ·380 | N.E. | N.E. | N.N.E. |
| Mean, . . | 29·670 | 61·0 | 47·2 | 54·1 | 53·8 | 51·7 | ·869 | ·5 | Total, ·998 | Prevailing wind, N.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Sept. 24, | A.M. Raining. | P.M. Continued rain. |
| Monday, „ 25, | A.M. Gloomy. | P.M. Raining slightly. |
| Tuesday, „ 26, | A.M. Raining. | P.M. Fine and starlight. |
| Wednesday, „ 27, | A.M. Gloomy. | P.M. Gloomy. |
| Thursday, „ 28, | A.M. Dull. | P.M. Dull. |
| Friday, „ 29, | A.M. Fine. | P.M. Overcast. |
| Saturday, „ 30, | A.M. Gloomy. | P.M. Continued rain. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

**BLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 30th September, 1876.** ***The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.***

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. R. & W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| Deaths from all Causes, | 13 | 17 | 16 | 19 | 12 | 12 | 19 | 10 | 6 | 2 | 13 | 139 | 5 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Measles, | . | . | 1 | 2 | . | . | . | . | . | . | . | 3 | . |
| Scarlet Fever (Scarlatina), | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Fever, | 2 | 2 | . | 1 | . | . | . | . | . | . | 2 | 7 | . |
| Diarrhœa, | . | 1 | 4 | 2 | 1 | 1 | . | . | . | . | 1 | 10 | . |
| Other Zymotic Diseases, | . | 2 | 1 | 1 | . | . | 2 | . | . | 1 | . | 7 | 2 |
| Total, | 2 | 6 | 6 | 7 | 2 | 1 | 2 | . | . | 1 | 4 | 31 | 2 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 2 | 2 | 2 | . | 4 | 4 | 2 | 1 | . | 1 | 19 | 1 |
| Other Constitutional Diseases | 3 | 1 | . | 3 | 1 | . | 2 | . | 1 | . | . | 11 | 1 |
| Total, | 4 | 3 | 2 | 5 | 1 | 4 | 6 | 2 | 2 | . | 1 | 30 | 2 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | 1 | 3 | 1 | 1 | . | 4 | 3 | . | . | 2 | 18 | . |
| Diseases of the Heart and Circulatory Organs, | 1 | 1 | 1 | . | 1 | 1 | 1 | . | 1 | . | 1 | 8 | . |
| Diseases of the Respiratory Organs, | . | 3 | 2 | 1 | 2 | 5 | . | 1 | 1 | . | 1 | 16 | 1 |
| Diseases of the Digestive Organs, | . | 1 | . | 2 | . | . | 1 | . | . | 1 | . | 5 | . |
| Diseases of the Urinary Organs, | 1 | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| Diseases of the Organs of Generation, | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 6 | 6 | 4 | 5 | 7 | 7 | 4 | 2 | 1 | 4 | 51 | 1 |
| DEVELOPMENTAL DISEASES, | 2 | 1 | 2 | 2 | 3 | . | 3 | 4 | 1 | . | 2 | 20 | . |
| VIOLENT DEATHS, | . | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | 1 | . | 1 | 1 | . | . | . | 1 | . | . | 4 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 13·5 | 27·1 | 31·8 | 32·9 | 22·0 | 16·3 | 24·3 | 24·3 | 14·0 | 14·4 | 36·5 | | — |
| | | 22·1 | | | 23·5 | | | | | | | | |
| | | | | 22·9 | | | | | 23·3 | | | 23·0 | |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 3 | 8 | 1 | 2 | 1 | 3 | 1 | 2 | 1 | . | 1 | 23 | 5 |
| Workhouse Hospitals, | . | 1 | 2 | 4 | 1 | . | 3 | . | . | . | . | 11 | . |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Calmaine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Frances-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 43, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **North City, No. 1.** (*Office, Summer-hill.*) | July 29, | 24·9 | 5·2 | 24 | . | . | 1 | 1 | . | 2 | 1 | 2 | 1 | 5 | 1 |
| | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 2·1 | 16 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | 2 | 3 | . | 2 |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 2 |
| | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | „ 16, | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 3 | 1 | . |
| | „ 23, | 20·8 | 3·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Average, | 18·0 | 3·4 | 17·3 | . | . | 0·6 | 0·2 | 0·3 | 0·8 | 1·4 | 1·8 | 2·4 | 1·7 | 0·6 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | July 29, | 19·1 | 1·6 | 12 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| | Aug. 5, | 20·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 1 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | 1 | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 2 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | „ 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | „ 23, | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | „ 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 3 | . |
| | Average, | 20·6 | 3·7 | 12·9 | . | 0·1 | 0·4 | . | 0·5 | 0·3 | 1·0 | 1·1 | 1·3 | 2·2 | 0·6 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | July 29, | 22·6 | 2·1 | 11 | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . |
| | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 3 | 3 | . |
| | „ 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | „ 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Average, | 23·6 | 4·5 | 11·5 | . | 0·1 | 0·1 | . | . | 0·2 | 1·8 | 1·7 | 2·0 | 1·5 | 0·3 |
| **South City, No. 1.** (*Office, Meath-street.*) | July 29, | 12·1 | 1·7 | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | . |
| | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | 2 | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | 2 | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16, | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23, | 39·9 | 8·7 | 23 | . | 2 | . | . | . | 2 | 2 | 2 | 5 | 2 | 1 |
| | „ 30, | 32·9 | 10·4 | 19 | 1 | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Average, | 27·7 | 6·4 | 16·0 | 0·1 | 0·2 | 0·2 | . | 0·5 | 0·5 | 2·2 | 1·3 | 2·4 | 1·7 | 0·3 |
| **South City, No. 2.** (*Office, High-street.*) | July 29, | 31·2 | . | 17 | . | . | . | . | . | . | . | 2 | . | 5 | . |
| | Aug. 5, | 18·4 | 1·6 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Sept. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . |
| | „ 23, | 23·9 | 1·8 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 30, | 22·0 | 3·7 | 12 | . | . | . | . | . | 1 | 1 | 1 | . | 2 | . |
| | Average, | 23·0 | 3·5 | 12·5 | . | 0·3 | . | . | 0·1 | 0·1 | 1·4 | 1·5 | 1·0 | 1·8 | 0·4 |
| **South City, No. 3.** (*Office, Peter-street.*) | July 29, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | 2 | . |
| | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 2 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | 1 |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 2 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 3 | . | 1 | 1 | 3 | . |
| | „ 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Average, | 19·4 | 3·3 | 14·3 | . | . | 0·6 | . | . | 0·9 | 0·9 | 1·7 | 0·6 | 2·3 | 0·3 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| South City, No. 4. (*Office, Denzille-street and Grand Canal-street.*) | July 29, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | 3 | . | . |
| | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 3 | . | 1 | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | . | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | „ 26, | 11·5 | 6·4 | 9 | 1 | 1 | . | 1 | . | . | 2 | . | 1 | . | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 | 2 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 2 | 4 | . | 1 |
| | Average, | 19·1 | 3·7 | 14·9 | 0·1 | 0·3 | 0·5 | 0·1 | . | 0·4 | 1·5 | 1·3 | 1·6 | 0·8 | 0·8 |
| Rathmines. | July 29, | 7·3 | . | 3 | . | . | . | . | . | . | . | . | 2 | . | . |
| | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 26, | 12·2 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 | . |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Average, | 17·8 | 1·5 | 7·3 | . | . | . | 0·1 | 0·2 | . | 0·3 | 0·6 | 1·2 | 1·2 | 0·1 |
| Donnybrook. | July 29, | 23·4 | 4·7 | 10 | . | 1 | . | . | . | 1 | . | . | 1 | 2 | . |
| | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Average, | 18·5 | 4·0 | 7·9 | . | 0·1 | . | . | . | 0·6 | 1·0 | 0·1 | 0·8 | 0·7 | . |
| Blackrock. | July 29, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 13·7 | 2·2 | 1·9 | . | . | . | . | 0·1 | . | 0·2 | 0·3 | 0·1 | . | 0·1 |
| Kingstown. | July 29, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | 1 | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Average, | 17·4 | 3·6 | 6·2 | . | . | 0·3 | . | . | 0·5 | 0·5 | 0·2 | 0·9 | 0·5 | 0·3 |
| Total, Dublin Registration District. | July 29, | 16·2 | 1·7 | 110 | . | 1 | 1 | 1 | 1 | 4 | 2 | 8 | 12 | 24 | 2 |
| | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 3 | 9 | 9 | 13 | 9 | 7 |
| | „ 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 3 |
| | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | 10 | 19 | 17 | 13 | 19 | 2 |
| | „ 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 4 | 19 | 13 | 11 | 8 | 4 |
| | „ 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 | 3 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 13 | 24 | 13 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 13 | 19 | 16 | 3 |
| | Average, | 20·3 | 3·7 | 123·7 | 0·2 | 1·1 | 2·7 | 0·4 | 1·7 | 4·3 | 12·3 | 11·6 | 14·3 | 14·4 | 3·6 |

ABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS d Registered in the THIRTY-NINTH WEEK, ending Saturday, 30th Sept., 1876; also the Deaths from each Disea

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 30th Week of the 10 years 1866-75. | Week ending Saturday, Sept. 30th, 187 | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Sep. 29 1866 | Sep. 28 1867 | Sep. 26 1868 | Oct. 2 1869 | Oct. 1 1870 | Sep. 30 1871 | Sep. 28 1872 | Sep. 27 1873 | Oct. 3 1874 | Oct. 2 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 51·1 | ° 55·0 | ° 55·2 | ° 56·0 | ° 56·5 | ° 48·4 | ° 48·9 | ° 54·3 | ° 50·4 | ° 54·1 | ° 53·0 | Mean Temp. ° 54·1 | | | | | | | |
| | **ALL CAUSES,** | 268 | 135 | 147 | 147 | 144 | 138 | 149 | 148 | 158 | 166 | 160·0 | 144 | 42 | 9 | 3 | 31 | 29 | 25 | 5 |
| | **SPECIFIED CAUSES,** | 263 | 131 | 147 | 146 | 138 | 135 | 145 | 145 | 154 | 161 | 156·5 | 140 | 42 | 8 | 3 | 31 | 28 | 23 | 5 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 147 | 46 | 29 | 58 | 41 | 33 | 38 | 38 | 56 | 49 | 53·5 | 33 | 17 | 2 | . | 9 | 3 | 2 | . |
| II. | CONSTITUTIONAL „ | 33 | 28 | 26 | 25 | 25 | 39 | 30 | 29 | 22 | 38 | 29·5 | 32 | 5 | 4 | 1 | 8 | 11 | 3 | . |
| II. | LOCAL „ | 60 | 37 | 61 | 47 | 50 | 43 | 49 | 56 | 49 | 58 | 51·0 | 52 | 14 | 1 | 2 | 10 | 14 | 9 | 2 |
| IV. | DEVELOPMENTAL „ | 17 | 17 | 27 | 16 | 18 | 20 | 24 | 19 | 25 | 11 | 19·4 | 20 | 6 | . | . | 2 | . | 9 | 3 |
| V. | VIOLENT DEATHS, | 6 | 3 | 4 | . | 4 | . | 4 | 3 | 2 | 5 | 3·1 | 3 | . | 1 | . | 2 | . | . | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | . | 7 | . | . | . | ·7 | 1 | . | 1 | . | . | . | . | . |
| | 2. Measles, | 1 | 5 | . | 9 | 2 | . | 6 | . | 4 | 2 | 2·9 | 3 | 3 | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 5 | 5 | 8 | 13 | 11 | 1 | 4 | 3 | 26 | 8 | 7·8 | 1 | . | 1 | . | . | . | . | . |
| | 4. Diphtheria, | 2 | 1 | . | . | 1 | . | . | 4 | . | 1 | ·9 | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Croup, | 3 | . | 1 | . | 3 | 4 | 4 | 4 | 4 | 3 | 2·6 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 2 | 9 | 1 | 1 | 2 | . | . | 5 | . | 5 | 2·5 | 2 | 2 | . | . | . | . | . | . |
| | 8. Typhus, | | | | 2 | 4 | . | . | 1 | 1 | 1 | | 1 | . | . | . | 1 | . | . | . |
| | — Enteric or Typhoid Fever, | 17 | 6 | 4 | 1 | 2 | . | 1 | 1 | 7 | 6 | 6·6 | 5 | 1 | . | . | 3 | . | 1 | . |
| | — Simple continued Fever, | | | | 3 | . | 2 | 3 | 2 | 1 | 1 | | 1 | . | . | . | . | 1 | . | . |
| | 9. Erysipelas, | . | . | . | 2 | . | . | 1 | . | . | . | ·3 | 2 | . | . | . | . | 1 | 1 | . |
| | 10. Puerperal Fever (Metria), | . | . | . | 1 | 1 | 1 | . | 1 | 2 | . | ·6 | . | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | 1 | . | . |
| | 12. Influenza, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | 1 | . | 1 | . | 1 | . | . | . | 2 | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 14. Diarrhœa, | 10 | 17 | 12 | 20 | 13 | 21 | 10 | 14 | 9 | 23 | 14·9 | 10 | 8 | . | . | 1 | 1 | . | . |
| | 15. Simple Cholera, | 98 | . | . | . | . | . | . | . | . | . | 9·8 | . | . | . | . | . | . | . | . |
| | 16. Ague, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | 1 | . | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | 2 | . | . | . | . | . | . | ·2 | 4 | 1 | . | . | 3 | . | . | . |
| | 2. Stricture of Urethra, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | 1 | . | 1 | . | . | . | 1 | . | . | . | ·3 | 1 | 1 | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens / Intemperance, | . | . | 1 | 2 | . | 1 | . | . | . | 2 | ·6 | . | . | . | . | . | . | . | . |
| | | 1 | . | . | . | . | 1 | . | 1 | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | 2 | 1 | 1 | . | . | . | 1 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| I. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | 2. Dropsy, | 4 | 2 | 4 | 3 | 5 | 2 | 3 | 3 | 2 | 3 | 3·1 | 2 | . | 1 | . | . | 1 | . | . |
| | 3. Cancer, | 4 | 3 | . | 3 | 3 | 7 | 1 | 3 | 2 | 4 | 3·0 | 2 | . | . | . | . | 2 | . | . |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 2 | . | 1 | 1 | 1 | . | 1 | 2 | 3 | 1·3 | 3 | . | 1 | . | 1 | . | . | . |
| | 2. Tabes Mesenterica, | 5 | 2 | 3 | 4 | 4 | 5 | 6 | 3 | 1 | 3 | 3·6 | 2 | 2 | . | . | . | . | . | . |
| | 3. Phthisis, | 16 | 16 | 17 | 11 | 7 | 18 | 17 | 19 | 15 | 18 | 15·4 | 20 | 1 | 1 | 1 | 7 | 8 | 2 | . |
| | 4. Hydrocephalus, | 2 | 3 | 2 | 3 | 5 | 6 | 3 | . | . | 5 | 2·9 | 3 | 3 | 1 | . | . | . | . | . |
| II. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | . | . | . | 1 | . | 2 | 3 | . | . | ·6 | 2 | . | . | 2 | . | 1 | . | . |
| | 2. Apoplexy, | . | 2 | 3 | 3 | 3 | 4 | 1 | 1 | 3 | 5 | 2·5 | 2 | 2 | . | . | . | 1 | 1 | . |
| | 3. Paralysis, | 5 | 3 | 4 | 2 | 3 | 1 | 3 | 4 | 2 | . | 2·7 | 2 | . | . | . | 1 | . | 1 | . |
| | 4. Insanity, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | 1 | 1 | . | . | 1 | . | 2 | 1 | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 7. Convulsions, | 15 | 4 | 16 | 12 | 13 | 11 | 11 | 13 | 8 | 17 | 12·0 | 12 | 12 | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 5 | 1 | 3 | 1 | 2 | . | 2 | 3 | 3 | 1 | 2·1 | . | . | . | . | . | . | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | 1 | 1 | . | 2 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 1 | . | 1 | 1 | . | 1 | 1 | . | . | . | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 3. *Heart Disease, &c.* | 2 | 5 | 5 | 3 | 10 | 5 | 5 | 5 | 6 | 13 | 5·9 | 7 | . | . | . | 4 | 2 | 1 | . |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 8 | 7 | 15 | 9 | 8 | 9 | 14 | 12 | 9 | 3 | 9·4 | 11 | . | . | . | 1 | 6 | 3 | 1 |
| | 3. Pleurisy, | . | . | . | . | . | . | 1 | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 5 | 5 | 4 | 5 | . | 1 | . | 3 | 7 | 4 | 3·4 | 3 | . | . | . | 1 | 1 | . | . |
| | 5. Asthma, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 1 | 3 | 1 | 2 | 1 | 1 | . | 1 | 2 | 1·3 | 3 | . | . | . | . | 2 | 1 | . |

RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in each of the 10 years 1866-75. | Week ending Saturday, Sept. 30th, 1876 | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Sep. 29 1866 | Sep. 28 1867 | Sep. 26 1868 | Oct. 2 1869 | Oct. 1 1870 | Sep. 30 1871 | Sep. 28 1872 | Sep. 27 1873 | Oct. 3 1874 | Oct. 2 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 51·1 | ° 55·0 | ° 55·2 | ° 56·0 | ° 56·5 | ° 48·4 | ° 48·9 | ° 54·3 | ° 50·4 | ° 54·1 | ° 53·0 | ° 54·1 | | | | | | | |
| III. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| com. | 1. Gastritis, | . | 2 | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 2 | . | . | . | . | . | . | 2 | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | . | . | . | 1 | 1 | . | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | 1 | . | . | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | 1 | . | . | . | 1 | 1 | 1 | ·4 | 1 | . | . | . | . | . | 1 | . |
| | 6. Hernia, | 1 | . | . | . | 1 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | 1 | 2 | . | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 4 | . | 1 | 1 | . | 1 | 2 | . | 1 | 1 | 1·1 | 1 | . | . | . | . | . | 1 | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | 1 | . | 1 | . | . | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | 1 | . | . | . | 1 | . | . | . | 1 | ·3 | 1 | . | 1 | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 4 | 2 | 2 | 5 | 2 | 4 | 3 | 1 | 2 | 3 | 2·8 | 2 | . | . | . | 1 | 1 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | . | 1 | 1 | . | 1 | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | . | . | 2 | . | . | . | 1 | . | 1 | ·5 | 2 | . | . | . | 1 | 1 | . | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | 2 | 1 | . | . | . | . | 1 | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 2 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | 1 | 3 | 3 | . | . | 1 | 1 | 2 | 1 | 1·3 | . | . | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | 1 | . | 1 | 1 | . | . | 1 | 4 | . | ·8 | 2 | . | . | . | 2 | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 7 | 7 | 13 | 7 | 9 | 7 | 16 | 13 | 12 | 6 | 9·7 | 12 | . | . | . | . | . | 9 | 3 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 7 | 8 | 11 | 5 | 8 | 13 | 6 | 4 | 7 | 4 | 7·3 | 6 | 6 | . | . | . | . | . | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | 2 | 1 | . | . | . | 3 | 2 | 2 | . | 1·2 | 1 | . | . | . | 1 | . | . | . |
| | 2. Wounds, | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 3 | . | . | . | 2 | . | . | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | . | 2 | . | 1 | . | . | 1 | . | 2 | ·6 | 2 | . | 1 | . | 1 | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 5 | 4 | . | 1 | 6 | 3 | 4 | 3 | 4 | 4 | 3·4 | 4 | . | 1 | . | . | 1 | 2 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 30th September, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 30TH SEPTEMBER, 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | | |
| DUBLIN, . . | 10,050 | 314,666 | 24 | 185 | 144 | 26 | 30 | 1 | 3 | 1 | . | 2 | 7 | 10 | 3 | 3 | 39 |
| BELFAST,* . . | 20,687 | 182,082 | 20 | 120 | 71 | 16 | 10 | . | . | 1 | . | 6 | 2 | 6 | 1 | 2 | 12 |
| CORK, . . . | 13,816 | 91,965 | 24 | 43 | 42 | 3 | 10 | . | . | . | . | . | . | 4 | 1 | 2 | 18 |
| LIMERICK, . . | 8,509 | 44,309 | 26 | 21 | 22 | 2 | 10 | . | . | 1 | . | . | 1 | . | . | 1 | 7 |
| LONDONDERRY,† . | 21,865 | 30,884 | 15 | 16 | 9 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 39 | 27 | 23 | 4 | 8 | . | . | . | . | . | 1 | . | . | . | 16 |
| GALWAY, . . | 21,358 | 19,692 | 24 | 11 | 9 | 2 | 3 | . | . | . | . | . | 1 | . | . | . | 3 |
| SLIGO, . . . | 30,835 | 17,285 | 15 | 6 | 5 | 1 | 2 | . | . | . | . | . | . | . | 1 | 1 | 2 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 30th September, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| BELFAST, | Belfast, No. 1, | 19,679 | 13 | 13 | 5 | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 2, | 17,938 | 29 | 12 | 10 | . | . | . | . | . | . | 2 | . | 1 | . | . | 3 |
| | ,, ,, 3, | 39,311 | 19 | 36 | 14 | 5 | 1 | . | . | . | . | 2 | . | 1 | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 30 | 6 | 11 | . | 6 | . | . | . | . | . | . | . | . | . | 9 |
| | ,, ,, 5, | 19,616 | 13 | 6 | 5 | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 26 | 24 | 18 | 2 | 2 | . | . | 1 | . | 2 | . | 2 | 1 | 3 | 1 |
| | ,, ,, 9, | 5,296 | 20 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 13 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 13 | 12 | 4 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 5 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 18 | 6 | 4 | 1 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | ,, ,, 3, | 6,818 | 31 | 5 | 4 | 1 | 1 | . | . | . | . | . | . | 1 | . | 1 | . |
| | ,, ,, 4, | 6,327 | 17 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 18 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 6, | 15,230 | 10 | 9 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 7, | 7,586 | 28 | 2 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 51 | 8 | 18 | . | 6 | . | . | . | . | . | . | 1 | . | . | 15 |
| | ,, ,, 9, | 4,790 | 22 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 7 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 2, *W.* | 8,992 | 17 | 5 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 3, | 11,424 | 55 | 2 | 12 | 1 | 5 | . | . | 1 | . | . | . | . | . | . | 4 |
| | ,, ,, 4, | 15,875 | 20 | 11 | 6 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 19 | 7 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 12 | 5 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 39 | 27 | 23 | 4 | 8 | . | . | . | . | . | 1 | . | . | . | 16 |
| GALWAY, | Galway, No. 1, | 10,700 | 15 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 35 | 6 | 6 | 1 | 3 | . | . | . | . | . | 1 | . | . | . | 3 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 24 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 2 |
| | ,, ,, 2, | 10,829 | 10 | 4 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# QUARTERLY SUMMARY

OF THE

## WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN),**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, WATERFORD, GALWAY, AND SLIGO.**

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] QUARTER ENDING SATURDAY, SEPTEMBER 30, 1876. [No. 39A.

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, October 7th*, 1876.

**Births.**—In the Dublin Registration District (with an area of 10,050 statute acres, having a population of 314,666), the number of births registered during the quarter ended on Saturday, 30th September, 1876, amounted to 2,229—1,164 boys and 1,065 girls—being equal to an annual ratio of 1 in 35·3, or 28·3 in every 1,000 of the population.

The number of births registered in the City was 1,821, or 29·7 in every 1,000 of the population; and in the suburbs of Rathmines, Donnybrook, Blackrock, and Kingstown, 408, or only 23·5 in every 1,000 of the population.

There were registered in London during the same period 30,659 births—being equal to an annual birth-rate of 35·1 in every 1,000 of the estimated population; in Glasgow there were registered 5,055, being equal to 37·1 per 1,000; and in Edinburgh 1,822,—a number affording an annual birth-rate of 33·9 in every 1,000 of the estimated population.

**Deaths.**—The number of deaths registered in the Dublin Registration District during the quarter amounted to 1,603—828 males and 775 females—affording an annual ratio of 1 in 49·1, or 20·4 in every 1,000 of the population; the average number in the third quarter of the previous ten years was 1,745. Omitting the deaths (55) of persons admitted into Public Institutions from localities outside the district, the rate for last quarter was 19·7 per 1,000.

The number of deaths of inhabitants* of that portion of the City north of the Liffey registered last quarter was 528, or 19·5 in every 1,000 of the population; and the number in that portion south of the river was 727, affording an annual mortality of 21·2 in every 1,000 of the population. In the suburbs of Rathmines, Donnybrook, Blackrock, and Kingstown, the number of deaths registered was 293, being equal to an annual death-rate of 16·9 in every 1,000 of the population.

* From the beginning of the quarter now under review, deaths in Public Institutions in 'the Dublin Registration District,' have been assigned to the districts from which the deceased were admitted. The various death-rates referring to the several Dublin Districts in this Summary have been calculated on the mortality for the respective districts so corrected.

The deaths registered in Belfast during the quarter represent an annual ratio of 22 in every 1,000 of the population; in Cork the ratio was 21 per 1,000; in Limerick it was 22 in every 1,000; in Waterford 19 per 1,000; in Galway 20 per 1,000; and in Sligo the deaths *registered* represent only 12 in every 1,000 of the population.

The number of deaths registered in London during the same period was 18,926—a number equal to an annual mortality of 21·7 in every 1,000 of the inhabitants; in Glasgow the number was 2,931, equal to 21·5 in every 1,000; and in Edinburgh 903, affording an annual death-rate of 16·8 in every 1,000 of the estimated population.

*Public Institutions.*—Of the 1,603 deaths registered in the Dublin District during the quarter, 236 occurred in the various hospitals, prisons, and lunatic asylums; 76 in the North Dublin Union Workhouse, and 127 in the South Dublin Union Workhouse; making a total for public institutions of 439, or 27·4 per cent. of the total deaths.

**Diseases.**—*Dublin Registration District.*—The deaths from zymotic diseases registered during the quarter amounted to 335, or 20·9 per cent. of the total deaths, and equal to an annual rate of 4·3 per 1,000 of the population. In the corresponding quarter of last year zymotic diseases proved fatal in 396 instances.

The deaths from diarrhœa numbered 132, or 8·2 per cent. of the total deaths. In the corresponding quarter of last year 140 persons died from diarrhœa.

Fifty-two deaths were ascribed to fever (13 typhus, 30 typhoid or enteric, and 9 simple continued fever), 42 to scarlet fever, 20 to whooping-cough, 12 to measles, 11 to croup, 7 to diphtheria, 4 to quinsy, &c.

There were 2 deaths ascribed to small-pox during the quarter—1 that of a girl aged seventeen years, who died in the Meath hospital on the 16th of August; she had but "one indifferent vaccination mark.' The other was that of a boy, thirteen years of age, who died in the South Dublin Union Workhouse. The cause of death furnished in the Weekly Return was "debility after small-pox." It would appear, however, from the Medical Officer's subsequent report that the information as to the cause of death given to the Registrar was erroneous, as the boy's death resulted from morbus coxæ—phthisis; he had been attacked with small-pox four years ago.

Convulsions caused 137, or 8·5 per cent. of the total deaths. In the corresponding quarter of last year convulsions caused 155 deaths.

Bronchitis was the cause of 133 deaths, pneumonia or inflammation of the lungs of 40, and lung disease unspecified of 19.

Heart disease killed 88 persons, aneurism 14, pericarditis or inflammation of the heart's covering 3; apoplexy 26, paralysis 32, cephalitis 10, epilepsy 8, insanity 3, brain disease unspecified 22; liver disease 21, jaundice 5, peritonitis 11, inflammation of the bowels 8, stomach disease 9; nephria or Bright's disease 7, inflammation of the bladder 3, stone 1, suppression of urine 1, and kidney disease unspecified 15.

One hundred and eighty-nine persons fell victims to phthisis or pulmonary consumption, 33 to hydrocephalus or water on the brain, 28 to mesenteric disease, 12 to scrofula, 41 to cancer, 20 to dropsy, and 1 to mortification.

Forty-three accidental deaths were registered, viz.—20 from fractures and contusions, 3 from wounds, 5 from burns or scalds, 13 from drowning, and 2 from suffocation.

Three deaths were homicidal, and 2 suicidal.

TABLE showing, for the **Quarter ended 30th September, 1876**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | Population. | QUARTER ENDED 30TH SEPTEMBER, 1876. Annual Rate of Mortality per 1,000 Living represented by Deaths: From all Causes. | From Seven Zymotic Diseases. | Total Deaths. | Number of Deaths from Seven principal Zymotic Diseases: Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City, No. 1, . . | 50,084 | 16·8 | 3·0 | 210 | . | . | 7 | 3 | 4 | 9 | 15 | 21 | 27 | 26 | 6 |
| " 2, . . | 32,609 | 20·1 | 3·4 | 164 | . | 2 | 6 | . | 5 | 4 | 11 | 11 | 23 | 29 | 5 |
| " 3, . . | 25,355 | 24·3 | 4·1 | 154 | . | 1 | 4 | . | . | 2 | 19 | 22 | 26 | 22 | 5 |
| South City, No. 1, . . | 29,988 | 26·4 | 5·5 | 198 | 1 | 2 | 2 | . | 6 | 7 | 23 | 15 | 27 | 21 | 4 |
| " 2, . . | 28,330 | 22·2 | 3·2 | 157 | . | 3 | 1 | . | 2 | 2 | 15 | 18 | 12 | 21 | 5 |
| " 3, . . | 38,344 | 19·4 | 2·7 | 186 | . | . | 3 | . | . | 9 | 9 | 22 | 8 | 33 | 5 |
| " 4, . . | 40,654 | 18·3 | 3·1 | 186 | 1 | 3 | 6 | 1 | . | 4 | 16 | 16 | 23 | 16 | 10 |
| Rathmines, . . . | 21,373 | 16·5 | 1·5 | 88 | . | . | 1 | 1 | 2 | . | 4 | 6 | 13 | 12 | 4 |
| Donnybrook, . . . | 22,208 | 16·8 | 3·6 | 93 | . | 1 | 1 | 1 | . | 7 | 10 | 1 | 10 | 9 | . |
| Blackrock, . . . | 7,204 | 15·5 | 2·2 | 28 | . | . | . | 1 | 1 | . | 2 | 3 | 1 | 2 | 1 |
| Kingstown, . . . | 18,517 | 18·1 | 3·0 | 84 | . | . | 4 | . | . | 5 | 5 | 2 | 9 | 6 | 3 |
| Total City, North, . | 108,048 | 19·5 | 3·4 | 538 | . | 3 | 17 | 3 | 9 | 15 | 45 | 54 | 76 | 77 | 16 |
| Total City, South, . | 137,316 | 21·2 | 3·5 | 727 | 2 | 8 | 17 | 1 | 8 | 22 | 63 | 71 | 70 | 91 | 24 |
| Total City, N. & S., . | 245,364 | 20·5 | 3·5 | 1,255 | 2 | 11 | 34 | 4 | 17 | 37 | 108 | 125 | 146 | 168 | 40 |
| Total Suburbs, . . | 69,302 | 16·9 | 2·7 | 293 | . | 1 | 6 | 3 | 3 | 12 | 21 | 12 | 33 | 29 | 8 |
| Total Registration District, . . . . | 314,666 | 19·7 | 3·3 | 1,548 | 2 | 12 | 40 | 7 | 20 | 49 | 129 | 137 | 179 | 197 | 48 |
| Deaths in Institutions of Persons admitted from without the Registration District (not included in above), . . | | | | 55 | . | . | 2 | . | . | 3 | 3 | . | 10 | 3 | . |

From the above table it will be seen that, excluding 55 deaths in Public Institutions not chargeable to the Dublin Registration District, the number of deaths registered during the quarter was 1,548, being equal to an annual mortality of 19·7 per 1,000 of the population, the deaths from the seven principal zymotic diseases representing an annual rate of 3·3 in every 1,000 persons. The annual rates represented by the deaths in the several Registrars' Districts ranged from 15·5 per 1,000 inhabitants in Blackrock to 26·4 per 1,000 in No. 1, South City (Meath-street) District, and the annual rates afforded by seven zymotic diseases varied from 1·5 per 1,000 inhabitants in Rathmines to 5·5 per 1,000 in No. 1, South City District. Of the other nine districts, the only one in which the deaths from the seven zymotics equalled an annual rate of 4 per 1,000 is No. 3, North City (Blackhall-street) District, in which the rate was 4·1 per 1,000.

The total death-rate for the city was 20·5, and for the suburbs 16·9: the rate represented by deaths from the seven principal zymotics being 3·5 per 1,000 inhabitants in the city (3·4 on the north side, and 3·5 on the south), and 2·7 per 1,000 in the suburbs.

**Ages.**—Of the 1,603 persons whose deaths were registered in the Dublin District during the quarter, 514 were under 5 years of age, this number being equal to an annual mortality of 61·7 in every 1,000 children living at that age;—90 were between the ages of 5 and 15, representing an annual death-rate of 6·3 per 1,000

persons of that age-period;—47, or 6·0 per 1,000 of persons aged 15 and under 20, the total number under 20 years being equal to an annual mortality of 21·4 per 1,000 of the population at that age;—269, or 10·0 per 1,000 persons, were between 20 and 40;—303, or 19·8 per 1,000, between 40 and 60;—313, or 55·8 per 1,000, between 60 and 80; and 67, or 175·6 per 1,000, were aged 80 and upwards, including 11 persons (4 males and 7 females) stated to have been nonagenarians, and 1 woman returned as 100 years old.

**Provincial Towns.**—*Diseases.*—There were no deaths from small-pox registered in any of the six provincial town districts included in this return. The deaths from the other principal zymotic diseases in Belfast were:—Diarrhœa 75, whooping-cough 37, fever 30, scarlatina 16, and diphtheria 1; these 159 deaths being equal to an annual mortality of 3·5 per 1,000 of the population in 1871.

The annual rate represented by deaths from the principal zymotic diseases in Cork is 2·0 per 1,000 persons; the deaths being 31 from diarrhœa, 16 from fever, 5 from measles, 3 from diphtheria, and 1 each from scarlatina and whooping-cough.

Ten deaths from diarrhœa, 9 from fever, and 3 from scarlatina were registered in Limerick; 9 from diarrhœa, and 4 from fever in Waterford; 4 from fever, and 3 from diarrhœa in Galway; and 3 from diarrhœa and 1 from fever in Sligo.

TABLE showing for SEVEN LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths registered during the Quarter ending Saturday 30th September, 1876; the TOTAL Number of BIRTHS and DEATHS registered during the Quarter, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871. | QUARTER ENDING SATURDAY, 30TH SEPTEMBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS registered. | Total DEATHS registered. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . . | 10,050 | 314,666 | 20 | 2,229 | 1,603 | 332 | 380 | 2 | 12 | 42 | 7 | 20 | 52 | 132 | 48 | 49 | 438 |
| BELFAST, . . . | 20,687 | 182,082 | 22 | 1,620 | 979 | 243 | 125 | . | . | 16 | 1 | 37 | 30 | 75 | 16 | 16 | 141 |
| CORK, . . . | 13,816 | 91,965 | 21 | 578 | 494 | 76 | 130 | . | 5 | 1 | 3 | 1 | 16 | 31 | 11 | 25 | 163 |
| LIMERICK, . . | 8,509 | 44,209 | 22 | 304 | 240 | 53 | 65 | . | . | 3 | . | . | 9 | 10 | 6 | 11 | 84 |
| WATERFORD, . . | 17,209 | 30,626 | 19 | 194 | 143 | 22 | 35 | . | . | . | . | . | 4 | 9 | 6 | 7 | 46 |
| GALWAY, . . | 21,358 | 19,692 | 20 | 106 | 99 | 13 | 40 | . | . | . | . | . | 4 | 3 | . | 2 | 49 |
| SLIGO, . . . | 36,835 | 17,285 | 12 | 93 | 54 | 5 | 24 | . | . | . | . | . | 1 | 3 | 1 | 3 | 30 |

**Weather.**—The mean of the mean weekly temperature for the quarter, as returned from the Ordnance Survey Office, Phœnix Park, was 58·6°; at Greenwich it was 61·8°.

The rainfall at Dublin during the thirteen weeks measured 7·064 inches, and at Greenwich 5·25 inches.

DUBLIN: Printed by ALEXANDER THOM 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[855.—300.—7/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, OCTOBER 7, 1876. [No. 40.

*General Register Office, Charlemont House, Dublin, October 9th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 7th October, 1876, represent an annual mortality of 15·9 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 15·7 per 1,000. In London the death-rate was 17·9 in every 1,000 of the estimated population; in Glasgow, 21·5; and in Edinburgh, 13·3.

---

In the Dublin Registration District the births *registered* during the week amounted to 141—85 boys and 56 girls,—and the deaths to 96—46 males and 50 females. The *average* numbers in the corresponding week of the previous ten years were—births, 146, and deaths, 140.

The number of deaths from zymotic diseases *registered* during the week was 22, against an average of 43 for the corresponding week of the preceding ten years. The deaths from these diseases include 8 from fever (1 typhus and 7 typhoid or enteric fever), 3 each from scarlet fever and measles, 2 from whooping-cough, and 5 from diarrhœa.

Nine children died from convulsions.

Eleven deaths were caused by bronchitis, 1 each by pneumonia, asthma, and lung disease unspecified; 5 by heart disease; 3 by paralysis, 1 each by apoplexy and brain disease unspecified; 3 by liver disease; 1 by nephria or Bright's disease, and 2 by kidney disease unspecified.

Seven deaths resulted from phthisis or pulmonary consumption, 2 from mesenteric disease, 1 from scrofula, and 4 from cancer.

Two accidental deaths from fractures (the result, in each case, of "a fall whilst intoxicated"—inquests), 1 death from drowning, and 1 case of homicide were *registered*.

Twenty-six of the persons whose deaths were *registered* during the week were under 5 years of age (14 being infants under 1 year old); and 32 were aged 60 and upwards, including 13 persons aged 70 and upwards, of whom 2 were octogenarians.

Twenty-five of the deaths *registered* occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin, and 10 in the South Dublin Union Workhouse.

---

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 15·7 per 1,000; the rate in the city was 17·0 (19·3 on the North side and 15·1 on the South), and in the suburbs 11·3.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 3·5 per 1,000 inhabitants, the rate for the city being 4·0 (5·8 in the North City Districts and 2·7 in the South), and for the suburbs 1·5 per 1,000.

*No.* 1, *North City District* (Summer-hill). The deaths chargeable to this district represent an annual mortality of 14·5 per 1,000 inhabitants. Of the 14 deaths, 3 resulted from enteric or typhoid fever, 2 from whooping-cough, and 1 from diarrhœa, these six deaths being equal to an annual rate of 6·2 per 1,000 persons: the average rate afforded by deaths from the seven principal zymotic diseases for the last ten weeks is 3·5 per 1,000.

*No.* 2, *North City District* (Coleraine-street). The death-rate for the week is 20·7 per 1,000: the only death from zymotic disease is one from scarlet fever. Three of the 13 deaths recorded were ascribed to convulsions, and 3 to diseases of the respiratory organs.

*No.* 3, *North City District* (Blackhall-street). The deaths of inhabitants of this district are equal to an annual mortality of 26·7 per 1,000. They include 3 from measles and 2 from diarrhœa, these five deaths giving a zymotic rate of 10·3 per 1,000, which is the same as the rate afforded by the seven principal zymotic diseases in the preceding week, and nearly double the average mortality from these diseases in the last ten weeks.

*No.* 1, *South City District* (Meath-street). The death-rate for this district is 24·3 per 1,000, against an average of 29·0 for the last ten weeks. The only death from any of the seven principal zymotic diseases is 1 from enteric fever.

*No.* 2, *South City District* (High-street). The deaths chargeable to this district are equal to an annual mortality of 16·5 per 1,000 inhabitants: there were no deaths from zymotic disease. Four of the 9 deaths resulted from bronchitis.

*No.* 3, *South City District* (Peter-street). The death-rate for this district is 13·6 per 1,000 persons. The deaths from zymotic disease are 2 from fever (1 typhus and 1 enteric), and 1 from scarlatina.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The deaths (7) tabulated for this district represent an annual rate of 9·0 per 1,000 inhabitants: they include 2 from enteric fever, and 1 from diarrhœa.

*Suburban Districts.* The respective death-rates are—Rathmines, 4·9 per 1,000; Donnybrook, 9·4; Blackrock, 7·2; and Kingstown, 22·5. Of the 8 deaths recorded for Kingstown, 1 was caused by scarlatina, and 1 by diarrhœa. There were no deaths from zymotic diseases returned for any of the other suburban districts.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·791 inches. The highest daily mean reading (30·054) occurred on Sunday, and the lowest (29·638) on Wednesday.

The mean temperature during the week was 57·5° (being 5·4° over the average in the corresponding week of the previous ten years); the lowest daily mean (51·4°) occurred on Sunday, and the highest (61·0°) on Tuesday.

The temperature was highest on Saturday, when the thermometer registered 68·4°, and was lowest on Sunday, the mercury having fallen to 47·5°. The highest reading of the barometer during the week (30·133) occurred on Sunday, at 9.30 P.M., wind S.E., and the lowest (29·622) on Wednesday, at 9.30 P.M., air calm. The mean of the Dry Bulb for the week was 57·7°; and of the Wet Bulb 54·2°. The mean humidity of the air was ·803; complete saturation being represented by 1·0. The rain-fall during the week measured ·717 in.

At Greenwich the mean temperature of the week was 58·0°, and at Glasgow, 52·9°. The rain-fall during the week at Greenwich measured ·45 in., and at Glasgow 1·43 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Oct. 1, | 30·054 | 55·3 | 47·5 | 51·4 | 51·5 | 48·0 | ·772 | ·5 | ·100 | N.N.E. | N.E. | S.E. |
| Monday, „ 2, | 29·943 | 59·1 | 49·7 | 54·4 | 51·7 | 50·6 | ·922 | ·8 | ·360 | W. | S.E. | S.E. |
| Tuesday, „ 3, | 29·702 | 68·1 | 54·0 | 61·0 | 60·1 | 57·2 | ·835 | ·7 | ·020 | S.E. | S.E. | S. |
| Wednesday, „ 4, | 29·638 | 66·7 | 52·2 | 59·5 | 59·9 | 55·5 | ·762 | ·6 | ·000 | S. | S. | Calm. |
| Thursday, „ 5, | 29·701 | 62·9 | 50·2 | 56·5 | 60·5 | 56·1 | ·759 | ·6 | ·002 | S.E. | E. | E. |
| Friday, „ 6, | 29·700 | 67·9 | 53·1 | 60·5 | 60·2 | 55·9 | ·774 | ·7 | ·000 | S.E. | S. | S.E. |
| Saturday, „ 7, | 29·802 | 68·4 | 50·3 | 59·4 | 59·8 | 56·1 | ·797 | ·7 | ·035 | S. | S.W. | S. |
| Mean, . . | 29·791 | 64·1 | 51·0 | 57·5 | 57·7 | 54·2 | ·803 | ·6 | Total, ·717 | Prevailing wind, S.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Oct. 1, | A.M. Overcast. | P.M. Dull. |
| Monday, „ 2, | A.M. Raining. | P.M. Continued rain. |
| Tuesday, „ 3, | A.M. Gloomy. | P.M. Gloomy. |
| Wednesday, „ 4, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 5, | A.M. Raining. | P.M. Overcast. |
| Friday, „ 6, | A.M. Dull. | P.M. Fine |
| Saturday, „ 7, | A.M. Fine. | P.M. Overcast. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 7th October, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E. & W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,358 | 29,988 | 28,330 | 38,344 | 40,634 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 14 | 13 | 13 | 14 | 9 | 10 | 7 | 2 | 4 | 1 | 8 | 95 | 1 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 3 | . | . | . | . | . | . | . | . | 3 | . |
| Scarlet Fever (Scarlatina), | . | 1 | . | . | . | 1 | . | . | . | . | 1 | 3 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Fever, | 3 | . | . | 1 | . | 2 | 2 | . | . | . | . | 8 | . |
| Diarrhœa, | 1 | . | 2 | . | . | . | 1 | . | . | . | 1 | 5 | . |
| Other Zymotic Diseases, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Total, | 6 | 1 | 5 | 2 | . | 3 | 3 | . | . | . | 2 | 22 | . |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 1 | 1 | 2 | . | 1 | 1 | . | . | . | . | 7 | . |
| Other Constitutional Diseases | 2 | . | 2 | . | . | . | 1 | . | . | 1 | 1 | 7 | . |
| Total, | 3 | 1 | 3 | 2 | . | 1 | 2 | . | . | 1 | 1 | 14 | . |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | . | 3 | 2 | 3 | 1 | 2 | 1 | . | 1 | . | 1 | 14 | . |
| Diseases of the Heart and Circulatory Organs, | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | 4 | 1 |
| Diseases of the Respiratory Organs, | 2 | 3 | . | 3 | 4 | 2 | . | . | . | . | . | 14 | . |
| Diseases of the Digestive Organs, | 1 | 2 | 1 | . | . | . | . | . | . | . | . | 4 | . |
| Diseases of the Urinary Organs, | . | . | . | 1 | 1 | . | . | . | 1 | . | . | 3 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 3 | 9 | 3 | 8 | 6 | 4 | 1 | 1 | 2 | . | 2 | 39 | 1 |
| DEVELOPMENTAL DISEASES, | 1 | 1 | 2 | 1 | 2 | 2 | 1 | . | 2 | . | 3 | 15 | . |
| VIOLENT DEATHS, | 1 | 1 | . | . | 1 | . | . | 1 | . | . | . | 4 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 14·5 | 20·7 | 26·7 | 24·3 | 16·5 | 13·6 | 9·0 | 4·9 | 9·4 | 7·2 | 22·5 | | — |
| | 19·3 | | | 15·1 | | | | 11·3 | | | | 15·7 | |
| | 17·0 | | | | | | | | | | | | |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 2 | . | 1 | 1 | 2 | . | 1 | . | . | . | 7 | 1 |
| Workhouse Hospitals, | 1 | 1 | 5 | 4 | . | 4 | 1 | . | 1 | . | . | 17 | |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office. 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | Aug. 5, | 21·8 | 1·0 | 21 | . | . | . | . | . | 1 | . | 3 | 5 | 4 | . |
| | „ 12, | 18·7 | 3·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | . |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | „ 16, | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . |
| | „ 23, | 20·8 | 3·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 2 | 1 |
| | Average, | 16·9 | 3·5 | 16·3 | . | . | 0·5 | 0·1 | 0·5 | 0·9 | 1·4 | 1·6 | 2·4 | 1·4 | 0·1 |
| North City, No. 2. (*Office, Coleraine-street.*) | Aug. 5, | 20·7 | 4·8 | 13 | . | 1 | . | . | 1 | . | 1 | 3 | 2 | 1 | . |
| | „ 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 3 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 3 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | „ 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | „ 23, | 30·2 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | „ 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 3 | . |
| | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | Average, | 20·7 | 3·7 | 13·0 | . | 0·1 | 0·5 | . | 0·5 | 0·3 | 0·9 | 1·4 | 1·3 | 2·1 | 0·6 |
| North City, No. 3. (*Office, Blackhall-street.*) | Aug. 5, | 22·6 | 2·1 | 11 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 1 |
| | „ 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 20·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . |
| | „ 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | „ 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7, | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | Average, | 24·0 | 5·4 | 11·7 | . | 0·4 | 0·1 | . | . | 0·1 | 2·0 | 1·8 | 2·0 | 1·1 | 0·3 |
| South City, No. 1. (*Office, Mouth-street.*) | Aug. 5, | 29·5 | 5·2 | 17 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | . | . |
| | „ 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | 2 | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16, | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23, | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | „ 30, | 32·9 | 10·4 | 19 | 1 | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7, | 24·3 | 1·7 | 14 | . | . | . | . | . | 1 | . | 1 | 2 | 3 | . |
| | Average, | 29·0 | 6·4 | 16·7 | 0·1 | 0·2 | 0·2 | . | 0·4 | 0·6 | 2·2 | 1·4 | 2·5 | 1·9 | 0·3 |
| South City, No. 2. (*Office, High-street.*) | Aug. 5, | 18·4 | 1·3 | 10 | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Sept. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . |
| | „ 23, | 23·9 | 1·3 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 |
| | „ 30, | 22·0 | 3·7 | 12 | . | . | . | . | . | 1 | 1 | 1 | . | 2 | . |
| | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | Average, | 21·5 | 3·5 | 11·7 | . | 0·3 | . | . | 0·1 | 0·1 | 1·4 | 1·4 | 1·0 | 1·7 | 0·3 |
| South City, No. 3. (*Office, Peter-street.*) | Aug. 5, | 19·0 | 1·4 | 14 | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | „ 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | . |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 3 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 3 | . | 1 | 1 | 3 | 1 |
| | „ 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | Average, | 19·1 | 3·7 | 14·1 | . | . | 0·7 | . | . | 1·1 | 0·9 | 1·6 | 0·7 | 2·3 | 0·3 |

of Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| Registrars' Districts. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. | | Total Deaths. | Number of Deaths from | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Seven principal Zymotic Diseases. | | | | | | | | | | |
| | | From all Causes. | From Seven Zymotic Diseases. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| South City, No. 4. (*Offices, Denzille-street and Grand Canal-street.*) | Aug. 5, | 21·7 | 6·4 | 17 | . | 1 | 2 | . | . | . | 2 | 2 | . | 1 | 1 |
| | „ 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | . | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | „ 26, | 11·5 | 6·4 | 9 | 1 | 1 | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 2 | . | . | 1 | 2 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Average, | 19·1 | 4·1 | 14·9 | 0·1 | 0·3 | 0·5 | 0·1 | . | 0·6 | 1·8 | 1·2 | 1·4 | 0·8 | 0·8 |
| Rathmines. | Aug. 5, | 19·5 | . | 8 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 12, | 26·6 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 26, | 12·3 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 | . |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Average, | 17·5 | 1·5 | 7·2 | . | . | . | 0·1 | 0·2 | . | 0·3 | 0·6 | 1·0 | 1·2 | 0·2 |
| Donnybrook. | Aug. 5, | 16·4 | . | 7 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Average, | 17·1 | 3·5 | 7·3 | . | . | . | . | . | 0·5 | 1·0 | 0·2 | 0·7 | 0·5 | . |
| Blackrock. | Aug. 5, | 14·4 | 7·2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 13·0 | 2·2 | 1·8 | . | . | . | . | 0·1 | . | 0·2 | 0·3 | 0·1 | . | . |
| Kingstown. | Aug. 5, | 14·0 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | Average, | 18·2 | 4·2 | 6·5 | . | . | 0·4 | . | . | 0·5 | 0·6 | 0·2 | 0·7 | 0·4 | 0·3 |
| Total, Dublin Registration District. | Aug. 5, | 20·7 | 2·6 | 125 | . | 2 | 3 | . | 3 | 2 | 6 | 14 | 16 | 17 | 2 |
| | „ 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 3 | 9 | 9 | 13 | 9 | 7 |
| | „ 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 2 |
| | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | 10 | 19 | 17 | 13 | 19 | 2 |
| | „ 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 4 | 19 | 13 | 11 | 8 | 4 |
| | „ 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 | 3 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 13 | 24 | 13 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 13 | 19 | 16 | 3 |
| | Oct. 7, | 15·7 | 3·5 | 96 | . | 3 | 3 | . | 2 | 3 | 5 | 9 | 7 | 14 | 4 |
| | Average, | 20·1 | 3·9 | 121·2 | 0·2 | 1·3 | 2·9 | 0·3 | 1·3 | 4·7 | 13·5 | 11·7 | 13·3 | 13·4 | 3·3 |

IV.—Deaths in the City of Dublin [Municipal Boundary], and in the Suburban Districts registered in the Fortieth Week, ending Saturday, 7th October, 1876; also the Deaths from each Disease

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average Week of the 10 years 1866-75. | Week ending Saturday, Oct. 7th, 187 | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 6 1866 | Oct. 5 1867 | Oct 3 1868 | Oct. 9 1869 | Oct. 8 1870 | Oct. 7 1871 | Oct. 5 1872 | Oct 4 1873 | Oct 10 1874 | Oct. 9 1875 | | Deaths of Persons of the Age | | | | | | |
| | | | | | | | | | | | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20 | 20 and under 40 | 40 and under 60 | 60 and under 80 | 80 and upwards |
| Mean Temperature, | ° 54·0 | ° 48·9 | ° 51·5 | ° 59·4 | ° 53·9 | ° 48·1 | ° 48·6 | ° 54·5 | ° 49·0 | ° 53·1 | ° 52·1 | Mean Temp. ° 57·5 | | | | | | |
| **ALL CAUSES,** | 234 | 134 | 122 | 127 | 112 | 134 | 128 | 129 | 145 | 138 | 140·3 | 96 | 26 | 3 | 3 | 12 | 20 | 26 | 1 |
| **SPECIFIED CAUSES,** | 231 | 134 | 120 | 124 | 110 | 133 | 128 | 1·6 | 145 | 131 | 138·2 | 95 | 26 | 3 | 3 | 12 | 20 | 26 | 1 |
| (Classes.) | | | | | | | | | | | | | | | | | | | |
| ZYMOTIC DISEASES, | 123 | 40 | 28 | 37 | 35 | 28 | 27 | 32 | 43 | 37 | 43·0 | 22 | 13 | 1 | 1 | 4 | 2 | 1 | |
| CONSTITUTIONAL ,, | 25 | 22 | 22 | 26 | 22 | 43 | 24 | 29 | 31 | 20 | 26·4 | 14 | 2 | . | 1 | 4 | 3 | 4 | |
| LOCAL ,, | 59 | 50 | 48 | 50 | 41 | 45 | 56 | 47 | 51 | 51 | 49·8 | 40 | 9 | 2 | . | 4 | 12 | 12 | |
| DEVELOPMENTAL ,, | 23 | 18 | 16 | 10 | 7 | 13 | 14 | 14 | 20 | 21 | 15·6 | 15 | 2 | . | . | . | . | 11 | 1 |
| VIOLENT DEATHS, | 1 | 4 | 6 | 1 | 5 | 4 | 7 | 4 | . | 2 | 3·4 | 4 | . | . | 1 | . | 3 | . | |
| ORDER 1.—Miasmatic Diseases. | | | | | | | | | | | | | | | | | | | |
| Small Pox, | 1 | . | . | . | . | 5 | 4 | . | . | . | 1·0 | . | . | . | . | . | . | . | |
| Measles, | 4 | 1 | 2 | 6 | . | . | 3 | . | 2 | 4 | 2·2 | 3 | 3 | . | . | . | . | . | |
| Scarlet Fever (Scarlatina), | 4 | 8 | 10 | 13 | 11 | 4 | 2 | 7 | 27 | 8 | 8·9 | 3 | 3 | . | . | . | . | . | |
| Diphtheria, | . | . | . | . | . | 1 | 4 | 1 | . | 4 | 1·0 | . | . | . | . | . | . | . | |
| Quinsy, | . | . | 2 | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | |
| Croup, | 3 | 2 | 1 | 1 | 2 | . | 1 | . | 3 | . | 1·3 | . | . | . | . | . | . | . | |
| Whooping Cough, | 1 | 6 | 1 | . | 4 | 1 | . | 2 | . | 4 | 1·9 | 2 | 2 | . | . | . | . | . | |
| Typhus, | 15 | 8 | 2 | 1 | 1 | . | 1 | 1 | . | 1 | 5·0 | 1 | . | . | . | 1 | . | . | |
| Enteric or Typhoid Fever, | | | | 4 | 1 | 1 | . | 1 | . | 2 | | 7 | 2 | 1 | 1 | 2 | . | 1 | |
| Simple continued Fever, | | | | 4 | . | 2 | . | 3 | 1 | 1 | | . | . | . | . | . | . | . | |
| Erysipelas, | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| Puerperal Fever (Metria), | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| Carbuncle, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | |
| Influenza, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| Dysentery, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | |
| Diarrhœa, | 8 | 10 | 9 | 8 | 16 | 12 | 10 | 14 | 6 | 16 | 10·9 | 5 | 3 | . | . | . | 2 | . | |
| Simple Cholera, | 81 | 1 | . | . | . | . | . | . | . | . | 8·2 | . | . | . | . | . | . | . | |
| Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Rheumatism, | . | 1 | . | . | . | 1 | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | |
| Other Zymotic Diseases, | 1 | . | . | . | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | |
| ORDER 2.—Enthetic Diseases. | | | | | | | | | | | | | | | | | | | |
| Syphilis, | . | . | . | . | . | . | 1 | . | 2 | . | ·3 | 1 | . | . | . | 1 | . | . | |
| Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| ORDER 3.—Dietic Diseases. | | | | | | | | | | | | | | | | | | | |
| Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Purpura and Scurvy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| Alcoholism, { Delirium Tremens | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | |
| Alcoholism, { Intemperance, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| ORDER 4.—Parasitic Diseases. | | | | | | | | | | | | | | | | | | | |
| Thrush, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| ORDER 1.—Diathetic Diseases. | | | | | | | | | | | | | | | | | | | |
| Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Dropsy, | 1 | . | 1 | 3 | . | 3 | 4 | 4 | 3 | 2 | 2·1 | . | . | . | . | . | . | . | |
| Cancer, | 1 | 1 | 1 | 3 | 1 | 2 | 2 | 4 | 4 | . | 1·9 | 4 | . | . | . | . | 1 | 3 | |
| Cancrum Oris (Noma), | . | . | 1 | 2 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | |
| Mortification, | 1 | . | 1 | 1 | . | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | |
| ORDER 2.—Tubercular Diseases. | | | | | | | | | | | | | | | | | | | |
| Scrofula, | . | . | . | 1 | 1 | 3 | . | 1 | 1 | 2 | ·9 | 1 | . | . | 1 | . | . | . | |
| Tabes Mesenterica, | 5 | 4 | 4 | 4 | 6 | 6 | 1 | 2 | 1 | 2 | 3·5 | 2 | 2 | . | . | . | . | . | |
| Phthisis, | 15 | 13 | 12 | 7 | 12 | 24 | 15 | 15 | 18 | 11 | 14·2 | 7 | . | . | . | 4 | 2 | 1 | |
| Hydrocephalus, | 2 | 4 | 2 | 5 | 2 | 5 | 2 | 2 | 4 | 3 | 3·1 | . | . | . | . | . | . | . | |
| ORDER 1.—Nervous System. | | | | | | | | | | | | | | | | | | | |
| Cephalitis, | 3 | 2 | . | 2 | . | . | 1 | 1 | . | . | ·9 | . | . | . | . | . | . | . | |
| Apoplexy, | 2 | 1 | 1 | 2 | 1 | 1 | 2 | . | 2 | 4 | 1·6 | 1 | . | . | . | . | . | 1 | |
| Paralysis, | 4 | 2 | 2 | 3 | 2 | 2 | 1 | 4 | 3 | 2 | 2·5 | 3 | . | . | . | . | 2 | 1 | |
| Insanity, | 2 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Epilepsy, | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | ·6 | . | . | . | . | . | . | . | |
| Convulsions, | 8 | 11 | 10 | 9 | 6 | 5 | 14 | 10 | 12 | 12 | 9·7 | 9 | 3 | 1 | . | . | . | . | |
| *Brain Disease, &c.* | 1 | 2 | 3 | 3 | 3 | . | 3 | 2 | 2 | 1 | 2·0 | 1 | . | . | . | . | 1 | . | |
| ORD. 2.—Organs of Circulation. | | | | | | | | | | | | | | | | | | | |
| Pericarditis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | |
| Aneurism, | 1 | . | . | . | . | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | |
| *Heart Disease, &c.* | 5 | 7 | 8 | 5 | 5 | 11 | 5 | 3 | 13 | 6 | 6·8 | 5 | . | . | . | 2 | . | 3 | |
| ORDER 3.—Respiratory Organs. | | | | | | | | | | | | | | | | | | | |
| Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| Bronchitis, | 14 | 7 | 12 | 13 | 6 | 8 | 14 | 15 | 12 | 12 | 11·3 | 11 | 1 | 1 | . | 1 | 4 | 4 | |
| Pleurisy, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | |
| Pneumonia, | 3 | 4 | 1 | 1 | 2 | 3 | 4 | 2 | . | 3 | 2·3 | 1 | . | . | . | . | . | 1 | |
| Asthma, | 1 | . | . | . | . | 1 | 2 | . | . | . | ·4 | 1 | . | . | . | . | 1 | . | |
| *Lung Disease, &c.* | 1 | 1 | 3 | 2 | 2 | . | 1 | . | 1 | 2 | 1·3 | 1 | . | . | . | . | . | 1 | |

THE MINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, Oct. 6 1866 | Oct. 5 1867 | Oct. 3 1868 | Oct. 9 1869 | Oct. 8 1870 | Oct. 7 1871 | Oct. 5 1872 | Oct. 4 1873 | Oct. 10 1874 | Oct. 9 1875 | Average in 40th Week of the 10 years 1866–75. | Week ending Saturday, Oct. 7th, 1876. Deaths of Persons of the Ages: ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | 54·0 | 48·9 | 51·5 | 59·4 | 53·9 | 48·1 | 48·6 | 54·5 | 49·0 | 53·1 | 52·1 | 57·5 | | | | | | | |
| 11. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| on. | 1. Gastritis, | 1 | . | . | . | 1 | . | 1 | 2 | . | . | ·5 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 1 | 3 | 2 | . | 2 | . | . | 1 | . | 1 | 1·0 | 1 | . | . | . | 1 | . | . | . |
| | 3. Peritonitis, | 2 | . | 1 | . | 3 | 1 | . | . | 2 | . | ·9 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | 1 | . | . | 2 | 2 | 1 | . | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 3 | . | 1 | . | . | 1 | . | 2 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | 1 | 1 | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 4 | 5 | 1 | 3 | 3 | 3 | 4 | 3 | 3 | 1 | 2·6 | 3 | . | . | . | . | 3 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | . | 3 | 1 | 1 | . | . | . | . | ·5 | 1 | . | . | . | . | . | 1 | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 2 | 1 | . | 1 | . | 1 | 1 | 1 | 1 | 2 | 1·0 | 2 | . | . | . | . | 1 | 1 | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | 2 | 1 | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | 1 | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 3 | 4 | 3 | 2 | 2 | . | 4 | 2 | 1 | 4 | 2·5 | . | . | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 10 | 6 | 7 | 7 | 4 | 7 | 9 | 9 | 13 | 8 | 8·0 | 12 | . | . | . | . | . | 10 | 2 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 10 | 6 | 6 | 1 | 1 | 5 | 1 | 3 | 6 | 8 | 4·7 | 3 | 2 | . | . | . | . | 1 | . |
| V. | ORDER 1.—ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | 3 | 4 | 1 | 4 | 2 | 1 | 3 | . | 1 | 2·0 | 2 | . | . | . | . | 2 | . | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 1 | 1 | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | . | 1 | . | . | 1 | 4 | . | . | 1 | ·7 | 1 | . | . | 1 | . | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3 Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 3 | . | 2 | 3 | 2 | 1 | . | 3 | . | 7 | 2·1 | 1 | . | . | . | . | . | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 7th October, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | Population by the Census of 1871. | WEEK ENDING SATURDAY, 7TH OCTOBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total Births *registered*. | Total Deaths *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | | |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| DUBLIN, . . | 18,880 | 314,866 | 16 | 141 | 96 | 14 | 32 | . | 3 | 3 | . | 2 | 8 | 5 | 4 | 5 | 35 |
| BELFAST,* . . | 20,257 | 182,082 | 21 | 129 | 72 | 16 | 6 | . | . | 2 | . | 2 | 4 | 5 | . | . | 9 |
| CORK, . . . | 13,816 | 91,503 | 19 | 49 | 34 | 9 | 9 | . | 1 | . | . | . | . | 3 | . | 1 | 16 |
| LIMERICK, . . | 8,500 | 44,300 | 9 | 19 | 8 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | 1 |
| LONDONDERRY,† . | 21,995 | 30,884 | 8 | 14 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,300 | 30,926 | 7 | 8 | 4 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . |
| GALWAY, . . | 21,366 | 19,692 | 13 | 4 | 5 | 2 | 1 | . | . | . | . | . | 1 | . | . | . | 1 |
| SLIGO, . . . | 30,533 | 17,286 | 9 | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | 2 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 7th October, 1876.

| REGISTRARS' DISTRICTS. | | Population by the Census of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total Births *registered*. | Total Deaths *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| BELFAST, | Belfast, No. 1, | 19,679 | 21 | 9 | 8 | . | 1 | . | . | 1 | . | 1 | . | . | . | . | . |
| | „ „ 2, | 17,938 | 26 | 11 | 9 | 1 | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| | „ „ 3, | 20,211 | 21 | 21 | 16 | 6 | . | . | . | . | . | . | 2 | 2 | . | . | . |
| | „ „ 4, *W.* | 19,220 | 38 | 16 | 14 | 3 | 2 | . | . | . | . | . | 1 | . | . | . | 9 |
| | „ „ 5, | 19,616 | 16 | 15 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 6, | 36,652 | 11 | 23 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | „ „ 9, | 5,296 | 10 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 10, | 8,115 | 19 | 11 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh „ 1, | 16,155 | 23 | 11 | 7 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 10 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 11,865 | 18 | 7 | 4 | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ „ 3, | 6,818 | 31 | 2 | 4 | 2 | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 |
| | „ „ 4, | 6,227 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ „ 5, | 11,289 | 9 | 3 | 2 | 1 | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | „ „ 6, | 15,220 | 17 | 16 | 5 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 |
| | „ „ 7, | 7,585 | 14 | 3 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 8, *W.* | 18,264 | 40 | 9 | 14 | 3 | 4 | . | . | . | . | . | . | . | . | . | 13 |
| | „ „ 9, | 4,790 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | 6 | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | „ „ 3, | 11,424 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 4, | 15,975 | 20 | 13 | 6 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 13,869 | 11 | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 6 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 7 | 8 | 4 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . |
| GALWAY, | Galway, No. 1, | 10,700 | 10 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | 17 | 3 | 3 | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 24 | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | 2 |
| | „ „ 2, | 10,829 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[1522.—900.—10/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, OCTOBER 14, 1876. [No. 41.

*General Register Office, Charlemont House, Dublin, October 16th, 1876.*

The total deaths *registered* in the Dublin Registration District during the week ending 14th October, 1876, represent an annual mortality of 18·7 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into Public Institutions from localities outside the district, the rate was 18·2 per 1,000. In London the death-rate was 18·8 in every 1,000 of the estimated population; in Glasgow, 18·3; and in Edinburgh, 18·4.

In the Dublin Registration District the births *registered* during the week amounted to 157—86 boys and 71 girls,—and the deaths to 113—48 males and 65 females. The *average* numbers in the corresponding week of the previous ten years were—births, 151, and deaths, 152.

The deaths from zymotic diseases *registered* during the week numbered 28, against an average of 48·8 for the corresponding week of the preceding ten years: they include 6 from fever (all typhoid or enteric), 3 from diphtheria, 2 from scarlet fever, 4 each from measles and diarrhœa, 1 each from croup and erysipelas, &c.

The deaths of 15 children were ascribed to convulsions.

Bronchitis proved fatal in 12 instances, and pleurisy, pneumonia or inflammation of the lungs, and lung disease unspecified, each in 1.

Four deaths were attributed to apoplexy, 1 each to paralysis and cephalitis or inflammation of the brain; 3 to heart disease; 1 to liver disease; and 1 to kidney disease unspecified.

Sixteen persons died from phthisis or pulmonary consumption, 1 from mesenteric disease, and 2 from cancer.

Seven accidental deaths (5 from fractures and contusions and 2 from drowning), and one case of homicide were *registered*.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under 1 year old); and 24 were aged 60 and upwards, including 14 persons aged 70 and upwards, of whom 3 were octogenarians, and 1 (a female) was stated to have been aged 90 years.

Twenty-six of the deaths *registered* occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin, and 2 in the South Dublin Union Workhouse.

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 18·2 per 1,000; the rate in the city was 17·8 (23·1 on the North side and 13·6 on the South), and in the suburbs 19·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 3·0 per 1,000 inhabitants, the rate for the city being 2·8 (3·9 in the North City Districts and 1·9 in the South), and for the suburbs 3·8 per 1,000.

*No.* 1, *North City District* (Summer-hill). The rate represented by the deaths recorded for this district is 24·9 per 1,000 inhabitants against an average rate of 17·2 for the last ten weeks. The only deaths from any of the seven principal zymotic diseases are 1 from typhoid fever and 1 from diarrhœa. There were 4 deaths from diseases of the brain and nervous system, and 6 from diseases of the respiratory organs.

*No.* 2, *North City District* (Coleraine-street). The deaths tabulated for this district are equal to an annual rate of 19·1 per 1,000. The only deaths from zymotic diseases are 1 each from scarlatina and croup. The deaths include 3 from accidents and 1 case of homicide.

*No.* 3, *North City District* (Blackhall-street). The annual rate represented by the deaths chargeable to this district is 24·6 per 1,000 persons. There were 2 deaths from measles, and 1 each from diphtheria, typhoid fever, and diarrhœa, these 5 deaths being equal to an annual rate of 10·3 per 1,000, which was also the rate yielded by the seven principal zymotic diseases in each of the two preceding weeks; the average rate afforded by these diseases in the last ten weeks is 6·2 per 1,000.

*No.* 1, *South City District* (Meath-street). The deaths (12) chargeable to this district are equal to an annual mortality of 20·8 per 1,000 inhabitants against an average of 28·1 per 1,000 for the last ten weeks. The deaths from zymotic diseases are 1 each from measles, typhoid fever, and diarrhœa. Four children died from convulsions.

*No.* 2, *South City District* (High-street). The rate for this district is only 14·7 per 1,000: the average rate for the last ten weeks is 21·1. Of the 8 deaths recorded last week only 1 (a death from typhoid fever) resulted from any of the seven principal zymotic diseases. Three deaths were caused by bronchitis.

*No.* 3, *South City District* (Peter-street). The deaths tabulated for this district only equal an annual mortality of 9·5 per 1,000 persons, against an average rate of 18·2 per 1,000 for the last ten weeks. There were no deaths from zymotic diseases.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The death-rate for this district is 11·5 per 1,000: 1 death from typhoid fever constitutes the mortality from the seven principal zymotic diseases.

*Suburban Districts.* There were no deaths recorded for Blackrock District: the rates for the other districts are—Rathmines, 17·0; Donnybrook, 21·1; and Kingstown, 28·1 per 1,000 persons. The deaths from the seven principal zymotic diseases are—1 each from measles and diphtheria in Rathmines, 1 from typhoid fever in Donnybrook, and 1 each from scarlatina and diphtheria in Kingstown. Four of the 10 deaths tabulated for Kingstown District resulted from diseases of the brain and nervous system.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·411 inches. The highest daily mean reading (29·700) occurred on Sunday, and the lowest (28·901) on Wednesday.

The mean temperature during the week was 53·3° (being 3·4° over the average in the corresponding week of the previous ten years); the lowest daily mean (52·1°) occurred on Wednesday, and the highest (56·7°) on Sunday.

The temperature was highest on Monday, when the thermometer registered 62·2°, and was lowest on Wednesday and Thursday, the mercury having fallen to 43·0°. The highest reading of the barometer during the week (29·830) occurred on Sunday, at 9.30 A.M., wind E., and the lowest (28·818) on Wednesday, at 9.30 A.M., wind W. The mean of the Dry Bulb for the week was 53·9°; and of the Wet Bulb 50·8°. The mean humidity of the air was ·805; complete saturation being represented by 1·0. The rain-fall during the week measured 1·547 in.

At Greenwich the mean temperature of the week was 57·3°, and at Glasgow, 51·9°. The rain-fall during the week at Greenwich measured ·99 in., and at Glasgow 3·70 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Oct. 8, | 29·700 | 60·2 | 53·3 | 56·7 | 57·5 | 56·7 | ·943 | ·6 | ·250 | E. | S.E. | Calm. |
| Monday, „ 9, | 29·369 | 62·2 | 45·3 | 53·8 | 56·8 | 53·1 | ·777 | ·3 | ·040 | W.S.W | W. | W. |
| Tuesday, „ 10, | 29·279 | 59·8 | 47·0 | 53·4 | 51·7 | 48·1 | ·767 | ·4 | ·795 | S. | W. | S. |
| Wednesday, „ 11, | 28·901 | 61·3 | 43·0 | 52·1 | 49·4 | 46·2 | ·798 | ·4 | ·000 | W. | S.W. | S.S.W. |
| Thursday, „ 12, | 29·539 | 62·1 | 43·0 | 52·6 | 55·8 | 52·2 | ·781 | ·4 | ·262 | S. | S. | S. |
| Friday, „ 13, | 29·506 | 61·5 | 42·3 | 52·4 | 53·5 | 50·8 | ·830 | ·3 | ·200 | S. | S.W. | S. |
| Saturday, „ 14, | 29·584 | 59·5 | 45·2 | 52·3 | 52·3 | 48·2 | ·738 | ·2 | ·000 | W. | S.W. | S. |
| Mean, . . | 29·411 | 60·9 | 45·7 | 53·3 | 53·9 | 50·8 | ·805 | ·4 | Total, 1·547 | Prevailing wind, S. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Oct. 8, | A.M. Thick, fog. | P.M. Gloomy. |
| Monday, „ 9, | A.M. Dull. | P.M. Raining. |
| Tuesday, „ 10, | A.M. Fine. | P.M. Fine and starlight. |
| Wednesday, „ 11, | A.M. Dull. | P.M. Fine and starlight. |
| Thursday, „ 12, | A.M. Fine and pleasant. | P.M. Dull. |
| Friday, „ 13, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 14, | A.M. Fine. | P.M. Fine and starlight. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

**TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 14th October, 1876.** *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 30,084 | 32,609 | 25,355 | 29,968 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 24 | 12 | 12 | 12 | 8 | 7 | 9 | 7 | 9 | . | 10 | 110 | 3 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 2 | 1 | . | . | . | 1 | . | . | . | 4 | . |
| Scarlet Fever (Scarlatina), | . | 1 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| Diphtheria, | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 3 | . |
| Whooping Cough, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Fever, | 1 | . | 1 | 1 | 1 | . | 1 | . | 1 | . | . | 6 | . |
| Diarrhœa, | 1 | . | 1 | 1 | . | . | . | . | . | . | . | 3 | 1 |
| Other Zymotic Diseases, | 3 | 1 | 1 | . | 1 | . | 1 | 1 | 1 | . | . | 9 | . |
| Total, | 5 | 2 | 6 | 3 | 2 | . | 2 | 3 | 2 | . | 2 | 27 | 1 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 2 | 1 | 2 | . | 1 | 3 | . | 2 | . | 2 | 15 | 1 |
| Other Constitutional Diseases | 1 | . | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| Total, | 3 | 2 | 1 | 2 | . | 1 | 3 | 1 | 2 | . | 3 | 18 | 1 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Disease of the Brain and Nervous System, | 4 | 2 | 2 | 4 | . | 1 | 2 | 1 | 1 | . | 4 | 21 | . |
| Disease of the Heart and Circulatory Organs, | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 | . |
| Disease of the Respiratory Organs, | 6 | 1 | . | 1 | 3 | 2 | 1 | . | . | . | . | 14 | 1 |
| Disease of the Digestive Organs, | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Disease of the Urinary Organs, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Disease of the Organs of Generation, | . | . | . | . | 1 | . | . | . | 1 | . | . | 2 | . |
| Disease of the Organs of Locomotion, | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Disease of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 12 | 3 | 3 | 5 | 5 | 3 | 4 | 1 | 4 | . | 4 | 44 | 1 |
| DEVELOPMENTAL DISEASES, | 3 | 1 | 2 | . | 1 | 3 | . | 1 | . | . | 1 | 12 | . |
| VIOLENT DEATHS, | 1 | 4 | . | 1 | . | . | . | 1 | 1 | . | . | 8 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 24·9 | 19·1 | 24·6 | 20·8 | 14·7 | 9·5 | 11·5 | 17·0 | 21·1 | . | 28·1 | | — |
| | 23·1 | | | 13·6 | | | | 19·5 | | | | 18·2 | |
| | 17·8 | | | | | | | | | | | | |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 5 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | . | . | 2 | 17 | 1 |
| Workhouse Hospitals, | . | 1 | 3 | 1 | . | . | 1 | . | . | . | . | 6 | 2 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 23, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Ball-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | Aug. 12, | 18·7 | 3·1 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 |
| | „ 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | 2 |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 1 |
| | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | „ 16, | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . |
| | „ 23, | 20·8 | 3·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 2 | 1 |
| | „ 14, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | 3 | 2 | 6 | 1 |
| | Average, | 17·2 | 3·6 | 16·6 | . | . | 0·5 | 0·1 | 0·5 | 0·9 | 1·5 | 1·6 | 2·1 | 1·6 | 0·7 |
| North City, No. 2. (*Office, Coleraine-street.*) | Aug. 12, | 25·5 | 4·8 | 16 | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 1 |
| | „ 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 2 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 2 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | „ 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | „ 23, | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | „ 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 2 | . |
| | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 |
| | „ 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 4 |
| | Average, | 20·6 | 3·4 | 12·9 | . | . | 0·6 | . | 0·4 | 0·3 | 0·8 | 1·3 | 1·3 | 2·1 | 1·0 |
| North City, No. 3. (*Office, Blackhall-street.*) | Aug. 12, | 14·4 | . | 7 | . | . | . | . | . | . | . | 1 | 2 | . | . |
| | „ 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 2 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . |
| | „ 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | „ 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7, | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14, | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | Average, | 24·2 | 6·2 | 11·8 | . | 0·6 | 0·1 | 0·1 | . | 0·2 | 2·0 | 1·9 | 2·0 | 0·8 | 0·2 |
| South City, No. 1. (*Office, Meath-street.*) | Aug. 12, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 2 | 1 |
| | „ 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16, | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23, | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | „ 30, | 32·9 | 10·4 | 19 | 1 | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7, | 24·3 | 1·7 | 14 | . | . | . | . | . | 1 | . | 1 | 2 | 3 | . |
| | „ 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | Average, | 28·1 | 6·4 | 16·2 | 0·1 | 0·3 | 0·1 | . | 0·3 | 0·7 | 2·2 | 1·7 | 2·3 | 2·0 | 0·4 |
| South City, No. 2. (*Office, High-street.*) | Aug. 12, | 20·2 | 5·5 | 11 | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Sept. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 3 | 2 | . |
| | „ 23, | 23·9 | 1·8 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 |
| | „ 30, | 22·0 | 3·7 | 12 | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . |
| | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | „ 14, | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | Average, | 21·1 | 3·5 | 11·5 | . | 0·3 | . | . | 0·1 | 0·2 | 1·3 | 1·3 | 0·9 | 1·7 | 0·5 |
| South City, No. 3. (*Office, Peter-street.*) | Aug. 12, | 13·6 | 1·4 | 10 | . | . | . | . | . | 1 | . | 2 | . | 3 | . |
| | „ 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | . |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 3 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | Average, | 18·2 | 3·5 | 13·4 | . | . | 0·7 | . | . | 1·0 | 0·9 | 1·5 | 0·8 | 2·3 | 0·2 |

Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate cipal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public* in which *the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Seven Zymotic Diseases. | Total Deaths. | Number of Deaths from Seven principal Zymotic Diseases. Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Aug. 12, | 23·0 | 5·1 | 18 | . | 1 | 1 | . | . | . | 2 | 1 | 3 | 1 | 1 |
| | „ 19, | 15·3 | 2·6 | 12 | . | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | „ 26, | 11·5 | 6·4 | 9 | 1 | 1 | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 | 2 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | Average, | 18·0 | 3·6 | 14·1 | 0·1 | 0·2 | 0·3 | 0·1 | . | 0·7 | 1·4 | 1·0 | 1·7 | 0·8 | 0·7 |
| **Rathmines.** | Aug. 12, | 26·8 | . | 11 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 26, | 12·2 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 | . |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | Average, | 17·3 | 2·0 | 7·1 | . | 0·1 | . | 0·2 | 0·2 | . | 0·3 | 0·6 | 0·9 | 1·0 | 0·3 |
| **Donnybrook.** | Aug. 12, | 28·1 | 2·3 | 12 | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | Average, | 17·5 | 3·7 | 7·5 | . | . | . | . | . | 0·6 | 1·0 | 0·3 | 0·9 | 0·4 | 0·1 |
| **Blackrock.** | Aug. 12, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 11·5 | 1·4 | 1·6 | . | . | . | . | . | . | 0·2 | 0·3 | 0·1 | . | . |
| **Kingstown.** | Aug. 12, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | Average, | 19·6 | 4·8 | 7·0 | . | . | 0·5 | 0·1 | . | 0·5 | 0·6 | 0·3 | 0·7 | 0·4 | 0·3 |
| **Total, Dublin Registration District.** | Aug. 12, | 19·7 | 2·6 | 119 | . | 1 | 1 | . | 3 | 2 | 9 | 9 | 13 | 9 | 7 |
| | „ 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 2 |
| | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | 10 | 19 | 17 | 13 | 19 | 2 |
| | „ 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 4 | 19 | 12 | 11 | 8 | 4 |
| | „ 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 | 3 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 12 | 24 | 13 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 12 | 19 | 16 | 3 |
| | Oct. 7, | 15·7 | 3·5 | 95 | . | 3 | 3 | . | 2 | 8 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 8 |
| | Average, | 19·8 | 4·0 | 119·7 | 0·2 | 1·5 | 2·8 | 0·6 | 1·5 | 5·1 | 12·2 | 11·8 | 13·7 | 13·1 | 4·4 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS Registered in the FORTY-FIRST WEEK, ending Saturday, 14th October, 1876; also the Deaths from each

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of the 41st Week of the 10 years 1866-75. | Week ending Saturday, Oct. 14 | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ag | | | | | | |
| | | Oct. 13 1866 | Oct. 12 1867 | Oct. 10 1868 | Oct. 16 1869 | Oct. 15 1870 | Oct. 14 1871 | Oct. 12 1872 | Oct. 11 1873 | Oct. 17 1874 | Oct. 16 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 30 | 30 and under 40 | 40 and under 60 | 60 and upwards |
| | Mean Temperature, | ° 50·2 | ° 50·0 | ° 50·0 | ° 54·0 | ° 47·8 | ° 51·9 | ° 48·7 | ° 48·8 | ° 52·4 | ° 44·9 | ° 49·9 | Mean Temp. ° 53·3 | | | | | | |
| | **ALL CAUSES,** | 232 | 139 | 123 | 138 | 168 | 183 | 128 | 100 | 149 | 164 | 151·9 | 113 | 35 | 8 | 3 | 20 | 23 | 24 |
| | **SPECIFIED CAUSES,** | 227 | 134 | 121 | 136 | 160 | 179 | 128 | 100 | 145 | 163 | 149·3 | 112 | 34 | 8 | 3 | 20 | 23 | 24 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 133 | 40 | 35 | 34 | 48 | 48 | 44 | 28 | 38 | 40 | 48·8 | 28 | 10 | 3 | 1 | 6 | 4 | 4 |
| II. | CONSTITUTIONAL „ | 32 | 32 | 30 | 28 | 35 | 39 | 22 | 14 | 27 | 28 | 28·7 | 19 | 2 | 2 | . | 3 | 5 | 2 |
| III. | LOCAL „ | 47 | 51 | 41 | 49 | 56 | 65 | 49 | 36 | 62 | 60 | 51·6 | 45 | 19 | 3 | 1 | 3 | 10 | 7 |
| IV. | DEVELOPMENTAL „ | 14 | 10 | 11 | 21 | 17 | 23 | 11 | 16 | 16 | 30 | 16·9 | 12 | 3 | . | . | . | 1 | 6 |
| V. | VIOLENT DEATHS, | 1 | 1 | 4 | 4 | 4 | 4 | 2 | 6 | 2 | 5 | 3·3 | 8 | . | . | 1 | 3 | 3 | 1 |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 7 | 4 | . | . | . | 1·1 | . | . | . | . | . | . | . |
| | 2. Measles, | . | 8 | 2 | 4 | . | . | 6 | . | . | 4 | 2·4 | 4 | 4 | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 11 | 7 | 13 | 11 | 3 | 4 | 9 | 20 | 1 | 8·0 | 2 | 2 | . | . | . | . | . |
| | 4. Diphtheria, | . | . | . | 1 | 2 | . | 1 | 1 | . | 3 | ·8 | 3 | 1 | 1 | . | 1 | . | . |
| | 5. Quinsy, | . | 1 | . | . | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . |
| | 6. Croup, | 2 | 2 | 2 | 3 | 1 | 2 | 2 | 6 | 5 | 2 | 2·7 | 1 | 1 | . | . | . | . | . |
| | 7. Whooping Cough, | 2 | 2 | 1 | . | 3 | 6 | 5 | 1 | . | 3 | 2·3 | . | . | . | . | . | . | . |
| | 8. Typhus, | | | | . | 2 | 4 | . | 2 | 2 | 1 | | . | | | | | | |
| | — Enteric or Typhoid Fever, | 12 | 6 | 7 | 2 | 3 | 3 | 9 | 3 | 2 | 1 | 6·9 | 6 | . | 2 | 1 | 1 | 2 | . |
| | — Simple continued Fever, | | | | 1 | 3 | 3 | 2 | . | 1 | . | | . | . | . | . | . | . | . |
| | 9. Erysipelas, | . | 1 | . | 1 | . | 1 | . | . | 1 | 1 | ·5 | 1 | . | . | . | 1 | . | . |
| | 10. Puerperal Fever (Metria), | . | . | . | . | 1 | 1 | 1 | . | . | 1 | ·4 | 2 | . | . | . | 2 | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | 1 | . | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . |
| | 13. Dysentery, | 1 | . | 1 | 1 | 2 | . | 1 | . | . | . | ·6 | . | . | . | . | . | 1 | . |
| | 14. Diarrhœa, | 13 | 8 | 13 | 7 | 13 | 13 | 6 | 5 | 3 | 17 | 9·8 | 4 | 2 | . | . | . | 1 | 1 |
| | 15. Simple Cholera, | 98 | . | . | . | . | . | . | . | . | . | 9·8 | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | . | 2 | 1 | . | . | 1 | 4 | ·8 | 3 | . | . | . | . | . | 1 |
| | 19. Other Zymotic Diseases, | . | . | 1 | 1 | . | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | 1 | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | 1 | . | . | . | 1 | 1 | . | . | . | . | ·3 | 1 | . | . | . | 1 | . | . |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | 1 | 1 | . | . | 1 | ·3 | 1 | . | . | . | . | 1 | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | 2. Worms, &c. | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | 1 | . | . | . | 1 | . | . | 2 | . | ·2 | . | . | . | . | . | . | . |
| | 2. Dropsy, | 1 | 1 | 1 | 2 | 2 | 2 | 1 | . | 2 | . | 1·2 | . | . | . | . | . | . | . |
| | 3. Cancer, | . | 5 | 4 | 2 | 4 | 3 | 1 | 1 | 3 | 6 | 2·9 | 2 | . | . | . | . | 1 | 1 |
| | 4. Cancrum Oris (Noma), | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | . | 2 | 1 | 1 | . | 1 | . | 2 | . | ·8 | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | 5 | 2 | 3 | 3 | 2 | 4 | 1 | 3 | 4 | 2 | 2·9 | 1 | 1 | . | . | . | . | . |
| | 3. Phthisis, | 22 | 19 | 16 | 18 | 24 | 19 | 16 | 9 | 14 | 12 | 16·9 | 16 | 1 | 2 | . | 8 | 4 | 1 |
| | 4. Hydrocephalus, | 2 | 4 | 4 | 1 | 2 | 10 | 3 | . | 4 | 5 | 3·5 | . | . | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | . | 2 | 3 | 1 | 4 | . | . | 1 | . | 1·1 | 1 | . | . | . | 1 | . | . |
| | 2. Apoplexy, | 3 | 1 | 2 | 1 | 3 | 2 | 4 | 2 | 3 | 4 | 2·5 | 4 | . | . | . | 1 | 3 | . |
| | 3. Paralysis, | 4 | 3 | . | 2 | 2 | 4 | 4 | 2 | 2 | 3 | 2·6 | 1 | . | . | . | . | 1 | . |
| | 4. Insanity, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | 5. Chorea, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | 2 | . | . | 1 | . | 2 | . | 1 | 2 | ·9 | . | . | . | . | . | . | . |
| | 7. Convulsions, | 10 | 4 | 9 | 6 | 17 | 15 | 15 | 9 | 11 | 14 | 11·0 | 15 | 15 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | 3 | 4 | 5 | 3 | 5 | . | . | 1 | 3 | 2·6 | . | . | . | . | . | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | . | . | . | 1 | . | 1 | 1 | ·3 | . | . | . | . | . | . | 1 |
| | 3. *Heart Disease, &c.* | 4 | 5 | 2 | 6 | 6 | 5 | 5 | 8 | 10 | 6 | 5·7 | 8 | . | 1 | . | . | . | . |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 9 | 14 | 5 | 11 | 12 | 20 | 9 | 6 | 15 | 9 | 11·0 | 12 | 3 | 1 | 1 | 1 | 4 | 1 |
| | 3. Pleurisy, | . | . | 1 | 1 | . | . | . | 1 | . | . | ·3 | 1 | . | . | . | 1 | . | . |
| | 4. Pneumonia, | 3 | 4 | 2 | 4 | 5 | . | 2 | 4 | 3 | 3 | 3·0 | 1 | . | . | . | . | 1 | . |
| | 5. Asthma, | 1 | 2 | . | . | . | 1 | . | . | . | 1 | ·4 | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | . | 3 | 3 | 1 | . | . | 2 | . | 1 | 1 | 1·1 | 1 | . | 1 | . | . | . | . |

IMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, tered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 41st Week of the 10 years 1866-75. | Week ending Saturday, Oct. 14th, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | Oct. 13 1866 | Oct. 12 1867 | Oct. 10 1868 | Oct. 16 1869 | Oct. 15 1870 | Oct. 14 1871 | Oct. 12 1872 | Oct. 11 1873 | Oct. 17 1874 | Oct. 16 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | 50°2 | 50°0 | 50°0 | 54°0 | 47°8 | 51°9 | 48°7 | 48°8 | 52°4 | 44°9 | 48°9 | Mean Temp. 53°3 | | | | | | | |
| ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . |
| 2. Enteritis, | 1 | . | . | . | 1 | 2 | . | 1 | . | . | ·5 | 1 | 1 | . | . | . | . | . |
| 3. Peritonitis, | . | . | . | . | . | 1 | 1 | . | . | 1 | ·3 | . | . | . | . | . | . | . |
| 4. Ascites, | 1 | 1 | . | 2 | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . |
| 5. Ulceration of Intestines, | . | 1 | . | . | 1 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . |
| 6. Hernia, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . |
| 7. Ileus, | . | . | . | . | 1 | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . |
| 8. Intussusception, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . |
| 9. Stricture of Intestines, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 11. *Stomach Disease, &c.* | 1 | . | 1 | . | . | . | . | 1 | 1 | . | ·4 | . | . | . | . | . | . | . |
| 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13. Hepatitis, | 1 | 1 | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| 14. Jaundice, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . |
| 15. *Liver Disease, &c.* | 3 | 4 | 4 | 4 | 2 | . | 3 | 1 | 3 | 4 | 2·8 | 1 | . | . | . | . | 1 | . |
| 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | |
| 1. Nephritis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Bright's Disease (Nephria), | 1 | . | . | 1 | . | 1 | . | . | 3 | 2 | ·8 | . | . | . | . | . | . | . |
| 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Cystitis, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . |
| 7. *Kidney Disease, &c.* | 1 | 1 | 2 | 1 | . | 1 | 1 | . | . | 2 | ·9 | 1 | . | . | . | . | 1 | . |
| ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . |
| 2. *Uterus Disease, &c.* | . | 1 | . | . | . | . | . | . | . | . | ·1 | 2 | . | . | . | . | 1 | 1 |
| ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | |
| 1. Synovitis (Arturitis), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| 2. *Joint Disease, &c.* | . | . | 1 | . | . | 1 | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . |
| ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Ulcer, | . | . | . | . | 1 | . | . | . | . | 2 | ·3 | . | . | . | . | . | . | . |
| 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth, | 2 | . | . | . | . | . | 3 | . | 1 | 1 | ·7 | . | . | . | . | . | . | . |
| 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Teething, | 1 | 2 | . | 5 | . | 2 | . | 1 | 1 | 7 | 1·9 | 1 | 1 | . | . | . | . | . |
| ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | |
| 1. Paræmenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Childbirth (*see also* Puer. Fever), | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | |
| 1. Old Age, | 5 | 6 | 8 | 13 | 10 | 14 | 3 | 9 | 7 | 15 | 9·0 | 8 | . | . | . | . | 6 | 2 |
| ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility, | 6 | 2 | 3 | 3 | 6 | 7 | 5 | 5 | 7 | 7 | 5·1 | 3 | 2 | . | . | . | 1 | . |
| ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions, | . | . | 2 | 2 | . | 4 | . | 1 | . | 1 | 1·0 | 5 | . | . | . | 2 | 2 | 1 |
| 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Burns and Scalds, | . | 1 | 1 | . | 2 | . | . | 2 | . | 1 | ·7 | . | . | . | . | . | . | . |
| 4. Poison, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . |
| 5. Drowning, | 1 | . | . | 1 | . | . | . | 1 | 1 | 3 | ·7 | 2 | . | . | 1 | 1 | . | . |
| 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7. Otherwise, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | |
| 1. Murder and Manslaughter, | . | . | . | 1 | 1 | . | 2 | . | . | . | ·4 | 1 | . | . | . | . | 1 | . |
| ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | |
| 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Drowning, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . |
| 4. Hanging, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | |
| 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Causes not specified or ill-defined, | 5 | 5 | 2 | 2 | 3 | 4 | . | . | 4 | 1 | 2·6 | 1 | 1 | . | . | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 14th October, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 14TH OCTOBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 19 | 157 | 113 | 20 | 24 | . | 4 | 2 | 3 | . | 6 | 4 | 3 | 6 | 26 |
| BELFAST,* . . | 20,687 | 182,082 | 23 | 99 | 79 | 16 | 18 | . | . | 1 | 1 | 5 | 4 | 3 | . | . | 8 |
| CORK, . . . | 13,816 | 91,965 | 16 | 54 | 28 | 5 | 9 | . | . | . | . | . | 2 | . | . | . | 11 |
| LIMERICK, . . | 8,509 | 44,209 | 20 | 16 | 17 | 2 | 3 | . | . | . | . | . | 2 | 1 | . | 5 | 9 |
| LONDONDERRY,† . | 21,865 | 30,684 | 10 | 18 | 6 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| WATERFORD, . . | 17,209 | 30,626 | 10 | 12 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 21 | 8 | 8 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, . . . | 30,835 | 17,285 | 18 | 8 | 6 | 2 | 2 | . | . | . | . | . | . | 1 | . | . | . |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 14th October, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 16 | 11 | 6 | 1 | . | . | . | 1 | . | . | 1 | . | . | . | 5 |
| | ,, ,, 2, | 17,938 | 35 | 7 | 12 | 3 | 7 | . | . | . | . | . | 2 | . | . | . | . |
| | ,, ,, 3, | 39,311 | 15 | 22 | 11 | 3 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, W. | 19,320 | 16 | 12 | 6 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | 1 |
| | ,, ,, 5, | 19,616 | 11 | 13 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 27 | 17 | 19 | 2 | 6 | . | . | . | . | 3 | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 29 | 3 | 3 | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 10, | 8,115 | 32 | 8 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 42 | 6 | 13 | 3 | 2 | . | . | . | . | 2 | . | 2 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 20 | 7 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 23 | 7 | 5 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 3, | 6,818 | 23 | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 8 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 9 | 7 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 7 | 7 | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 7, | 7,586 | 14 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, W. | 18,364 | 23 | 9 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | . | 6 |
| | ,, ,, 9, | 4,790 | 11 | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 7 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, W. | 8,992 | 52 | 2 | 9 | 1 | 2 | . | . | . | . | . | 2 | 1 | . | . | 9 |
| | ,, ,, 3, | 11,424 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 4, | 15,875 | 20 | 8 | 6 | . | 1 | . | . | . | . | . | . | . | . | 4 | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 15 | 8 | 4 | 2 | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| | Glendermot, W. | 8,483 | 6 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, W. | 30,626 | 10 | 12 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 24 | 4 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, W. | 8,992 | 17 | 4 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, | Sligo, No. 1, W. | 6,456 | 24 | 4 | 3 | . | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 2, | 10,829 | 14 | 4 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[1522.—300.—10/76.]

HIBERNIA · BIBLIOTHECA

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, OCTOBER 21, 1876. [No. 42.

*General Register Office, Charlemont House, Dublin, October 23rd, 1876.*

The deaths registered in the Dublin Registration District during the week ending 21st October, 1876, represent an annual mortality of 16·4 in every 1,000 of the population, by the Census of 1871. In London the death-rate was 18·3 in every 1,000 of the estimated population; in Glasgow, 21·3; and in Edinburgh, 11·6.

---

In the Dublin Registration District the births registered during the week amounted to 137—70 boys and 67 girls,—and the deaths to 99—49 males and 50 females. The *average* numbers in the corresponding week of the previous ten years were—births, 149, and deaths, 147.

There were only 13 deaths from zymotic diseases *registered* during the week: the average number in the corresponding week of the previous ten years was 47·8. Of the deaths from these diseases last week, 4 were from fever (1 typhus, 2 typhoid or enteric, and 1 simple continued fever), 4 from diarrhœa, 3 from scarlet fever, and 1 each from measles and diphtheria.

Twelve children died from convulsions.

Bronchitis caused 6 deaths; pneumonia or inflammation of the lungs, 3; lung disease unspecified, 1; stomach disease, 3; liver disease, 1; obstruction of the bowels, 1; diabetes, 1; kidney disease unspecified, 1; heart disease, 3; paralysis, 3; apoplexy, 2; inflammation of the brain, 1; and brain disease unspecified, 8.

Thirteen deaths resulted from phthisis or pulmonary consumption, 3 from hydrocephalus or water on the brain, 1 from scrofula, and 2 from cancer.

Two accidental deaths were registered, viz.—1 from fractures and 1 from drowning.

Thirty-three of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under 1 year old); and 27 were aged 60 and upwards, including 14 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a female) was stated to have been aged 97 years.

Thirty of the deaths registered occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin, and 9 in the South Dublin Union Workhouse.

---

The following are the principal features of the District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 16·4 per 1,000; the rate in the city was 15·3 (12·5 on the North side and 17·4 on the South), and in the suburbs 20·3.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the city being 2·1 (1·9 in the North City Districts and 2·3 in the South), and for the suburbs 2·3 per 1,000.

*No.* 1, *North City District* (Summer-hill). The deaths of inhabitants of this district are equal to an annual rate of 10·4 per 1,000: the only deaths from zymotic diseases are 1 each from scarlatina and diarrhœa.

*No.* 2, *North City District* (Coleraine-street). The rate represented by the deaths chargeable to this district is 17·5 per 1,000: the deaths from zymotic diseases are 1 from scarlatina and 1 from diarrhœa.

*No.* 3, *North City District* (Blackhall-street). The deaths tabulated for this district are equivalent to an annual rate of 10·3 per 1,000 persons, against an average rate of 23·8 for the last ten weeks. There were no deaths from zymotic disease.

*No.* 1, *South City District* (Meath-street). The rate for this district is 13·9 per 1,000 inhabitants. The only deaths from zymotic disease are 2 from fever (1 typhoid or enteric and 1 simple continued fever).

*No.* 2, *South City District* (High-street). The deaths chargeable to this district represent an annual rate of 16·5 per 1,000 persons. The deaths from zymotic diseases are 1 from typhus fever and 1 from measles.

*No.* 3, *South City District* (Peter-street). The rate for this district is 17·6 per 1,000. One death from enteric fever constitutes the mortality from zymotic disease. There were 7 deaths from diseases of the brain and nervous system, including 4 from convulsions.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The deaths tabulated for this district are equal to an annual rate of 20·5 per 1,000 inhabitants. There was only 1 death from zymotic disease—a death from diphtheria. Four deaths resulted from phthisis or pulmonary consumption, and 5 from diseases of the brain and nervous system, including 3 from convulsions.

*Suburban Districts.* The respective death-rates are—Rathmines, 21·9 per 1,000; Donnybrook, 18·7; Blackrock, 28·9; and Kingstown, 16·8 per 1,000. The only deaths from zymotic disease are—1 from diarrhœa in Rathmines, and 1 each from scarlatina and diarrhœa in Kingstown.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·812 inches. The highest daily mean reading (30·211) occurred on Saturday, and the lowest (29·384) on Monday.

The mean temperature during the week was 52·7° (being 3·2° over the average in the corresponding week of the previous ten years); the lowest daily mean (49·8°) occurred on Saturday, and the highest (55·7°) on Sunday.

The temperature was highest on Sunday, when the thermometer registered 62·4°, and was lowest on Monday, the mercury having fallen to 45·7°. The highest reading of the barometer during the week (30·229) occurred on Saturday, at 9.30 A.M., wind E., and the lowest (29·371) on Monday, at 3.30 P.M., wind S. The mean of the Dry Bulb for the week was 52·6°; and of the Wet Bulb 50·5°. The mean humidity of the air was ·865; complete saturation being represented by 1·0. The rain-fall during the week measured 1·428 in.

At Greenwich the mean temperature of the week was 53·7°, and at Glasgow, 51·9°. The rain-fall during the week at Glasgow measured 1·34 in. There was no rain at Greenwich.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Colonel Wilkinson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Oct. 15, | 29·666 | 62·4 | 49·0 | 55·7 | 54·9 | 49·9 | ·709 | ·4 | ·065 | S. | S. | S.E. |
| Monday, „ 16, | 29·384 | 56·5 | 45·7 | 51·1 | 53·4 | 51·3 | ·859 | ·8 | ·100 | S. | S. | S. |
| Tuesday, „ 17, | 29·610 | 57·5 | 48·0 | 52·7 | 52·9 | 51·2 | ·888 | ·1 | ·100 | S.E. | S.E. | Calm. |
| Wednesday, „ 18, | 29·729 | 58·2 | 48·0 | 50·6 | 50·8 | 50·3 | ·962 | ·6 | ·657 | W. | W. | Calm. |
| Thursday, „ 19, | 29·906 | 57·8 | 50·0 | 53·9 | 52·1 | 51·8 | ·978 | ·1 | ·500 | W. | W. | N. |
| Friday, „ 20, | 30·177 | 61·9 | 48·1 | 55·0 | 54·9 | 52·8 | ·869 | ·5 | ·006 | E. | S. | Calm. |
| Saturday, „ 21, | 30·211 | 53·5 | 46·0 | 49·8 | 49·5 | 46·4 | ·787 | ·3 | ·000 | E. | E. | E. |
| Mean, . . | 29·812 | 57·5 | 47·8 | 52·7 | 52·6 | 50·5 | ·865 | ·4 | Total, 1·428 | Prevailing wind, S. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Oct. 15, | A.M. Fine. | P.M. Overcast. |
| Monday, „ 16, | A.M. Overcast. | P.M. Overcast. |
| Tuesday, „ 17, | A.M. Fine. | P.M. Raining. |
| Wednesday, „ 18, | A.M. Overcast. | P.M. Continued rain. |
| Thursday, „ 19, | A.M. Raining. | P.M. Continued rain. |
| Friday, „ 20, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 21, | A.M. Gloomy. | P.M. Fine and starlight. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 21st October, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,968 | 28,330 | 38,344 | 40,634 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 10 | 11 | 5 | 8 | 9 | 13 | 16 | 9 | 8 | 4 | 6 | 99 | . |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Scarlet Fever (Scarlatina), | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 3 | . |
| Diphtheria, | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Whooping Cough, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Fever, | . | . | . | 2 | 1 | 1 | . | 1 | . | . | . | 4 | . |
| Diarrhœa, | 1 | 1 | . | . | . | . | . | 1 | . | . | 1 | 4 | . |
| Other Zymotic Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 2 | 2 | . | 2 | 2 | 1 | 1 | 1 | . | . | 2 | 13 | . |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 1 | . | . | 1 | 3 | 4 | 1 | 1 | 1 | . | 13 | . |
| Other Constitutional Diseases | . | 1 | . | 1 | . | . | . | 1 | 2 | . | 1 | 6 | . |
| Total, | 1 | 2 | . | 1 | 1 | 3 | 4 | 2 | 3 | 1 | 1 | 19 | . |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | 3 | 2 | . | . | 7 | 5 | 2 | 3 | . | 1 | 26 | . |
| Diseases of the Heart and Circulatory Organs, | . | 1 | . | 1 | . | 1 | . | . | . | . | . | 3 | . |
| Diseases of the Respiratory Organs, | 1 | 1 | 3 | 3 | 1 | . | . | 1 | . | . | . | 10 | . |
| Diseases of the Digestive Organs, | 1 | 1 | . | . | . | . | 2 | . | . | 1 | 1 | 6 | . |
| Diseases of the Urinary Organs, | . | . | . | . | 1 | . | . | . | 1 | . | . | 2 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 6 | 5 | 4 | 2 | 8 | 7 | 3 | 4 | 1 | 2 | 47 | . |
| DEVELOPMENTAL DISEASES, | 2 | . | . | . | 4 | 1 | 3 | 3 | 1 | 2 | 1 | 17 | . |
| VIOLENT DEATHS, | . | 1 | . | . | . | . | 1 | . | . | . | . | 2 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 10·4 | 17·5 | 10·3 | 13·9 | 16·5 | 17·6 | 20·5 | 21·9 | 18·7 | 28·9 | 16·8 | | — |
| | | 12·5 | | | 17·4 | | | | | | | | |
| | | 15·3 | | | | | | 20·3 | | | | 16·4 | |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 2 | . | 3 | 3 | 4 | 1 | 1 | . | . | . | 14 | . |
| Workhouse Hospitals, | 1 | 3 | 3 | 1 | 2 | 2 | 2 | . | 2 | . | . | 16 | . |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 23, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATH per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from th *Institutions being assigned to the Distric*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | Aug. 19, | 12·5 | 2·1 | 12 | . | . | 1 | 1 | . | . | . | . | 3 | . | 2 |
| | „ 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 1 |
| | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | „ 16, | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . |
| | „ 23, | 20·8 | 3·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 2 | 1 |
| | „ 14, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | 3 | 2 | 6 | 1 |
| | „ 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | Average, | 16·4 | 3·5 | 15·8 | . | . | 0·6 | 0·1 | 0·4 | 0·9 | 1·4 | 1·6 | 2·0 | 1·7 | 0·6 |
| North City, No. 2. (*Office, Coleraine-street.*) | Aug. 19, | 11·2 | 1·6 | 7 | . | . | . | . | . | . | 1 | 1 | 2 | 3 | . |
| | „ 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 3 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | „ 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | „ 23, | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | „ 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 2 | . |
| | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | „ 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 4 |
| | „ 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | Average, | 19·8 | 3·2 | 12·4 | . | . | 0·7 | . | 0·3 | 0·3 | 0·7 | 1·4 | 1·3 | 2·1 | 0·6 |
| North City, No. 3. (*Office, Blackhall-street.*) | Aug. 19, | 14·4 | 2·1 | 7 | . | . | . | . | . | . | 1 | 1 | 3 | . | . |
| | „ 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . |
| | „ 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | „ 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7, | 26·7 | 10·3 | 13 | . | 8 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14, | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | Average, | 23·8 | 6·2 | 11·6 | . | 0·6 | 0·1 | 0·1 | . | 0·2 | 2·0 | 1·8 | 1·8 | 1·1 | 0·3 |
| South City, No. 1. (*Office, Meath-street.*) | Aug. 19, | 24·3 | 3·5 | 14 | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . |
| | „ 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16, | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23, | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | „ 30, | 32·9 | 10·4 | 19 | 1 | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7, | 24·3 | 1·7 | 14 | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . |
| | „ 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | Average, | 26·9 | 6·6 | 15·5 | 0·1 | 0·3 | 0·1 | . | 0·2 | 0·9 | 2·2 | 1·7 | 2·0 | 2·1 | 0·3 |
| South City, No. 2. (*Office, High-street.*) | Aug. 19, | 22·0 | 7·3 | 12 | . | 1 | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | . | . |
| | Sept. 2, | 24·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . |
| | „ 23, | 23·9 | 1·8 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 |
| | „ 30, | 22·0 | 3·7 | 12 | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . |
| | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | „ 14, | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | „ 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | Average, | 20·7 | 3·3 | 11·3 | . | 0·4 | . | . | 0·1 | 0·2 | 1·1 | 1·2 | 1·0 | 1·8 | 0·4 |
| South City, No. 3. (*Office, Peter-street.*) | Aug. 19, | 19·0 | 6·8 | 14 | . | . | 3 | . | . | . | 2 | 1 | 1 | 3 | . |
| | „ 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | . |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 3 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 3 | . | 1 | 1 | 3 | 1 |
| | „ 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | Average, | 18·6 | 3·5 | 13·7 | . | . | 0·7 | . | . | 1·0 | 0·9 | 1·7 | 1·1 | 2·0 | 0·3 |

of Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| Registrars Districts. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Seven Zymotic Diseases. | Total Deaths. | Number of Deaths from Seven principal Zymotic Diseases. Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Aug. 19, | 15·3 | 2·6 | 12 | . | . | . | . | . | . | 1 | 1 | 1 | . | . |
| | „ 26, | 11·5 | 6·4 | 9 | 1 | 1 | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 | 2 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | Average, | 17·8 | 3·2 | 13·9 | 0·1 | 0·1 | 0·2 | 0·2 | . | 0·7 | 1·2 | 1·2 | 1·8 | 0·7 | 0·7 |
| **Rathmines.** | Aug. 19, | 14·6 | 2·4 | 6 | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 26, | 12·2 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 | . |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | Average, | 16·8 | 2·2 | 6·9 | . | 0·1 | . | 0·2 | 0·2 | . | 0·4 | 0·6 | 0·9 | 0·9 | 0·3 |
| **Donnybrook.** | Aug. 19, | 18·7 | 2·3 | 8 | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | „ 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | Average, | 16·6 | 3·5 | 7·1 | . | . | . | . | . | 0·6 | 0·9 | 0·3 | 0·0 | 0·4 | 0·1 |
| **Blackrock.** | Aug. 19, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | Average, | 13·7 | 1·4 | 1·9 | . | . | . | . | . | . | 0·2 | 0·3 | 0·2 | . | . |
| **Kingstown.** | Aug. 19, | 11·2 | 2·8 | 4 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | Average, | 21·3 | 5·3 | 7·6 | . | . | 0·6 | 0·1 | . | 0·5 | 0·7 | 0·3 | 0·7 | 0·4 | 0·3 |
| **Total, Dublin Registration District.** | Aug. 19, | 16·2 | 3·3 | 98 | 1 | 1 | 4 | 1 | 1 | 1 | 11 | 9 | 14 | 11 | 2 |
| | „ 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 2 |
| | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | . | 19 | 17 | 13 | 19 | 2 |
| | „ 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 14 | 19 | 12 | 11 | 8 | 4 |
| | „ 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 | 3 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 12 | 24 | 18 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 12 | 19 | 16 | 3 |
| | Oct. 7, | 15·7 | 3·5 | 95 | . | 3 | 3 | . | 2 | 8 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 2 | . | 6 | 3 | 15 | 15 | 14 | 8 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | Average, | 19·5 | 3·9 | 117·7 | 0·2 | 1·5 | 3·0 | 0·7 | 1·2 | 5·3 | 11·7 | 12·1 | 13·7 | 13·2 | 3·9 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS Registered in the FORTY-SECOND WEEK, ending Saturday, 21st October, 1876; also the Deaths from each Dist

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 42nd Week of the 10 years 1866-75. | Week ending Saturday, Oct. 21st. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Oct. 20 1866 | Oct. 19 1867 | Oct. 17 1868 | Oct. 23 1869 | Oct. 22 1870 | Oct. 21 1871 | Oct. 19 1872 | Oct. 18 1873 | Oct. 24 1874 | Oct. 23 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and under 90. |
| | Mean Temperature, | ° 51·7 | ° 51·1 | ° 48·6 | ° 46·9 | ° 50·5 | ° 52·5 | ° 44·6 | ° 49·3 | ° 48·5 | ° 50·9 | ° 49·5 | ° 52·7 | | | | | | | |
| | **ALL CAUSES,** | 274 | 119 | 128 | 126 | 139 | 141 | 118 | 146 | 147 | 129 | 146·7 | 99 | 33 | 4 | 3 | 15 | 17 | 21 | 6 |
| | **SPECIFIED CAUSES,** | 273 | 117 | 126 | 120 | 137 | 137 | 118 | 143 | 146 | 129 | 144·6 | 98 | 32 | 4 | 3 | 15 | 17 | 21 | 6 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 156 | 23 | 32 | 42 | 45 | 44 | 28 | 33 | 48 | 27 | 47·8 | 13 | 7 | 1 | . | 2 | 2 | 1 | |
| II. | CONSTITUTIONAL „ | 41 | 30 | 21 | 26 | 20 | 25 | 18 | 23 | 19 | 30 | 25·3 | 19 | 3 | 2 | 1 | 6 | 4 | 2 | |
| III. | LOCAL „ | 55 | 47 | 58 | 39 | 51 | 53 | 52 | 63 | 58 | 56 | 53·2 | 47 | 15 | 1 | 2 | 7 | 9 | 12 | |
| IV. | DEVELOPMENTAL „ | 17 | 15 | 11 | 10 | 16 | 14 | 14 | 18 | 16 | 13 | 14·4 | 17 | 7 | . | . | . | 1 | 6 | 2 |
| V. | VIOLENT DEATHS, | 4 | 2 | 4 | 3 | 5 | 1 | 6 | 6 | 5 | 3 | 3·9 | 2 | . | . | . | . | 1 | . | 1 |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 2 | . | . | . | . | 7 | 2 | . | . | . | 1·1 | . | . | . | . | . | . | . | |
| | 2. Measles, | . | 3 | 1 | 10 | 1 | 1 | 4 | 1 | 3 | 2 | 2·6 | 1 | 1 | . | . | . | . | . | |
| | 3. Scarlet Fever (Scarlatina), | 7 | 6 | 9 | 14 | 17 | 11 | 2 | 12 | 17 | 1 | 9·6 | 3 | 3 | . | . | . | . | . | |
| | 4. Diphtheria, | . | . | . | 1 | . | 1 | . | 1 | . | . | ·3 | 1 | 1 | . | . | . | . | . | |
| | 5. Quinsy, | 1 | . | 1 | . | 1 | 1 | . | . | . | . | ·4 | . | . | . | . | . | . | . | |
| | 6. Croup, | . | 1 | 3 | . | 5 | . | 5 | 2 | 6 | 2 | 2·4 | . | . | . | . | . | . | . | |
| | 7. Whooping Cough, | 3 | 5 | 1 | . | 3 | 2 | 2 | 3 | 2 | 7 | 2·8 | . | . | . | . | . | . | . | |
| | 8. Typhus, | | | | 1 | 2 | 1 | . | 1 | 3 | . | | 1 | . | . | . | 1 | . | . | |
| | – Enteric or Typhoid Fever, | 6 | 1 | 6 | 5 | 1 | 2 | 3 | 1 | 7 | 1 | 5·3 | 2 | . | . | . | 1 | . | . | |
| | – Simple continued Fever, | | | | 1 | 3 | 5 | 1 | 1 | 1 | . | | 1 | . | 1 | . | . | . | . | |
| | 9. Erysipelas, | 1 | 1 | 1 | 1 | . | 3 | . | . | 2 | . | ·8 | . | . | . | . | . | . | . | |
| | 10. Puerperal Fever (Metria), | . | . | . | 1 | . | 1 | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 13. Dysentery, | . | . | 1 | . | . | 1 | 1 | . | . | 1 | ·4 | . | . | . | . | . | . | . | |
| | 14. Diarrhœa, | 16 | 6 | 8 | 6 | 11 | 7 | 6 | 9 | 4 | 9 | 8·2 | 4 | 2 | . | . | . | 1 | 1 | |
| | 15. Simple Cholera, | 118 | . | . | . | . | . | . | . | . | . | 11·8 | . | . | . | . | . | . | . | |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 18. Rheumatism, | . | . | 1 | . | . | . | . | 2 | . | . | ·3 | . | . | . | . | . | . | . | |
| | 19. Other Zymotic Diseases, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Want of Breast Milk, | . | . | . | 1 | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | { Intemperance, | 2 | . | . | . | . | . | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | 2 | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| | 2. Dropsy, | 3 | 2 | 3 | 4 | 1 | 4 | 1 | 4 | . | 3 | 2·5 | . | . | . | . | . | . | . | |
| | 3. Cancer, | 2 | 1 | . | 4 | 2 | 2 | 1 | 5 | 2 | 3 | 2·2 | 2 | . | . | . | . | 1 | 1 | |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 5. Mortification, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | . | . | . | . | . | 1 | . | 1 | 1 | ·4 | 1 | . | . | . | . | 1 | . | |
| | 2. Tabes Mesenterica, | 9 | 4 | 1 | 2 | 1 | . | 3 | 4 | 3 | 2 | 2·9 | . | . | . | . | . | . | . | |
| | 3. Phthisis, | 23 | 16 | 15 | 13 | 15 | 12 | 8 | 8 | 10 | 17 | 13·7 | 13 | . | 2 | 1 | 6 | 3 | 1 | |
| | 4. Hydrocephalus, | 3 | 7 | 2 | 3 | 1 | 5 | 4 | 2 | 3 | 3 | 3·3 | 3 | 3 | . | . | . | . | . | |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | . | 1 | 1 | 2 | . | . | 3 | 1 | . | ·8 | 1 | . | . | . | 1 | . | . | |
| | 2. Apoplexy, | 1 | 1 | 2 | 2 | 2 | 2 | 4 | . | 1 | 2 | 1·7 | 2 | . | . | . | 1 | . | 1 | |
| | 3. Paralysis, | 4 | 3 | 3 | . | 1 | 2 | 4 | 7 | 2 | 5 | 3·1 | 3 | . | . | . | 1 | . | 2 | |
| | 4. Insanity, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 6. Epilepsy, | 1 | . | . | 1 | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | |
| | 7. Convulsions, | 12 | 18 | 13 | 12 | 7 | 6 | 11 | 15 | 7 | 9 | 11·0 | 12 | 12 | . | . | . | . | . | |
| | 8. *Brain Disease, &c.* | 1 | 1 | 3 | 1 | 2 | 2 | . | 2 | . | 3 | 1·5 | 6 | 1 | . | 1 | 2 | . | 4 | |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | |
| | 2. Aneurism, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | |
| | 3. *Heart Disease, &c.* | 10 | 3 | 7 | 3 | 10 | 7 | 3 | 5 | 8 | 5 | 6·1 | 3 | . | 1 | 1 | 1 | . | . | |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 2. Bronchitis, | 12 | 9 | 15 | 6 | 15 | 14 | 16 | 12 | 12 | 16 | 12·7 | 6 | 1 | . | . | . | 2 | 3 | 1 |
| | 3. Pleurisy, | 1 | 1 | 1 | . | 1 | . | 1 | . | . | 1 | ·6 | . | . | . | . | . | . | . | |
| | 4. Pneumonia, | 6 | 2 | 3 | 4 | 2 | 4 | 5 | 6 | 6 | 5 | 4·3 | 3 | . | . | . | 1 | 2 | . | |
| | 5. Asthma, | . | . | . | . | . | 3 | . | . | . | . | ·3 | . | . | . | . | . | . | . | |
| | 6. *Lung Disease, &c.* | . | 2 | 3 | 1 | 1 | 2 | . | 2 | 2 | 4 | 1·7 | 1 | . | . | . | . | . | 1 | |

**RHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, istered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 42nd Week of the 10 years 1866–75. | Week ending Saturday, Oct. 21st, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Oct. 20 1866 | Oct. 19 1867 | Oct. 17 1868 | Oct. 23 1869 | Oct. 22 1870 | Oct. 21 1871 | Oct. 19 1872 | Oct. 18 1873 | Oct. 24 1874 | Oct. 23 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 51·7 | ° 51·1 | ° 48·6 | ° 46·9 | ° 50·5 | ° 52·5 | ° 44·6 | ° 49·3 | ° 48·5 | ° 50·9 | ° 49·5 | Mean Temp. ° 52·7 | | | | | | | |
| I. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | 2 | . | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | 1 | . | . | 1 | . | 2 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | 1 | 1 | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | . | 1 | . | . | . | 2 | . | ·3 | 1 | . | . | . | . | . | 1 | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | . | 1 | 1 | . | . | 1 | . | 4 | 1 | ·8 | 3 | . | . | . | . | 2 | 1 | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 3 | . | 3 | 2 | 3 | 1 | 5 | 2 | 1 | 2·1 | 1 | . | . | . | . | 1 | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | . | 1 | 1 | 1 | . | 1 | . | . | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 5. Calculus (Stone), | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | 1 | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 1 | 1 | 1 | . | . | 1 | 2 | 1 | 3 | 1 | 1·1 | 1 | . | . | . | . | 1 | . | |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | 1 | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | . | 2 | . | 1 | 1 | 1 | . | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 1 | . | 2 | 1 | . | 2 | 1 | . | 1 | ·8 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 12 | 4 | 4 | 6 | 10 | 7 | 8 | 14 | 8 | 7 | 8·0 | 8 | . | . | . | . | . | 5 | 3 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 4 | 10 | 5 | 2 | 4 | 5 | 2 | 3 | 7 | 5 | 4·7 | 8 | 6 | . | . | . | 1 | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | . | 3 | . | 2 | . | 2 | 2 | 2 | 2 | 1·4 | 1 | . | . | . | . | . | . | 1 |
| | 2. Wounds, | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | 1 | . | . | . | . | 2 | 2 | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | 1 | . | 3 | 3 | . | . | . | 1 | . | ·9 | 1 | . | . | . | . | 1 | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 2 | 2 | 5 | 2 | 4 | . | 3 | 1 | . | 2·0 | 1 | 1 | . | . | . | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 21st October, 1876; the TOTAL NUMBER of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | Area, in Statute Acres. | Population by the Census of 1871. | WEEK ENDING SATURDAY, the OCTOBER, 1876. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total Births *registered*. | Total Deaths *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | | |
| DUBLIN, . . | 10,250 | 314,666 | 16 | 127 | 99 | 21 | 27 | . | 1 | 3 | 1 | . | 4 | 4 | 3 | 2 | 30 |
| BELFAST,* . . | 20,257 | 182,082 | 19 | 107 | 68 | 21 | 6 | . | . | 3 | . | 2 | 2 | 6 | 1 | . | 7 |
| CORK, . . . | 12,016 | 91,565 | 19 | 48 | 23 | 3 | 11 | . | 1 | 1 | . | . | 1 | 2 | . | 3 | 9 |
| LIMERICK, . . | 8,569 | 44,209 | 21 | 31 | 26 | 5 | 7 | . | . | 1 | . | . | 1 | 3 | . | . | 7 |
| LONDONDERRY,† . | 21,265 | 20,884 | 8 | 9 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,260 | 30,626 | 5 | 11 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,286 | 19,692 | 11 | 4 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 20,236 | 17,285 | 6 | 9 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 21st October, 1876.

| REGISTRARS' DISTRICTS. | | Population by the Census of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total Births *registered*. | Total Deaths *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 29 | 9 | 11 | 2 | 1 | . | . | . | . | . | 1 | . | 1 | . | . |
| | ,, ,, 2, | 17,928 | 35 | 11 | 12 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 39,311 | 19 | 23 | 14 | 6 | 1 | . | . | 2 | . | 2 | . | 2 | . | . | 2 |
| | ,, ,, 4, *W.* | 19,320 | 19 | 13 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | . | 4 |
| | ,, ,, 5, | 19,616 | 11 | 8 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 26,652 | 14 | 23 | 10 | 5 | 1 | . | . | . | . | . | 1 | 2 | . | . | . |
| | ,, ,, 9, | 5,296 | 29 | 5 | 3 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 10, | 8,115 | 13 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 16 | 8 | 5 | 2 | . | . | . | . | . | . | . | 1 | . | . | 1 |
| CORK, | Cork, No. 1, | 10,156 | 26 | 4 | 5 | . | 1 | . | 1 | . | . | . | . | . | . | 2 | . |
| | ,, ,, 2, | 11,555 | 18 | 2 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 28 | 9 | 5 | 1 | 1 | . | . | 1 | . | . | . | 1 | . | 1 | . |
| | ,, ,, 4, | 6,227 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 14 | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,220 | 17 | 3 | 5 | . | 3 | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 7, | 7,586 | 21 | 7 | 3 | 2 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 23 | 11 | 8 | . | 4 | . | . | . | . | . | . | . | . | . | 8 |
| | ,, ,, 9, | 4,790 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 33 | 5 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 46 | 2 | 8 | 1 | 3 | . | . | . | . | . | 1 | . | . | . | 7 |
| | ,, ,, 3, | 11,424 | 18 | 5 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 29 | 19 | 9 | 2 | 1 | . | . | . | 1 | . | . | 3 | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 4 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 12 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 5 | 11 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 19 | 4 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 10 | 7 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[1522.—300.—10/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, OCTOBER 28, 1876. [No. 43.

*General Register Office, Charlemont House, Dublin, October 30th, 1876.*

The total deaths registered in the Dublin Registration District during the week ending 28th October, 1876, represent an annual mortality of 19·0 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district the rate was 18·2 per 1,000. In London the death-rate was 19·1 in every 1,000 of the estimated population; in Glasgow, 21·1; and in Edinburgh, 12·1.

In the Dublin Registration District the births registered during the week amounted to 168—84 boys and 84 girls,—and the deaths to 115—56 males and 59 females. The *average* numbers in the corresponding week of the previous ten years were—births, 150, and deaths, 147.

The number of deaths from zymotic diseases *registered* during the week is 18: the average number for the corresponding week of the previous ten years is 43·1. The deaths from these diseases recorded last week include 4 from fever (1 typhus and 3 typhoid or enteric), 4 from whooping-cough, 2 from scarlet fever, 1 each from measles and diarrhœa, &c.

The deaths of 10 children were ascribed to convulsions.

Sixteen deaths resulted from bronchitis, 2 from pleurisy, 4 from pneumonia or inflammation of the lungs, and 1 from lung disease unspecified.

Heart disease proved fatal in 3 instances; apoplexy in 3; paralysis in 1; brain disease unspecified in 3; liver disease in 4; nephria or Bright's disease in 2; cystitis or inflammation of the bladder in 1; and kidney disease unspecified in 3.

Phthisis or pulmonary consumption caused 14 deaths, scrofula 1, hydrocephalus or water on the brain 1, and cancer 3.

Four accidental deaths were registered, viz.—3 from fractures and contusions, and 1 from burns.

Twenty-six of the persons whose deaths were registered during the week were under 5 years of age (15 being infants under 1 year old); and 32 were aged 60 and upwards, including 16 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (a male and a female) were stated to have been aged respectively 90 and 91 years.

Twenty-eight of the deaths registered occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin, and 6 in the South Dublin Union Workhouse.

Seven deaths from fever, 7 from whooping-cough, 4 from scarlatina, and 4 from diarrhœa were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 18·2 per 1,000; the rate in the city was 17·8 (21·2 on the North side and 15·1 on the South), and in the suburbs 19·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the city being 2·5 (4·8 in the North City Districts and 0·6 in the South), and for the suburbs 0·0 per 1,000.

*No. 1, North City District* (Summer-hill). The annual rate represented by the deaths tabulated for this district is only 8·3 per 1,000 inhabitants. The only deaths from zymotic diseases are 1 from whooping-cough and 1 from diarrhœa.

*No. 2, North City District* (Coleraine-street). The deaths chargeable to this district are equal to an annual rate of 39·9 per 1,000, against an average rate of 22·6 for the last ten weeks.

The 25 deaths include 3 from whooping-cough, 2 from typhoid fever, and 2 from **scarlatina**, these 7 deaths being equal to an annual rate of 11·2 per 1·000 persons: the average mortality from the seven principal zymotic diseases for the last ten weeks is equivalent to an annual rate of 4·2 per 1,000. There were 2 accidental deaths last week.

*No.* 3, *North City District* (Blackhall-street). The rate afforded by the deaths of inhabitants of this district is 22·6 per 1,000. The only death from zymotic disease is 1 from measles.

*No.* 1, *South City District* (Meath-street). The deaths tabulated for this district represent an annual rate of 20·8 per 1,000 persons. A death from enteric fever is the only one from any of the seven principal zymotic diseases.

*No.* 2, *South City District* (High-street). The rate afforded is only 7·3 per 1·000; the average for the last ten weeks has been 19·3. The only death from zymotic disease is 1 from typhus fever.

*No.* 3, *South City District* (Peter-street). The deaths chargeable to this district are equal to an annual rate of 17·6 per 1,000 persons: there were no deaths from zymotic disease. Of the 13 deaths recorded 3 were from convulsions, and 4 from diseases of the respiratory organs.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The rate for this district is 14·1 per 1,000: the average rate for the last ten weeks has been 17·7 per 1,000. Three of the 11 deaths tabulated resulted from phthisis or pulmonary consumption, and 3 from bronchitis. There were no deaths from any of the seven principal zymotic diseases.

*Suburban Districts.* The respective death-rates are—Rathmines, 14·6; Donnybrook, 25·8; Blackrock, 21·7; and Kingstown, 16·8 per 1,000 inhabitants. There were no deaths from any of the seven principal zymotic diseases recorded in any of the four districts. Of the 11 deaths tabulated for Donnybrook district, 3 were from phthisis or pulmonary consumption, and 2 from convulsions.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·213 inches. The highest daily mean reading (30·312) occurred on Saturday, and the lowest (30·127) on Tuesday.

The mean temperature during the week was 49·8° (being 2·3° over the average in the corresponding week of the previous ten years); the lowest daily mean (46·6°) occurred on Monday, and the highest (51·6°) on Wednesday.

The temperature was highest on Wednesday, when the thermometer registered 62·2°, and was lowest on Monday, the mercury having fallen to 36·0°. The highest reading of the barometer during the week (30·328) occurred on Saturday, at 9.30 A.M., wind W., and the lowest (30·110) on Tuesday, at 9.30 A.M., wind E. The mean of the Dry Bulb for the week was 50·2°; and of the Wet Bulb 47·6°. The mean humidity of the air was ·828; complete saturation being represented by 1·0. There was no rain during the week.

At Greenwich the mean temperature of the week was 45·9°, and at Glasgow, 47·9°. The rain-fall during the week at Greenwich measured ·16 in., and at Glasgow ·02 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. 1·0. | Rain Gauge. | Direction of the Wind | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Oct. 22, | 30·231 | 54·0 | 46·0 | 50·0 | 49·7 | 45·9 | ·740 | ·3 | ·000 | E. | N.E. | N.E. |
| Monday, „ 23, | 30·153 | 57·3 | 36·0 | 46·6 | 49·1 | 45·5 | ·766 | ·1 | ·000 | S.E. | E. | Calm. |
| Tuesday, „ 24, | 30·127 | 56·5 | 44·0 | 50·3 | 48·4 | 46·8 | ·888 | ·2 | ·000 | E. | S.E. | N.E. |
| Wednesday, „ 25, | 30·243 | 62·2 | 41·0 | 51·6 | 52·1 | 49·0 | ·808 | ·5 | ·000 | W. | S.E. | Calm. |
| Thursday, „ 26, | 30·190 | 55·0 | 46·3 | 50·6 | 50·6 | 48·6 | ·863 | ·5 | ·000 | W. | S.E. | Calm. |
| Friday, „ 27, | 30·232 | 54·7 | 46·0 | 50·4 | 51·2 | 49·2 | ·868 | ·1 | ·000 | E. | E. | Calm. |
| Saturday, „ 28, | 30·312 | 53·0 | 45·6 | 49·3 | 50·1 | 48·2 | ·863 | ·4 | ·000 | W. | W. | Calm. |
| Mean, . . | 30·213 | 56·1 | 43·6 | 49·8 | 50·2 | 47·6 | ·828 | ·3 | Total, ·000 | Prevailing wind, E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Oct. 22, | A.M. Fine. | P.M. Fine. |
| Monday, „ 23, | A.M. Fine and pleasant. | P.M. Dull. |
| Tuesday, „ 24, | A.M. Dull. | P.M. Gloomy. |
| Wednesday, „ 25, | A.M. Fine. | P.M. Gloomy. |
| Thursday, „ 26, | A.M. Overcast. | P.M. Fine and starlight. |
| Friday, „ 27, | A.M. Gloomy. | P.M. Close, with fog. |
| Saturday, „ 28, | A.M. Dull and foggy. | P.M. Gloomy. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

**Table II.**—Deaths in the several Registrars' Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, registered during the Week ending Saturday, 28th October, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| Names of Diseases, &c. | Registrars' Districts. | | | | | | | | | | | Total for Dublin Registration District. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. R. & W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 8 | 25 | 11 | 12 | 4 | 13 | 11 | 6 | 11 | 3 | 6 | 110 | 5 |
| Zymotic Diseases: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Scarlet Fever (Scarlatina), | . | 2 | . | . | . | . | . | . | . | . | . | 2 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | 3 | . | . | . | . | . | . | . | . | . | 4 | . |
| Fever, | . | 2 | . | 1 | 1 | . | . | . | . | . | . | 4 | . |
| Diarrhœa, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Other Zymotic Diseases, | . | 1 | . | 1 | . | . | 1 | . | 1 | . | 1 | 5 | 1 |
| Total, | 2 | 8 | 1 | 2 | 1 | . | 1 | . | 1 | . | 1 | 17 | 1 |
| Constitutional Diseases: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 1 | 2 | 1 | . | . | 3 | 1 | 3 | . | 1 | 14 | . |
| Other Constitutional Diseases | . | 2 | . | 1 | . | 1 | . | 1 | . | . | 1 | 6 | 1 |
| Total, | 2 | 3 | 2 | 2 | . | 1 | 3 | 2 | 3 | . | 2 | 20 | 1 |
| Local Diseases: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | 3 | 1 | 3 | . | 3 | 3 | . | 2 | 1 | . | 17 | . |
| Diseases of the Heart and Circulatory Organs, | . | 1 | . | 1 | . | . | . | . | 1 | . | . | 3 | . |
| Diseases of the Respiratory Organs, | 1 | 2 | 4 | 2 | 1 | 4 | 4 | 2 | 1 | . | 1 | 22 | 1 |
| Diseases of the Digestive Organs, | . | 2 | . | . | 1 | 1 | . | 1 | . | . | . | 5 | . |
| Diseases of the Urinary Organs, | 1 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 2 |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of the Integumentary System, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Total, | 4 | 9 | 5 | 6 | 2 | 9 | 7 | 3 | 4 | 1 | 3 | 53 | 3 |
| Developmental Diseases, | . | 2 | 2 | . | 1 | 2 | . | 1 | 2 | 2 | . | 12 | . |
| Violent Deaths, | . | 2 | 1 | 1 | . | . | . | . | . | . | . | 4 | . |
| Causes not Specified or Ill-Defined, | . | 1 | . | 1 | . | 1 | . | . | 1 | . | . | 4 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 8·3 | 39·9 | 22·6 | 20·8 | 7·3 | 17·6 | 14·1 | 14·6 | 25·8 | 21·7 | 16·8 | | — |
| | 21·2 | | | 15·1 | | | | | | | | | |
| | 17·8 | | | | | | | 19·5 | | | | 18·2 | |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 1 | 2 | 1 | 1 | 3 | . | 1 | 3 | . | 1 | 12 | 5 |
| Workhouse Hospitals, | . | 2 | 4 | 2 | . | . | 2 | 1 | . | . | . | 11 | . |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 23, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **North City, No. 1.** (*Office, Summer-hill.*) | Aug. 26, | 15·6 | 1·0 | 15 | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 1 |
| | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | 1 | . |
| | „ 16, | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . |
| | „ 23, | 20·8 | 8·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 2 | 1 |
| | „ 14, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | 3 | 3 | 6 | 1 |
| | „ 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 8·3 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . |
| | Average, | 16·0 | 3·5 | 15·4 | . | . | 0·5 | . | 0·5 | 0·9 | 1·5 | 1·6 | 1·9 | 1·8 | 0·1 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | Aug. 26, | 14·4 | 3·2 | 9 | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 3 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . |
| | „ 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | „ 23, | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | . |
| | „ 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 3 | . |
| | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | „ 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 1 |
| | „ 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | „ 28, | 39·9 | 11·2 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | 1 |
| | Average, | 22·6 | 4·2 | 14·2 | . | . | 0·9 | . | 0·6 | 0·5 | 0·6 | 1·4 | 1·2 | 2·0 | 1·0 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | Aug. 26, | 30·8 | 4·1 | 15 | . | . | 1 | . | . | . | 1 | 3 | 3 | 1 | 1 |
| | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 3 | 3 | . |
| | „ 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | „ 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7, | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14, | 24·6 | 10·3 | 12 | . | 3 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28, | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 | 1 |
| | Average, | 24·6 | 6·2 | 12·0 | . | 0·7 | 0·1 | 0·1 | . | 0·2 | 1·9 | 1·7 | 1·7 | 1·5 | 0·3 |
| **South City, No. 1.** (*Office, Meath-street.*) | Aug. 26, | 19·1 | 6·9 | 11 | . | . | . | . | 2 | . | 2 | 3 | . | . | . |
| | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16, | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23, | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | „ 30, | 32·9 | 10·4 | 19 | 1 | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7, | 24·3 | 1·7 | 14 | . | . | . | . | . | 1 | . | 1 | 2 | 2 | . |
| | „ 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | 1 | 3 | . |
| | „ 28, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Average, | 26·5 | 6·4 | 15·3 | 0·1 | 0·3 | 0·1 | . | 0·2 | 1·0 | 2·0 | 1·7 | 1·9 | 2·1 | 0·4 |
| **South City, No. 2.** (*Office, High-street.*) | Aug. 26, | 11·0 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 1 | . |
| | Sept. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . |
| | „ 23, | 23·9 | 1·8 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 2 |
| | „ 30, | 22·0 | 3·7 | 12 | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . |
| | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | „ 14, | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | „ 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28, | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| | Average, | 19·3 | 2·8 | 10·5 | . | 0·3 | . | . | 0·1 | 0·3 | 0·8 | 1·0 | 1·0 | 1·6 | 0·4 |
| **South City, No. 3.** (*Office, Peter-street.*) | Aug. 26, | 17·6 | 2·7 | 13 | . | . | 1 | . | . | . | 1 | 3 | . | 2 | . |
| | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 3 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 3 | . | 1 | 1 | 3 | . |
| | „ 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28, | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Average, | 18·4 | 2·9 | 13·6 | . | . | 0·4 | . | . | 1·0 | 0·7 | 1·9 | 1·0 | 2·1 | 0·2 |

of Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate per principal Zymotic Diseases;—with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| Registrars' Districts. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Seven Zymotic Diseases. | Total Deaths. | Number of Deaths from Seven principal Zymotic Diseases. Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| South City, No. 4. (*Offices, Denzille-street and Grand Canal-street.*) | Aug. 26, | 11·5 | 6·4 | 9 | . | 1 | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 | 2 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Average, | 17·7 | 2·9 | 13·8 | . | 0·1 | 0·2 | 0·2 | . | 0·7 | 1·1 | 1·2 | 2·0 | 1·1 | 0·7 |
| Rathmines. | Aug. 26, | 12·3 | 2·4 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 | . |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Average, | 16·8 | 2·0 | 6·9 | . | 0·1 | . | 0·2 | 0·1 | . | 0·4 | 0·5 | 1·0 | 1·1 | 0·3 |
| Donnybrook. | Aug. 26, | 18·7 | 7·0 | 8 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | . | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Average, | 17·3 | 3·3 | 7·4 | . | . | . | . | . | 0·6 | 0·8 | 0·5 | 1·0 | 0·5 | 0·1 |
| Blackrock. | Aug. 26, | 7·2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Average, | 14·4 | 1·4 | 2·0 | . | . | . | . | . | . | 0·2 | 0·4 | 0·2 | . | . |
| Kingstown. | Aug. 26, | 11·2 | 2·8 | 4 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Average, | 21·9 | 5·0 | 7·8 | . | . | 0·6 | 0·1 | . | 0·4 | 0·7 | 0·3 | 0·8 | 0·5 | 0·3 |
| Total, Dublin Registration District. | Aug. 26, | 15·9 | 3·5 | 96 | . | 1 | 3 | 1 | 3 | 3 | 10 | 14 | 11 | 9 | 2 |
| | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | . | 19 | 17 | 13 | 19 | 2 |
| | „ 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 14 | 19 | 12 | 11 | 8 | 4 |
| | „ 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 | 3 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 12 | 24 | 13 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 12 | 19 | 16 | 3 |
| | Oct. 7, | 15·7 | 3·5 | 95 | . | 2 | 3 | . | 2 | 8 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 8 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Average, | 19·7 | 3·7 | 118·9 | 0·1 | 1·5 | 2·8 | 0·6 | 1·5 | 5·6 | 10·7 | 12·2 | 13·7 | 14·3 | 4·1 |

TABLE IV.—Deaths in the City of Dublin "Registration Districts", and in the Suburban Districts Registered in the Forty-third Week, ending Saturday 28th October, 1854 [illegible]

| Nos. | CAUSES OF DEATH. | Deaths from all causes Registered in the Week ending Saturday, | | | | | | | | | | Week ending Saturday, 28th October, 1854. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Age | | | | | |
| | Mean Temperature, | | | | | | | | | | | | | | | | |
| | ALL CAUSES, EXCEPTED CAUSES, | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | | | | | | | | | | | | | | | | |
| II. | CONSTITUTIONAL " | | | | | | | | | | | | | | | | |
| III. | LOCAL " | | | | | | | | | | | | | | | | |
| IV. | DEVELOPMENTAL " | | | | | | | | | | | | | | | | |
| V. | VIOLENT DEATHS, | | | | | | | | | | | | | | | | |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | | | | | | | | | | | | | | | | |
| | 2. Measles, | | | | | | | | | | | | | | | | |
| | 3. Scarlet Fever (Scarlatina), | | | | | | | | | | | | | | | | |
| | 4. Diphtheria, | | | | | | | | | | | | | | | | |
| | 5. Quinsy, | | | | | | | | | | | | | | | | |
| | 6. Croup, | | | | | | | | | | | | | | | | |
| | 7. Hooping Cough, | | | | | | | | | | | | | | | | |
| | 8. Typhus, | | | | | | | | | | | | | | | | |
| | — Remitt. or Typhoid Fever, | | | | | | | | | | | | | | | | |
| | — Simple continued Fever, | | | | | | | | | | | | | | | | |
| | 9. Erysipelas, | | | | | | | | | | | | | | | | |
| | 10. Puerperal Fever (Metria), | | | | | | | | | | | | | | | | |
| | 11. Carbuncle, | | | | | | | | | | | | | | | | |
| | 12. Influenza, | | | | | | | | | | | | | | | | |
| | 13. Dysentery, | | | | | | | | | | | | | | | | |
| | 14. Diarrhœa, | | | | | | | | | | | | | | | | |
| | 15. Simple Cholera, | | | | | | | | | | | | | | | | |
| | 16. Ague, | | | | | | | | | | | | | | | | |
| | 17. Remittent Fever, | | | | | | | | | | | | | | | | |
| | 18. Rheumatism, | | | | | | | | | | | | | | | | |
| | 19. Other Zymotic Diseases, | | | | | | | | | | | | | | | | |
| | ORDER 2.—ESTHETIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | | | | | | | | | | | | | | | | |
| | 2. Affections of Urethra, | | | | | | | | | | | | | | | | |
| | 3. Hydrophobia, | | | | | | | | | | | | | | | | |
| | 4. Glanders, | | | | | | | | | | | | | | | | |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Privation, | | | | | | | | | | | | | | | | |
| | 2. Want of Breast Milk, | | | | | | | | | | | | | | | | |
| | 3. Parpers and Scurvy, | | | | | | | | | | | | | | | | |
| | 4. Alcoholism, { Delirium Tremens / Intemperance, | | | | | | | | | | | | | | | | |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Thrush, | | | | | | | | | | | | | | | | |
| | 2. Worms, &c. | | | | | | | | | | | | | | | | |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Gout, | | | | | | | | | | | | | | | | |
| | 2. Dropsy, | | | | | | | | | | | | | | | | |
| | 3. Cancer, | | | | | | | | | | | | | | | | |
| | 4. Cancrum Oris (Noma), | | | | | | | | | | | | | | | | |
| | 5. Mortification, | | | | | | | | | | | | | | | | |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | | | | | | | | | | | | | | | | |
| | 2. Tabes Mesenterica, | | | | | | | | | | | | | | | | |
| | 3. Phthisis, | | | | | | | | | | | | | | | | |
| | 4. Hydrocephalus, | | | | | | | | | | | | | | | | |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | | | | | | | | | | | | | | | | |
| | 2. Apoplexy, | | | | | | | | | | | | | | | | |
| | 3. Paralysis, | | | | | | | | | | | | | | | | |
| | 4. Insanity, | | | | | | | | | | | | | | | | |
| | 5. Chorea, | | | | | | | | | | | | | | | | |
| | 6. Epilepsy, | | | | | | | | | | | | | | | | |
| | 7. Convulsions, | | | | | | | | | | | | | | | | |
| | 8. Brain Disease, &c. | | | | | | | | | | | | | | | | |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | | | | | | | | | | | | | | | | |
| | 2. Aneurism, | | | | | | | | | | | | | | | | |
| | 3. Heart Disease, &c. | | | | | | | | | | | | | | | | |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | | | | | | | | | | | | | | | | |
| | 2. Bronchitis, | | | | | | | | | | | | | | | | |
| | 3. Pleurisy, | | | | | | | | | | | | | | | | |
| | 4. Pneumonia, | | | | | | | | | | | | | | | | |
| | 5. Asthma, | | | | | | | | | | | | | | | | |
| | 6. Lung Disease, &c. | | | | | | | | | | | | | | | | |

...ERS, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, ...ered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 53rd Week of the 10 years 1866-75. | Week ending Saturday, Oct. 28th, 1876. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 27 1866 | Oct. 26 1867 | Oct. 24 1868 | Oct. 30 1869 | Oct. 29 1870 | Oct. 28 1871 | Oct. 26 1872 | Oct. 25 1873 | Oct. 31 1874 | Oct. 30 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | 47·4 | 53·6 | 44·9 | 43·8 | 48·7 | 51·2 | 45·5 | 42·9 | 49·0 | 47·9 | 47·5 | Mean Temp. 49·8 | | | | | | | |
| ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | . | 1 | 1 | . | . | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| 2. Enteritis, | . | 1 | 1 | . | . | 1 | 1 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| 3. Peritonitis, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| 4. Ascites, | . | . | . | . | . | 2 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 5. Ulceration of Intestines, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 6. Hernia, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 7. Ileus, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 10. Fistula, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 11. *Stomach Disease, &c.* | 1 | . | 1 | . | 1 | . | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 13. Hepatitis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 14. Jaundice, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 15. *Liver Disease, &c.* | 1 | 1 | 1 | 2 | 2 | 3 | 2 | 3 | 3 | . | 1·8 | 4 | . | . | . | . | 2 | 2 | . |
| 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis, | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 3. Bright's Disease (Nephria), | 2 | 2 | 2 | 1 | . | . | 1 | 1 | . | . | ·9 | 2 | . | . | . | . | 2 | . | . |
| 4. Diabetes, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | · | 1 | . | . | . | . | . | 1 | . |
| 7. *Kidney Disease, &c.* | 4 | . | . | . | . | 1 | . | 4 | . | 2 | 1·1 | 3 | . | . | . | 1 | 1 | 1 | . |
| ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy, | . | . | . | 2 | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| 2. *Uterus Disease, &c.* | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. *Joint Disease, &c.* | . | . | . | . | 1 | . | 1 | . | 1 | . | ·3 | 1 | . | 1 | . | . | . | . | . |
| ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 2. Ulcer, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| 3. *Skin Disease, &c.* | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth, | 2 | 1 | . | 1 | . | . | . | 1 | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 4. Other Malformations, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 5. Teething, | 1 | 1 | 2 | 2 | 1 | 1 | . | 2 | . | 1 | 1·1 | . | . | . | . | . | . | . | . |
| ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 2. Childbirth (*see also* Puer. Fever), | 1 | . | 2 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| 1. Old Age, | 3 | 9 | 9 | 7 | 5 | 9 | 13 | 8 | 16 | 5 | 8·4 | 7 | . | . | . | . | . | 5 | 2 |
| ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility, | 8 | 4 | 7 | 7 | 4 | 3 | 2 | 4 | 2 | 8 | 4·9 | 5 | 4 | . | . | . | 1 | . | . |
| ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions, | 1 | 2 | . | 1 | . | . | 1 | . | . | . | ·5 | 3 | . | . | . | . | 2 | . | 1 |
| 2. Wounds, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Burns and Scalds, | . | . | . | 1 | 3 | 2 | 1 | 1 | . | . | ·8 | 1 | 1 | . | . | . | . | . | . |
| 4. Poison, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 5. Drowning, | . | . | . | . | 2 | 1 | . | 1 | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 7. Otherwise, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Murder and Manslaughter, | . | 1 | . | . | . | . | 2 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Poison, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 3. Drowning, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 4. Hanging, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| 1. Hanging, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| Other Violent Deaths (not classed), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| Causes not specified or ill-defined, | . | 2 | 3 | 2 | . | 2 | 7 | 1 | 3 | 1 | 2·1 | 4 | 2 | . | . | 1 | 1 | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 28th October, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 28TH OCTOBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 19 | 168 | 115 | 15 | 32 | . | 1 | 2 | . | 4 | 4 | 1 | 4 | 2 | 26 |
| BELFAST,* . . | 20,687 | 182,082 | 22 | 103 | 76 | 17 | 7 | . | . | 4 | . | 7 | 7 | 4 | 1 | 1 | 5 |
| CORK, . . . | 13,816 | 91,965 | 23 | 64 | 40 | 10 | 15 | . | . | . | . | . | 1 | 3 | . | 1 | 2 |
| LIMERICK, . . | 8,509 | 44,309 | 14 | 12 | 12 | 1 | 6 | . | . | . | . | . | . | . | . | . | 6 |
| LONDONDERRY,† . | 21,865 | 30,884 | 7 | 11 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 25 | 9 | 15 | 2 | 6 | . | . | . | . | . | . | . | . | . | 13 |
| GALWAY, . . | 21,358 | 19,692 | 13 | 9 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, . . . | 30,835 | 17,285 | 9 | 8 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 28th October, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 21 | 4 | 8 | 2 | 1 | . | . | 1 | . | . | 1 | . | . | . | . |
| | „ „ 2, | 17,938 | 29 | 11 | 10 | 1 | 1 | . | . | 1 | . | 1 | . | . | . | . | 2 |
| | „ „ 3, | 39,311 | 15 | 27 | 11 | 4 | 1 | . | . | . | . | . | 2 | 1 | . | . | . |
| | „ „ 4, *W.* | 19,320 | 16 | 21 | 6 | . | . | . | . | 1 | . | . | . | . | . | . | 2 |
| | „ „ 5, | 19,616 | 27 | 9 | 10 | 3 | . | . | . | . | . | 2 | . | . | 1 | 1 | . |
| | „ „ 6, | 36,652 | 17 | 14 | 12 | 2 | 1 | . | . | . | . | 2 | 3 | 1 | . | . | . |
| | „ „ 9, | 5,296 | 10 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 10, | 8,115 | 64 | 5 | 10 | 2 | . | . | . | . | . | 2 | . | 1 | . | . | 1 |
| | Castlereagh „ 1, | 16,155 | 26 | 12 | 8 | 3 | 2 | . | . | 1 | . | . | 1 | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 8 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . |
| | „ „ 2, | 11,555 | 9 | 12 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 3, | 6,818 | 61 | 8 | 3 | 2 | 3 | . | . | . | . | . | . | 1 | . | . | . |
| | „ „ 4, | 6,227 | 17 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | „ „ 5, | 11,289 | 9 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 6, | 15,220 | 20 | 7 | 6 | 1 | 3 | . | . | . | . | . | . | 1 | . | . | . |
| | „ „ 7, | 7,526 | 28 | 6 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . |
| | „ „ 8, *W.* | 18,364 | 34 | 13 | 12 | 2 | 5 | . | . | . | . | . | . | . | . | 1 | 3 |
| | „ „ 9, | 4,790 | 11 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 13 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | 40 | 3 | 7 | . | 5 | . | . | . | . | . | . | . | . | . | 6 |
| | „ „ 3, | 11,424 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 4, | 15,875 | 10 | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 13,569 | 4 | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 6 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 25 | 9 | 15 | 2 | 6 | . | . | . | . | . | . | . | . | . | 13 |
| GALWAY, | Galway, No. 1, | 10,700 | 15 | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | 12 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 8 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ „ 2, | 10,829 | 10 | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[1522.—300.—10/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN;**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

BIBLIOTECA BODLEIANA DUBLINENSIS

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, NOVEMBER 4, 1876. [No. 44.

*General Register Office, Charlemont House, Dublin, November 6th, 1876.*

The total deaths registered in the Dublin Registration District during the week ending 4th November, 1876, represent an annual mortality of 19·5 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district the rate was 18·8 per 1,000. In London the death-rate was 21·0 in every 1,000 of the estimated population; in Glasgow, 21·3; and in Edinburgh, 17·2.

In the Dublin Registration District the births registered during the week amounted to 171—76 boys and 95 girls,—and the deaths to 118—55 males and 63 females. The *average* numbers in the corresponding week of the previous ten years were—births, 155, and deaths, 145.

Thirty deaths from zymotic diseases were registered during the week: the average number for the corresponding week of the previous ten years is 44·2. Of the deaths from these diseases registered last week 6 were from fever (3 typhus and 3 typhoid or enteric fever), 8 from diarrhœa, 5 from scarlet fever, 3 from whooping-cough, 2 from diphtheria, 1 each from measles, croup, &c.

Five children died from convulsions.

Bronchitis proved fatal in 10 instances, pneumonia or inflammation of the lungs in 3, and lung disease unspecified in 1.

Four deaths were attributed to heart disease; 1 each to apoplexy, paralysis, and epilepsy; 4 to brain disease unspecified; 1 to inflammation of the liver, 3 to liver disease unspecified; 1 to nephria or Bright's disease, and 3 to kidney disease unspecified.

Fifteen deaths resulted from phthisis or pulmonary consumption; 2 from hydrocephalus or water on the brain; 1 from scrofula, and 6 from cancer.

Two accidental deaths were registered, viz.—1 from fractures and contusions (a carriage accident), and 1 from burns.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (16 being infants under 1 year old); and 31 were aged 60 and upwards, including 16 persons aged 70 and upwards, of whom 2 were octogenarians, and 1 (a male) was stated to have been aged 91 years.

Thirty-four of the deaths registered occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin, and 10 in the South Dublin Union Workhouse.

Two deaths from fever, 3 from whooping-cough, 1 from measles, and 1 from diarrhœa were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 18·8 per 1,000; the rate in the city was 18·0 (17·8 on the North side and 18·2 on the South), and in the suburbs 21·8.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 4·0 per 1,000 inhabitants, the rate for the city being 4·5 (5·8 in the North City Districts and 3·4 in the South), and for the suburbs 2·3 per 1,000.

*No.* 1, *North City District* (Summer-hill). The deaths (12) of inhabitants of this district represent an annual rate of 12·5 per 1,000 persons. There were 2 deaths from whooping-cough, a like number from diarrhœa, and 1 from diphtheria.

*No.* 2, *North City District* (Coleraine-street). The rate afforded by the deaths tabulated for this district is 23·9 per 1,000: the average rate for the last ten weeks has been 23·6. Of

the 15 deaths for the week 1 each resulted from scarlatina, diphtheria, whooping-cough, typhoid fever, and diarrhœa, these 5 deaths being equal to an annual rate of 1·1 per 1,000 inhabitants; the average annual rate represented by deaths from the seven principal zymotic diseases in the last ten weeks is 4·8 per 1,000.

*No. 3. North City District Blackhall-street.* The deaths chargeable to this district equal an annual mortality of 37·5 per 1,000 persons. One death resulted from scarlatina, and 1 from diarrhœa, and of the remaining 8 deaths 3 were caused by pneumonic or pulmonary consumption, and 3 by convulsions.

*No. 1. South City District Meath-street.* The rate for this district is 29·4 per 1,000 inhabitants; the only death from zymotic disease is 1 from enteric fever.

*No. 2. South City District High-street.* The deaths chargeable to this district represent an annual rate of 14·7 per 1,000 persons. Of the 9 deaths, 2 were caused by scarlatina, 1 by measles, and 1 by diarrhœa, these 4 deaths being equal to an annual rate of 7·3 per 1,000 persons; the average rate afforded by deaths from the seven principal zymotic diseases for the last ten weeks is 2·5 per 1,000.

*No. 3. South City District Peter-street.* The total death-rate is 14·9 per 1,000. A death from enteric fever is the only death from any of the seven principal zymotic diseases.

*No. 4. South City District Clonmel-street and Grand Canal-street.* The deaths of inhabitants of this district are equal to an annual mortality of 21·7 per 1,000 persons. Of the 17 deaths 1 resulted from typhus fever, and 2 from diarrhœa.

*Suburban Districts.* The respective death-rates are—Rathmines, 17·9 per 1,000; Donnybrook, 25·4; Blackrock, 14·4; and Kingstown, 25·3. A death from typhoid fever was registered in Donnybrook, and 1 each from scarlatina and diarrhœa in Kingstown; there were no deaths from zymotic diseases recorded for either Rathmines or Blackrock.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·342 inches. The highest daily mean reading (30·439) occurred on Wednesday, and the lowest (30·240) on Friday.

The mean temperature during the week was 45·2° (being 2·4° under the average of the corresponding week of the previous ten years): the lowest daily mean (37·7°) occurred on Wednesday, and the highest (52·9°) on Saturday.

The temperature was highest on Saturday, when the thermometer registered 59·0°, and was lowest on Wednesday, the mercury having fallen to 26·1°. The highest reading of the barometer during the week (30·439) occurred on Wednesday, at 9.30 A.M., wind W., and the lowest (30·161) on Friday, at 3.30 P.M., wind S.W. The mean of the Dry Bulb for the week was 45·5°; and of the Wet Bulb 43·7°. The mean humidity of the air was ·862; complete saturation being represented by 1·0. The rain-fall during the week measured ·310 in.

At Greenwich the mean temperature of the week was 44·1°, and at Glasgow, 45·0°. The rain-fall during the week at Greenwich measured ·20 in., and at Glasgow ·15 in.*

---

TABLE.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Oct. 29, | 30·273 | 54·2 | 45·0 | 49·6 | 50·1 | 47·7 | ·841 | ·7 | ·000 | W. | W. | W. |
| Monday, „ 30, | 30·380 | 55·1 | 33·0 | 44·0 | 46·0 | 43·7 | ·832 | ·6 | ·000 | W. | W. | W. |
| Tuesday, „ 31, | 30·410 | 48·2 | 30·5 | 39·4 | 39·5 | 37·8 | ·884 | ·6 | ·000 | W. | N.W. | W. |
| Wednesday, Nov. 1, | 30·430 | 49·4 | 26·1 | 37·7 | 36·7 | 34·9 | ·829 | ·3 | ·000 | W. | N.W. | W. |
| Thursday, „ 2, | 30·326 | 53·0 | 40·0 | 46·5 | 45·3 | 42·9 | ·825 | ·8 | ·200 | W.N.W | S.W. | S.S.W. |
| Friday, „ 3, | 30·240 | 53·0 | 39·8 | 46·4 | 50·2 | 49·2 | ·929 | ·9 | ·090 | S. | S.W. | W. |
| Saturday, „ 4, | 30·362 | 59·0 | 46·8 | 52·9 | 50·5 | 49·5 | ·926 | ·6 | ·020 | W. | W. | S.W. |
| Mean, . . | 30·312 | 53·1 | 37·3 | 45·2 | 45·5 | 43·7 | ·862 | ·6 | Total, ·310 | Prevailing wind, W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Oct. 29, | A.M. Gloomy. | P.M. Dull. |
| Monday, „ 30, | A.M. Fine. | P.M. Fine and starlight. |
| Tuesday, „ 31, | A.M. Fine. | P.M. Fine and starlight. |
| Wednesday, Nov. 1, | A.M. Fine. | P.M. Clear and frosty. |
| Thursday, „ 2, | A.M. Fine. | P.M. Gloomy. |
| Friday, „ 3, | A.M. Raining. | P.M. Overcast. |
| Saturday, „ 4, | A.M. Gloomy. | P.M. Gloomy. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

**Table II.—Deaths in the several Registrars' Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, registered during the Week ending Saturday, 4th November, 1876.** *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| Names of Diseases, &c. | Registrars' Districts. North City. Districts. No. 1. | No. 2. | No. 3. | South City. Districts. No. 1. | No. 2. | No. 3. | No. 4. E. & W. | Rathmines. | Donnybrook | Blackrock. | Kingstown. | Total for Dublin Registration District. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 12 | 15 | 10 | 12 | 8 | 11 | 17 | 7 | 11 | 2 | 9 | 114 | 4 |
| Zymotic Diseases: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Scarlet Fever (Scarlatina), | . | 1 | 1 | . | 2 | . | . | . | . | . | 1 | 5 | . |
| Diphtheria, | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . |
| Whooping Cough, | 2 | 1 | . | . | . | . | . | . | . | . | . | 3 | . |
| Fever, | . | 1 | . | 1 | . | 1 | 1 | . | 1 | . | . | 5 | 1 |
| Diarrhœa, | 2 | 1 | 1 | . | 1 | . | 2 | . | . | . | 1 | 8 | . |
| Other Zymotic Diseases, | . | . | . | . | . | 2 | 2 | . | 1 | . | . | 5 | . |
| Total, | 5 | 5 | 2 | 1 | 4 | 3 | 5 | . | 2 | . | 2 | 29 | 1 |
| Constitutional Diseases: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 3 | 1 | 3 | . | . | 2 | 2 | 2 | . | 1 | . | 14 | 1 |
| Other Constitutional Diseases, | . | 1 | . | 2 | 1 | 2 | 4 | . | 1 | . | 1 | 12 | . |
| Total, | 3 | 2 | 3 | 2 | 1 | 4 | 6 | 2 | 1 | 1 | 1 | 26 | 1 |
| Local Diseases: Diseases of the Brain and Nervous System, | 1 | 2 | 1 | 1 | 2 | 3 | 1 | . | 1 | . | . | 12 | . |
| Heart and Circulatory Organs, | 1 | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . |
| Respiratory Organs, | . | 2 | 3 | 2 | 1 | 1 | 1 | 1 | . | . | 2 | 13 | 1 |
| Digestive Organs, | 1 | 1 | . | 1 | . | . | 1 | 1 | 1 | . | 3 | 9 | . |
| Urinary Organs, | . | . | . | . | . | . | 1 | . | 3 | . | . | 4 | . |
| Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Total, | 3 | 5 | 4 | 5 | 3 | 4 | 4 | 4 | 6 | . | 5 | 43 | 1 |
| Developmental Diseases, | . | 3 | 1 | 3 | . | . | 1 | 1 | 2 | 1 | 1 | 13 | 1 |
| Violent Deaths, | 1 | . | . | 1 | . | . | 1 | . | . | . | . | 3 | . |
| Causes not Specified or Ill-Defined, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 12·5 | 23·9 | 20·5 | 20·8 | 14·7 | 14·9 | 21·7 | 17·0 | 25·8 | 14·4 | 25·3 | | — |
| | | 17·8 | | | 18·2 | | | | | | | | |
| | | | | 18·0 | | | | | | 21·8 | | 18·8 | |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 4 | . | 1 | 1 | 3 | 4 | . | . | . | . | 14 | 3 |
| Workhouse Hospitals, | 2 | 1 | 3 | 2 | 2 | 3 | 1 | 1 | 1 | . | . | 16 | 1 |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **North City, No. 1.** (*Office, Summer-hill.*) | Sept. 2, | 16·6 | 5·2 | 16 | . | . | 1 | . | . | 1 | 3 | 2 | 1 | 3 | . |
| | „ 9, | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | „ 16, | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . |
| | „ 23, | 20·8 | 3·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 2 | 1 |
| | „ 14, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | 3 | 2 | 6 | 1 |
| | „ 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 8·3 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | . |
| | Nov. 4, | 12·5 | 5·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | . | 1 |
| | Average, | 15·7 | 4·0 | 15·1 | . | . | 0·5 | 0·1 | 0·7 | 0·9 | 1·6 | 1·5 | 1·9 | 1·5 | 0·1 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | Sept. 2, | 19·1 | 4·8 | 12 | . | . | 1 | . | . | . | 2 | 3 | . | 2 | . |
| | „ 9, | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | „ 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | „ 23, | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | „ 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 3 | . |
| | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | „ 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 4 |
| | „ 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | „ 28, | 39·9 | 11·2 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | 2 |
| | Nov. 4, | 23·9 | 8·0 | 15 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | . |
| | Average, | 23·6 | 4·6 | 14·8 | . | . | 0·9 | 0·1 | 0·6 | 0·6 | 0·7 | 1·6 | 1·1 | 2·1 | 1·0 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | Sept. 2, | 28·7 | 10·3 | 14 | . | . | . | . | . | 1 | 4 | 3 | 3 | . | . |
| | „ 9, | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . |
| | „ 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | „ 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7, | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14, | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28, | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 | 1 |
| | Nov. 4, | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | . |
| | Average, | 23·6 | 6·2 | 11·5 | . | 0·7 | 0·1 | 0·1 | . | 0·2 | 1·9 | 1·4 | 1·7 | 1·7 | 0·2 |
| **South City, No. 1.** (*Office, Meath-street.*) | Sept. 2, | 27·7 | 6·9 | 16 | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . |
| | „ 9, | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16, | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23, | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | „ 30, | 32·9 | 10·4 | 19 | . | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7, | 24·3 | 1·7 | 14 | 1 | . | . | . | 2 | 1 | . | 1 | 2 | 3 | . |
| | „ 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | „ 28, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Nov. 4, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | Average, | 26·7 | 5·9 | 15·4 | 0·1 | 0·3 | 0·1 | . | . | 1·1 | 1·8 | 1·5 | 1·9 | 2·3 | 0·5 |
| **South City, No. 2.** (*Office, High-street.*) | Sept. 2, | 24·9 | 3·7 | 19 | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 1 |
| | „ 9, | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . |
| | „ 23, | 23·9 | 1·3 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 2 |
| | „ 30, | 23·0 | 3·7 | 12 | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . |
| | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | „ 14, | 14·7 | 1·3 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | „ 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28, | 7·3 | 1·3 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | Nov. 4, | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | . | . | 1 | . |
| | Average, | 19·6 | 3·5 | 10·7 | . | 0·4 | 0·2 | . | 0·1 | 0·3 | 0·9 | 0·8 | 0·9 | 1·6 | 0·4 |
| **South City, No. 3.** (*Office, Peter-street.*) | Sept. 2, | 33·9 | 6·8 | 25 | . | . | 1 | . | . | 1 | 3 | 2 | . | 3 | 1 |
| | „ 9, | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 3 | . | 1 | 1 | 3 | 1 |
| | „ 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 3 | . | 1 | 1 | 2 | . |
| | „ 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28, | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Nov. 4, | 14·9 | 1·4 | 11 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | Average, | 18·2 | 2·7 | 13·4 | . | . | 0·3 | . | . | 1·1 | 0·6 | 1·8 | 1·2 | 2·0 | 0·2 |

f Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate rincipal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public rom which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. | | Total Deaths. | Number of Deaths from | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Seven principal Zymotic Diseases. | | | | | | | | | | |
| | | From all Causes. | From Seven Zymotic Diseases. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Sept. 2, | 19·2 | 5·1 | 15 | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . |
| | „ 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 | 2 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | Average, | 18·7 | 2·7 | 14·6 | . | . | 0·2 | 0·1 | . | 0·7 | 1·1 | 1·2 | 2·1 | 1·2 | 0·8 |
| **Rathmines.** | Sept. 2, | 24·3 | . | 10 | . | . | . | . | . | . | . | 2 | 1 | 4 | . |
| | „ 9, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Average, | 17·3 | 1·7 | 7·1 | . | 0·1 | . | 0·2 | 0·1 | . | 0·3 | 0·5 | 1·2 | 1·1 | 0·3 |
| **Donnybrook.** | Sept. 2, | 14·0 | 7·0 | 6 | . | . | . | . | . | 1 | 2 | . | . | 1 | . |
| | „ 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | Average, | 18·0 | 2·8 | 7·7 | . | . | . | . | . | 0·5 | 0·7 | 0·5 | 0·9 | 0·5 | 0·1 |
| **Blackrock.** | Sept. 2, | 7·2 | 7·2 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | Average, | 15·2 | 1·4 | 2·1 | . | . | . | . | . | . | 0·2 | 0·3 | 0·3 | . | . |
| **Kingstown.** | Sept. 2, | 30·9 | 8·4 | 11 | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . |
| | „ 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | 1 | . | . | . | 1 | . | . | 2 | . |
| | Average, | 23·3 | 5·3 | 8·3 | . | . | 0·7 | 0·1 | . | 0·4 | 0·7 | 0·2 | 0·8 | 0·7 | 0·3 |
| **Total, Dublin Registration District.** | Sept. 2, | 24·0 | 5·8 | 145 | . | . | 6 | . | . | . | 19 | 17 | 13 | 19 | 2 |
| | „ 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 4 | 19 | 12 | 11 | 8 | 4 |
| | „ 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 14 | 20 | 9 | 10 | 13 | 3 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 12 | 24 | 13 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 12 | 19 | 16 | 3 |
| | Oct. 7, | 18·7 | 3·5 | 95 | . | 2 | 3 | . | 2 | 8 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 8 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 3·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | Average, | 20·0 | 3·8 | 120·7 | 0·1 | 1·5 | 3·0 | 0·7 | 1·5 | 5·8 | 10·5 | 11·3 | 14·0 | 14·7 | 4·3 |

TABLE IV.—[illegible]

| Years. | Causes of Death. | Deaths from all causes registered in the Year in each Quarter. | | | | | | | | | | Total deaths registered in the Year. | Deaths at Dispensary Districts. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | [illegible] | | | | | | | | | | | [illegible] | | | | | |
| | | [illegible] | | | | | | | | | | | [illegible] | | | | | |
| | | [illegible] | | | | | | | | | | | [illegible] | | | | | |
| | | [illegible] | | | | | | | | | | | [illegible] | | | | | |
| | **ALL CAUSES, SPECIFIED CAUSES.** | | | | | | | | | | | | | | | | | |
| | [illegible] | | | | | | | | | | | | | | | | | |
| | [illegible] | | | | | | | | | | | | | | | | | |
| | [illegible]

**IMINER, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, tered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 44th Week of the 10 years 1866–75. | Week ending Saturday, Nov. 4th, 1876. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov 3 1866 | Nov 2 1867 | Oct. 31 1868 | Nov 6 1869 | Nov 5 1870 | Nov 4 1871 | Nov 2 1872 | Nov 1 1873 | Nov 7 1874 | Nov 6 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | 48·3 | 46·5 | 47·8 | 47·8 | 45·7 | 48·8 | 47·8 | 43·5 | 48·0 | 51·5 | 47·6 | 45·2 | | | | | | | |
| ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | | 1 | . | . |
| 2. Enteritis, | 1 | 2 | 1 | . | . | . | 1 | 1 | . | 1 | ·7 | . | . | . | . | | . | . | . |
| 3. Peritonitis, | 1 | . | . | . | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | | . | . | . |
| 4. Ascites, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | | . | . | . |
| 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Hernia, | . | . | . | . | 2 | 1 | . | 1 | . | . | ·4 | 1 | . | . | . | . | . | 1 | . |
| 7. Ileus, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . |
| 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 11. *Stomach Disease, &c.* | 3 | 2 | 1 | . | 2 | 1 | . | 4 | . | 2 | 1·5 | 1 | . | . | . | . | . | 1 | . |
| 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13. Hepatitis, | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| 14. Jaundice, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| 15. *Liver Disease, &c.* | 2 | 2 | . | 2 | 2 | . | 3 | 4 | 6 | 4 | 2·5 | 3 | . | . | . | . | 3 | . | . |
| 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Bright's Disease (Nephria), | 2 | . | 1 | 2 | . | 1 | 1 | . | . | 3 | ·9 | 1 | . | . | . | 1 | . | . | . |
| 4. Diabetes, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Cystitis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 7. *Kidney Disease, &c.* | 1 | . | 1 | 1 | 1 | . | . | 1 | 2 | 1 | ·8 | 3 | . | . | . | . | 2 | 1 | . |
| ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy, | . | . | 2 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 2. *Uterus Disease, &c.* | 1 | 1 | . | 1 | 1 | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. *Joint Disease, &c.* | . | . | . | 1 | . | 1 | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Ulcer, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| 3. *Skin Disease, &c.* | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| V. ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Teething, | 1 | 3 | 1 | . | . | 4 | . | 1 | 2 | . | 1·2 | 1 | 1 | . | . | . | . | . | . |
| ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| 1. Paræmesis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Childbirth (*see also* Puer. Fever), | . | . | . | 1 | 1 | 2 | . | . | 1 | 1 | ·6 | . | . | . | . | . | . | . | . |
| ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| 1. Old Age, | 4 | 8 | 7 | 8 | 11 | 6 | 4 | 2 | 16 | 16 | 8·2 | 8 | . | . | . | . | . | 6 | 2 |
| ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility, | 8 | 4 | 4 | 4 | 3 | 12 | 1 | 3 | 8 | 3 | 5·0 | 5 | 4 | . | . | . | . | 1 | . |
| V. ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions, | . | 1 | 4 | 2 | 2 | . | . | 2 | 1 | 3 | 1·5 | 1 | . | 1 | . | . | . | . | . |
| 2. Wounds, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Burns and Scalds, | 1 | . | 2 | . | 3 | 2 | . | 2 | 1 | 2 | 1·3 | 1 | 1 | . | . | . | . | . | . |
| 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Drowning, | . | 2 | . | . | 1 | 1 | . | 1 | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| 6. Suffocation, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 7. Otherwise, | . | . | . | . | 1 | . | 1 | 1 | . | 2 | ·5 | . | . | . | . | . | . | . | . |
| ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Murder and Manslaughter, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Poison, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4. Hanging, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . |
| Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Causes not specified or ill-defined, | 3 | 1 | 3 | . | 4 | 6 | 3 | 3 | 2 | . | 2·5 | . | . | . | . | . | . | . | . |

TABLE V.—Showing for Recent Census Years Population, the Annual Rate of Mortality per 1,000 Inhabitants; the Proportion of the Deaths of [illegible] the Annual Rate of Mortality per 1,000 Inhabitants, registered by the Registrars of Deaths reported during the Week ending Saturday 4th November, 1876; the Total Number of Births and Deaths registered throughout the Week, with the Number of Deaths at Certain Ages, and from Specified Causes, &c.

| TOWNS, &c. | Population in the Census Years 1871 | Population estimated to the middle of 1876 | Annual rate of Mortality per 1,000 Inhabitants | Total Births registered | Total Deaths registered | Deaths under 1 year of age | Deaths at 60 years of age and upwards | NUMBER OF DEATHS FROM: Small Pox | Measles | Scarlet Fever | Diphtheria | Whooping Cough | Fever | Diarrhœa | Violence | No. of Inquest Cases | No. of Deaths in Public Institutions |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Dublin, | 246,051 | 254,888 | 25 | [illegible] | [illegible] | 26 | 34 | - | - | 3 | 2 | 1 | 4 | 4 | 3 | 1 | 28 |
| Belfast,* | 174,412 | 182,962 | [illegible] | [illegible] | 41 | 23 | 2 | - | - | - | | 1 | 2 | | | | 1 |
| Cork, | 80,124 | 81,546 | 25 | 96 | 45 | 6 | 4 | - | - | 2 | - | - | - | | | - | 18 |
| Limerick, | 44,269 | 44,269 | 22 | 21 | 9 | - | 2 | - | - | - | - | - | - | | | - | 1 |
| Londonderry,† | 27,109 | 28,484 | 4 | 26 | 5 | 2 | 1 | - | - | - | - | - | - | | | - | - |
| Waterford, | 27,160 | 27,626 | 12 | 19 | 7 | 2 | 1 | - | - | - | - | - | - | | | - | - |
| Galway, | 23,692 | 24,992 | 25 | 8 | 9 | 1 | 4 | - | - | - | - | - | - | | | - | 6 |
| Sligo, | 27,024 | 27,829 | 26 | 7 | 14 | - | 2 | - | - | - | - | - | - | 1 | | - | 6 |

TABLE VI.—Showing by Registrars' Districts the Births and Deaths registered in Belfast, Cork, Limerick, Londonderry, Waterford, Galway, and Sligo, during the Week ending Saturday 4th November, 1876.

| REGISTRARS' DISTRICTS. | Population by the Census of 1871. | Annual rate of Mortality per 1,000 Inhabitants. | Total Births registered. | Total Deaths registered. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM: Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Belfast, No. 1, | 19,979 | 24 | 14 | 9 | 1 | . | . | . | . | . | . | 1 | . | . | . | . |
| " " 2, | 17,536 | 12 | 11 | 4 | 1 | . | . | 1 | . | . | . | . | . | . | . | . |
| " " 3, | 20,311 | 9 | 69 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| " " 4, W. | 19,220 | 22 | 8 | 8 | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| " " 5, | 19,816 | 34 | 9 | 12 | 5 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| " " 6, | 26,652 | 8 | 11 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| " " 9, | 5,226 | 29 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| " " 10, | 8,115 | 34 | 10 | 6 | 1 | . | . | . | . | . | 1 | . | . | . | . | . |
| Castlereagh " 1, | 16,156 | 16 | 11 | 5 | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| Cork, No. 1, | 10,156 | 31 | 2 | 6 | 2 | . | . | . | 2 | . | . | . | . | . | . | . |
| " " 2, | 11,585 | 14 | 7 | 3 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . |
| " " 3, | 6,818 | 23 | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 6 |
| " " 4, | 6,227 | 67 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 5, | 11,289 | 18 | 3 | 4 | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| " " 6, | 15,230 | 17 | 11 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| " " 7, | 7,586 | 14 | 10 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 8, W. | 13,364 | 14 | 7 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | 3 |
| " " 9, | 4,790 | 98 | 3 | 9 | . | . | . | . | . | . | . | . | . | . | . | 8 |
| Limerick, No. 1, | 7,918 | 33 | 2 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| " " 2, W. | 8,992 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| " " 3, | 11,424 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 4, | 15,875 | 10 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Londonderry, No. 1, | 8,832 | 18 | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| " " 2, | 13,569 | 4 | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| Glendermot, W. | 8,483 | 6 | 8 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| Waterford, Waterford, W. | 30,626 | 12 | 19 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| Galway, No. 1, | 10,700 | 15 | 3 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| " " 2, W. | 8,992 | 35 | 2 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | 6 |
| Sligo, No. 1, W. | 6,456 | 56 | 3 | 7 | . | 2 | . | . | . | . | . | . | 1 | . | . | 6 |
| " " 2, | 10,829 | 14 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[1522.—300.—10/76.]

BIBLIOTHECA·BODLEIANA·

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, NOVEMBER 11, 1876. [No. 45.

*General Register Office, Charlemont House, Dublin, November 13th, 1876.*

The total deaths registered in the Dublin Registration District during the week ending 11th November, 1876, represent an annual mortality of 21·2 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district the rate was 20·2 per 1,000. In London the death-rate was 24·4 in every 1,000 of the estimated population; in Glasgow, 23·4; and in Edinburgh, 17·9.

In the Dublin Registration District the births registered during the week amounted to 152—85 boys and 67 girls,—and the deaths to 128—71 males and 57 females. The *average* numbers in the corresponding week of the previous ten years were—births, 153, and deaths, 151.

The number of deaths from zymotic diseases registered during the week is 25; the average number for the corresponding week of the previous ten years was 42·8. Of the deaths from this class of diseases recorded last week, 8 resulted from fever (4 from typhus and 4 from typhoid or enteric fever), 6 from scarlet fever, 2 each from diphtheria and measles, 1 each from whooping-cough, diarrhœa, &c.

The deaths of 11 children were attributed to convulsions.

Twenty deaths resulted from bronchitis, and 7 from pneumonia or inflammation of the lungs.

Two deaths were referred to paralysis; 1 each to apoplexy, inflammation of the brain, and brain disease unspecified; 3 to heart disease; 1 each to nephritis or inflammation of the kidneys, and nephria or Bright's disease, and 4 to kidney disease unspecified.

Phthisis or pulmonary consumption caused 16 deaths, hydrocephalus or water on the brain 3, scrofula 2, mesenteric disease 1, and cancer 8.

Four accidental deaths were registered, viz.—1 each from drowning, fractures and contusions (a carriage accident), suffocation, and injury at birth.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under 1 year old); and 25 were aged 60 and upwards, including 10 persons aged 70 and upwards, of whom 2 were octogenarians.

Thirty-two of the deaths registered occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin, and 5 in the South Dublin Union Workhouse.

Two deaths from fever, 4 from whooping-cough, 2 from scarlatina, and 3 from diarrhœa were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 20·2 per 1,000; the rate in the city was 21·4 (27·0 on the North side and 17·0 on the South), and in the suburbs 15·8.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 3·1 per 1,000 inhabitants, the rate for the city being 3·2 (4·8 in the North City Districts and 1·9 in the South), and for the suburbs 3·0 per 1,000.

*No.* 1, *North City District* (Summer-hill). The annual rate represented by the deaths tabulated for this district is 14·5 per 1,000 persons. There were 2 deaths from typhus fever, but none from any other zymotic disease. Six of the 14 deaths resulted from diseases of the respiratory organs.

*No.* 2, *North City District* (Coleraine-street). The deaths of inhabitants of this district are equal to an annual mortality of 33·5 per 1,000: the average rate for the last ten weeks has been 25·0 per 1,000. Of the deaths recorded last week, 2 were from scarlatina, 1 from measl

[illegible]

[illegible]

[illegible]

**ABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 11th November, 1876.** *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions from other parts admitted from this Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 14 | 21 | 21 | 11 | 13 | 11 | 10 | 5 | 4 | 2 | 10 | 122 | 6 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | 1 | . | . | . | . | . | . | . | . | 2 | . |
| Scarlet Fever (Scarlatina), | . | 2 | 1 | . | 1 | 1 | . | . | . | . | 1 | 6 | . |
| Diphtheria, | . | . | 1 | . | 1 | . | . | . | . | . | . | 2 | . |
| Whooping Cough, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| Fever, | 2 | . | . | . | 1 | . | 1 | . | 1 | 1 | 1 | 7 | 1 |
| Diarrhœa, | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Other Zymotic Diseases, | . | 1 | . | 1 | . | . | 1 | . | . | 1 | 1 | 4 | . |
| Total, | 2 | 5 | 4 | 1 | 3 | 1 | 2 | . | 1 | 2 | 3 | 24 | 1 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | . | 1 | 2 | 2 | . | 4 | 2 | 1 | . | . | 2 | 14 | 2 |
| Other Constitutional Diseases | 1 | 2 | 2 | 3 | 1 | 1 | 1 | . | 1 | . | 2 | 14 | 2 |
| Total, | 1 | 3 | 4 | 5 | 1 | 5 | 3 | 1 | 1 | . | 4 | 28 | 4 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 4 | 2 | 2 | 2 | 1 | 2 | 2 | . | 1 | . | . | 16 | . |
| Diseases of the Heart and Circulatory Organs, | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . |
| Diseases of the Respiratory Organs, | 6 | 3 | 6 | 2 | 6 | 2 | 1 | . | . | . | . | 26 | 1 |
| Diseases of the Digestive Organs, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Diseases of the Urinary Organs, | . | 2 | 1 | . | 1 | . | 1 | . | . | . | 1 | 6 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 10 | 7 | 10 | 4 | 9 | 5 | 4 | . | 1 | . | 2 | 52 | 1 |
| DEVELOPMENTAL DISEASES, | 1 | 4 | 3 | 1 | . | . | 1 | 4 | . | . | . | 14 | . |
| VIOLENT DEATHS, | . | 2 | . | . | . | . | . | . | 1 | . | 1 | 4 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 14·5 | 33·5 | 43·1 | 19·1 | 23·9 | 14·9 | 12·8 | 12·2 | 9·4 | 14·1 | 28·1 | | — |
| | 27·0 | | | 17·0 | | | | 15·8 | | | | 20·2 | |
| | 21·4 | | | | | | | | | | | | |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 2 | 2 | 2 | 2 | 2 | 2 | . | . | 1 | 1 | 15 | 5 |
| Workhouse Hospitals, | 2 | 4 | 1 | 2 | 1 | . | 1 | . | . | . | . | 11 | 1 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **North City, No. 1.** (*Office, Summer-hill.*) | Sept. 9. | 18·7 | 7·3 | 18 | . | . | 1 | . | 1 | 1 | 4 | 4 | 1 | . | . |
| | „ 16. | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | 2 | 1 | . | . |
| | „ 23. | 20·8 | 3·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30. | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Oct. 7. | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 2 | 1 |
| | „ 14. | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | 3 | 2 | 5 | 1 |
| | „ 21. | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28. | 8·3 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | . |
| | Nov. 4. | 12·5 | 5·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | . | 1 |
| | „ 11. | 14·5 | 2·1 | 14 | . | . | . | . | . | 2 | . | 2 | . | 6 | . |
| | Average, | 15·5 | 3·7 | 14·9 | . | . | 0·4 | 0·1 | 0·7 | 1·0 | 1·3 | 1·5 | 1·8 | 1·8 | 0·1 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | Sept. 9. | 12·8 | 1·6 | 8 | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | „ 16. | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | „ 23. | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | „ 30. | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 3 | . |
| | Oct. 7. | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | „ 14. | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 1 |
| | „ 21. | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | „ 28. | 39·9 | 11·2 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | 1 |
| | Nov. 4. | 23·9 | 8·0 | 15 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | . |
| | „ 11. | 33·5 | 6·4 | 21 | . | 1 | 2 | . | 1 | . | . | 2 | 1 | 3 | 1 |
| | Average, | 25·0 | 4·8 | 15·7 | . | 0·1 | 1·0 | 0·1 | 0·7 | 0·8 | 0·5 | 1·5 | 1·2 | 2·2 | 1·1 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | Sept. 9. | 26·7 | 4·1 | 13 | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . |
| | „ 16. | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23. | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | „ 30. | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7. | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14. | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21. | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28. | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 | 1 |
| | Nov. 4. | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | . |
| | „ 11. | 43·1 | 8·2 | 21 | . | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 6 | . |
| | Average, | 25·0 | 6·0 | 12·2 | . | 0·8 | 0·2 | 0·2 | . | 0·1 | 1·6 | 1·2 | 1·6 | 2·3 | 0·1 |
| **South City, No. 1.** (*Office, Meath-street.*) | Sept. 9. | 29·5 | 8·7 | 17 | . | . | 1 | . | . | . | 4 | 1 | 2 | . | 1 |
| | „ 16. | 36·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23. | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | „ 30. | 32·9 | 10·4 | 19 | . | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7. | 24·3 | 1·7 | 14 | 1 | . | . | . | . | 1 | . | 1 | 2 | 3 | . |
| | „ 14. | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21. | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | „ 28. | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Nov. 4. | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | „ 11. | 19·1 | . | 11 | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | Average, | 25·8 | 5·2 | 14·9 | 0·1 | 0·3 | 0·1 | . | . | 0·9 | 1·6 | 1·4 | 1·9 | 2·1 | 0·5 |
| **South City, No. 2.** (*Office, High-street.*) | Sept. 9. | 20·2 | 7·3 | 11 | . | 2 | . | . | . | . | 2 | 1 | 2 | . | . |
| | „ 16. | 25·7 | 3·7 | 14 | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . |
| | „ 23. | 23·9 | 1·8 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 2 |
| | „ 30. | 22·0 | 3·7 | 12 | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . |
| | Oct. 7. | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | „ 14. | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | „ 21. | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28. | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | Nov. 4. | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | . | . | 1 | . |
| | „ 11. | 23·9 | 5·5 | 13 | . | . | 1 | 1 | . | 1 | . | 1 | . | 6 | . |
| | Average, | 18·5 | 3·7 | 10·1 | . | 0·4 | 0·3 | 0·1 | 0·1 | 0·4 | 0·7 | 0·8 | 0·6 | 2·1 | 0·3 |
| **South City, No. 3.** (*Office, Peter-street.*) | Sept. 9. | 21·7 | 5·4 | 16 | . | . | 1 | . | . | 3 | . | 1 | 1 | 3 | 1 |
| | „ 16. | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23. | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30. | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 3 | . |
| | Oct. 7. | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 14. | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21. | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28. | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Nov. 4. | 14·9 | 1·4 | 11 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 11. | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 2 | 4 | 2 | . |
| | Average, | 16·3 | 2·2 | 12·0 | . | . | 0·3 | . | . | 1·0 | 0·3 | 1·8 | 1·6 | 1·9 | 0·1 |

f Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate rincipal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public rom which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Sept. 9, | 17·9 | 5·1 | 14 | . | . | 1 | . | . | . | 3 | . | . | 1 | 2 |
| | „ 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | „ 11, | 12·8 | 1·3 | 10 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | Average, | 18·0 | 2·3 | 14·1 | . | . | 0·1 | 0·1 | . | 0·5 | 1·1 | 1·3 | 2·1 | 1·3 | 0·8 |
| **Rathmines.** | Sept. 2, | 14·6 | 4·9 | 6 | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | „ 11, | 12·2 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | . |
| | Average, | 16·1 | 1·7 | 6·6 | . | 0·1 | . | 0·2 | 0·1 | . | 0·3 | 0·3 | 1·2 | 0·7 | 0·3 |
| **Donnybrook.** | Sept. 9, | 18·7 | 4·7 | 8 | . | . | . | . | . | . | 2 | 1 | 1 | . | . |
| | „ 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 11, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | Average, | 17·6 | 2·3 | 7·5 | . | . | . | . | . | 0·5 | 0·5 | 0·6 | 0·9 | 0·4 | 0·2 |
| **Blackrock.** | Sept. 9, | 28·9 | 7·2 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 11, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | Average, | 15·9 | 1·4 | 2·2 | . | . | . | . | . | 0·1 | 0·1 | 0·3 | 0·3 | . | . |
| **Kingstown.** | Sept. 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | 1 | . | . | . | 1 | . | . | 2 | . |
| | „ 11, | 28·1 | 5·6 | 10 | . | . | 1 | . | . | 1 | . | . | 2 | . | 1 |
| | Average, | 23·0 | 5·0 | 8·2 | . | . | 0·6 | 0·1 | . | 0·4 | 0·7 | 0·2 | 0·9 | 0·6 | 0·4 |
| **Total, Dublin Registration District.** | Sept. 9, | 19·0 | 5·3 | 115 | . | 2 | 5 | 1 | 1 | 4 | 19 | 12 | 11 | 8 | 4 |
| | „ 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 | 3 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 12 | 24 | 13 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 12 | 19 | 16 | 3 |
| | Oct. 7, | 15·7 | 3·5 | 95 | . | 3 | 3 | . | 2 | 8 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 8 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | „ 11, | 20·2 | 3·1 | 122 | . | 2 | 6 | 2 | 1 | 7 | 1 | 11 | 14 | 26 | 4 |
| | Average, | 19·6 | 3·6 | 118·4 | 0·1 | 1·7 | 3·0 | 0·9 | 1·6 | 5·5 | 8·7 | 10·7 | 14·1 | 15·4 | 4·4 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS Registered in the FORTY-FIFTH WEEK, ending Saturday, 11th November, 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, Nov 10 1866 | Nov 9 1867 | Nov 7 1868 | Nov 13 1869 | Nov 12 1870 | Nov 11 1871 | Nov 9 1872 | Nov 8 1873 | Nov 14 1874 | Nov 13 1875 | Average in 45th Week of the 10 years 1866-75. | Week ending Saturday, Nov. 11th, 187 Deaths of Persons of the Ages. ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20 | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 46·2 | ° 43·4 | ° 42·9 | ° 43·9 | ° 38·1 | ° 38·8 | ° 49·1 | ° 41·7 | ° 43·5 | ° 39·0 | ° 42·7 | ° 42·9 | | | | | | | |
| | **ALL CAUSES,** | 216 | 150 | 136 | 151 | 122 | 139 | 144 | 132 | 150 | 168 | 150·8 | 128 | 43 | 14 | 5 | 19 | 22 | 23 | 2 |
| | **SPECIFIED CAUSES,** | 214 | 147 | 132 | 149 | 120 | 136 | 140 | 127 | 148 | 164 | 147·7 | 128 | 43 | 14 | 5 | 19 | 22 | 23 | 2 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 114 | 44 | 29 | 49 | 30 | 34 | 30 | 24 | 39 | 35 | 42·8 | 25 | 10 | 5 | 2 | 6 | 2 | | |
| II. | CONSTITUTIONAL „ | 25 | 32 | 25 | 21 | 24 | 25 | 24 | 30 | 31 | 28 | 26·5 | 32 | 3 | 6 | 3 | 7 | 4 | 9 | |
| III. | LOCAL „ | 52 | 48 | 53 | 61 | 48 | 61 | 54 | 50 | 58 | 75 | 56·0 | 53 | 23 | 2 | . | 4 | 16 | 8 | |
| IV. | DEVELOPMENTAL „ | 21 | 16 | 22 | 14 | 15 | 13 | 27 | 20 | 16 | 23 | 18·7 | 14 | 4 | . | . | 2 | . | 6 | 2 |
| V. | VIOLENT DEATHS, | 2 | 7 | 3 | 4 | 3 | 3 | 5 | 3 | 4 | 3 | 3·7 | 4 | 3 | 1 | . | . | . | . | |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 9 | 3 | . | . | . | 1·2 | . | . | . | . | . | . | . | |
| | 2. Measles, | 1 | 5 | . | 3 | 1 | 1 | 2 | 1 | 1 | 12 | 2·7 | 2 | 2 | . | . | . | . | . | |
| | 3. Scarlet Fever (Scarlatina), | 3 | 14 | 7 | 16 | 8 | 3 | 2 | 10 | 18 | 2 | 8·3 | 6 | 5 | 1 | . | . | . | . | |
| | 4. Diphtheria, | 1 | 1 | 1 | . | . | 1 | 2 | 2 | 2 | . | 1·0 | 2 | 1 | . | . | 1 | . | . | |
| | 5. Quinsy, | . | 2 | . | . | . | . | 1 | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | |
| | 6. Croup, | . | . | 2 | 2 | 1 | 1 | 5 | 2 | 1 | 1 | 1·5 | 1 | 1 | . | . | . | . | . | |
| | 7. Whooping Cough, | 1 | 4 | 1 | 3 | 3 | 2 | 2 | 3 | . | 1 | 2·0 | 1 | . | 1 | . | . | . | . | |
| | 8. Typhus, | | | | 1 | 6 | 1 | 1 | . | . | . | | 4 | . | . | 1 | 2 | 1 | . | |
| | – Enteric or Typhoid Fever, | 12 | 8 | 7 | 6 | 2 | 3 | 4 | 1 | 2 | 7 | 7·5 | 4 | . | 2 | . | 2 | . | . | |
| | – Simple continued Fever, | | | | 5 | 2 | 2 | 2 | 2 | . | 1 | | . | . | . | . | . | . | . | |
| | 9. Erysipelas, | 1 | . | 2 | 1 | 2 | 1 | 1 | . | 3 | . | 1·1 | . | . | . | . | . | . | . | |
| | 10. Puerperal Fever (Metria), | 1 | . | . | 3 | . | 1 | . | 1 | 1 | . | ·7 | 1 | . | . | . | 1 | . | . | |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 12. Influenza, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 13. Dysentery, | 1 | . | 1 | 1 | 1 | 2 | . | . | . | . | ·6 | . | . | . | . | . | . | . | |
| | 14. Diarrhœa, | 11 | 7 | 6 | 5 | 3 | 6 | 2 | 1 | 7 | 6 | 5·4 | 1 | 1 | . | . | . | . | . | |
| | 15. Simple Cholera, | 82 | . | . | 1 | . | . | . | . | . | . | 8·3 | . | . | . | . | . | . | . | |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 18. Rheumatism, | . | . | 1 | . | . | . | 1 | . | . | 1 | ·3 | 2 | . | 1 | 1 | . | . | . | |
| | 19. Other Zymotic Diseases, | . | 1 | . | . | 1 | . | . | 1 | . | 2 | ·5 | . | . | . | . | . | . | . | |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | 1 | 1 | . | . | 1 | 1 | . | 2 | . | ·6 | . | . | . | . | . | . | . | |
| | 2. Stricture of Urethra, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 3. Purpura and Scurvy, | . | . | . | 2 | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | 1 | . | . | . | . | . | 1 | |
| | 2. Dropsy, | 3 | 2 | 2 | 1 | 2 | 3 | 2 | . | . | 2 | 1·7 | 1 | . | . | . | . | . | 1 | |
| | 3. Cancer, | 2 | . | 3 | 1 | 4 | 2 | 1 | 3 | 6 | 4 | 2·6 | 8 | . | . | . | . | 3 | 5 | |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 5. Mortification, | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | ·6 | . | . | . | . | . | . | . | |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | . | . | . | 2 | 1 | 2 | 1 | 3 | . | 1 | 1·0 | 2 | . | 2 | . | . | . | . | |
| | 2. Tabes Mesenterica, | 3 | 5 | 3 | 6 | 2 | 4 | 3 | 1 | 4 | 4 | 3·5 | 1 | 1 | . | . | . | . | . | |
| | 3. Phthisis, | 13 | 2 | 14 | 11 | 11 | 9 | 14 | 18 | 18 | 15 | 14·5 | 16 | 1 | 2 | 3 | 7 | 1 | 2 | |
| | 4. Hydrocephalus, | 3 | 2 | 3 | . | 3 | 5 | 1 | 3 | 2 | 2 | 2·4 | 3 | 1 | 2 | . | . | . | . | |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 2 | 1 | . | . | 1 | 2 | 2 | . | 1 | 2 | 1·1 | 1 | 1 | . | . | . | . | . | |
| | 2. Apoplexy, | 6 | 2 | 1 | 2 | . | 4 | . | 1 | 5 | 8 | 2·9 | 1 | . | . | . | . | 1 | . | |
| | 3. Paralysis, | . | 2 | 6 | 2 | 3 | 2 | 3 | 2 | 3 | 2 | 2·5 | 2 | . | . | . | . | . | 1 | |
| | 4. Insanity, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | |
| | 6. Epilepsy, | 1 | . | 2 | . | 1 | 1 | . | . | . | 1 | ·6 | . | . | . | . | . | . | . | |
| | 7. Convulsions, | 8 | 8 | 7 | 5 | 13 | 11 | 8 | 9 | 12 | 10 | 9·1 | 11 | 11 | . | . | . | . | . | |
| | 8. *Brain Disease, &c.* | 1 | 1 | 2 | . | 1 | 1 | 2 | 2 | . | 5 | 1·5 | 1 | 1 | . | . | . | . | . | |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | |
| | 2. Aneurism, | 1 | 4 | 1 | 2 | 1 | . | . | . | . | . | ·9 | . | . | . | . | . | . | . | |
| | 3. *Heart Disease, &c.* | 5 | 7 | 7 | 7 | 3 | 7 | 7 | 6 | 3 | 7 | 5·9 | 3 | . | . | . | . | 2 | 1 | |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | |
| | 2. Bronchitis, | 12 | 10 | 20 | 24 | 14 | 16 | 15 | 17 | 13 | 17 | 15·8 | 20 | 8 | 2 | . | 1 | 6 | 3 | |
| | 3. Pleurisy, | . | . | . | 1 | . | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | |
| | 4. Pneumonia, | 2 | 3 | 4 | 4 | 3 | 3 | 2 | 5 | 7 | 4 | 3·7 | 7 | 2 | . | . | 1 | 3 | 1 | |
| | 5. Asthma, | . | 1 | . | 1 | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | |
| | 6. *Lung Disease, &c.* | . | 1 | . | 3 | . | 2 | 5 | 3 | 1 | 6 | 2·1 | . | . | . | . | . | . | . | |

RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, Registered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| Class. | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 45th Week of the 10 years 1866–75. | Week ending Saturday, Nov. 11th, 1876. Deaths of Persons of the Ages | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Nov 10 1866 | Nov 9 1867 | Nov 7 1868 | Nov 13 1869 | Nov 12 1870 | Nov 11 1871 | Nov 9 1872 | Nov 8 1873 | Nov 14 1874 | Nov 13 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 46·2 | 43·4 | 42·9 | 43·9 | 38·1 | 38·8 | 49·1 | 41·7 | 43·5 | 39·0 | 42·7 | 42·9 | | | | | | | |
| III con. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | 3 | . | . | . | 1 | 2 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | 1 | . | . | 1 | . | . | . | . | 3 | 2 | ·7 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | . | . | 2 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | 1 | . | . | . | . | . | 2 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | 1 | 1 | . | . | . | 2 | . | ·4 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 2 | 2 | 1 | . | . | 1 | 1 | . | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | . | 1 | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 1 | 1 | 1 | 5 | 2 | . | 2 | 1 | . | 2 | 1·5 | . | . | . | . | . | . | . | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | 1 | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephritis), | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 5 | 1 | 1·4 | 1 | . | . | . | . | 1 | . | . |
| | 4. Diabetes, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 4 | 1 | . | . | 2 | 4 | 1 | . | . | 2 | 1·4 | 4 | . | . | . | 2 | 1 | 1 | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 1 | . | . | 1 | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | . | 1 | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 1 | . | ·8 | 1 | 1 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 2 | 1 | . | 1 | . | 1 | 1 | 2 | 2 | 1·0 | 2 | 2 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | 2 | 1 | 1 | 1 | 1 | . | . | . | . | . | ·6 | 2 | . | . | . | 2 | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 9 | 9 | 8 | 10 | 11 | 8 | 21 | 11 | 6 | 20 | 11·3 | 7 | . | . | . | . | . | 5 | 2 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 9 | 3 | 11 | 3 | 2 | 4 | 4 | 6 | 7 | 1 | 5·0 | 2 | 1 | . | . | . | . | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | . | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 3 | 2 | 1·5 | 1 | 1 | . | . | . | . | . | . |
| | 2. Wounds, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 1 | 1 | . | 1 | 1 | 1 | 1 | 1 | . | . | ·7 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | . | 1 | 1 | . | 1 | . | 1 | 1 | . | 1 | ·6 | 1 | 1 | . | . | . | . | . | . |
| | 6. Suffocation, | . | . | . | 1 | . | . | 2 | . | . | . | ·3 | 1 | . | 1 | . | . | . | . | . |
| | 7. Otherwise, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| — | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 2 | 3 | 3 | 1 | 2 | 3 | 4 | 5 | 2 | 4 | 2·9 | . | . | . | . | . | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 11th November, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 11TH NOVEMBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 21 | 152 | 128 | 22 | 25 | . | 2 | 6 | 2 | 1 | 8 | 1 | 4 | 5 | 22 |
| BELFAST,* . . | 20,687 | 182,082 | 26 | 144 | 91 | 20 | 13 | . | . | 2 | . | 4 | 2 | 3 | 2 | . | 13 |
| CORK, . . . | 13,816 | 91,965 | 25 | 55 | 45 | 2 | 15 | . | . | . | 1 | 1 | . | 2 | 1 | 3 | 11 |
| LIMERICK, . . | 8,509 | 44,209 | 18 | 21 | 15 | 3 | 3 | . | . | 2 | . | . | 1 | . | . | . | 1 |
| LONDONDERRY,† . | 21,865 | 30,884 | 12 | 16 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 19 | 14 | 11 | 1 | 3 | . | . | . | . | . | 1 | . | . | 5 | 1 |
| GALWAY, . . | 21,358 | 19,692 | 29 | 10 | 11 | 1 | 6 | . | . | . | . | . | . | . | . | . | 5 |
| SLIGO, . . . | 30,835 | 17,285 | 15 | 16 | 5 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 11th November, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 13 | 13 | 5 | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | ,, ,, 2, | 17,938 | 17 | 15 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 39,311 | 17 | 37 | 13 | 3 | 1 | . | . | . | . | . | 2 | . | . | . | 15 |
| | ,, ,, 4, *W.* | 19,320 | 97 | 24 | 36 | 8 | 4 | . | . | 2 | . | 2 | . | . | . | . | . |
| | ,, ,, 5, | 19,616 | 24 | 16 | 9 | 3 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| | ,, ,, 6, | 36,652 | 16 | 17 | 11 | 2 | 3 | . | . | . | . | 1 | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 10 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 19 | 9 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 23 | 10 | 7 | . | 1 | . | . | . | . | . | . | 2 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 31 | 5 | 6 | 1 | 1 | . | . | . | 1 | . | . | . | . | . | 1 |
| | ,, ,, 2, | 11,555 | 14 | 6 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 38 | 11 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 4, | 6,227 | 25 | 3 | 3 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 5, | 11,289 | 23 | 7 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 |
| | ,, ,, 6, | 15,230 | 10 | 10 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 7, | 7,586 | 14 | 3 | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 40 | 8 | 14 | . | 8 | . | . | . | . | . | . | 1 | . | . | 11 |
| | ,, ,, 9, | 4,790 | 43 | 2 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | 3 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 13 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 58 | 4 | 10 | 2 | 2 | . | . | . | 2 | . | 1 | . | . | . | 9 |
| | ,, ,, 3, | 11,424 | 5 | 8 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 7 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 6 | 10 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 15 | 3 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W* | 8,483 | 12 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 19 | 14 | 11 | 1 | 3 | . | . | . | . | . | 1 | . | . | 5 | 1 |
| GALWAY, | Galway, No. 1, | 10,700 | 19 | 7 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 40 | 3 | 7 | 1 | 3 | . | . | . | . | . | . | . | . | . | 5 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 8 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 19 | 10 | 4 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[1522.—300.—10/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

BIBLIOTHECA·BODLEIANA·

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, NOVEMBER 18, 1876. [No. 46.

*General Register Office, Charlemont House, Dublin, November 20th, 1876.*

The total deaths registered in the Dublin Registration District during the week ending 18th November, 1876, represent an annual mortality of 29·7 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district the rate was 28·6 per 1,000. In London the death-rate was 28·2 in every 1,000 of the estimated population; in Glasgow, 28·3; and in Edinburgh, 23·2.

In the Dublin Registration District the births registered during the week amounted to 141—84 boys and 57 girls,—and the deaths to 180—91 males and 89 females. The *average* numbers in the corresponding week of the previous ten years were—births, 149, and deaths, 162.

The number of deaths from zymotic diseases registered during the week is 29; the average number for the corresponding week of the previous ten years was 45·6. Two deaths from confluent small-pox occurred in the Mater Misericordiæ Hospital, the one on the 4th and the other on the 7th inst.; both were of female servants, aged respectively twenty-six and twenty-seven years; one was admitted from Hardwicke-street, the other from Bolton-street; the duration of illness in both cases was nine days. Measles caused 2 deaths; scarlatina, 3; diarrhœa, 6; fever, 5 (1 typhus, 3 typhoid or enteric, and 1 simple continued fever); erysipelas, 4: croup and whooping-cough, 2 each, &c.

Nine children died from convulsions.

Bronchitis was fatal in 30 instances; pneumonia or inflammation of lungs in 4; pleurisy and asthma in 1 each, and lung disease unspecified in 4; heart disease caused 13 deaths, and aneurism 1; apoplexy and paralysis each caused 5 deaths, cephalitis or inflammation of the brain, 2, and brain disease unspecified, 7; liver disease proved fatal in 2 instances; nephria or Bright's disease in 1; and kidney disease unspecified in 2.

Fourteen deaths were ascribed to phthisis or pulmonary consumption, 3 to mesenteric disease, 1 to water on the brain, 7 to cancer, 2 to dropsy, and 1 to mortification.

Six accidental deaths were registered during the week—of which 3 resulted from fractures, 2 from burns, and 1 from drowning.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under 1 year old); and 63 were aged 60 and upwards, including 24 persons aged 70 and upwards, of whom 8 were octogenarians.

Seventy-two of the deaths registered occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin, and 33 in the South Dublin Union Workhouse.

Four deaths from scarlet fever, 3 each from whooping-cough and diarrhœa, and 1 from fever, were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 28·6 per 1,000; the rate in the city was 29·0 (28·9 on the North side and 29·2 on the South), and in the suburbs 27·0.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 3·0 per 1,000 inhabitants, the rate for the city being 3·2 (3·9 in the North City Districts and 2·7 in the South), and for the suburbs 2·3 per 1,000.

*No.* 1, *North City District* (Summer-hill). Twenty-four of the deaths registered during the week were referable to this district. One of the deaths was from small-pox, 1 from fever, 2 from phthisis, and 7 from diseases of the respiratory organs: the annual death-rate represented being 24·9, against an average of 16·1 for the last ten weeks.

*No.* 2, *North City District* (Coleraine-street). The annual death-rate represented by the number of deaths of persons who were resident in this district registered during the week is 35·1, against 27·3 for the past ten weeks. The deaths include 1 of the 2 deaths from small-pox, 2 from scarlatina, and 1 from whooping-cough: the zymotic death-rate being 6·4, against 5·4 for the past ten weeks.

*No.* 3, *North City District* (Blackhall-street). There were but 14 of the deaths registered during the week chargeable to this district, against 21 for the previous week: the average number for the past ten weeks being 12·3. The only deaths from zymotic diseases were, 1 from measles and 1 from diarrhœa.

*No.* 1, *South City District* (Meath-street). As many as 28 of the deaths registered occurred amongst residents of this district, against an average of 16 for the past ten weeks, and being the highest number registered during any of these weeks. They include, however, only 3 deaths from zymotic diseases, viz., 1 each from measles, fever, and diarrhœa, the number of deaths having increased by the comparatively large number from diseases of the respiratory organs.

*No.* 2, *South City District* (High-street). The annual death-rate for this district for last week was 33·0, against an average of 19·8 for the past ten weeks. The deaths include 1 from whooping-cough and 2 from diarrhœa.

*No.* 3, *South City District* (Peter-street). The only death from zymotic disease tabulated in this district for the past week was 1 from diarrhœa. The 15 deaths registered represent an annual ratio of 20·3, against an average of 16·1 for the past ten weeks.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). There was not any death from zymotic disease tabulated in this district last week. The total deaths amounted to 16, against an average of 14·3 for the past ten weeks.

*Suburban Districts.* The respective death-rates are—Rathmines, 29·2; Donnybrook, 18·7; Blackrock, 21·7; Kingstown, 36·5. One death from typhoid fever was tabulated in Rathmines district; and 1 each from scarlatina and typhoid fever were registered in Kingstown, in which there have been 7 deaths registered from scarlatina within the last eight weeks.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·465 inches. The highest daily mean reading (29·753) occurred on Friday, and the lowest (29·252) on Sunday.

The mean temperature during the week was 48·2° (being 5·1° over the average in the corresponding week of the previous ten years); the lowest daily mean (43·2°) occurred on Sunday, and the highest (53·1°) on Tuesday.

The temperature was highest on Wednesday, when the thermometer registered 61·5°, and was lowest on Wednesday, the mercury having fallen to 39·4°. The highest reading of the barometer during the week (29·835) occurred on Saturday, at 9.30 A.M., wind N.E., and the lowest (29·206) on Tuesday, at 9.30 P.M., wind E. The mean of the Dry Bulb for the week was 48·8°; and of the Wet Bulb 47·3°. The mean humidity of the air was ·887; complete saturation being represented by 1·0. The rain-fall during the week measured 1·469 in.

At Greenwich the mean temperature of the week was 50·0°, and at Glasgow, 44·2°. The rain-fall during the week at Greenwich measured 1·46 in., and at Glasgow 1·61 in.*

---

TABLE.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, Nov. 12, | 29·252 | 45·6 | 40·8 | 43·2 | 42·8 | 42·0 | ·928 | ·6 | ·060 | E. | E. | E. |
| Monday, „ 13, | 29·462 | 51·8 | 44·0 | 47·9 | 45·1 | 44·3 | ·936 | ·2 | ·580 | E. | E. | S.E. |
| Tuesday, „ 14, | 29·282 | 56·8 | 49·4 | 53·1 | 52·3 | 51·9 | ·905 | ·9 | ·100 | E. | S.E. | E. |
| Wednesday, „ 15, | 29·450 | 61·5 | 39·4 | 50·4 | 50·4 | 47·6 | ·820 | ·2 | ·232 | S.E. | S. | S.E. |
| Thursday, „ 16, | 29·303 | 52·3 | 42·2 | 47·3 | 49·6 | 49·0 | ·950 | ·7 | ·387 | N.E. | N.E. | S.W. |
| Friday, „ 17, | 29·752 | 57·6 | 41·3 | 49·4 | 50·5 | 47·6 | ·778 | ·6 | ·000 | S.W. | S.S.E. | S.W. |
| Saturday, „ 18, | 29·751 | 49·2 | 43·2 | 46·2 | 50·0 | 48·5 | ·894 | ·7 | ·110 | N.E. | WNW | S. |
| Mean, . . | 29·465 | 53·5 | 42·9 | 48·2 | 48·8 | 47·3 | ·887 | ·6 | Total, 1·469 | Prevailing wind, E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Nov. 12, | A.M. Raining. | P.M. Overcast. |
| Monday, „ 13, | A.M. Raining. | P.M. Dull. |
| Tuesday, „ 14, | A.M. Raining. | P.M. Overcast. |
| Wednesday, „ 15, | A.M. Fine. | P.M. Fine and starlight. |
| Thursday, „ 16, | A.M. Raining. | P.M. Continued rain. |
| Friday, „ 17, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 18, | A.M. Thick fog. | P.M. Overcast. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

**TABLE II.—DEATHS** in the several **REGISTRARS' DISTRICTS** of the **CITY of DUBLIN** (Municipal Boundary), and in the **SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN**, registered during the Week ending Saturday, 18th November, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,706 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 24 | 22 | 14 | 28 | 18 | 15 | 16 | 12 | 8 | 3 | 13 | 173 | 7 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . |
| Measles, | . | . | 1 | 1 | . | . | . | . | . | . | . | 2 | . |
| Scarlet Fever (Scarlatina), | . | 2 | . | . | . | . | . | . | . | . | 1 | 3 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Fever, | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 4 | 1 |
| Diarrhœa, | . | . | 1 | 1 | 2 | 1 | . | . | . | . | . | 5 | 1 |
| Other Zymotic Diseases, | 1 | 2 | 1 | 2 | . | . | . | . | . | 1 | 1 | 8 | 1 |
| Total, | 3 | 6 | 3 | 5 | 3 | 1 | . | 1 | . | 1 | 3 | 26 | 3 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 2 | 3 | 1 | 2 | . | 2 | 1 | . | . | 1 | 14 | . |
| Other Constitutional Diseases, | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | . | 2 | 13 | 1 |
| Total, | 3 | 3 | 4 | 2 | 5 | 1 | 3 | 2 | 1 | . | 3 | 27 | 1 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | 4 | 1 | 4 | 2 | 3 | 2 | 3 | 2 | 2 | 2 | 28 | . |
| Diseases of the Heart and Circulatory Organs, | 2 | 2 | . | 1 | 2 | . | 5 | . | 1 | . | . | 12 | 1 |
| Diseases of the Respiratory Organs, | 7 | 3 | 3 | 6 | 5 | 4 | 3 | 3 | 2 | . | 2 | 38 | 2 |
| Diseases of the Digestive Organs, | 1 | . | 1 | 1 | . | 2 | . | 1 | . | . | . | 6 | . |
| Diseases of the Urinary Organs, | . | . | 1 | 1 | . | . | . | 1 | . | . | . | 3 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 13 | 9 | 6 | 13 | 9 | 9 | 10 | 8 | 5 | 2 | 4 | 88 | 3 |
| DEVELOPMENTAL DISEASES, | 5 | 2 | 1 | 6 | 1 | 3 | 1 | 1 | 1 | . | 2 | 23 | . |
| VIOLENT DEATHS, | . | 2 | . | . | . | 1 | 1 | . | 1 | . | 1 | 6 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 2 | . | . | 1 | . | . | . | . | 3 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 24·9 | 35·1 | 28·7 | 48·6 | 33·0 | 20·3 | 20·5 | 29·2 | 18·7 | 21·7 | 36·5 | | — |
| | 28·9 | | | 29·2 | | | | | | | | | |
| | 29·0 | | | | | | | 27·0 | | | | 28·6 | |

**NUMBER** of the above **DEATHS** which occurred in **HOSPITALS, PRISONS, LUNATIC ASYLUMS,** and **WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 3 | 2 | 2 | 1 | 1 | 5 | 5 | 3 | 1 | . | . | 23 | 6 |
| Workhouse Hospitals, | 5 | 4 | 1 | 15 | 6 | 4 | 3 | 3 | 1 | . | . | 42 | 1 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 36, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 23, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, G and Canal-street, and 19, Denzille-street.

TABLE III.—*Showing for each of the last* TEN WEEKS, *and the average of those Weeks, the number of Deaths per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from its Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Suicidal, and Homicidal). |
| **North City, No. 1.** (*Office, Summer-hill.*) | Sept. 16, | 16·6 | 4·2 | 16 | . | . | 2 | . | 1 | . | 1 | . | 2 | 1 | . |
| | „ 23, | 27·8 | 9·1 | 29 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 1 | 1 |
| | „ 14, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | 3 | 2 | 6 | . |
| | „ 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 8·2 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | . |
| | Nov. 4, | 12·5 | 5·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | . | 1 |
| | „ 11, | 14·5 | 2·1 | 14 | . | . | . | . | . | 2 | . | 2 | . | 6 | . |
| | „ 18, | 24·9 | 2·1 | 24 | 1 | . | . | . | . | 1 | . | . | 2 | 7 | . |
| | Average, | 16·1 | 3·1 | 15·5 | 0·1 | . | 0·2 | 0·1 | 0·6 | 1·0 | 0·9 | 1·1 | 1·9 | 2·5 | 0·4 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | Sept. 16, | 25·5 | . | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 1 |
| | „ 23, | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | „ 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 3 | . |
| | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | „ 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 1 |
| | „ 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | „ 28, | 39·9 | 11·2 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | 3 |
| | Nov. 4, | 23·9 | 8·0 | 15 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | . |
| | „ 11, | 23·5 | 6·4 | 21 | . | 1 | 2 | . | 1 | . | . | 2 | 1 | 3 | 2 |
| | „ 18, | 35·1 | 6·4 | 22 | 1 | . | 2 | . | 1 | . | . | 2 | 2 | 3 | 2 |
| | Average, | 27·3 | 5·3 | 17·1 | 0·1 | 0·1 | 1·1 | 0·1 | 0·8 | 0·6 | 0·5 | 1·6 | 1·4 | 2·4 | 1·4 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | Sept. 16, | 24·6 | 8·2 | 12 | . | . | . | . | . | . | 4 | 1 | . | 2 | . |
| | „ 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 2 | . | 1 |
| | „ 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7, | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14, | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28, | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 | 1 |
| | Nov. 4, | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | . |
| | „ 11, | 43·1 | 8·2 | 21 | . | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 6 | . |
| | „ 18, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | . | 3 | 3 | . |
| | Average, | 25·2 | 6·0 | 12·3 | . | 0·9 | 0·2 | 0·2 | . | 0·1 | 1·5 | 1·1 | 1·7 | 2·3 | 0·2 |
| **South City, No. 1.** (*Office, Meath-street.*) | Sept. 16, | 26·4 | 10·4 | 21 | . | . | . | . | . | . | 6 | 2 | 3 | 5 | . |
| | „ 23, | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | „ 30, | 32·9 | 10·4 | 19 | . | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7, | 24·3 | 1·7 | 14 | 1 | . | . | . | . | 1 | . | 1 | 2 | 3 | . |
| | „ 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | „ 28, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Nov. 4, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | „ 11, | 19·1 | . | 11 | . | . | . | . | . | . | 1 | . | 2 | 2 | . |
| | „ 18, | 48·6 | 5·2 | 28 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 6 | . |
| | Average, | 27·8 | 4·9 | 16·0 | 0·1 | 0·4 | . | . | . | 1·0 | 1·3 | 1·4 | 1·8 | 2·7 | 0·4 |
| **South City, No. 2.** (*Office, High-street.*) | Sept. 16, | 25·7 | 3·7 | 14 | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . |
| | „ 23, | 23·9 | 1·8 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 |
| | „ 30, | 22·0 | 3·7 | 12 | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | „ 14, | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | „ 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28, | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | Nov. 4, | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | 1 | . | 1 | . |
| | „ 11, | 23·9 | 5·5 | 13 | . | . | 1 | 1 | . | 1 | . | 1 | . | 6 | . |
| | „ 18, | 33·0 | 5·5 | 18 | . | . | . | . | . | 1 | 2 | 2 | 2 | 5 | . |
| | Average, | 19·8 | 3·5 | 10·8 | . | 0·2 | 0·3 | 0·1 | 0·2 | 0·4 | 0·7 | 0·7 | 0·6 | 2·6 | 0·3 |
| **South City, No. 3.** (*Office, Peter-street.*) | Sept. 16, | 20·3 | 6·8 | 15 | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | „ 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28, | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Nov. 4, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 11, | 14·9 | 1·4 | 11 | . | . | . | . | . | . | . | 2 | 4 | 1 | . |
| | „ 18, | 20·3 | 1·4 | 15 | . | . | . | . | . | . | 1 | 2 | . | 4 | 1 |
| | Average, | 15·1 | 1·8 | 11·9 | . | . | 0·2 | . | . | 0·7 | 0·4 | 1·9 | 1·5 | 2·0 | 0·1 |

of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Sept. 16, | 29·4 | 5·1 | 23 | . | . | . | . | . | . | 4 | 2 | . | 4 | 2 |
| | „ 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | „ 11, | 12·8 | 1·3 | 10 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 18, | 20·5 | . | 16 | . | . | . | . | . | . | . | . | 2 | 3 | 1 |
| | Average, | 18·3 | 1·8 | 14·3 | . | . | . | 0·1 | . | 0·5 | 0·8 | 1·3 | 2·3 | 1·5 | 0·7 |
| **Rathmines.** | Sept. 16, | 9·7 | . | 4 | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | „ 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | „ 11, | 12·2 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 18, | 29·2 | 2·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| | Average, | 17·5 | 1·5 | 7·2 | . | 0·1 | . | 0·1 | 0·1 | 0·1 | 0·2 | 0·3 | 1·1 | 1·0 | 0·3 |
| **Donnybrook.** | Sept. 16, | 14·0 | 4·7 | 6 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 11, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 18, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 1 |
| | Average, | 17·6 | 1·9 | 7·5 | . | . | . | . | . | 0·5 | 0·3 | 0·5 | 0·8 | 0·6 | 0·3 |
| **Blackrock.** | Sept. 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 11, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 18, | 21·7 | . | 3 | . | . | . | . | . | . | . | 2 | . | . | . |
| | Average, | 15·2 | 0·7 | 2·1 | . | . | . | . | . | 0·1 | . | 0·3 | 0·3 | . | . |
| **Kingstown.** | Sept. 16, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | 1 | . | . | . | 1 | . | . | 2 | . |
| | „ 11, | 28·1 | 5·6 | 10 | . | . | 1 | . | . | 1 | . | . | 2 | . | 1 |
| | „ 18, | 36·5 | 5·6 | 13 | . | . | 1 | . | . | 1 | . | . | 1 | 2 | 1 |
| | Average, | 26·7 | 5·6 | 9·5 | . | . | 0·7 | 0·1 | . | 0·5 | 0·7 | 0·2 | 1·0 | 0·8 | 0·5 |
| **Total, Dublin Registration District.** | Sept. 16, | 22·3 | 4·5 | 135 | . | . | 2 | . | 1 | 4 | 20 | 9 | 10 | 18 | 3 |
| | „ 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 12 | 24 | 13 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 12 | 19 | 16 | 3 |
| | Oct. 7, | 15·7 | 3·5 | 95 | . | 3 | 3 | . | 2 | 8 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 8 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | „ 11, | 20·2 | 3·1 | 122 | . | 2 | 6 | 2 | 1 | 7 | 1 | 11 | 14 | 26 | 4 |
| | „ 18, | 28·6 | 3·0 | 173 | 2 | 2 | 3 | . | 2 | 4 | 5 | 9 | 14 | 38 | 6 |
| | Average, | 20·5 | 3·3 | 124·2 | 0·3 | 1·7 | 2·8 | 0·8 | 1·7 | 5·5 | 7·3 | 10·4 | 14·4 | 18·4 | 4·6 |

IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS of stered in the FORTY-SIXTH WEEK, ending Saturday, 18th November, 1876; also the Deaths from each Disea

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in the Week of the years 1866-75. | Week ending Saturday, Nov. 18th, 187 | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Age | | | | | | |
| | Nov 17 1866 | Nov 16 1867 | Nov 14 1868 | Nov 20 1869 | Nov 19 1870 | Nov 18 1871 | Nov 16 1872 | Nov 15 1873 | Nov 21 1874 | Nov 20 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | ° 44·2 | ° 45·0 | ° 41·4 | ° 48·6 | ° 38·3 | ° 40·3 | ° 38·3 | ° 43·8 | ° 48·9 | ° 45·1 | ° 43·1 | Mean Temp. ° 48·2 | | | | | | | |
| **ALL CAUSES,** | 226 | 139 | 163 | 139 | 120 | 168 | 126 | 210 | 147 | 184 | 162·2 | 180 | 37 | 8 | 6 | 25 | 41 | 55 | 8 |
| **SPECIFIED CAUSES,** | 225 | 136 | 161 | 139 | 120 | 164 | 123 | 203 | 143 | 182 | 159·6 | 177 | 37 | 8 | 6 | 24 | 29 | 55 | 8 |
| (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| ZYMOTIC DISEASES, | 106 | 34 | 43 | 38 | 43 | 28 | 30 | 34 | 52 | 48 | 45·6 | 29 | 13 | 4 | 2 | 5 | 3 | 2 | |
| CONSTITUTIONAL ,, | 35 | 29 | 22 | 22 | 19 | 29 | 28 | 36 | 19 | 31 | 27·0 | 28 | 4 | . | 2 | 9 | 7 | 6 | |
| LOCAL ,, | 62 | 54 | 72 | 56 | 46 | 84 | 50 | 91 | 54 | 79 | 64·8 | 91 | 13 | 1 | 1 | 10 | 23 | 35 | 8 |
| DEVELOPMENTAL ,, | 14 | 17 | 19 | 18 | 10 | 19 | 8 | 34 | 16 | 19 | 17·4 | 23 | 6 | . | . | . | 1 | 10 | 6 |
| VIOLENT DEATHS, | 8 | 2 | 5 | 5 | 2 | 4 | 7 | 8 | 2 | 5 | 4·8 | 6 | 1 | 3 | 1 | . | . | 1 | |
| ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| 1. Small Pox, | . | . | . | 1 | . | 7 | 2 | . | . | . | 1·0 | 2 | . | . | . | 2 | . | . | |
| 2. Measles, | . | 1 | . | 6 | . | . | 3 | 1 | 1 | 10 | 2·2 | 2 | 2 | . | . | . | . | . | |
| 3. Scarlet Fever (Scarlatina), | 5 | 12 | 21 | 13 | 17 | 5 | 8 | 17 | 29 | 4 | 12·0 | 3 | 2 | 1 | . | . | . | . | |
| 4. Diphtheria, | 1 | . | . | . | . | 2 | . | . | 1 | . | 0·4 | . | . | . | . | . | . | . | |
| 5. Quinsy, | . | . | 1 | . | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | |
| 6. Croup, | 1 | . | 2 | 4 | 1 | 1 | 2 | 2 | . | 4 | 1·7 | 2 | 2 | . | . | . | . | . | |
| 7. Whooping Cough, | 1 | 7 | 2 | 1 | 9 | . | 3 | 2 | 1 | 7 | 3·3 | 2 | 2 | . | . | . | . | . | |
| 8. Typhus, | | | | . | 5 | . | 1 | 1 | 3 | 4 | | 1 | . | . | 1 | . | . | . | |
| – Enteric or Typhoid Fever, | 11 | 9 | 4 | 2 | . | 6 | 5 | 3 | 9 | 6 | 8·0 | 3 | . | 2 | . | 1 | . | . | |
| – Simple continued Fever, | | | | 1 | 5 | 3 | 2 | . | . | . | | 1 | . | . | . | . | 1 | . | |
| 9. Erysipelas, | 1 | . | . | 1 | . | . | . | . | 3 | 3 | ·8 | 4 | 1 | . | . | . | 2 | 1 | |
| 10. Puerperal Fever (Metria), | 1 | . | 2 | 2 | . | . | . | 1 | 1 | 1 | ·8 | 1 | . | . | . | 1 | . | . | |
| 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | |
| 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13. Dysentery, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | |
| 14. Diarrhœa, | 8 | 2 | 7 | 5 | 5 | 2 | . | 3 | 1 | 5 | 3·8 | 6 | 4 | . | . | 1 | 1 | . | |
| 15. Simple Cholera, | 73 | . | . | . | . | 1 | . | . | . | . | 7·4 | . | . | . | . | . | . | . | |
| 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 18. Rheumatism, | . | . | . | 1 | 1 | . | 1 | 3 | . | . | ·6 | . | . | . | . | . | . | . | |
| 19. Other Zymotic Diseases, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | |
| ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis, | 2 | 1 | 1 | 2 | . | 1 | . | 1 | 1 | 2 | 1·1 | . | . | . | . | . | . | . | |
| 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| 1. Privation, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 3. Purpura and Scurvy, | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| 4. Alcoholism, { Delirium Tremens | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| 4. Alcoholism, { Intemperance, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | |
| ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| 1. Thrush, | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | 1 | . | 1 | . | . | . | . | |
| 2. Worms, &c. | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | |
| ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| 1. Gout, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | |
| 2. Dropsy, | 5 | 2 | 2 | 2 | 1 | 1 | 1 | . | 2 | 2 | 1·8 | 2 | . | . | . | . | 1 | 1 | |
| 3. Cancer, | . | 2 | 4 | 1 | 2 | 6 | 3 | 5 | 4 | 2 | 3·9 | 7 | . | . | . | 2 | 2 | 3 | |
| 4. Cancrum Oris (Noma), | 2 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | |
| 5. Mortification, | 1 | . | 1 | . | . | . | . | 1 | . | 1 | ·4 | 1 | . | . | . | 1 | . | . | |
| ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula, | 2 | . | 2 | 2 | . | 1 | 1 | 2 | . | 4 | 1·4 | . | . | . | . | . | . | . | |
| 2. Tabes Mesenterica, | 3 | 1 | 3 | 4 | 4 | 2 | 3 | 2 | 4 | 4 | 3·0 | 3 | 3 | . | . | . | . | . | |
| 3. Phthisis, | 17 | 18 | 10 | 11 | 11 | 18 | 16 | 21 | 9 | 17 | 14·8 | 14 | . | . | 2 | 6 | 4 | 2 | |
| 4. Hydrocephalus, | 5 | 6 | . | 2 | 1 | 1 | 2 | 5 | . | 1 | 2·3 | 1 | 1 | . | . | . | . | . | |
| ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis, | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | . | 2 | 1·4 | 2 | 1 | . | . | . | 1 | . | |
| 2. Apoplexy, | . | 7 | 2 | 2 | 1 | 6 | 6 | . | . | 2 | 2·6 | 5 | . | . | . | 1 | 1 | 3 | |
| 3. Paralysis, | 1 | 4 | 1 | 2 | 2 | 2 | 3 | 3 | . | 1 | 1·9 | 5 | . | . | . | . | 3 | 2 | |
| 4. Insanity, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | |
| 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 6. Epilepsy, | . | . | . | . | 1 | . | . | 3 | . | . | ·4 | . | . | . | . | . | . | . | |
| 7. Convulsions, | 15 | 6 | 12 | 4 | 9 | 15 | 5 | 14 | 9 | 14 | 10·3 | 9 | 9 | . | . | . | . | . | |
| 8. *Brain Disease, &c.* | 2 | . | 1 | 2 | 2 | 3 | 3 | 8 | 3 | . | 2·4 | 7 | . | . | . | 1 | 2 | 3 | 1 |
| ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis, | . | . | . | . | . | 3 | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | |
| 2. Aneurism, | . | . | . | . | . | 2 | . | 1 | 1 | . | ·4 | 1 | . | . | . | . | . | 1 | |
| 3. *Heart Disease, &c.* | 11 | 6 | 6 | 4 | 6 | 10 | 4 | 11 | 6 | 8 | 7·2 | 13 | . | . | . | 2 | 8 | 3 | |
| ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 2. Bronchitis, | 16 | 16 | 26 | 29 | 13 | 24 | 9 | 32 | 13 | 29 | 20·7 | 30 | 1 | . | . | 1 | 9 | 16 | 1 |
| 3. Pleurisy, | . | 1 | 2 | . | . | 1 | 1 | 1 | 1 | 1 | ·8 | 1 | . | . | . | 1 | . | . | |
| 4. Pneumonia, | 2 | 3 | 6 | 2 | . | 4 | 1 | 4 | 7 | 3 | 3·2 | 4 | 2 | 1 | . | 1 | . | . | |
| 5. Asthma, | 1 | 1 | . | 1 | . | . | . | . | 1 | 1 | ·5 | 1 | . | . | 1 | . | 1 | 1 | |
| 6. *Lung Disease, &c.* | 1 | 3 | 3 | 1 | 3 | 3 | 1 | 3 | 4 | 3 | 2·5 | 4 | . | . | 1 | 1 | 1 | 1 | |

ATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, egistered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 40th Week of the 10 years 1866–75. | Week ending Saturday, Nov. 18th, 1876. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Nov 17 1866 | Nov 16 1867 | Nov 14 1868 | Nov 20 1869 | Nov 19 1870 | Nov 18 1871 | Nov 16 1872 | Nov 15 1873 | Nov 21 1874 | Nov 20 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60 | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | ° 44·5 | ° 45·0 | ° 41·4 | ° 48·6 | ° 38·3 | ° 40·3 | ° 38·3 | ° 43·6 | ° 45·9 | ° 45·1 | ° 43·1 | ° 48·2 | | | | | | | |
| 11. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| on. | 1. Gastritis, | . | . | 2 | 1 | . | . | . | . | 1 | 1 | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 2. Enteritis, | . | . | 2 | 1 | 1 | 5 | 2 | 1 | 3 | . | 1·5 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 7. Ileus, | . | 2 | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 1 | . | 1 | . | 1 | . | 3 | . | 1 | . | ·7 | 1 | . | . | . | . | . | 1 | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | 1 | . | 1 | . | . | . | 1 | 2 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 2 | 1 | 4 | 2 | 2 | 3 | 3 | 3 | 1 | 3 | 2·4 | 2 | . | . | . | . | 1 | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 1 | . | 1 | . | . | . | . | . | . | 3 | ·5 | 1 | . | . | . | 1 | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 5 | 1 | . | . | 2 | . | 2 | 2 | . | 1 | 1·3 | 2 | . | . | . | . | . | 2 | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | 1 | . | . | . | 1 | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | 1 | 1 | . | 1 | . | . | 1 | 2 | ·7 | 1 | 1 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | 1 | . | 2 | 2 | . | 4 | 1 | 1 | . | . | 1·1 | 3 | 3 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paræmesia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | 1 | 1 | 1 | 2 | 1 | . | . | . | 2 | 1 | ·9 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 8 | 8 | 6 | 5 | 7 | 7 | 3 | 28 | 8 | 9 | 8·9 | 15 | . | . | . | . | . | 9 | 6 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 3 | 8 | 9 | 8 | 2 | 7 | 4 | 5 | 5 | 7 | 5·8 | 4 | 2 | . | . | . | 1 | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 3 | . | 3 | 1·6 | 3 | . | 1 | 1 | . | . | 1 | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 4 | . | . | 2 | 1 | 1 | 1 | 1 | 1 | . | 1·1 | 2 | 1 | 1 | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 2 | 1 | 2 | 1 | . | . | 1 | 3 | 1 | 2 | 1·3 | 1 | . | 1 | . | . | . | . | . |
| | 6. Suffocation, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | 2 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORDER 2.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | 1 | 1 | . | . | . | 1 | . | . | . | . | ·3 | 1 | . | . | . | 1 | . | . | . |
| | Causes not specified or ill-defined, | . | 2 | 2 | . | . | 3 | 3 | 7 | 4 | 2 | 2·3 | 3 | . | . | . | . | 2 | . | . |

ABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 18th November, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 18TH NOVEMBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 30 | 141 | 180 | 21 | 63 | 2 | 2 | 3 | . | 2 | 5 | 6 | 6 | 3 | 71 |
| BELFAST,* . . | 20,687 | 182,082 | 28 | 117 | 97 | 20 | 9 | . | . | 4 | . | 3 | 1 | 3 | 5 | . | 11 |
| CORK, . . . | 13,816 | 91,965 | 17 | 47 | 30 | 4 | 6 | . | . | . | . | 1 | 1 | . | . | 1 | 1 |
| LIMERICK, . . | 8,509 | 44,209 | 19 | 21 | 16 | 5 | 2 | . | . | 3 | . | . | . | . | . | . | . |
| LONDONDERRY,† . | 21,865 | 30,884 | 12 | 22 | 7 | 2 | 1 | . | 1 | . | . | . | 1 | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 15 | 15 | 9 | 3 | 2 | . | . | . | . | . | . | . | . | 1 | . |
| GALWAY, . . | 21,358 | 19,692 | 5 | 11 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 30,835 | 17,285 | 30 | 5 | 10 | . | 3 | . | . | . | . | . | 1 | . | . | 1 | 3 |

ABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 18th November, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 26 | 15 | 10 | 2 | 1 | . | . | 1 | . | . | 1 | . | 1 | . | . |
| | ,, ,, 2, | 17,938 | 32 | 11 | 11 | 1 | . | . | . | 2 | . | . | . | . | 4 | . | 5 |
| | ,, ,, 3, | 39,311 | 17 | 28 | 13 | 5 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 62 | 13 | 23 | 6 | 4 | . | . | 1 | . | . | . | . | . | . | 11 |
| | ,, ,, 5, | 19,616 | 11 | 8 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 20 | 15 | 14 | 3 | 2 | . | . | . | . | 2 | . | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | 39 | 3 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 38 | 7 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Castlereagh ,, 1, | 16,155 | 39 | 17 | 12 | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 10 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 11,555 | 18 | 5 | 4 | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 |
| | ,, ,, 3, | 6,818 | 46 | 1 | 6 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 4, | 6,227 | 42 | 1 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 5, | 11,289 | 18 | 3 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 10 | 13 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | ,, ,, 7, | 7,586 | 7 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 8 | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 9, | 4,790 | 11 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 20 | 3 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 23 | 3 | 4 | 3 | . | . | . | 2 | . | . | . | . | . | . | . |
| | ,, ,, 3, | 11,424 | 28 | 10 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 13 | 5 | 4 | . | 1 | . | . | 1 | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 8 | 10 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 18 | 8 | 3 | 1 | . | . | . | 1 | . | . | . | 1 | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 15 | 15 | 9 | 3 | 2 | . | . | . | . | . | . | . | . | 1 | . |
| GALWAY, | Galway, No. 1, | 10,700 | 5 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 6 | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 56 | 2 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, ,, 2, | 10,829 | 14 | 3 | 3 | . | . | . | . | . | . | . | 1 | . | . | 1 | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty,
For Her Majesty's Stationery Office.

[1522.—800.—10/76.]

BIBLIOTECA·BODLEIANA·

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, NOVEMBER 25, 1876. [No. 47.

*General Register Office, Charlemont House, Dublin, November 27th, 1876.*

**The deaths registered in the Dublin Registration District during the week ending 25th November, 1876, represent an annual mortality of 23·5 in every 1,000 of the population, by the Census of 1871. In London the death-rate was 22·5 in every 1,000 of the estimated population; in Glasgow, 22·6; and in Edinburgh, 16·2.**

In the Dublin Registration District the births registered during the week amounted to 148—89 boys and 59 girls,—and the deaths to 142—77 males and 65 females. The *average* numbers in the corresponding week of the previous ten years were—births, 160, and deaths, 162.

Thirty-one deaths from zymotic diseases were registered during the week: the average number for the corresponding week of the previous ten years was 39·7. The deaths from this class of diseases recorded last week include 9 from fever (1 typhus, 5 typhoid or enteric, and 3 simple continued fever); 7 from scarlet fever; 6 from whooping-cough; 4 from measles; 3 from diarrhœa; &c.

The Deputy Registrar of No. 1 South City District (Meath-street) remarks:—"*The first case of small-pox in this district was discovered yesterday* [24*th instant*] *and reported to the Sanitary Authority. It occurs in a man in* 2 *Forbes'-lane, off Marrowbone-lane; he had only been discharged from the Mater Misericordiæ Hospital on* 15*th instant. He has a very imperfect vaccine cicatrix; he declines to go to hospital. Measles of a severe type very prevalent in the district.*" The 2 deaths from small-pox registered during the week ended 18th instant occurred in the institution referred to.

Ten children died from convulsions. Bronchitis caused 26 deaths.

Nine deaths were caused by heart disease, 1 by aneurism; 2 each by paralysis and cephalitis; 1 each by apoplexy and epilepsy; 5 by liver disease; &c.

Fourteen persons died from phthisis or pulmonary consumption; 3 each from mesenteric disease and cancer; and 1 each from scrofula and hydrocephalus or water on the brain.

Four accidental deaths were registered, viz.—3 from fractures and 1 from poison.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (19 being infants under 1 year old); and 37 were aged 60 and upwards, including 18 persons aged 70 and upwards, of whom 2 were octogenarians.

Thirty-five of the deaths registered occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin, and 10 in the South Dublin Union Workhouse.

Ten deaths from whooping-cough, 3 each from fever and scarlatina, and 4 from diarrhœa, were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 23·5 per 1,000; the rate in the city was 25·2 (27·4 on the North side and 23·5 on the South), and in the suburbs 17·3.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 4·8 per 1,000 inhabitants, the rate for the city being 5·3 (8·7 in the North City Districts and 2·7 in the South), and for the suburbs 3·0 per 1,000.

*No.* 1, *North City District* (Summer-hill). The annual rate represented by the deaths of inhabitants of this district is 21·8 per 1,000 persons. Of the 21 deaths—4 resulted from fever (1 typhoid and 3 simple continued fever), 3 from whooping-cough, 1 from diarrhœa, and 6 from diseases of the respiratory organs.

*No.* 2, *North City District* (Coleraine-street). The deaths are equal to an annual mortality of 31·9 per 1,000 inhabitants: the average rate for the last ten weeks has been 27·9 per 1,00
There were 3 deaths from scarlatina, 3 from whooping-cough, and 1 from typhoid fever; t

deaths being equal to a rate of 11·2 per 1,000 persons: the average rate of mortality from the seven principal zymotic diseases for the last ten weeks has been 6·4 per 1,000.

*No. 3, North City District* (Marshal-street). The death-rate for the week is 32·6 per 1,000, against an average rate of 26·1 per 1,000 for the last ten weeks. The deaths from zymotic diseases are—, each from scarlatina, measles and diarrhœa; being equal to an annual rate of 6·2 per 1,000. Four of the 16 deaths registered were caused by bronchitis.

*No. 1, South City District* (Kevin-street). The deaths chargeable to this district represent an annual rate of 37·6 per 1,000 persons: the average rate for the last ten weeks is 26·2 per 1,000. Of the 12 deaths for last week, 5 were caused by zymotic diseases, viz., 3 by measles and 1 each by scarlatina and diarrhœa. See remarks of Deputy Registrar on page 381.

*No. 2, South City District* (High-street). The rate for this district is 23·9 per 1,000 inhabitants. There were 10 deaths from zymotic disease. Three of the 13 deaths resulted from bronchitis, and 2 from phthisis or pulmonary consumption.

*No. 3, South City District* (Peter-street). The deaths of inhabitants of this district are equal to an annual mortality of 28·5 per 1,000: the average rate for the last ten weeks has been 17·0 per 1,000. The only death from zymotic disease recorded last week is 1 from scarlatina. Four deaths were caused by bronchitis.

*No. 4, South City District* (Denzille-street and Grand Canal-street). The death-rate for this district is 20·5 per 1,000: the only death from zymotic disease is 1 from typhus fever.

*Suburban Districts.* The respective death-rates are—Rathmines, 4·9 per 1,000 (only 2 deaths registered); Donnybrook, 25·8; Blackrock, 7·2; and Kingstown, 25·3 per 1,000. The deaths from zymotic disease are—1 from typhoid fever in Donnybrook, and 1 from scarlatina, and 2 from typhoid or enteric fever, in Kingstown. The deaths from these diseases in Kingstown are equal to an annual rate of 6·4 per 1,000 persons: the average mortality from the seven principal zymotic diseases for the last ten weeks in this district is equal to an annual rate of 6·4 per 1,000. There were no deaths from zymotic disease registered in either Rathmines or Blackrock last week.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·839 inches. The highest daily mean reading (30·068) occurred on Tuesday, and the lowest (29·452) on Saturday.

The mean temperature during the week was 45·7° (being 3·4° over the average in the corresponding week of the previous ten years); the lowest daily mean (39·6°) occurred on Saturday, and the highest (48·8°) on Wednesday.

The temperature was highest on Tuesday, when the thermometer registered 54·5°, and was lowest on Saturday, the mercury having fallen to 30·5°. The highest reading of the barometer during the week (30·096) occurred on Tuesday, at 9.30 A.M., wind E., and the lowest (29·422) on Saturday, at 3.30 P.M., wind S. The mean of the Dry Bulb for the week was 46·6°; and of the Wet Bulb 44·7°. The mean humidity of the air was ·852; complete saturation being represented by 1·0. The rain-fall during the week measured ·430 in.

At Greenwich the mean temperature of the week was 43·6°, and at Glasgow, 41·9°. The rain-fall during the week at Greenwich measured ·30 in., and at Glasgow ·67 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, Nov. 19, | 29·751 | 49·0 | 40·2 | 44·6 | 47·7 | 45·5 | ·836 | ·7 | ·000 | S.W. | W. | S.W. |
| Monday, „ 20, | 29·969 | 51·5 | 42·0 | 46·7 | 46·0 | 44·3 | ·868 | ·2 | ·000 | W. | W. | S.W. |
| Tuesday, „ 21, | 30·068 | 54·5 | 40·0 | 47·3 | 46·4 | 44·3 | ·838 | ·6 | ·040 | E. | E. | E. |
| Wednesday, „ 22, | 30·030 | 57·6 | 45·0 | 48·8 | 50·0 | 47·1 | ·804 | ·8 | ·015 | E. | S.E. | S.E. |
| Thursday, „ 23, | 29·849 | 48·8 | 43·2 | 46·0 | 45·6 | 43·4 | ·838 | ·6 | ·060 | E. | E.S.E. | S.E. |
| Friday, „ 24, | 29·714 | 51·8 | 42·7 | 47·2 | 47·6 | 45·7 | ·856 | ·2 | ·150 | E. | E. | E. |
| Saturday, „ 25, | 29·452 | 48·7 | 30·5 | 39·6 | 43·1 | 42·3 | ·932 | ·3 | ·165 | E.S.E. | S. | S.W. |
| Mean, . . | 29·839 | 51·0 | 40·5 | 45·7 | 46·6 | 44·7 | ·852 | ·5 | Total, ·430 | Prevailing wind, E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Nov. 19, | A.M. Fine. | P.M. Fine and starlight. |
| Monday, „ 20, | A.M. Fine. | P.M. Gloomy. |
| Tuesday, „ 21, | A.M. Slight fog. | P.M. Dull. |
| Wednesday, „ 22, | A.M. Raining. | P.M. Gloomy. |
| Thursday, „ 23, | A.M. Overcast. | P.M. Overcast. |
| Friday, „ 24, | A.M. Overcast. | P.M. Dull. |
| Saturday, „ 25, | A.M. Raining. | P.M. Fine and starlight. |

*.—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. daily furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 25th November, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons belonging to other Districts. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK. | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. R. & W. | | | | | | |
| Area in Statute Acres. | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,968 | 28,330 | 38,344 | 40,654 | 21,273 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| Deaths from all Causes, | 21 | 20 | 16 | 12 | 13 | 21 | 16 | 2 | 11 | 1 | 9 | 142 | . |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | 3 | . | . | . | . | . | . | . | 4 | . |
| Scarlet Fever (Scarlatina), | . | 3 | 1 | 1 | . | 1 | . | . | . | . | 1 | 7 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 3 | 3 | . | . | . | . | . | . | . | . | . | 6 | . |
| Fever, | 4 | 1 | . | . | . | . | 1 | . | 1 | . | 2 | 9 | . |
| Diarrhœa, | 1 | . | 1 | 1 | . | . | . | . | . | . | . | 3 | . |
| Other Zymotic Diseases, | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Total, | 10 | 7 | 3 | 5 | . | 1 | 1 | . | 1 | . | 3 | 31 | . |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 1 | 1 | . | 2 | 2 | 1 | . | 3 | . | 2 | 14 | . |
| Other Constitutional Diseases | . | 2 | 2 | . | . | 2 | 2 | . | 2 | . | . | 10 | . |
| Total, | 2 | 3 | 3 | . | 2 | 4 | 3 | . | 5 | . | 2 | 24 | . |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | 3 | 4 | 2 | 1 | 1 | 3 | . | . | . | 1 | 16 | . |
| Diseases of the Heart and Circulatory Organs, | . | 2 | 1 | 1 | . | 1 | 2 | . | 2 | . | 1 | 10 | . |
| Diseases of the Respiratory Organs, | 6 | 2 | 4 | 3 | 4 | 4 | 3 | . | 3 | . | 1 | 30 | . |
| Diseases of the Digestive Organs, | 1 | 1 | . | . | 1 | 4 | 2 | . | . | . | . | 9 | . |
| Diseases of the Urinary Organs, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 8 | 8 | 9 | 6 | 6 | 10 | 10 | 1 | 5 | . | 3 | 66 | . |
| DEVELOPMENTAL DISEASES, | 1 | 2 | 1 | 1 | 3 | 4 | 2 | 1 | . | 1 | . | 16 | . |
| VIOLENT DEATHS, | . | . | . | . | 1 | 2 | . | . | . | . | 1 | 4 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Annual Rate of Mortality in every 1,000 of the Population, represented by deaths registered during the week. | 21·8 | 31·9 | 32·8 | 20·8 | 23·9 | 23·5 | 20·5 | 4·9 | 25·8 | 7·2 | 25·3 | | — |
| | 27·4 | | | 23·5 | | | | 17·3 | | | | 23·5 | |
| | 25·2 | | | | | | | | | | | | |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 2 | 1 | . | . | 4 | 4 | 1 | 3 | . | 2 | 17 | . |
| Workhouse Hospitals, | 2 | 4 | 2 | 1 | 4 | 3 | 1 | . | 1 | . | . | 18 | . |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Frances-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of Births per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Distri*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | Sept. 23, | 20·6 | 3·1 | 20 | . | . | . | . | . | 1 | 2 | 3 | 5 | 1 | 1 |
| | „ 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 1 | . |
| | „ 14, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | 3 | 2 | 6 | 1 |
| | „ 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 8·3 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | . |
| | Nov. 4, | 12·5 | 5·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | . | 1 |
| | „ 11, | 14·5 | 2·1 | 14 | . | . | . | . | . | 2 | . | 2 | . | 6 | . |
| | „ 18, | 24·9 | 2·1 | 24 | 1 | . | . | . | . | 1 | . | . | 2 | 7 | . |
| | „ 25, | 21·8 | 8·3 | 21 | . | . | . | . | 3 | 4 | 1 | 1 | 2 | 6 | . |
| | Average, | 16·6 | 3·5 | 16·0 | 0·1 | . | 0·1 | 0·1 | 0·8 | 1·4 | 0·9 | 1·2 | 1·9 | 3·0 | 0·4 |
| North City, No. 2. (*Office, Coleraine-street.*) | Sept. 23, | 30·3 | 8·0 | 19 | . | . | 1 | . | 1 | 1 | 2 | 1 | 2 | 4 | 1 |
| | „ 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 3 | . |
| | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | „ 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 4 |
| | „ 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | „ 28, | 39·9 | 1·2 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | 1 |
| | Nov. 4, | 23·9 | 18·0 | 15 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | . |
| | „ 11, | 33·5 | 6·4 | 21 | . | 1 | 2 | . | 1 | . | . | 2 | 1 | 3 | 2 |
| | „ 18, | 35·1 | 6·4 | 22 | 1 | . | 2 | . | 1 | . | . | 2 | 2 | 3 | 2 |
| | „ 25, | 31·9 | 11·2 | 20 | . | . | 3 | . | 3 | 1 | . | 3 | 1 | 2 | . |
| | Average, | 27·9 | 6·4 | 17·5 | 0·1 | 0·1 | 1·4 | 0·1 | 1·1 | 0·7 | 0·5 | 1·9 | 1·4 | 2·4 | 1·3 |
| North City, No. 3. (*Office, Blackhall-street.*) | Sept. 23, | 18·5 | 2·1 | 9 | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 |
| | „ 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7, | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14, | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28, | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 | 1 |
| | Nov. 4, | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | . |
| | „ 11, | 43·1 | 8·2 | 21 | . | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 6 | . |
| | „ 18, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | . | 3 | 3 | . |
| | „ 25, | 32·8 | 6·2 | 16 | . | 1 | 1 | . | . | . | 1 | 2 | 1 | 4 | . |
| | Average, | 26·1 | 5·8 | 12·7 | . | 1·0 | 0·3 | 0·2 | . | 0·1 | 1·2 | 1·2 | 1·8 | 2·5 | 0·2 |
| South City, No. 1. (*Office, Meath-street.*) | Sept 23, | 39·9 | 8·7 | 23 | . | . | . | . | . | 2 | 3 | 2 | 5 | 2 | 1 |
| | „ 30, | 32·9 | 10·4 | 19 | . | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7, | 24·3 | 1·7 | 14 | 1 | . | . | . | . | 1 | . | 1 | 2 | 3 | . |
| | „ 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | „ 28, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Nov. 4, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | „ 11, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | „ 18, | 48·6 | 5·2 | 28 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 6 | . |
| | „ 25, | 20·8 | 8·7 | 12 | . | 3 | 1 | . | . | . | 1 | 2 | . | 3 | . |
| | Average, | 26·2 | 4·7 | 15·1 | 0·1 | 0·7 | 0·1 | . | . | 1·0 | 0·8 | 1·4 | 1·5 | 2·5 | 0·4 |
| South City, No. 2. (*Office, High-street.*) | Sept. 23, | 23·9 | 1·8 | 13 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 |
| | „ 30, | 22·0 | 3·7 | 12 | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . |
| | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | „ 14, | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | „ 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28, | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | Nov. 4, | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | . | . | 1 | . |
| | „ 11, | 23·9 | 5·5 | 13 | . | . | 1 | 1 | . | 1 | . | 1 | . | 6 | . |
| | „ 18, | 33·0 | 5·5 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | 5 | . |
| | „ 25, | 23·9 | . | 13 | . | . | . | . | . | . | . | 2 | 2 | 4 | 1 |
| | Average, | 19·6 | 3·1 | 10·7 | . | 0·2 | 0·3 | 0·1 | 0·2 | 0·4 | 0·5 | 0·6 | 0·6 | 2·3 | 0·4 |
| South City, No. 3. (*Office, Peter-street.*) | Sept. 23, | 16·3 | . | 12 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28, | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Nov. 4, | 14·9 | 1·4 | 11 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 11, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 2 | 4 | 2 | . |
| | „ 18, | 20·3 | 1·4 | 15 | . | . | . | . | . | . | 1 | 2 | . | 4 | 1 |
| | „ 25, | 28·5 | 1·4 | 21 | . | . | 1 | . | . | . | . | . | 2 | 4 | 1 |
| | Average, | 17·0 | 1·3 | 12·5 | . | . | 0·3 | . | . | 0·4 | 0·2 | 1·7 | 1·7 | 2·4 | 0·3 |

of Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate principal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public from which the deceased were admitted.*

| Registrars' Districts. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. | | Total Deaths. | Number of Deaths from | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Seven principal Zymotic Diseases. | | | | | | | | | | | |
| | | From all Causes. | From Seven Zymotic Diseases. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Sept. 23, | 19·2 | 1·3 | 15 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | „ 11, | 12·8 | 1·3 | 10 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 18, | 20·5 | . | 16 | . | . | . | . | . | . | . | . | 2 | 3 | 1 |
| | „ 25, | 20·5 | 1·3 | 16 | . | . | . | . | . | 1 | . | 1 | 1 | 3 | . |
| | Average, | 17·4 | 1·4 | 13·6 | . | . | . | 0·1 | . | 0·6 | 0·4 | 1·2 | 2·4 | 1·4 | 0·5 |
| **Rathmines.** | Sept. 23, | 24·3 | 4·9 | 10 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | „ 11, | 12·2 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 18, | 29·2 | 2·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| | „ 25, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 17·0 | 1·5 | 7·0 | . | 0·1 | . | 0·1 | 0·1 | 0·1 | 0·2 | 0·2 | 1·0 | 0·9 | 0·3 |
| **Donnybrook.** | Sept. 23, | 18·7 | 7·0 | 8 | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| | „ 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 11, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 18, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 1 |
| | „ 25, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | 3 | 3 | . |
| | Average, | 18·7 | 1·6 | 8·0 | . | . | . | . | . | 0·5 | 0·2 | 0·5 | 1·1 | 0·9 | 0·3 |
| **Blackrock.** | Sept. 23, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 11, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 18, | 21·7 | . | 3 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 25, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 14·4 | 0·7 | 2·0 | . | . | . | . | . | 0·1 | . | 0·3 | 0·3 | . | . |
| **Kingstown.** | Sept. 23, | 39·3 | 11·2 | 14 | . | . | . | . | . | 1 | 3 | . | 2 | 1 | 1 |
| | „ 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | . | . | . | . | 1 | . | . | 2 | . |
| | „ 11, | 28·1 | 5·6 | 10 | . | . | 1 | . | . | 1 | . | . | 3 | . | 1 |
| | „ 18, | 36·5 | 5·6 | 13 | . | . | 1 | . | . | 1 | . | . | 1 | 2 | 1 |
| | „ 25, | 25·3 | 8·4 | 9 | . | . | 1 | . | . | 2 | . | 1 | 2 | 1 | 1 |
| | Average, | 27·5 | 6·4 | 9·8 | . | . | 0·8 | 0·1 | . | 0·7 | 0·7 | 0·3 | 1·1 | 0·8 | 0·6 |
| **Total, Dublin Registration District.** | Sept. 23, | 24·0 | 4·1 | 145 | . | . | 1 | . | 2 | 6 | 16 | 12 | 24 | 13 | 9 |
| | „ 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 12 | 19 | 16 | 3 |
| | Oct. 7, | 15·7 | 3·5 | 95 | . | 3 | 3 | . | 2 | 3 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 5 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | „ 11, | 20·2 | 3·1 | 122 | . | 2 | 6 | 2 | 1 | 7 | 1 | 11 | 14 | 26 | 4 |
| | „ 18, | 28·6 | 3·0 | 173 | 2 | 2 | 3 | . | 2 | 4 | 5 | 9 | 14 | 33 | 6 |
| | „ 25, | 23·5 | 4·3 | 142 | . | 4 | 7 | . | 6 | 9 | 3 | 10 | 14 | 30 | 4 |
| | Average, | 20·7 | 3·4 | 124·9 | 0·3 | 2·1 | 3·3 | 0·8 | 2·2 | 6·0 | 5·6 | 10·5 | 14·3 | 19·6 | 4·7 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS Registered in the FORTY-SEVENTH WEEK, ending Saturday, 25th November, 1876; also the Deaths from each

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of the 10 years 1866-75. | Week ending Saturday, Nov. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ag | | | | | | |
| | | Nov 24 1866 | Nov 23 1867 | Nov 21 1868 | Nov 27 1869 | Nov 26 1870 | Nov 25 1871 | Nov 23 1872 | Nov 22 1873 | Nov 28 1874 | Nov 27 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and upwards |
| | Mean Temperature, | ° 41·3 | ° 40·4 | ° 44·7 | ° 39·7 | ° 43·0 | ° 43·6 | ° 43·2 | ° 43·6 | ° 44·9 | ° 38·7 | | ° 42·3 | Mean Temp. ° 46·7 | | | | | | |
| | **ALL CAUSES,** | 188 | 132 | 152 | 146 | 194 | 162 | 139 | 166 | 168 | 169 | | 161·6 | 142 | 45 | 6 | 3 | 23 | 28 | 36 |
| | **SPECIFIED CAUSES,** | 186 | 130 | 148 | 146 | 191 | 162 | 134 | 165 | 164 | 169 | | 159·5 | 141 | 45 | 6 | 3 | 23 | 28 | 36 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 79 | 33 | 28 | 31 | 38 | 38 | 20 | 47 | 48 | 35 | | 39·7 | 31 | 20 | 2 | 1 | 7 | . | 1 |
| II. | CONSTITUTIONAL „ | 29 | 26 | 35 | 22 | 34 | 24 | 26 | 24 | 16 | 19 | | 25·5 | 24 | 3 | 2 | 1 | 7 | 5 | 1 |
| III. | LOCAL „ | 61 | 53 | 67 | 71 | 93 | 76 | 63 | 69 | 71 | 82 | | 70·6 | 66 | 16 | 2 | 1 | 7 | 21 | 19 |
| IV. | DEVELOPMENTAL „ | 12 | 17 | 16 | 15 | 23 | 18 | 20 | 22 | 24 | 31 | | 19·8 | 16 | 6 | . | . | 1 | 2 | 5 |
| V. | VIOLENT DEATHS, | 5 | 1 | 2 | 7 | 3 | 6 | 5 | 3 | 5 | 2 | | 3·9 | 4 | . | . | . | 2 | 1 | 1 |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 15 | 1 | 4 | . | . | | 2·0 | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 2 | . | 3 | . | . | 1 | 1 | 2 | 5 | | 1·5 | 4 | 4 | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 15 | 8 | 18 | 13 | 1 | 2 | 23 | 19 | 5 | | 10·3 | 7 | 7 | . | . | . | . | . |
| | 4. Diphtheria, | 1 | . | . | . | 1 | . | . | 2 | 2 | 1 | | ·7 | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | 1 | . | . | 1 | . | . | . | . | . | | ·2 | . | . | . | . | . | . | . |
| | 6. Croup, | . | . | 7 | 1 | 1 | 2 | 2 | 5 | 6 | 5 | | 2·9 | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 3 | 4 | 1 | 2 | 8 | 2 | 3 | 3 | . | 6 | | 3·2 | 6 | 6 | . | . | . | . | . |
| | 8. Typhus, | | | | 1 | 1 | 4 | 3 | . | 1 | . | | | 1 | . | . | . | 1 | . | . |
| | — Enteric or Typhoid Fever, | 5 | 4 | 9 | . | 2 | 6 | 1 | 1 | 8 | 3 | | 6·6 | 5 | 1 | . | 1 | 3 | . | . |
| | — Simple continued Fever, | | | | 3 | 5 | . | 4 | 2 | 2 | 1 | | | 3 | . | 2 | . | 1 | . | . |
| | 9. Erysipelas, | . | . | 1 | 1 | . | . | . | . | 2 | 1 | | ·8 | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 4 | 2 | . | . | . | . | . | 1 | . | . | | ·7 | 1 | . | . | . | 1 | . | . |
| | 11. Carbuncle, | . | 1 | . | . | . | . | . | . | . | . | | ·1 | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | 1 | . | | ·1 | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | . | . | . | . | 2 | . | 1 | | ·3 | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 9 | 3 | 2 | 1 | 5 | 4 | 2 | 3 | 4 | 6 | | 3·9 | 3 | 2 | . | . | . | . | . |
| | 15. Simple Cholera, | 53 | . | . | . | . | . | 1 | . | . | . | | 5·4 | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | . | . | . | . | 1 | . | . | . | . | | ·1 | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | 1 | . | . | . | . | . | . | . | . | . | | ·1 | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | . | . | . | . | . | 1 | . | | ·1 | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | 1 | . | . | . | . | . | . | | ·1 | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | 1 | 2 | . | . | . | . | | ·3 | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | . | . | 1 | . | . | . | . | | ·1 | 1 | . | . | . | 1 | . | . |
| | 4. Alcoholism, { Intemperance, | 1 | 1 | . | . | . | . | . | . | . | . | | 2 | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | 1 | | ·1 | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | 1 | . | . | . | | ·1 | . | . | . | . | . | . | . |
| | 2. Dropsy, | 4 | 3 | 5 | 3 | 6 | . | 2 | 1 | 2 | 3 | | 2·9 | 2 | . | . | . | . | 1 | 1 |
| | 3. Cancer, | 1 | 2 | 3 | 3 | 2 | 1 | 3 | 3 | 2 | . | | 2·0 | 3 | . | . | . | . | 1 | 1 |
| | 4. Cancrum Oris (Noma), | 1 | . | . | 1 | . | . | . | . | . | . | | ·2 | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | . | 1 | 3 | 2 | 1 | 1 | . | . | | ·8 | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | . | 3 | 1 | . | . | 1 | 1 | . | . | | ·7 | 1 | . | . | . | 1 | . | . |
| | 2. Tabes Mesenterica, | 3 | 5 | 3 | 4 | . | 3 | 2 | 1 | 1 | 1 | | 2·3 | 3 | 2 | 1 | . | . | . | . |
| | 3. Phthisis, | 18 | 14 | 16 | 8 | 20 | 18 | 15 | 13 | 8 | 13 | | 14·3 | 14 | . | 1 | 1 | 6 | 5 | 1 |
| | 4. Hydrocephalus, | 1 | 2 | 5 | 1 | 3 | . | 1 | 4 | 3 | 2 | | 2·2 | 1 | 1 | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | 2 | 2 | . | 4 | 2 | 3 | 1 | 1 | 3 | | 1·9 | 2 | . | 1 | . | 1 | . | . |
| | 2. Apoplexy, | 5 | 1 | 5 | 3 | 5 | 3 | 2 | 2 | 3 | 3 | | 2·9 | 1 | . | . | . | . | 1 | . |
| | 3. Paralysis, | 2 | . | 5 | 5 | 2 | 4 | 3 | 4 | 5 | 5 | | 3·5 | 2 | . | . | . | . | . | 1 |
| | 4. Insanity, | . | . | . | . | . | . | . | 1 | . | 1 | | ·2 | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 3 | . | . | . | . | 1 | 3 | . | . | . | | ·7 | 1 | . | . | . | 1 | . | . |
| | 7. Convulsions, | 11 | 5 | 15 | 14 | 9 | 16 | 7 | 9 | 13 | 12 | | 11·1 | 10 | 10 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 5 | 3 | 1 | . | 3 | 2 | 2 | 1 | 4 | 1 | | 2·2 | . | . | . | . | . | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 1 | 1 | 1 | 1 | . | 2 | . | 1 | 1 | . | | ·8 | 1 | . | . | . | . | . | . |
| | 3. *Heart Disease, &c* | 10 | 5 | 6 | . | 7 | 7 | 3 | 9 | 5 | 5 | | 5·7 | 9 | . | 1 | . | 3 | 1 | 3 |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | 1 | . | . | . | . | . | . | . | 1 | | ·2 | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 12 | 18 | 24 | 34 | 31 | 27 | 27 | 22 | 22 | 33 | | 25·0 | 26 | 5 | . | . | 1 | 12 | 8 |
| | 3. Pleurisy, | . | . | 1 | . | . | . | . | 1 | . | . | | ·2 | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 2 | 3 | 1 | 3 | 6 | 3 | 4 | 6 | 4 | 3 | | 4·9 | 1 | . | . | . | . | 1 | . |
| | 5. Asthma, | . | . | . | . | 1 | . | 1 | . | 2 | . | | ·4 | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 3 | 4 | 1 | 3 | 6 | 3 | . | 1 | 7 | 2 | | 2·9 | 3 | . | . | . | . | 3 | . |

MINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, ered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average Week of the 10 years 1866-75. | Week ending Saturday, Nov. 25th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | Nov 24 1866 | Nov 23 1867 | Nov 21 1868 | Nov 27 1869 | Nov 26 1870 | Nov 25 1871 | Nov 23 1872 | Nov 22 1873 | Nov 28 1874 | Nov 27 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | 41·3 | 40·4 | 44·7 | 39·7 | 43·0 | 43·6 | 43·2 | 43·6 | 44·9 | 38·7 | 42·3 | 45·7 | | | | | | | |
| ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | . | . | . | . | 1 | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| 2. Enteritis, | 2 | 1 | . | . | 2 | 1 | 2 | . | . | . | ·8 | 1 | . | . | . | . | 1 | . | . |
| 3. Peritonitis, | . | . | 1 | . | 1 | . | 1 | 1 | . | . | ·4 | 2 | . | . | 1 | . | 1 | . | . |
| 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Ulceration of Intestines, | . | 1 | 2 | . | . | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| 6. Hernia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7. Ileus, | . | . | . | . | 2 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 8. Intussusception, | . | . | . | 1 | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 11. *Stomach Disease, &c.* | 1 | . | . | 1 | 2 | . | 2 | . | . | . | ·6 | 1 | . | . | . | . | . | 1 | . |
| 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13. Hepatitis, | . | 1 | . | . | 1 | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| 14. Jaundice, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| 15. *Liver Disease, &c.* | 1 | 2 | . | 3 | 1 | 4 | . | 3 | 1 | 2 | 1·7 | 5 | . | . | . | 1 | 1 | 3 | . |
| 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Isonuria, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 3. Bright's Disease (Nephria), | 1 | . | . | 1 | 4 | . | . | 2 | 1 | 1 | 1·0 | . | . | . | . | . | . | . | . |
| 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7. *Kidney Disease, &c.* | . | . | 1 | 1 | 3 | 1 | 3 | 2 | . | 2 | 1·3 | 1 | 1 | . | . | . | . | . | . |
| ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy, | . | 1 | 1 | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| 2. *Uterus Disease, &c.* | . | 1 | . | 1 | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | 1 | 2 | . | ·4 | . | . | . | . | . | . | . | . |
| 2. *Joint Disease, &c.* | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. *Skin Disease, &c.* | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth, | 1 | . | . | 2 | 1 | 1 | . | 2 | . | 1 | ·8 | 2 | 2 | . | . | . | . | . | . |
| 2. Cyanosis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| 3. Spina Bifida, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Teething, | . | 2 | . | 1 | . | 1 | . | . | 1 | 2 | ·7 | 1 | 1 | . | . | . | . | . | . |
| ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Childbirth (*see also* Puer. Fever), | . | . | 1 | 2 | . | 1 | . | 1 | 2 | 2 | ·9 | . | . | . | . | . | . | . | . |
| ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| 1. Old Age, | 3 | 6 | 11 | 7 | 17 | 8 | 17 | 11 | 13 | 17 | 11·0 | 7 | . | . | . | . | . | 7 | . |
| ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility, | 8 | 7 | 4 | 3 | 5 | 6 | 3 | 8 | 8 | 9 | 6·1 | 5 | 2 | . | . | . | 1 | 2 | . |
| V. ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions, | 1 | . | 1 | 3 | . | 2 | 3 | . | . | 1 | 1·1 | 3 | . | . | . | 1 | 1 | 1 | . |
| 2. Wounds, | . | . | . | . | . | . | . | 3 | . | . | ·3 | . | . | . | . | . | . | . | . |
| 3. Burns and Scalds, | 1 | . | 1 | 1 | 3 | 2 | . | . | . | 1 | ·9 | 1 | . | . | . | 1 | . | . | . |
| 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Drowning, | 1 | . | . | 1 | . | 1 | 1 | 2 | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| 6. Suffocation, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 7. Otherwise, | 1 | 1 | . | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Murder and Manslaughter, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Wounds, { Gunshot, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 1. Wounds, { Cut, Stab, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Otherwise, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sudden Deaths (Cause unascertd.), | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Causes not specified or ill-defined | 1 | 2 | 4 | . | 2 | . | 5 | 1 | 4 | . | 1·9 | 1 | . | . | . | . | . | 1 | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 25th November, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 25TH NOVEMBER, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 23 | 148 | 142 | 19 | 37 | . | 4 | 7 | . | 6 | 9 | 3 | 4 | 3 | 35 |
| BELFAST,* . . | 20,687 | 182,082 | 26 | 127 | 90 | 21 | 13 | . | . | 3 | . | 10 | 3 | 4 | 2 | 1 | 12 |
| CORK, . . . | 13,816 | 91,965 | 25 | 47 | 44 | 9 | 13 | . | . | . | . | . | . | . | . | . | 16 |
| LIMERICK,† . . | 8,509 | 44,209 | 31 | 22 | 26 | 4 | 13 | . | . | 1 | . | 1 | . | 1 | . | . | 17 |
| LONDONDERRY,‡ . | 21,865 | 30,884 | 29 | 25 | 17 | 3 | 5 | . | . | . | . | 1 | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 34 | 17 | 20 | 5 | 3 | . | . | . | . | . | 2 | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 24 | 13 | 9 | 1 | 4 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . . . | 30,835 | 17,285 | 9 | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 25th November, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 29 | 10 | 11 | 2 | 4 | . | . | 2 | . | 3 | 1 | . | . | . | . |
| | ,, ,, 2, | 17,938 | 29 | 15 | 10 | 4 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 4 |
| | ,, ,, 3, | 39,311 | 20 | 29 | 15 | 3 | 3 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 46 | 16 | 17 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | 6 |
| | ,, ,, 5, | 19,616 | 21 | 10 | 8 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| | ,, ,, 6, | 36,652 | 24 | 20 | 17 | 5 | 2 | . | . | 1 | . | 2 | 1 | 1 | . | . | . |
| | ,, ,, 9, | 5,296 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 10, | 8,115 | 19 | 6 | 3 | 1 | 1 | . | . | . | . | 1 | . | 1 | . | 1 | . |
| | Castlereagh ,, 1, | 16,155 | 29 | 17 | 9 | 3 | . | . | . | . | . | 1 | . | . | . | . | . |
| CORK, . | Cork, No. 1, | 10,156 | 10 | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 2, | 11,555 | 14 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 31 | 7 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 4, | 6,227 | 17 | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 23 | 4 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 14 | 8 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 7, | 7,586 | 21 | 3 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 51 | 14 | 18 | 1 | 8 | . | . | . | . | . | . | . | . | . | 14 |
| | ,, ,, 9, | 4,790 | 33 | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, . | Limerick, No. 1, | 7,918 | 20 | 1 | 3 | 1 | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | ,, ,, 2, *W*† | 8,992 | 116 | 8 | 20 | 3 | 11 | . | . | . | . | 1 | . | 1 | . | . | 17 |
| | ,, ,, 3, | 11,424 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 10 | 10 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 29 | 5 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 23 | 8 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 37 | 12 | 6 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . |
| WATERFORD, . | Waterford, *W.* | 30,626 | 34 | 17 | 20 | 5 | 3 | . | . | . | . | . | 2 | . | . | . | . |
| GALWAY, . | Galway, No. 1, | 10,700 | 19 | 4 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 29 | 9 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . | Sligo, No. 1, *W.* | 6,456 | 8 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 10 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† The Registrar of Limerick, No. 2 District, reports that "this week's returns include a fortnight's returns from the Workhouse."
‡ Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[1522.—800.—10/76.]

BODLEIAN LIBRARY

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, DECEMBER 2, 1876. [No. 48.

*General Register Office, Charlemont House, Dublin, December 4th, 1876.*

The total deaths registered in the Dublin Registration District during the week ending 2nd December, 1876, represent an annual mortality of 28·9 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district, the rate was 27·4 per 1,000. In London the death-rate was 23·6 in every 1,000 of the estimated population; in Glasgow, 27·1; and in Edinburgh, 17·6.

In the Dublin Registration District the births registered during the week amounted to 179—96 boys and 83 girls,—and the deaths to 175—79 males and 96 females. The *average* numbers in the corresponding week of the previous ten years were—births, 160, and deaths, 159.

The number of deaths from zymotic diseases registered during the week was 35, against an average of 38·3 in the corresponding week of the previous ten years.

Among the deaths from this class of diseases were 2 from small-pox, both of which occurred in the Mater Misericordiæ Hospital. One was that of a female servant, aged thirty years, stated in the return to have been "from the Mater Misericordiæ Hospital;" she died on 23rd ult. from "malignant small-pox" of six days' duration; she was "not vaccinated." The other was of a man, also aged thirty, who is returned as "from Tipperary;" he died on the 28th ult. from "confluent small-pox" of ten days' duration; there was "no trace of vaccination." It is not clear, from the Registrar's Return, whether the deceased laboured under small-pox when admitted into the hospital or contracted the disease in the institution.

The Registrar of No. 3 North City District (Blackhall-street) remarks—"*A case of small-pox has been reported as having occurred in Prussia-street; the patient is in hospital. It is desirable that all children over two months of age should be immediately vaccinated.*"

The other deaths from zymotic diseases recorded last week include 5 from fever (3 typhoid or enteric, and 2 simple continued fever), 4 each from scarlet fever and measles, 3 from erysipelas, 2 each from croup and whooping-cough, 6 from diarrhœa, &c.

Nine children died from convulsions. Bronchitis caused 26 deaths, and pneumonia 5.

Eight deaths were attributed to heart disease, 3 to aneurism; 4 to paralysis, 1 each to cephalitis, apoplexy, and epilepsy, 5 to brain disease unspecified; 9 to diseases of the digestive organs; and 3 to kidney diseases.

Phthisis or pulmonary consumption caused 20 deaths, mesenteric disease 2, scrofula 3, and hydrocephalus or water on the brain 2.

Four accidental deaths were registered, viz.—3 from drowning and 1 from suffocation.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under 1 year old); and 45 were aged 60 and upwards, including 19 persons aged 70 and upwards, of whom 1 was an octogenarian, and 3 (all females) were stated to have been aged respectively 95, 96, and 97 years.

Sixty-one of the deaths registered occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin, and 18 in the South Dublin Union Workhouse.

Six deaths from fever, 5 from scarlatina, 4 each from whooping-cough and diarrhœa, and 1 from diphtheria, were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 27·4 per 1,000; the rate in the city was 28·8 (28·9 on the North side and 28·8 on the South), and in the suburbs 22·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the city being 3·8 (4·8 in the North City District and 3·0 in the South), and for the suburbs 1·5 per 1,000.

*No. 1, North City District* (Summer-hill). The deaths chargeable to this district are ex

to an annual mortality of 30·1 per 1,000 persons. Six of the 29 deaths were from zymotic diseases, and 6 from bronchitis.

*No. 2, North City District* (Coleraine-street). The rate is 28·7 per 1,000; the average for the last ten weeks has been 27·7. Of the 18 deaths, only 1 (a death from whooping-cough) was from zymotic disease—a great decrease compared with recent weeks. There were 5 deaths from bronchitis.

*No. 3, North City District* (Blackhall-street). The deaths tabulated for this district are equal to an annual rate of 26·7 per 1,000 persons; those from the seven principal zymotic diseases (1 each from measles, fever, and diarrhœa) equal 6·2 per 1,000, which is also the average rate for the last ten weeks. See remarks by Registrar on page 389.

*No. 1, South City District* (Meath-street). The rate for this district is 36·4, against an average of 25·8 for the ten weeks. The 21 deaths include 2 from measles, and 1 each from fever and diarrhœa.

*No. 2, South City District* (High-street). The deaths of inhabitants of this district equal an annual rate of 34·9 per 1,000; the average rate for the last ten weeks has been 20·7. The deaths from zymotic diseases last week are—1 from enteric fever, and 1 from diarrhœa. There were 4 deaths from phthisis, and 3 from bronchitis.

*No. 3, South City District* (Peter-street). The death-rate is 25·8. The only death from any of the seven principal zymotic diseases is 1 from scarlatina.

*No. 4, South City District* (Denzille-street and Grand Canal-street). The deaths chargeable to this district give a rate of 21·7 per 1,000. The only death from any of the seven principal zymotic diseases is 1 from measles.

*Suburban Districts.* The respective death-rates are—Rathmines, 38·9 (average for the last ten weeks, 18·5); Donnybrook, 14·0; Blackrock, 21·7; and Kingstown, 14·0. The only deaths from the seven principal zymotic diseases are—1 from diarrhœa in Donnybrook, and 1 from typhoid fever in Kingstown. Five deaths from fever have been registered in Kingstown during the last four weeks.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·371 inches. The highest daily mean reading (29·550) occurred on Wednesday, and the lowest (29·092) on Saturday.

The mean temperature during the week was 42·5° (being 1·7° over the average in the corresponding week of the previous ten years); the lowest daily mean (37·7°) occurred on Tuesday, and the highest (48·4°) on Saturday.

The temperature was highest on Friday, when the thermometer registered 55·3°, and was lowest on Wednesday, the mercury having fallen to 28·8°. The highest reading of the barometer during the week (29·604) occurred on Wednesday, at 9.30 P.M., wind W., and the lowest (28·872) on Saturday, at 9.30 P.M., wind E. The mean of the Dry Bulb for the week was 42·6°; and of the Wet Bulb 41·5°. The mean humidity of the air was ·903; complete saturation being represented by 1·0. The rain-fall during the week measured 1·865 in.

At Greenwich the mean temperature of the week was 46·0°, and at Glasgow, 36·0°. The rain-fall during the week at Greenwich measured 1·69 in.; at Glasgow, ·43 in.; and at Edinburgh, 1·83 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Nov. 26, | 29·401 | 49·5 | 31·6 | 42·0 | 42·7 | 42·0 | ·936 | ·3 | ·330 | S.E. | S.E. | N. |
| Monday, „ 27, | 29·435 | 48·0 | 31·8 | 39·9 | 38·8 | 37·8 | ·899 | ·6 | ·000 | W. | N.W. | W. |
| Tuesday, „ 28, | 29·504 | 42·5 | 32·8 | 37·7 | 38·2 | 36·7 | ·875 | ·8 | ·000 | S.W. | S.W. | S.W. |
| Wednesday, „ 29, | 29·550 | 47·6 | 28·8 | 38·2 | 37·0 | 35·7 | ·879 | ·3 | ·000 | S.W. | W. | W. |
| Thursday, „ 30, | 29·477 | 49·8 | 39·0 | 44·4 | 44·3 | 42·8 | ·884 | ·1 | ·140 | N.E. | S.E. | S.E. |
| Friday, Dec. 1, | 29·138 | 55·3 | 38·0 | 46·6 | 49·1 | 48·0 | ·921 | ·1 | ·185 | E. | E. | S. |
| Saturday, „ 2, | 29·092 | 51·5 | 45·2 | 48·4 | 45·4 | 47·5 | ·927 | ·9 | 1·240 | E. | S.E. | E. |
| Mean, . . | 29·371 | 49·2 | 35·7 | 42·5 | 42·6 | 41·5 | ·903 | ·4 | Total, 1·865 | Prevailing wind, S.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Nov. 26, | A.M. Raining. | P.M. Fine. |
| Monday, „ 27, | A.M. Fine. | P.M. Fine. |
| Tuesday, „ 28, | A.M. Fine. | P.M. Clear and frosty. |
| Wednesday, „ 29, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 30, | A.M. Foggy. | P.M. Raining. |
| Friday, Dec. 1, | A.M. Thick fog. | P.M. Overcast. |
| Saturday, „ 2, | A.M. Thick fog. | P.M. Raining. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

BLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 2nd December, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E. & W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,94 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| Deaths from all Causes, | 29 | 18 | 13 | 21 | 19 | 19 | 17 | 16 | 6 | 3 | 5 | 166 | 9 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Measles, | . | . | 1 | 2 | . | . | 1 | . | . | . | . | 4 | . |
| Scarlet Fever (Scarlatina), | 3 | . | . | . | . | 1 | . | . | . | . | . | 4 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . |
| Fever, | 1 | . | 1 | 1 | 1 | . | . | . | . | . | 1 | 5 | . |
| Diarrhœa, | . | . | 1 | 1 | 1 | . | . | . | 1 | . | . | 4 | 2 |
| Other Zymotic Diseases, | . | . | 1 | 1 | . | 4 | 3 | 2 | . | . | . | 11 | 1 |
| Total, | 6 | 1 | 4 | 5 | 2 | 5 | 4 | 2 | 1 | . | 1 | 31 | 4 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 2 | 2 | 1 | 2 | 4 | 2 | 2 | 2 | 1 | . | . | 18 | 2 |
| Other Constitutional Diseases | . | 5 | 1 | 2 | . | 1 | 1 | 1 | . | . | . | 11 | . |
| Total, | 2 | 7 | 2 | 4 | 4 | 3 | 3 | 3 | 1 | . | . | 29 | 2 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | . | 3 | 3 | 2 | 2 | 2 | 4 | 1 | . | 1 | 21 | . |
| Diseases of the Heart and Circulatory Organs, | 1 | 3 | . | 1 | . | . | . | 3 | 1 | 1 | 1 | 11 | . |
| Diseases of the Respiratory Organs, | 8 | 5 | 2 | 5 | 5 | 2 | 4 | . | 2 | . | . | 33 | 2 |
| Diseases of the Digestive Organs, | 2 | . | 1 | . | 1 | 1 | 1 | 2 | . | . | 1 | 9 | . |
| Diseases of the Urinary Organs, | 1 | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 |
| Diseases of the Organs of Generation, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 15 | 8 | 6 | 9 | 9 | 6 | 7 | 9 | 4 | 1 | 3 | 77 | 3 |
| DEVELOPMENTAL DISEASES, | 6 | 2 | 1 | 2 | 3 | 5 | 1 | 1 | . | 1 | 1 | 23 | . |
| VIOLENT DEATHS, | . | . | . | . | 1 | . | 2 | . | . | 1 | . | 4 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 30·1 | 28·7 | 26·7 | 36·4 | 34·9 | 25·8 | 21·7 | 38·9 | 14·0 | 21·7 | 14·0 | | — |
| | 28·9 | | | 28·8 | | | | | | | | | |
| | 28·8 | | | | | | | 22·5 | | | | 27·4 | |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 6 | 3 | 1 | 1 | 2 | 8 | 2 | 1 | 2 | . | . | 26 | 9 |
| Workhouse Hospitals, | . | 2 | 6 | 6 | 7 | 3 | 1 | . | 1 | . | . | 26 | . |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of Deaths per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the Institutions being assigned to the Districts

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | Sept. 30, | 13·5 | 2·1 | 13 | . | . | . | . | . | 2 | 2 | 1 | 1 | 2 | . |
| | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | . | 2 | 3 | . | 1 | 6 | 1 |
| | „ 14, | 24·9 | 2·1 | 24 | . | . | . | . | . | . | 1 | 3 | 2 | 6 | . |
| | „ 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 8·3 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | . |
| | Nov. 4, | 12·5 | 5·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | 1 | 1 |
| | „ 11, | 14·5 | 2·1 | 14 | . | . | . | . | . | 2 | . | 2 | . | 6 | . |
| | „ 18, | 24·9 | 2·1 | 24 | 1 | . | . | . | . | 1 | . | . | 2 | 7 | . |
| | „ 25, | 21·8 | 8·3 | 21 | . | . | . | . | 3 | 4 | 1 | 1 | 2 | 6 | . |
| | Dec. 2, | 30·1 | 6·2 | 29 | 1 | . | 3 | . | 1 | 1 | . | 1 | 2 | 8 | . |
| | Average, | 17·5 | 3·9 | 16·9 | 0·2 | . | 0·4 | 0·1 | 0·9 | 1·4 | 0·7 | 1·0 | 1·6 | 3·7 | 0·3 |
| North City, No. 2. (*Office, Coleraine-street.*) | Sept. 30, | 27·1 | 6·4 | 17 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 3 | . |
| | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | „ 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 4 |
| | „ 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | „ 28, | 39·9 | 1·3 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | 2 |
| | Nov. 4, | 23·9 | 18·0 | 15 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | . |
| | „ 11, | 33·5 | 6·4 | 21 | . | 1 | 2 | . | 1 | . | . | 2 | 1 | 3 | . |
| | „ 18, | 35·1 | 6·4 | 22 | 1 | . | 2 | . | 1 | . | . | 2 | 2 | 3 | . |
| | „ 25, | 31·9 | 11·2 | 20 | . | . | 3 | . | 3 | 1 | . | 3 | 1 | 2 | 2 |
| | Dec. 2, | 28·7 | 1·6 | 18 | . | . | . | . | 1 | . | . | . | 2 | 5 | . |
| | Average, | 27·7 | 5·8 | 17·4 | 0·1 | 0·1 | 1·3 | 0·1 | 1·1 | 0·6 | 0·3 | 1·8 | 1·4 | 2·5 | 1·2 |
| North City, No. 3. (*Office, Blackhall-street.*) | Sept. 30, | 32·8 | 10·3 | 16 | . | 1 | . | . | . | . | 4 | 3 | 2 | 2 | . |
| | Oct. 7, | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14, | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28, | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 | 1 |
| | Nov. 4, | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | . |
| | „ 11, | 43·1 | 8·2 | 21 | . | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 6 | . |
| | „ 18, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | . | 3 | 3 | . |
| | „ 25, | 32·8 | 6·2 | 16 | . | 1 | 1 | . | . | . | 1 | 2 | 1 | 4 | . |
| | Dec. 2, | 26·7 | 6·2 | 13 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 2 | . |
| | Average, | 26·9 | 6·2 | 13·1 | . | 1·1 | 0·3 | 0·2 | . | 0·2 | 1·2 | 1·1 | 1·6 | 2·7 | 0·1 |
| South City, No. 1. (*Office, Meath-street.*) | Sept. 30, | 32·9 | 10·4 | 19 | . | 2 | . | . | . | 1 | 2 | 1 | 2 | 1 | . |
| | Oct. 7, | 24·3 | 1·7 | 14 | 1 | . | . | . | . | 1 | . | 1 | 2 | 3 | . |
| | „ 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | „ 28, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Nov. 4, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | „ 11, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | „ 18, | 48·6 | 5·2 | 28 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 6 | . |
| | „ 25, | 20·8 | 8·7 | 12 | . | 3 | 1 | . | . | . | 1 | 2 | . | 3 | . |
| | Dec. 2, | 36·4 | 6·9 | 21 | . | 2 | . | . | . | 1 | 1 | . | 2 | 5 | . |
| | Average, | 25·8 | 4·5 | 14·9 | 0·1 | 0·9 | 0·1 | . | . | 0·9 | 0·6 | 1·2 | 1·2 | 2·8 | 0·3 |
| South City, No. 2. (*Office, High-street.*) | Sept. 30, | 22·0 | 3·7 | 12 | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . |
| | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | 1 | . | 1 | . | 4 | 1 |
| | „ 14, | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | „ 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28, | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | Nov. 4, | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | . | . | 1 | . |
| | „ 11, | 23·9 | 5·5 | 13 | . | . | 1 | 1 | . | 1 | . | 1 | . | 6 | . |
| | „ 18, | 33·0 | 5·5 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | 5 | . |
| | „ 25, | 23·9 | . | 13 | . | . | . | . | . | . | . | . | 2 | 4 | . |
| | Dec. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | 1 | 1 | 1 | 4 | 5 | 1 |
| | Average, | 20·7 | 3·3 | 11·3 | . | 0·2 | 0·3 | 0·1 | 0·2 | 0·5 | 0·5 | 0·6 | 0·9 | 3·2 | 0·3 |
| South City, No. 3. (*Office, Peter-street.*), | Sept. 30, | 16·3 | 1·4 | 12 | . | . | . | . | . | . | 1 | . | 4 | 5 | . |
| | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28, | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Nov. 4, | 14·9 | 1·4 | 11 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 11, | 14·9 | 1·4 | 11 | . | . | . | . | . | . | . | 2 | 4 | 2 | . |
| | „ 18, | 20·3 | 1·4 | 15 | . | 1 | . | . | . | . | 1 | 2 | . | 4 | . |
| | „ 25, | 28·5 | 1·4 | 21 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | Dec. 2, | 25·2 | 1·4 | 19 | . | . | 1 | . | . | . | . | . | 2 | 2 | . |
| | Average, | 17·9 | 1·4 | 13·2 | . | . | 0·4 | . | . | 0·4 | 0·2 | 1·5 | 1·9 | 2·6 | 0·3 |

Residents of the several Registrars' Districts in the Dublin Registration District, the Annual Rate of Mortality from each of the principal causes, *the Deaths in Public Institutions from which the deceased were admitted.*

| Registrars' Districts. | 1876. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Seven Zymotic Diseases. | Total Deaths. | Number of Deaths from Seven principal Zymotic Diseases. Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Sept. 30, | 24·3 | . | 19 | . | . | . | . | . | . | . | 3 | 4 | . | 1 |
| | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | „ 11, | 12·8 | 1·3 | 10 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 18, | 20·5 | . | 16 | . | . | . | . | . | . | . | . | 2 | 3 | 1 |
| | „ 25, | 20·5 | 1·3 | 16 | . | . | . | . | . | 1 | . | 1 | 1 | 3 | . |
| | Dec. 2, | 21·7 | 1·3 | 17 | . | 1 | . | . | . | . | . | 2 | 2 | 4 | 2 |
| | Average, | 17·7 | 1·4 | 13·8 | . | 0·1 | . | 0·1 | . | 0·6 | 0·3 | 1·3 | 2·4 | 1·7 | 0·6 |
| **Rathmines.** | Sept. 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | „ 11, | 12·2 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 18, | 29·2 | 2·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| | „ 25, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 38·9 | . | 16 | . | . | . | . | . | . | . | 4 | 2 | . | . |
| | Average, | 18·5 | 1·0 | 7·6 | . | 0·1 | . | 0·1 | . | 0·1 | 0·1 | 0·6 | 1·0 | 0·8 | 0·2 |
| **Donnybrook.** | Sept. 30, | 14·0 | . | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 11, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 18, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 1 |
| | „ 25, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | 3 | 3 | . |
| | Dec. 2, | 14·0 | 2·3 | 6 | . | . | . | . | . | . | 1 | . | 1 | 2 | . |
| | Average, | 18·3 | 1·2 | 7·8 | . | . | . | . | . | 0·4 | 0·1 | 0·5 | 1·1 | 0·9 | 0·3 |
| **Blackrock.** | Sept. 30, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 11, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 18, | 21·7 | . | 3 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 25, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 |
| | Average, | 15·2 | 0·7 | 2·1 | . | . | . | . | . | 0·1 | . | 0·3 | 0·2 | . | 0·1 |
| **Kingstown.** | Sept. 30, | 36·5 | 11·2 | 13 | . | . | 1 | . | . | 2 | 1 | 1 | 1 | 1 | 2 |
| | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | . | . | . | . | 1 | . | . | 2 | . |
| | „ 11, | 28·1 | 5·6 | 10 | . | . | 1 | . | . | 1 | . | . | 2 | . | 1 |
| | „ 18, | 36·5 | 5·6 | 13 | . | . | 1 | . | . | 1 | . | . | 1 | 2 | 1 |
| | „ 25, | 25·3 | 8·4 | 9 | . | . | 1 | . | . | 2 | . | 1 | 2 | 1 | 1 |
| | Dec. 2, | 14·0 | 2·8 | 5 | . | . | . | . | . | 1 | . | . | . | . | . |
| | Average, | 25·0 | 5·6 | 8·9 | . | . | 0·8 | 0·1 | . | 0·7 | 0·4 | 0·3 | 0·9 | 0·7 | 0·5 |
| **Total, Dublin Registration District.** | Sept. 30, | 23·0 | 4·0 | 139 | 1 | 3 | 1 | . | 2 | 7 | 10 | 12 | 19 | 16 | 3 |
| | Oct. 7, | 15·7 | 3·5 | 95 | . | 3 | 3 | . | 2 | 8 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 6 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | „ 11, | 20·2 | 3·1 | 122 | . | 2 | 6 | 2 | 1 | 7 | 1 | 11 | 14 | 26 | 4 |
| | „ 18, | 28·6 | 3·0 | 173 | 2 | 2 | 3 | . | 2 | 4 | 5 | 9 | 14 | 38 | 6 |
| | „ 25, | 23·5 | 4·8 | 142 | . | 4 | 7 | . | 6 | 9 | 3 | 10 | 14 | 30 | 4 |
| | Dec. 2, | 27·4 | 3·3 | 166 | 1 | 4 | 4 | . | 2 | 5 | 4 | 9 | 18 | 33 | 4 |
| | Average, | 21·0 | 3·3 | 127·0 | 0·4 | 2·5 | 3·6 | 0·8 | 2·2 | 5·9 | 4·4 | 10·2 | 14·2 | 21·6 | 4·2 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS, Registered in the FORTY-EIGHTH WEEK, ending Saturday, 2nd December, 1876; also the Deaths from each Disease

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, Dec 1 1866 | Nov 30 1867 | Nov 28 1868 | Dec 4 1869 | Dec 3 1870 | Dec 2 1871 | Nov 30 1872 | Nov 29 1873 | Dec 5 1874 | Dec 4 1875 | Average in 48th Week of the 10 years 1866-75. | Week ending Saturday, Dec. 2nd 18 — Deaths of Persons of the Age. ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 42·6 | ° 41·1 | ° 41·6 | ° 35·3 | ° 43·1 | ° 39·5 | ° 43·4 | ° 48·0 | ° 38·7 | ° 34·3 | ° 40·8 | ° 42·5 | | | | | | | | |
| | **ALL CAUSES,** | 188 | 158 | 145 | 162 | 171 | 143 | 158 | 151 | 155 | 162 | 159·3 | 175 | 46 | 13 | 3 | 36 | 32 | 41 | 4 |
| | **SPECIFIED CAUSES,** | 184 | 156 | 143 | 159 | 167 | 141 | 155 | 149 | 150 | 160 | 156·4 | 173 | 45 | 13 | 3 | 36 | 31 | 41 | 4 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 91 | 31 | 38 | 33 | 40 | 37 | 29 | 24 | 25 | 31 | 38·3 | 35 | 14 | 4 | 1 | 8 | 2 | 6 | |
| II. | CONSTITUTIONAL „ | 27 | 34 | 33 | 37 | 40 | 27 | 33 | 26 | 36 | 32 | 31·5 | 31 | 3 | 6 | 2 | 13 | 6 | 1 | |
| III. | LOCAL „ | 49 | 78 | 54 | 59 | 72 | 61 | 64 | 65 | 65 | 70 | 63·7 | 80 | 18 | 3 | . | 13 | 21 | 21 | 1 |
| IV. | DEVELOPMENTAL „ | 16 | 13 | 20 | 25 | 11 | 15 | 22 | 24 | 17 | 23 | 18·6 | 23 | 9 | . | . | . | 1 | 11 | 2 |
| V. | VIOLENT DEATHS, | 1 | . | 8 | 5 | 4 | 1 | 7 | 6 | 7 | 4 | 4·3 | 4 | 1 | . | . | 2 | 1 | . | |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | . | . | . | . | 15 | 3 | 2 | . | . | 2·1 | 2 | . | . | . | 2 | . | . | |
| | 2. Measles, | . | 1 | 1 | 3 | . | 1 | 4 | 1 | . | 7 | 1·8 | 4 | 4 | . | . | . | . | . | |
| | 3. Scarlet Fever (Scarlatina), | 1 | 9 | 20 | 7 | 14 | 3 | 2 | 11 | 10 | 1 | 7·8 | 4 | 2 | 2 | . | . | . | . | |
| | 4. Diphtheria, | 1 | . | . | . | . | . | . | 1 | 1 | 2 | ·5 | . | . | . | . | . | . | . | |
| | 5. Quinsy, | . | . | . | . | . | . | . | 2 | . | . | ·2 | . | . | . | . | . | . | . | |
| | 6. Croup, | . | 1 | 1 | 2 | 1 | 1 | 2 | . | . | 3 | 1·1 | 2 | 2 | . | . | . | . | . | |
| | 7. Whooping Cough, | 2 | 9 | . | . | 8 | . | 4 | 4 | . | 6 | 3·3 | 2 | 1 | 1 | . | . | . | . | |
| | 8. Typhus, | | | | 4 | . | . | 2 | . | 1 | . | | . | . | . | . | . | . | . | |
| | – Enteric or Typhoid Fever, | 7 | 6 | 5 | 7 | 2 | 6 | 1 | 4 | 4 | 6 | 6·5 | 3 | 2 | . | 1 | . | . | . | |
| | – Simple continued Fever, | | | | 2 | 3 | 1 | 2 | 1 | 1 | . | | 2 | 1 | 1 | . | . | . | . | |
| | 9. Erysipelas, | 1 | . | 1 | 1 | 2 | 1 | 1 | . | 4 | 2 | 1·3 | 3 | . | . | . | . | . | 1 | |
| | 10. Puerperal Fever (Metria), | . | 1 | 1 | 1 | 2 | 1 | 1 | . | . | . | ·7 | 2 | . | . | . | 2 | . | . | |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 12. Influenza, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | |
| | 13. Dysentery, | . | 1 | . | 1 | . | . | 1 | . | . | . | ·3 | 1 | . | . | . | 1 | . | . | |
| | 14. Diarrhœa, | 9 | 2 | 5 | 3 | 4 | 5 | 3 | 1 | 4 | 2 | 3·8 | 6 | 2 | . | . | 1 | 2 | 1 | |
| | 15. Simple Cholera, | 65 | 1 | . | . | . | . | 1 | . | . | . | 6·7 | . | . | . | . | . | . | . | |
| | 16. Ague, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 18. Rheumatism, | . | . | . | 1 | 1 | 1 | . | 1 | . | 1 | ·5 | 1 | . | . | . | . | . | 1 | |
| | 19. Other Zymotic Diseases, | 1 | . | 2 | . | . | . | 1 | . | . | . | ·4 | 2 | . | . | . | 2 | . | . | |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | . | . | 3 | 1 | 1 | . | . | . | ·5 | . | . | . | . | . | . | . | |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Want of Breast Milk, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 3. Purpura and Scurvy, | . | . | . | . | . | 1 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | |
| | 4. Alcoholism, { Delirium Tremens | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | 4. Alcoholism, { Intemperance, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Worms, &c. | 2 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | |
| | 2. Dropsy, | 2 | 5 | 3 | 2 | 3 | 1 | 1 | 3 | . | 2 | 2·2 | 2 | . | . | . | 1 | . | 1 | |
| | 3. Cancer, | 3 | 3 | 4 | 4 | 4 | . | 3 | 3 | 1 | 4 | 2·9 | . | . | . | . | . | . | . | |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | |
| | 5. Mortification, | . | 2 | . | . | 3 | . | . | . | 2 | . | ·7 | . | . | . | . | . | . | . | |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | . | 1 | 1 | 1 | 1 | . | 1 | 1 | 1 | . | ·7 | 3 | 1 | 1 | 1 | . | 1 | . | |
| | 2. Tabes Mesenterica, | 3 | 2 | 3 | 7 | 5 | 5 | 1 | 3 | 1 | 3 | 3·3 | 2 | 1 | . | . | . | 1 | . | |
| | 3. Phthisis, | 17 | 17 | 12 | 20 | 19 | 17 | 23 | 16 | 25 | 22 | 18·8 | 20 | . | 4 | 1 | 11 | 4 | . | |
| | 4. Hydrocephalus, | 2 | 4 | . | 3 | 5 | 3 | 3 | . | 6 | 1 | 2·7 | 2 | 1 | 1 | . | . | . | . | |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | . | 1 | . | 3 | . | 1 | . | . | . | ·6 | 1 | . | . | . | . | . | . | |
| | 2. Apoplexy, | 2 | 3 | 2 | 3 | 4 | 1 | . | 2 | 2 | 5 | 2·4 | 1 | . | . | . | . | 1 | . | |
| | 3. Paralysis, | 2 | 5 | . | 4 | 1 | 2 | 2 | 3 | 3 | 5 | 2·7 | 4 | . | . | . | 2 | . | 2 | |
| | 4. Insanity, | . | . | . | . | . | . | 1 | 2 | . | . | ·3 | . | . | . | . | . | . | . | |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 6. Epilepsy, | 1 | 1 | 1 | . | . | . | . | . | 2 | . | ·5 | 1 | . | . | . | 1 | . | . | |
| | 7. Convulsions, | 6 | 12 | 10 | 3 | 8 | 10 | 11 | 7 | 10 | 10 | 8·7 | 9 | 9 | . | . | . | . | . | |
| | 8. *Brain Disease, &c.* | 3 | 2 | 3 | 2 | 3 | 1 | 6 | 3 | 1 | 1 | 2·5 | 5 | . | 2 | . | . | 2 | 1 | |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| | 2. Aneurism, | 1 | 3 | 1 | . | . | . | . | 1 | 1 | . | ·7 | 3 | . | . | . | . | 1 | . | |
| | 3. *Heart Disease, &c.* | 3 | 11 | 4 | 2 | 5 | 3 | 9 | 4 | 4 | 7 | 5·2 | 8 | . | . | . | 2 | 5 | 1 | |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | . | 1 | . | . | . | . | 1 | . | 1 | ·4 | 1 | 1 | . | . | . | . | . | |
| | 2. Bronchitis, | 18 | 27 | 19 | 31 | 31 | 28 | 18 | 21 | 27 | 11 | 22·9 | 26 | 8 | 1 | . | 3 | 6 | 8 | |
| | 3. Pleurisy, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | |
| | 4. Pneumonia, | 4 | 4 | 4 | 6 | 6 | 3 | 4 | 4 | 1 | 5 | 4·1 | 5 | . | . | . | 1 | 3 | 1 | |
| | 5. Asthma, | 1 | 1 | 2 | . | . | . | 1 | 1 | . | . | ·6 | . | . | . | . | . | . | . | |
| | 6. *Lung Disease, &c.* | 1 | 1 | 5 | 1 | 2 | 2 | 3 | 9 | 3 | 5 | 3·2 | 2 | . | . | . | 1 | . | 1 | |

MINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, ered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 49th Week of the 10 years 1866-75. | Week ending Saturday, Dec. 2nd, 1876. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | Dec 1 1866 | Nov 30 1867 | Nov 28 1868 | Dec 4 1869 | Dec 3 1870 | Dec 2 1871 | Nov 30 1872 | Nov 29 1873 | Dec 5 1874 | Dec 4 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | ° 42·6 | ° 41·1 | ° 41·6 | ° 35·3 | ° 43·1 | ° 39·5 | ° 43·4 | ° 48·0 | ° 38·7 | ° 34·3 | ° 40·8 | ° 42·5 | | | | | | | |
| ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis, | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | 2 | . | . | . | 1 | . | 1 | . |
| 2. Enteritis, | . | 2 | . | 1 | 1 | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| 3. Peritonitis, | . | . | . | . | 1 | . | 1 | . | . | 1 | ·3 | 1 | . | . | . | . | . | 1 | . |
| 4. Ascites, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| 5. Ulceration of Intestines, | . | 1 | . | . | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| 6. Hernia, | . | . | . | . | 1 | 1 | 1 | . | 2 | 1 | ·6 | 1 | . | . | . | . | . | 1 | . |
| 7. Ileus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 9. Stricture of Intestines, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| 10. Fistula, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 11. *Stomach Disease, &c.* | . | . | . | 2 | 1 | 2 | . | . | 1 | . | ·6 | 1 | . | . | . | . | . | 1 | . |
| 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13. Hepatitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 14. Jaundice, | 2 | . | . | . | . | . | 1 | . | 1 | . | ·4 | 1 | . | . | . | . | . | 1 | . |
| 15. *Liver Disease, &c.* | . | 1 | . | . | 1 | 8 | 1 | 3 | 2 | 4 | 2·0 | 1 | . | . | . | . | 1 | . | . |
| 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Ischuria, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 3. Bright's Disease (Nephria), | 1 | 1 | . | 1 | 1 | 1 | 1 | . | 2 | 2 | 1·0 | 1 | . | . | . | . | . | 1 | . |
| 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Calculus (Stone), | . | . | . | . | 1 | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 7. *Kidney Disease, &c.* | 2 | 3 | 1 | 1 | . | 2 | 2 | 2 | 1 | 2 | 1·6 | 2 | . | . | . | . | . | 2 | . |
| ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 2. *Uterus Disease, &c.* | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. *Joint Disease, &c.* | . | . | . | 1 | . | . | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| 2. Ulcer, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth, | 1 | . | . | 3 | . | 2 | . | . | 1 | 1 | ·8 | 3 | 3 | . | . | . | . | . | . |
| 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Spina Bifida, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Teething, | . | . | 1 | 1 | . | 1 | 1 | . | . | . | ·4 | 1 | 1 | . | . | . | . | . | . |
| ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| 1. Paræmia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2. Childbirth (*see also* Puer. Fever), | . | 1 | 2 | . | . | 1 | 1 | 1 | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| 1. Old Age, | 9 | 7 | 12 | 14 | 8 | 8 | 15 | 12 | 7 | 17 | 10·9 | 11 | . | . | . | . | . | 8 | 3 |
| ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility, | 6 | 5 | 5 | 7 | 3 | 3 | 5 | 10 | 8 | 5 | 5·7 | 8 | 5 | . | . | . | 1 | 2 | . |
| V ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| 1. Fractures and Contusions, | . | . | . | 2 | 2 | . | 4 | 1 | 3 | 1 | 1·3 | . | . | . | . | . | . | . | . |
| 2. Wounds, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Burns and Scalds, | . | . | 5 | 1 | 1 | . | 2 | 3 | 1 | . | 1·3 | . | . | . | . | . | . | . | . |
| 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5. Drowning, | 1 | . | 1 | 2 | . | . | 1 | 2 | 2 | 2 | 1·1 | 3 | . | . | . | 2 | 1 | . | . |
| 6. Suffocation, | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . |
| 7. Otherwise, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Murder and Manslaughter, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 Hanging, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Causes not specified or ill-defined, | 4 | 2 | 2 | 3 | 4 | 2 | 3 | 2 | 5 | 2 | 2·9 | 2 | 1 | . | . | . | 1 | . | . |

TABLE V.—Showing the Number of Births and Deaths registered in the Districts of the Cities of Dublin, Belfast, Cork, Limerick, Londonderry, Waterford, Galway, and Sligo, during the Week ending Saturday, 3rd December, 1876.

| Districts, &c. | Population in the Census of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total Births registered. | Total Deaths registered. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | Number of Deaths from Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Dublin, | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Belfast, | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Cork, | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Limerick, | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Londonderry, | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Waterford, W. | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Galway, | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Sligo, | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |

TABLE VI.—Showing by Registrar Districts the Births and Deaths registered in Belfast, Cork, Limerick, Londonderry, Waterford, Galway, and Sligo, during the Week ending Saturday, 3rd December, 1876.

| Registrar Districts. | | Population in the Census of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total Births registered. | Total Deaths registered. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | Number of Deaths from Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Belfast, | No. 1, | [illegible] | [illegible] | [illegible] | 4 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 2, | [illegible] | [illegible] | 22 | [illegible] | [illegible] | 2 | [illegible] | [illegible] | 2 | 1 | 1 | [illegible] | 1 | [illegible] | [illegible] | 2 |
| " | " 3, | [illegible] | [illegible] | 14 | 3 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 4, W. | [illegible] | [illegible] | 61 | [illegible] | 5 | 4 | [illegible] | [illegible] | [illegible] | [illegible] | 1 | 2 | [illegible] | [illegible] | [illegible] | 10 |
| " | " 5, | [illegible] | [illegible] | 25 | 6 | [illegible] | 5 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 6, | [illegible] | [illegible] | 28 | 16 | 10 | 2 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 2 | 2 | [illegible] | [illegible] | [illegible] |
| " | " 9, | [illegible] | [illegible] | 19 | - | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 10, | [illegible] | [illegible] | 19 | 8 | 3 | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Castlereagh | " 1, | [illegible] | [illegible] | 19 | 6 | 6 | 1 | [illegible] | [illegible] | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Cork, | No. 1, | [illegible] | [illegible] | 39 | 4 | 4 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 2, | [illegible] | [illegible] | 14 | 7 | 2 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 3, | [illegible] | [illegible] | 23 | 6 | 7 | 3 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 4, | [illegible] | [illegible] | 27 | - | 3 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 1 | 1 | 1 | 1 |
| " | " 5, | [illegible] | [illegible] | 14 | 2 | 4 | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 6, | [illegible] | [illegible] | 17 | 14 | 5 | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 7, | [illegible] | [illegible] | 14 | 5 | 2 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 1 | [illegible] | [illegible] | [illegible] |
| " | " 8, W. | [illegible] | [illegible] | 42 | 7 | 15 | 2 | 3 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 6 |
| " | " 9, | [illegible] | [illegible] | [illegible] | 1 | - | - | - | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | - |
| Limerick, | No. 1, | 7,918 | 26 | 7 | 4 | 1 | - | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 1 | - |
| " | " 2, W. | [illegible] | 52 | 2 | 9 | 1 | 4 | [illegible] | [illegible] | 1 | [illegible] | [illegible] | 1 | [illegible] | [illegible] | [illegible] | 6 |
| " | " 3, | 11,424 | 8 | 3 | 1 | - | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 4, | 13,675 | 16 | 5 | 5 | 3 | - | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| Londonderry, | No. 1, | 8,822 | 29 | 5 | 5 | 2 | - | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " 2, | 12,569 | 23 | 3 | 6 | 1 | - | [illegible] | [illegible] | [illegible] | [illegible] | 1 | 1 | [illegible] | [illegible] | [illegible] | [illegible] |
| Glendermot, | W | 8,483 | 86 | 8 | 14 | 6 | 2 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 13 |
| Waterford, | Waterford, W. | 30,626 | 12 | 15 | 7 | 3 | 3 | - | - | - | - | - | - | 1 | 1 | 1 | 2 |
| Galway, | Galway, No. 1, | 10,700 | 10 | 3 | 2 | - | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| " | " " 2, W. | 8,992 | 29 | 1 | 5 | 1 | 2 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 1 | [illegible] | [illegible] | 5 |
| Sligo, | Sligo, No. 1, W. | 6,456 | 40 | 2 | 5 | - | 2 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 2 |
| " | " " 2, | 10,829 | 19 | 4 | 4 | - | 3 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 1 | [illegible] | [illegible] |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[2095.—300.—10/76.]

BODLEIAN LIBRARY

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, DECEMBER 9, 1876. [No. 49.

*General Register Office, Charlemont House, Dublin, December 11th, 1876.*

The total deaths registered in the Dublin Registration District during the week ending 9th December, 1876, represent an annual mortality of 24·3 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district, the rate was 24·1 per 1,000. In London the death-rate was 21·6 in every 1,000 of the estimated population.*

In the Dublin Registration District the births registered during the week amounted to 177—79 boys and 98 girls,—and the deaths to 147—73 males and 74 females. The *average* numbers in the corresponding week of the previous ten years were—births, 158, and deaths, 171.

The number of deaths from zymotic diseases registered during the week is 20: the average number in the corresponding week of the previous ten years was 36·9. The deaths from these diseases recorded last week include 7 from fever (1 typhus, and 6 typhoid or enteric fever), 3 each from scarlet fever, croup, and diarrhœa, and 2 each from measles and whooping-cough.

Eight children died from convulsions.

Twenty deaths resulted from bronchitis, 5 from pneumonia or inflammation of the lungs, and 4 from lung disease unspecified.

Heart disease proved fatal in 8 instances, paralysis in 2, apoplexy and epilepsy each in 1, brain disease unspecified in 6; liver disease in 1; nephria or Bright's disease in 2, and kidney disease unspecified in 3.

Phthisis or pulmonary consumption caused 16 deaths, hydrocephalus or water on the brain 5, scrofula 4, mesenteric disease 1, and gout 1.

Six accidental deaths, including 3 from drowning, were registered.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (16 being infants under 1 year old); and 46 were aged 60 and upwards, including 28 persons aged 70 and upwards, of whom 6 were octogenarians.

Fifty-eight of the deaths registered occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin, and 26 in the South Dublin Union Workhouse.

Seven deaths from whooping-cough, 3 from scarlatina, 2 each from fever and diarrhœa, and 1 from measles, were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 24·1 per 1,000; the rate in the city was 27·1 (26·5 on the North side and 27·6 on the South), and in the suburbs 13·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the city being 3·2 (4·3 in the North City Districts and 2·3 in the South), and for the suburbs 1·5 per 1,000.

*No. 1, North City District* (Summer-hill). The rate represented by deaths of inhabitants

* Return for Glasgow and Edinburgh not received.

of this district is 23·9 per 1,000. The seven principal zymotic diseases yield a rate of 5·2 per 1,000, against an average of 4·2 per 1,000 for the last ten weeks. The deaths from these diseases recorded last week were—3 from typhoid or enteric fever, and 1 each from whooping-cough and diarrhœa. There were 5 deaths from phthisis.

*No.* 2, *North City District* (Coleraine-street). The deaths for this district are equal to a rate of 28·7: average rate for last ten weeks, 27·9. The only deaths from zymotic disease were—1 from typhoid or enteric fever, and 1 from whooping-cough.

*No.* 3, *North City District* (Blackhall-street). The total rate is 28·7 per 1,000: the zymotic rate 4·1. The deaths from zymotic diseases are—1 from measles, and 1 from diarrhœa.

*No.* 1, *South City District* (Meath-street). The deaths tabulated for this district give a rate of 34·7 per 1,000 persons: average rate for last ten weeks, 26·0 per 1,000. Of the 20 deaths for last week, 3 were from zymotic diseases—1 each from scarlatina, measles, and diarrhœa.

*No.* 2, *South City District* (High-street). The rate is 23·9 per 1,000. The only death from any of the seven principal zymotic diseases is 1 from typhoid or enteric fever.

*No.* 3, *South City District* (Peter-street). The deaths chargeable to this district are equal to a rate of 24·4 per 1,000 persons. The only death from zymotic disease is 1 from scarlatina.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The rate is 26·1 per 1,000, against an average of 18·0 for last ten weeks. There was only 1 death (a case of typhoid fever) from zymotic disease. There were 4 deaths from bronchitis, and 4 from convulsions.

*Suburban Districts.* The respective death-rates are—Rathmines, 12·2 per 1,000; Donnybrook, 11·7; Blackrock, 7·2; and Kingstown, 19·7. The only deaths from any of the seven principal zymotic diseases are—1 from scarlatina in Rathmines, and 1 from fever in Kingstown.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·143 inches. The highest daily mean reading (30·173) occurred on Saturday, and the lowest (28·547) on Monday.

The mean temperature during the week was 44·3° (being 4·9° over the average in the corresponding week of the previous ten years); the lowest daily mean (40·0°) occurred on Thursday, and the highest (49·0°) on Sunday.

The temperature was highest on Sunday, when the thermometer registered 54·1°, and was lowest on Thursday, the mercury having fallen to 32·0°. The highest reading of the barometer during the week (30·191) occurred on Saturday, at 3.30 P.M., wind W., and the lowest (28·451) on Monday, at 3.30 P.M., wind S.W. The mean of the Dry Bulb for the week was 44·7°; and of the Wet Bulb 43·2°. The mean humidity of the air was ·884; complete saturation being represented by 1·0. The rain-fall during the week measured ·650 in.

At Greenwich the mean temperature of the week was 47·5°, and the rain-fall measured 1·49 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. 1·0. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Dec. 3, | 28·575 | 54·1 | 44·0 | 49·0 | 48·7 | 46·8 | ·859 | ·9 | ·165 | S.E. | S.W. | S.W. |
| Monday, „ 4, | 28·547 | 49·7 | 41·2 | 45·5 | 46·5 | 45·1 | ·894 | ·8 | ·035 | W.N.W. | S.W. | S.W. |
| Tuesday, „ 5, | 28·554 | 49·4 | 41·4 | 45·4 | 46·1 | 45·1 | ·927 | ·7 | ·440 | E. | N.E. | S.W. |
| Wednesday, „ 6, | 28·955 | 49·8 | 38·8 | 44·3 | 45·8 | 43·2 | ·807 | ·8 | ·000 | S.W. | S.W. | S.W. |
| Thursday, „ 7, | 29·293 | 48·0 | 32·0 | 40·0 | 42·1 | 40·8 | ·899 | ·6 | ·000 | W.N.W. | S. | S.W. |
| Friday, „ 8, | 29·906 | 45·2 | 36·4 | 40·8 | 39·8 | 38·6 | ·896 | ·9 | ·000 | W. | W. | W. |
| Saturday, „ 9, | 30·173 | 49·0 | 41·2 | 45·1 | 44·2 | 43·1 | ·905 | ·8 | ·010 | W. | W. | S.W. |
| Mean, . . | 29·143 | 49·3 | 39·3 | 44·3 | 44·7 | 43·2 | ·884 | ·8 | Total, ·650 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Dec. 3, | A.M. Continued rain. | P.M. Dull. |
| Monday, „ 4, | A.M. Overcast. | P.M. Gloomy |
| Tuesday, „ 5, | A.M. Gloomy. | P.M. Overcast. |
| Wednesday, „ 6, | A.M. Fine. | P.M. Fine. |
| Thursday, „ 7, | A.M. Dull. | P.M. Fine. |
| Friday, „ 8, | A.M. Fine. | P.M. Fine. |
| Saturday, „ 9, | A.M. Fine. | P.M. Gloomy. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrar-General of England.

**BLE II.—Deaths in the several Registrars' Districts of the City of Dublin (Municipal Boundary), and in the Suburban Districts of Rathmines, Donnybrook, Blackrock, and Kingstown, registered during the Week ending Saturday, 9th December, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.***

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | North City. Districts. | | | South City. Districts. | | | | Rathmines. | Donnybrook | Blackrock. | Kingstown. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 943 | 1,647 | 10,050 | — |
| Population, | 60,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 23 | 18 | 14 | 20 | 13 | 18 | 22 | 5 | 5 | 1 | 7 | 146 | 1 |
| Zymotic Diseases: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | 1 | . | . | . | . | . | . | . | 2 | . |
| Scarlet Fever (Scarlatina), | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 3 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . |
| Fever, | 3 | 1 | . | . | 1 | . | 1 | . | . | . | 1 | 7 | . |
| Diarrhœa, | 1 | . | 1 | 1 | . | . | . | . | . | . | . | 3 | . |
| Other Zymotic Diseases, | 1 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | . |
| Total, | 6 | 2 | 2 | 3 | 2 | 1 | 1 | 1 | . | . | 2 | 20 | . |
| Constitutional Diseases: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 5 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | . | . | 1 | 16 | . |
| Other Constitutional Diseases | 1 | 2 | 2 | 1 | . | 1 | 2 | 1 | . | . | . | 10 | 1 |
| Total, | 6 | 3 | 3 | 2 | 2 | 3 | 4 | 2 | . | . | 1 | 26 | 1 |
| Local Diseases: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 1 | 3 | 1 | . | 2 | 3 | 6 | . | . | . | 2 | 18 | . |
| Diseases of the Heart and Circulatory Organs, | 3 | 2 | 1 | 1 | 1 | . | . | . | . | . | . | 8 | . |
| Diseases of the Respiratory Organs, | 3 | 4 | 3 | 5 | 1 | 3 | 4 | 2 | 1 | 1 | 2 | 29 | . |
| Diseases of the Digestive Organs, | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| Diseases of the Urinary Organs, | . | 1 | 2 | 1 | . | . | . | . | 1 | . | . | 5 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Total, | 8 | 10 | 7 | 8 | 4 | 6 | 11 | 2 | 2 | 1 | 4 | 63 | . |
| Developmental Diseases, | 1 | 1 | 2 | 6 | 5 | 8 | 6 | . | 2 | . | . | 31 | . |
| Violent Deaths, | 2 | 2 | . | 1 | . | . | . | . | 1 | . | . | 6 | . |
| Causes not Specified or Ill-Defined, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 23·9 | 28·7 | 28·7 | 34·7 | 23·9 | 26·4 | 28·1 | 12·2 | 11·7 | 7·2 | 19·7 | | — |
| | 26·5 | | | 27·6 | | | | | | | | | |
| | 27·1 | | | | | | | 13·5 | | | | 24·1 | |

**Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.**

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 4 | 2 | 3 | 3 | . | 3 | 1 | . | . | . | . | 16 | 1 |
| Workhouse Hospitals, | 2 | 8 | 5 | 6 | 6 | 7 | 4 | . | 3 | . | . | 41 | . |

City Registration Districts.—North City.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 20, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

South City.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Frances-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEATHS per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Districts*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | Oct. 7, | 14·5 | 6·2 | 14 | . | . | . | . | 2 | 3 | 1 | . | 1 | 2 | 1 |
| | „ 14, | 24·9 | 2·1 | 24 | . | . | . | . | . | 1 | 1 | 3 | 2 | 6 | 1 |
| | „ 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 8·3 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | . |
| | Nov. 4, | 12·5 | 5·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | . | . |
| | „ 11, | 14·5 | 2·1 | 14 | . | . | . | . | . | 2 | . | 2 | . | 6 | . |
| | „ 18, | 24·9 | 2·1 | 24 | 1 | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 25, | 21·8 | 8·3 | 21 | . | . | . | . | 3 | 4 | 1 | 1 | 2 | 6 | . |
| | Dec. 2, | 30·1 | 6·2 | 29 | 1 | . | 3 | . | 1 | 1 | . | 1 | 2 | 3 | . |
| | „ 9, | 23·9 | 5·2 | 23 | . | . | . | . | 1 | 3 | 1 | 1 | 5 | 3 | 1 |
| | Average, | 18·6 | 4·2 | 17·9 | 0·2 | . | 0·4 | 0·1 | 1·0 | 1·5 | 0·8 | 1·0 | 2·0 | 4·0 | 0·1 |
| North City, No. 2. (*Office, Coleraine-street.*) | Oct. 7, | 20·7 | 1·6 | 13 | . | . | 1 | . | . | . | . | 3 | 1 | 3 | 1 |
| | „ 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | 4 |
| | „ 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | „ 28, | 39·9 | 1·2 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | 2 |
| | Nov. 4, | 23·9 | 18·0 | 15 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | . |
| | „ 11, | 33·5 | 6·4 | 21 | . | 1 | 2 | . | 1 | . | . | 2 | 1 | 3 | 2 |
| | „ 18, | 35·1 | 6·4 | 22 | 1 | . | 2 | . | 1 | . | . | 2 | 2 | 3 | 2 |
| | „ 25, | 31·9 | 11·2 | 20 | . | . | 3 | . | 3 | 1 | . | 3 | 1 | 2 | . |
| | Dec. 2, | 28·7 | 1·6 | 18 | . | . | . | . | 1 | . | . | . | 2 | 5 | . |
| | „ 9, | 28·7 | 3·2 | 18 | . | . | . | . | 1 | 1 | . | . | 1 | 4 | 2 |
| | Average, | 27·9 | 5·4 | 17·5 | 0·1 | 0·1 | 1·3 | 0·1 | 1·1 | 0·5 | 0·2 | 1·7 | 1·3 | 2·6 | 1·4 |
| North City, No. 3. (*Office, Blackhall-street.*) | Oct. 7, | 26·7 | 10·3 | 13 | . | 3 | . | . | . | . | 2 | 2 | 1 | . | . |
| | „ 14, | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28, | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 | 1 |
| | Nov. 4, | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 3 | 3 | . |
| | „ 11, | 43·1 | 8·2 | 21 | . | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 6 | . |
| | „ 18, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | . | 3 | 3 | . |
| | „ 25, | 32·8 | 6·2 | 16 | . | 1 | 1 | . | . | . | 1 | 2 | 1 | 4 | . |
| | Dec. 2, | 26·7 | 6·2 | 13 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 2 | . |
| | „ 9, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | Average, | 26·5 | 5·6 | 12·9 | . | 1·1 | 0·3 | 0·2 | . | 0·2 | 0·9 | 0·9 | 1·5 | 2·8 | 0·1 |
| South City, No. 1. (*Office, Meath-street.*) | Oct. 7, | 24·3 | 1·7 | 14 | . | . | . | . | . | 1 | . | 1 | 2 | 3 | . |
| | „ 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | „ 28, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Nov. 4, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | „ 11, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | „ 18, | 48·6 | 5·2 | 28 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 6 | . |
| | „ 25, | 20·8 | 8·7 | 12 | . | 3 | 1 | . | . | . | 1 | 2 | . | 3 | . |
| | Dec. 2, | 36·4 | 6·9 | 21 | . | 2 | . | . | . | 1 | 1 | . | 2 | 5 | . |
| | „ 9, | 34·7 | 5·2 | 20 | . | 1 | 1 | . | . | . | 1 | . | 1 | 5 | 1 |
| | Average, | 26·0 | 4·0 | 15·0 | . | 0·8 | 0·2 | . | . | 0·8 | 0·5 | 1·1 | 1·1 | 3·2 | 0·4 |
| South City, No. 2. (*Office, High-street.*) | Oct. 7, | 16·5 | . | 9 | . | . | . | . | . | . | . | 1 | . | 4 | 1 |
| | „ 14, | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | „ 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28, | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | Nov. 4, | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | . | . | 1 | . |
| | „ 11, | 23·9 | 5·5 | 13 | . | . | 1 | 1 | . | 1 | . | 1 | . | 6 | . |
| | „ 18, | 33·0 | 5·5 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | 5 | . |
| | „ 25, | 23·9 | . | 13 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | Dec. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | 1 | 1 | 1 | 4 | 5 | 1 |
| | „ 9, | 23·9 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | Average, | 20·9 | 3·1 | 11·4 | . | 0·2 | 0·3 | 0·1 | 0·1 | 0·6 | 0·4 | 0·5 | 1·1 | 3·1 | 0·3 |
| South City, No. 3. (*Office, Peter-street.*) | Oct. 7, | 13·6 | 4·1 | 10 | . | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . |
| | „ 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28, | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Nov. 4, | 14·9 | 1·4 | 11 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 11, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 2 | 4 | 2 | . |
| | „ 18, | 20·3 | 1·4 | 15 | . | . | . | . | . | . | 1 | 2 | . | 4 | 1 |
| | „ 25, | 28·5 | 1·4 | 21 | . | . | 1 | . | . | . | . | . | 2 | 4 | 2 |
| | Dec. 2, | 25·8 | 1·4 | 19 | . | . | 1 | . | . | . | . | . | 2 | 2 | . |
| | „ 9, | 24·4 | 1·4 | 18 | . | . | 1 | . | . | . | . | . | 2 | 3 | . |
| | Average, | 18·7 | 1·4 | 13·8 | . | . | 0·5 | . | . | 0·4 | 0·1 | 1·5 | 1·7 | 2·4 | 0·3 |

**esidents** of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate
**cipal Zymotic** Diseases; with the Mortality from each of the principal causes, *the Deaths in Public*
*which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Oct. 7, | 9·0 | 3·8 | 7 | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | „ 11, | 12·8 | 1·3 | 10 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 18, | 20·5 | . | 16 | . | . | . | . | . | . | . | . | 2 | 3 | 1 |
| | „ 25, | 20·5 | 1·3 | 16 | . | . | . | . | . | 1 | . | 1 | 1 | 3 | . |
| | Dec. 2, | 21·7 | 1·3 | 17 | . | 1 | . | . | . | . | . | 2 | 2 | 4 | 2 |
| | „ 9, | 28·1 | 1·3 | 22 | . | . | . | . | . | 1 | . | 4 | 2 | 4 | . |
| | Average, | 18·0 | 1·5 | 14·1 | . | 0·1 | . | 0·1 | . | 0·7 | 0·3 | 1·4 | 2·2 | 2·1 | 0·5 |
| **Rathmines.** | Oct. 7, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | „ 11, | 12·2 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 18, | 29·2 | 2·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| | „ 25, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 38·9 | . | 16 | . | . | . | . | . | . | . | 4 | 2 | . | . |
| | „ 9, | 12·2 | 2·4 | 5 | . | . | 1 | . | . | . | . | . | 1 | 2 | . |
| | Average, | 17·3 | 1·2 | 7·1 | . | 0·1 | 0·1 | 0·1 | . | 0·1 | 0·1 | 0·5 | 0·9 | 0·9 | 0·2 |
| **Donnybrook.** | Oct. 7, | 9·4 | . | 4 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 11, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 18, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 1 |
| | „ 25, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | 3 | 3 | . |
| | Dec. 2, | 14·0 | 2·3 | 6 | . | . | . | . | . | . | 1 | . | 1 | 2 | . |
| | „ 9, | 11·7 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | Average, | 18·0 | 1·2 | 7·7 | . | . | . | . | . | 0·4 | 0·1 | 0·5 | 1·0 | 0·9 | 0·4 |
| **Blackrock.** | Oct. 7, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 11, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 18, | 21·7 | . | 3 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 25, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 9, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | Average, | 14·4 | 0·7 | 2·0 | . | . | . | . | . | 0·1 | . | 0·3 | 0·2 | 0·1 | 0·1 |
| **Kingstown.** | Oct. 7, | 22·5 | 5·6 | 8 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | . | . | . | . | 1 | . | . | 2 | . |
| | „ 11, | 28·1 | 5·6 | 10 | . | . | 1 | . | . | 1 | . | . | 2 | . | 1 |
| | „ 18, | 36·5 | 5·6 | 13 | . | . | 1 | . | . | 1 | . | . | 1 | 2 | 1 |
| | „ 25, | 25·3 | 8·4 | 9 | . | . | 1 | . | . | 2 | . | 1 | 2 | 1 | 1 |
| | Dec. 2, | 14·0 | 2·8 | 5 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 9, | 19·7 | 2·8 | 7 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | . |
| | Average, | 23·3 | 4·8 | 8·3 | . | . | 0·7 | 0·1 | . | 0·6 | 0·3 | 0·4 | 0·9 | 0·8 | 0·3 |
| **Total, Dublin Registration District.** | Oct. 7, | 15·7 | 3·5 | 95 | . | 3 | 3 | . | 2 | 8 | 5 | 9 | 7 | 14 | 4 |
| | „ 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 8 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | „ 11, | 20·2 | 3·1 | 122 | . | 2 | 6 | 2 | 1 | 7 | 1 | 11 | 14 | 26 | 4 |
| | „ 18, | 28·6 | 3·0 | 173 | 2 | 2 | 3 | . | 2 | 4 | 5 | 9 | 14 | 38 | 6 |
| | „ 25, | 23·5 | 4·8 | 142 | . | 4 | 7 | . | 6 | 9 | 3 | 10 | 14 | 30 | 4 |
| | Dec. 2, | 27·4 | 3·3 | 166 | 1 | 4 | 4 | . | 2 | 5 | 4 | 9 | 18 | 33 | 4 |
| | „ 9, | 24·1 | 2·8 | 146 | . | 2 | 3 | . | 2 | 7 | 3 | 8 | 16 | 29 | 6 |
| | Average, | 21·1 | 3·2 | 127·7 | 0·3 | 2·4 | 3·8 | 0·8 | 2·2 | 5·9 | 3·7 | 9·8 | 13·9 | 22·9 | 4·5 |

TABLE IV.—DEATHS in the CITY of DUBLIN [illegible] and in the [illegible] DISTRICTS of ENGLAND in the FORTY-EIGHT WEEKS ending SATURDAY 1st DECEMBER 1855, also the Deaths from each [illegible]

| Class. | CAUSES OF DEATH. | Deaths from all causes Registered in the Week ending Saturday | | | | | | | | | | Average number of Deaths in the Week ending Saturday 1st December, for 15 years, 1841-55 | Weeks ending Saturday 1st December 1855 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age | | | | |
| | | Nov. 3 | Nov. 10 | Nov. 17 | Nov. 24 | Dec. 1 | Dec. 8 | Dec. 15 | Dec. 22 | Dec. 29 | Dec. 1 | | Under 1 year | 1 and under 15 | 15 and under 25 | 25 and under 45 | 45 and under 65 |
| | Mean Temperature, | 44.5 | 44.2 | 42.4 | 43.8 | 43.9 | 42.2 | 41.1 | 44.4 | 42.7 | 44.5 | 43.4 | | | | | |
| | ALL CAUSES, | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 |
| | SPECIFIED CAUSES, | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 | 1,116 |
| | Classes. | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 61 | 74 | 71 | 70 | 70 | 76 | 71 | 71 | 74 | 74 | 72 | 37 | 5 | 4 | 5 | 2 |
| II. | CONSTITUTIONAL, | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| III. | LOCAL, | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| IV. | DEVELOPMENTAL, | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| V. | VIOLENT DEATHS, | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| I. | Orders. | | | | | | | | | | | | | | | | |
| | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2. Measles, | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3. Scarlet Fever (Scarlatina), | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 4. Diphtheria, | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5. Quinsy, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 6. Croup, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 7. Whooping Cough, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 8. Typhus, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 9. Enteric or Typhoid Fever, | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 10. Simple continued Fever, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 11. Erysipelas, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 12. Puerperal Fever (Metrid), | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 13. Carbuncle, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 14. Influenza, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 15. Dysentery, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 16. Diarrhœa, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 17. Simple Cholera, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 18. Ague, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 19. Remittent Fever, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 20. Rheumatism, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 21. Other Zymotic Diseases, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2. Stricture of Urethra, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3. Hydrophobia, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 4. Glanders, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Privation, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2. Want of Breast Milk, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3. Purpura and Scurvy, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 4. Alcoholism, {Delirium Tremens / Intemperance, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Thrush, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2. Worms, &c. | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Gout, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2. Dropsy, | 4 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3. Cancer, | 1 | 2 | 7 | 2 | 1 | 6 | 5 | 3 | 2 | 6 | 35 | 1 | 1 | 1 | 1 | 1 |
| | 4. Cancrum Oris (Noma), | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 5. Mortification, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 9 | 4 | 1 | 1 | 3 | 1 |
| | 2. Tabes Mesenterica, | 3 | 1 | 2 | 2 | 4 | 1 | 1 | 3 | 1 | 1 | 19 | 1 | 1 | 1 | 1 | 1 |
| | 3. Phthisis, | 24 | 17 | 23 | 18 | 11 | 18 | 23 | 13 | 15 | 16 | 180 | 16 | 2 | 1 | 11 | 3 |
| | 4. Hydrocephalus, | 2 | 5 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | 4 | 20 | 5 | 4 | 1 | 1 | 1 |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 10 | 1 | 1 | 1 | 1 | 1 |
| | 2. Apoplexy, | 1 | 7 | 3 | 1 | 3 | 3 | 1 | 4 | 7 | 4 | 34 | 1 | 1 | 1 | 1 | 1 |
| | 3. Paralysis, | 2 | 3 | 2 | 2 | 2 | 3 | 3 | 6 | 3 | 1 | 27 | 2 | 1 | 1 | 1 | 1 |
| | 4. Insanity, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 5. Chorea, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 6. Epilepsy, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 4 | 1 | 10 | 1 | 1 | 1 | 1 | 1 |
| | 7. Convulsions, | 10 | 10 | 16 | 9 | 7 | 8 | 9 | 8 | 16 | 16 | 109 | 8 | 8 | 1 | 1 | 1 |
| | 8. *Brain Disease, &c.* | 2 | 1 | 5 | 6 | 2 | 5 | 3 | 4 | 2 | 4 | 33 | 6 | 1 | 1 | 1 | 1 |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 |
| | 2. Aneurism, | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 6 | 1 | 1 | 1 | 1 | 1 |
| | 3. *Heart Disease, &c.* | 5 | 9 | 4 | 9 | 4 | 4 | 6 | 6 | 11 | 11 | 69 | 8 | 1 | 1 | 3 | 3 |
| | ORDER 3.—RESPIRATORY ORGANS | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 |
| | 2. Bronchitis, | 12 | 26 | 27 | 31 | 33 | 21 | 25 | 23 | 35 | 39 | 293 | 20 | 4 | 1 | 2 | 6 |
| | 3. Pleurisy, | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 9 | 1 | 1 | 1 | 1 | 1 |
| | 4. Pneumonia, | 1 | 4 | 2 | 3 | 7 | 5 | 6 | 8 | 4 | 4 | 43 | 5 | 1 | 2 | 1 | 1 |
| | 5. Asthma, | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 9 | 1 | 1 | 1 | 1 | 1 |
| | 6. *Lung Disease, &c.* | 5 | 2 | 2 | 1 | 1 | 5 | 2 | 3 | 5 | 7 | 32 | 4 | 1 | 1 | 1 | 1 |

KINGS, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, ...red in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 49th Week of the 10 years 1866-75. | Week ending Saturday, Dec. 9th, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | | |
| | | Dec 8 1866 | Dec 7 1867 | Dec 5 1868 | Dec 11 1869 | Dec 10 1870 | Dec 9 1871 | Dec 7 1872 | Dec 6 1873 | Dec 12 1874 | Dec 11 1875 | | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 44·8 | 34·1 | 49·2 | 40·9 | 34·2 | 33·5 | 40·9 | 46·0 | 38·8 | 31·6 | 39·4 | 44·3 | | | | | | | |
| | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | 1 | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Enteritis, | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | 1 | 1 | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | . | . | . | . | . | . | . | . | 1 | 2 | ·3 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | 1 | . | . | 1 | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | . | . | 1 | . | . | . | . | 1 | ·2 | 1 | . | . | . | . | 1 | . | . |
| | 8. Intussusception, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 2 | . | . | . | 3 | 1 | . | 1 | . | 1 | ·8 | . | . | . | . | . | . | . | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 3 | 4 | 4 | 2 | 3 | 4 | 1 | 1 | 1 | 2 | 2·5 | 1 | . | . | . | . | . | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | 2 | . | . | . | . | 3 | 1 | 2 | . | . | ·8 | 2 | . | . | . | 2 | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 3 | . | 2 | 1 | 3 | 3 | 2 | 1 | . | 3 | 1·8 | 3 | . | . | . | . | 1 | 2 | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | 1 | 2 | 1 | . | . | 1 | ·5 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | 1 | . | 1 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| V. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | . | . | . | 1 | 1 | . | . | 1 | ·4 | 2 | 2 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 1 | . | 1 | 2 | 1 | . | . | . | 1 | ·6 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | 1 | 1 | 1 | 1 | . | 1 | 1 | 1 | 2 | . | ·9 | 2 | . | . | . | 2 | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 12 | 7 | 16 | 11 | 12 | 15 | 17 | 20 | 19 | 21 | 15·0 | 19 | . | . | . | . | . | 16 | 3 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 2 | 5 | 7 | 3 | 4 | 2 | 3 | 6 | 4 | 11 | 4·7 | 7 | 1 | . | . | . | 5 | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 2 | 1 | . | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1·3 | 1 | . | . | . | 1 | . | . | . |
| | 2. Wounds, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | . | 2 | . | 2 | 1 | 2 | . | 3 | 1 | 3 | 1·4 | 1 | 1 | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Drowning, | 1 | . | . | . | . | 1 | 2 | . | 3 | . | ·7 | 3 | . | . | 2 | 1 | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 4 Hanging, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 4 | . | 2 | 3 | . | 9 | 7 | 8 | 2 | . | 3·5 | . | . | . | . | . | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 9th December, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 9TH DECEMBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 24 | 177 | 147 | 16 | 46 | . | 2 | 3 | . | 2 | 7 | 3 | 6 | 1 | 8 |
| BELFAST,* . . | 20,687 | 182,082 | 23 | 115 | 81 | 14 | 15 | . | 1 | 3 | . | 7 | 2 | 2 | 2 | . | 8 |
| CORK, . . | 13,816 | 91,968 | 26 | 41 | 46 | 5 | 9 | . | . | . | 1 | . | 1 | . | 2 | . | 1 |
| LIMERICK, . . | 8,509 | 44,309 | 33 | 20 | 27 | 5 | 11 | . | . | . | . | . | 1 | 3 | . | . | 1 |
| LONDONDERRY,† . | 21,865 | 30,884 | 12 | 18 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, . . | 17,209 | 30,626 | 31 | 26 | 18 | 3 | 6 | . | . | 1 | . | . | . | . | . | . | 11 |
| GALWAY, . . | 21,358 | 19,692 | 11 | 10 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . |
| SLIGO, . . . | 30,825 | 17,285 | 30 | 4 | 10 | . | 3 | . | . | . | . | . | . | . | 2 | 2 | 1 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 9th December, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 24 | 12 | 9 | 2 | . | . | . | 2 | . | 1 | . | . | 1 | . | 2 |
| | „ „ 2, | 17,938 | 17 | 13 | 6 | 1 | 1 | . | 1 | . | . | . | . | . | 1 | . | . |
| | „ „ 3, | 39,311 | 24 | 27 | 18 | 3 | 3 | . | . | 1 | . | 1 | 2 | 1 | . | . | 5 |
| | „ „ 4, *W.* | 19,320 | 43 | 12 | 16 | 2 | 3 | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ „ 5, | 19,616 | 19 | 10 | 7 | 3 | 6 | . | . | . | . | 1 | . | . | . | . | . |
| | „ „ 6, | 36,652 | 16 | 20 | 11 | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | „ „ 9, | 5,296 | 20 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ „ 10, | 8,115 | 45 | 6 | 7 | 3 | . | . | . | . | . | 1 | . | . | . | . | 1 |
| | Castlereagh „ 1, | 16,155 | 16 | 15 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 15 | 6 | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ „ 2, | 11,555 | 14 | . | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 3, | 6,818 | 23 | 4 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | „ „ 4, | 6,227 | 25 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 5, | 11,289 | 32 | 5 | 7 | . | 2 | . | . | . | . | . | . | . | 2 | 3 | 2 |
| | „ „ 6, | 15,230 | 27 | 10 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ „ 7, | 7,586 | 21 | 2 | 3 | . | 1 | . | . | . | 1 | . | . | . | . | . | 2 |
| | „ „ 8, *W.* | 18,364 | 34 | 8 | 12 | 3 | 2 | . | . | . | . | . | . | . | . | . | 9 |
| | „ „ 9, | 4,790 | 43 | 4 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| LIMERICK, | Limerick, No. 1, | 7,918 | 33 | 6 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | 58 | 1 | 10 | 2 | 3 | . | . | . | . | . | 1 | 1 | . | . | 8 |
| | „ „ 3, | 11,424 | 14 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 4, | 15,875 | 29 | 11 | 9 | 2 | 4 | . | . | . | . | . | . | 1 | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 12 | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, | 13,569 | 11 | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, *W.* | 8,483 | 12 | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 31 | 26 | 18 | 3 | 6 | . | . | . | 1 | . | . | . | . | . | 11 |
| GALWAY, | Galway, No. 1, | 10,700 | 15 | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | „ „ 2, *W.* | 8,992 | 6 | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 40 | . | 5 | . | 2 | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ „ 2, | 10,829 | 24 | 4 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[2095.—300.—10/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);

AND IN THE TOWNS OF

BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, DECEMBER 16, 1876. [No. 50.


*General Register Office, Charlemont House, Dublin, December 18th, 1876.*

The total deaths registered in the Dublin Registration District during the week ending 16th December, 1876, represent an annual mortality of 23·0 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district, the rate was 22·5 per 1,000. In London the death-rate was 21·6 in every 1,000 of the estimated population, in Glasgow 21·9, and in Edinburgh 23·0.

---

In the Dublin Registration District the births registered during the week amounted to 192—97 boys and 95 girls,—and the deaths to 139—71 males and 68 females. The *average* numbers in the corresponding week of the previous ten years were—births, 146, and deaths, 172.

Twenty-seven deaths from zymotic diseases were registered during the week: the average number in the corresponding week of the previous ten years was 34·8. The deaths from these diseases include 9 from fever (2 typhus, 5 typhoid or enteric, and 2 simple continued fever), 5 from measles, 4 from croup, 3 from scarlet fever, 2 each from whooping-cough and diarrhœa, &c.

The deaths of 12 children were ascribed to convulsions.

Bronchitis caused 28 deaths, pneumonia or inflammation of the lungs 2, and lung disease unspecified 1.

Eleven deaths resulted from heart disease, 2 from apoplexy, 1 each from cephalitis and brain disease unspecified, 3 from liver disease, and 2 from kidney disease unspecified.

Eleven persons died from phthisis or pulmonary consumption, 6 from hydrocephalus or water on the brain, and 4 from cancer.

Three accidental deaths were registered, viz.:—One each from fractures, lead poisoning (a painter), and drowning.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (17 being infants under 1 year old); and 33 were aged 60 and upwards, including 17 persons aged 70 and upwards, of whom 4 were octogenarians, and 1 (a woman) was stated to have been aged 97 years.

Twenty-eight of the deaths registered occurred in hospitals and other public institutions; of this number 4 took place in the North Dublin, and 4 in the South Dublin Union Workhouse.

---

Two deaths from whooping-cough, 2 from scarlatina, 2 from fever, and 1 from diarrhœa, were registered in Belfast during the week.

---

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 22·5 per 1,000; the rate in the city was 24·2 (21·2 on the North side and 26·5 on the South), and in the suburbs 16·5.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 3·5 per 1,000 inhabitants, the rate for the city being 3·6 (3·9 in the North City Districts and 3·4 in the South), and for the suburbs 3·0 per 1,000.

*No. 1, North City District* (Summer-hill). The deaths chargeable to this district are equ to an annual rate of 16·6 per 1,000 persons. The deaths from zymotic diseases are—1 fr enteric fever, and 1 from diarrhœa.

*No.* 2, *North City District* (Coleraine-street). The rate for this district is 22·3 per 1,000: the average for the last ten weeks has been 28·1. Of the 14 deaths tabulated for last week, 2 resulted from whooping-cough, and 1 each from fever, measles, and scarlatina, these 5 deaths being equal to an annual rate of 8·0 per 1,000 persons. The average mortality from the seven principal zymotic diseases for the last ten weeks in this district represents a rate of 6·1 per 1,000.

*No.* 3, *North City District* (Blackhall-street). The deaths are equivalent to an annual rate of 28·7 per 1,000 inhabitants: average rate for the last ten weeks, 26·7. Of the 14 deaths only 1 resulted from zymotic disease—a case of measles, 1 death from which has been recorded in each of the last six weeks.

*No.* 1, *South City District* (Meath-street). The total death-rate is 32·9: the mortality from the seven principal zymotic diseases, 10·4 per 1,000, there having been 3 deaths from measles (making 10 in the last five weeks), 2 from fever, and 1 from scarlatina. Five of the 19 deaths tabulated were caused by bronchitis, and 4 by convulsions.

*No.* 2, *South City District* (High-street). The deaths (14) of inhabitants of this district give a rate of 25·7 per 1,000; they include 3 from fever (1 typhus, and 2 typhoid or enteric) and 5 from bronchitis. Nine deaths from fever have been recorded in the last ten weeks.

*No.* 3, *South City District* (Peter-street). The death-rate is 31·2 per 1,000: average rate for the last ten weeks, 20·5. None of the 23 deaths recorded for last week resulted from any of the seven principal zymotic diseases. There were 4 from bronchitis, and a like number from heart disease.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). The deaths chargeable to this district are equal to an annual rate of 17·9 per 1,000. There were no deaths from any of the seven principal zymotic diseases.

*Suburban Districts.* The respective death-rates are—Rathmines, 19·5 per 1,000; Donnybrook, 4·7 (only 2 deaths); Blackrock, 14·4; and Kingstown, 28·1. The only deaths from zymotic diseases are—1 from diarrhœa in Rathmines, and 1 from scarlatina and 2 from typhoid fever in Kingstown. Eight deaths from fever and 4 from scarlatina have been registered in Kingstown during the last six weeks.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·723 inches. The highest daily mean reading (30·024) occurred on Sunday, and the lowest (29·557) on Saturday.

The mean temperature during the week was 44·6° (being 3·7° over the average in the corresponding week of the previous ten years); the lowest daily mean (37·5°) occurred on Thursday, and the highest (49·7°) on Sunday.

The temperature was highest on Sunday, when the thermometer registered 53·8°, and was lowest on Thursday, the mercury having fallen to 27·3°. The highest reading of the barometer during the week (30·081) occurred on Sunday, at 9.30 A.M., wind S., and the lowest (29·557) on Wednesday, at 3.30 P.M., wind S.E. The mean of the Dry Bulb for the week was 45·0°; and of the Wet Bulb 42·7°. The mean humidity of the air was ·833; complete saturation being represented by 1·0. The rain-fall during the week measured 1·035 in.

At Greenwich the mean temperature of the week was 42·5°, and at Glasgow 43·3°. The rain-fall during the week at Greenwich measured ·24 in., and at Glasgow 1·01 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | | | | | |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| Sunday, Dec. 10, | 30·024 | 53·8 | 45·7 | 49·7 | 48·1 | 43·7 | ·705 | ·6 | ·000 | S. | S. | S. |
| Monday, „ 11, | 29·830 | 53·5 | 43·0 | 48·3 | 48·6 | 46·3 | ·859 | ·9 | ·155 | S.W. | S. | S. |
| Tuesday, „ 12, | 29·634 | 49·5 | 30·3 | 39·9 | 42·5 | 40·4 | ·829 | ·6 | ·000 | S.W. | W. | S.W. |
| Wednesday, „ 13, | 29·563 | 53·5 | 39·5 | 46·5 | 47·0 | 44·6 | ·823 | ·8 | ·490 | S. | S.E. | S.E. |
| Thursday, „ 14, | 29·793 | 47·7 | 27·3 | 37·5 | 37·9 | 36·5 | ·871 | ·1 | ·000 | W. | W. | S.W. |
| Friday, „ 15, | 29·664 | 50·0 | 39·5 | 44·7 | 44·3 | 42·1 | ·829 | ·6 | ·125 | S.E. | S.E. | S.E. |
| Saturday, „ 16, | 29·557 | 50·5 | 40·8 | 45·6 | 46·5 | 45·4 | ·913 | ·5 | ·265 | S.E. | S.E. | S.E. |
| Mean, . . | 29·723 | 51·2 | 38·0 | 44·6 | 45·0 | 42·7 | ·833 | ·6 | Total, 1·035 | Prevailing wind, S.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Dec. 10, | A.M. Dull. | P.M. Fine. |
| Monday, „ 11, | A.M. Overcast. | P.M. Dull. |
| Tuesday, „ 12, | A.M. Dull. | P.M. Fine and starlight. |
| Wednesday, „ 13, | A.M. Fine. | P.M. Raining. |
| Thursday, „ 14, | A.M. Dull. | P.M. Fine and starlight. |
| Friday, „ 15, | A.M. Fine. | P.M. Raining. |
| Saturday, „ 16, | A.M. Raining. | P.M. Fine and starlight. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M. Kindly furnished by the Registrars-General of England and Scotland.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 16th December, 1876. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. E.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 32,609 | 25,355 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| **Deaths from all Causes,** | 16 | 14 | 14 | 19 | 14 | 23 | 14 | 8 | 2 | 2 | 10 | 136 | 3 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | 1 | 3 | . | . | . | . | . | . | 5 | 5 | . |
| Scarlet Fever (Scarlatina), | . | 1 | . | 1 | . | . | . | . | . | 1 | 3 | 3 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | . |
| Fever, | 1 | 1 | . | 2 | 3 | . | . | . | . | 2 | 2 | 9 | . |
| Diarrhœa, | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| Other Zymotic Diseases, | . | 1 | . | 1 | . | 3 | 1 | . | . | . | . | 6 | . |
| Total, | 2 | 6 | 1 | 7 | 3 | 3 | 1 | 1 | . | . | 3 | 27 | . |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | 1 | 2 | . | . | 2 | 2 | 1 | . | . | 1 | 1 | 10 | 1 |
| Other Constitutional Diseases | 2 | . | 1 | 1 | . | 1 | 2 | 2 | . | . | 1 | 10 | . |
| Total, | 3 | 2 | 1 | 1 | 2 | 3 | 3 | 2 | . | 1 | 2 | 20 | 1 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain and Nervous System, | 3 | . | 2 | 4 | 2 | 2 | 1 | 1 | . | . | 1 | 16 | . |
| Diseases of the Heart and Circulatory Organs, | . | 2 | 2 | . | 1 | 4 | . | . | 1 | 1 | . | 11 | . |
| Diseases of the Respiratory Organs, | 3 | 2 | 4 | 5 | 5 | 5 | 5 | 1 | . | . | 1 | 31 | . |
| Diseases of the Digestive Organs, | 1 | . | 3 | 1 | . | . | 1 | . | . | . | 1 | 7 | 1 |
| Diseases of the Urinary Organs, | . | 1 | . | . | . | 1 | . | . | . | . | . | 2 | . |
| Diseases of the Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Organs of Locomotion, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 7 | 5 | 11 | 10 | 8 | 12 | 7 | 2 | 1 | 1 | 3 | 67 | 1 |
| DEVELOPMENTAL DISEASES, | 2 | 1 | . | 1 | . | 5 | 3 | 3 | 1 | . | 2 | 18 | . |
| VIOLENT DEATHS, | 1 | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 16·6 | 22·3 | 28·7 | 32·9 | 25·7 | 31·2 | 17·9 | 19·5 | 4·7 | 14·4 | 28·1 | | — |
| | 21·2 | | | 26·5 | | | | | | | | | |
| | 24·2 | | | | | | | 16·5 | | | | 22·5 | |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 1 | 3 | 2 | 5 | . | 2 | 1 | . | . | . | 17 | 3 |
| Workhouse Hospitals, | 1 | 1 | 2 | 1 | . | 1 | 1 | 1 | . | . | . | 8 | . |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 26, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of Deaths per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from the *Institutions being assigned to the Distric*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accident, Suicide, and Homicide). |
| **North City, No. 1.** (*Office, Summer-hill.*) | Oct. 14, | 24·9 | 2·1 | 24 | . | . | 1 | . | . | 1 | 1 | 3 | 2 | 6 | 1 |
| | „ 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 8·3 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | . |
| | Nov. 4, | 12·5 | 5·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | 1 | . |
| | „ 11, | 14·5 | 2·1 | 14 | . | . | . | . | . | 2 | . | 2 | . | 4 | 1 |
| | „ 18, | 24·9 | 2·1 | 24 | 1 | . | . | . | . | 1 | . | . | 2 | 6 | . |
| | „ 25, | 21·8 | 8·3 | 21 | . | . | . | . | 3 | 4 | 1 | 1 | 2 | 6 | 1 |
| | Dec. 2, | 30·1 | 6·2 | 29 | 1 | . | 3 | . | 1 | 1 | . | 1 | 2 | 8 | . |
| | „ 9, | 23·9 | 5·2 | 23 | . | . | . | . | 1 | 3 | 1 | 1 | 5 | 3 | . |
| | „ 16, | 16·6 | 2·1 | 16 | . | . | . | . | . | 1 | 1 | 2 | 1 | 3 | . |
| | Average, | 18·8 | 3·8 | 18·1 | 0·2 | . | 0·4 | 0·1 | 0·8 | 1·3 | 0·8 | 1·2 | 2·0 | 4·1 | 0·3 |
| **North City, No. 2.** (*Office, Coleraine-street.*) | Oct. 14, | 19·1 | 1·6 | 12 | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . |
| | „ 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 39·9 | 1·2 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | 1 |
| | Nov. 4, | 23·9 | 18·0 | 15 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 3 | . |
| | „ 11, | 33·5 | 6·4 | 21 | . | 1 | 2 | . | 1 | . | . | 2 | 1 | 3 | 2 |
| | „ 18, | 35·1 | 6·4 | 22 | 1 | . | 2 | . | 1 | . | . | 2 | 2 | 3 | 2 |
| | „ 25, | 31·9 | 11·2 | 20 | . | . | 3 | . | 3 | 1 | . | 3 | 1 | 2 | . |
| | Dec. 2, | 28·7 | 1·6 | 18 | . | . | . | . | 1 | . | . | . | 2 | 5 | . |
| | „ 9, | 28·7 | 3·2 | 18 | . | . | . | . | 1 | 1 | . | . | 1 | 4 | 2 |
| | „ 16, | 22·3 | 8·0 | 14 | . | 1 | 1 | . | 2 | 1 | . | . | 2 | 2 | . |
| | Average, | 28·1 | 6·1 | 17·6 | 0·1 | 0·2 | 1·3 | 0·1 | 1·3 | 0·6 | 0·2 | 1·4 | 1·4 | 2·5 | 1·3 |
| **North City, No. 3.** (*Office, Blackhall-street.*) | Oct. 14, | 24·6 | 10·3 | 12 | . | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . |
| | „ 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28, | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 | 1 |
| | Nov. 4, | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 2 | 3 | . |
| | „ 11, | 43·1 | 8·2 | 21 | . | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 6 | . |
| | „ 18, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | . | 3 | 3 | . |
| | „ 25, | 32·8 | 6·2 | 16 | . | 1 | 1 | . | . | . | 1 | 2 | 1 | 4 | . |
| | Dec. 2, | 26·7 | 6·2 | 13 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 2 | . |
| | „ 9, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | 1 | 1 | 3 | . |
| | „ 16, | 28·7 | 2·1 | 14 | . | 1 | . | . | . | . | . | 2 | . | 4 | . |
| | Average, | 26·7 | 4·7 | 13·0 | . | 0·9 | 0·3 | 0·2 | . | 0·2 | 0·7 | 0·9 | 1·4 | 3·2 | 0·1 |
| **South City, No. 1.** (*Office, Meath-street.*) | Oct. 14, | 20·8 | 5·2 | 12 | . | 1 | . | . | . | 1 | 1 | 4 | 2 | 1 | 1 |
| | „ 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | „ 28, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Nov. 4, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 | . |
| | „ 11, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | „ 18, | 48·6 | 5·2 | 28 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 6 | . |
| | „ 25, | 20·8 | 8·7 | 12 | . | 3 | 1 | . | . | . | 1 | 2 | . | 3 | . |
| | Dec. 2, | 36·4 | 6·9 | 21 | . | 2 | . | . | . | 1 | 1 | . | 2 | 5 | . |
| | „ 9, | 34·7 | 5·2 | 20 | . | 1 | 1 | . | . | . | 1 | . | 1 | 5 | 1 |
| | „ 16, | 32·9 | 10·4 | 19 | . | 3 | 1 | . | . | 2 | . | 4 | . | 5 | . |
| | Average, | 26·9 | 4·9 | 15·5 | . | 1·1 | 0·3 | . | . | 0·9 | 0·5 | 1·4 | 0·9 | 3·4 | 0·4 |
| **South City, No. 2.** (*Office, High-street.*) | Oct. 14, | 14·7 | 1·8 | 8 | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | „ 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28, | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | Nov. 4, | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | . | . | 1 | . |
| | „ 11, | 23·9 | 5·5 | 13 | . | . | 1 | 1 | . | 1 | . | 1 | . | 6 | . |
| | „ 18, | 33·0 | 5·5 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | 5 | . |
| | „ 25, | 23·9 | . | 13 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | Dec. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | 1 | 1 | 1 | 4 | 5 | 1 |
| | „ 9, | 23·9 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 16, | 25·7 | 5·5 | 14 | . | . | . | . | . | 3 | . | 1 | 2 | 5 | 1 |
| | Average, | 21·8 | 3·7 | 11·9 | . | 0·2 | 0·3 | 0·1 | 0·1 | 0·9 | 0·4 | 0·5 | 1·3 | 3·2 | 0·3 |
| **South City, No. 3.** (*Office, Peter-street.*) | Oct. 14, | 9·5 | . | 7 | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| | „ 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28, | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Nov. 4, | 14·9 | 1·4 | 11 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 11, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 2 | 4 | 2 | . |
| | „ 18, | 20·3 | 1·4 | 15 | . | . | . | . | . | . | 1 | 2 | . | 4 | 1 |
| | „ 25, | 28·5 | 1·4 | 21 | . | . | 1 | . | . | . | . | . | 2 | 4 | 2 |
| | Dec. 2, | 25·8 | 1·4 | 19 | . | . | 1 | . | . | . | . | . | 2 | 2 | . |
| | „ 9, | 24·4 | 1·4 | 18 | . | . | 1 | . | . | . | . | . | 2 | 3 | . |
| | „ 16, | 31·2 | . | 23 | . | . | . | . | . | . | . | 1 | 2 | 5 | . |
| | Average, | 20·5 | 1·0 | 15·1 | . | . | 0·4 | . | . | 0·2 | 0·1 | 1·5 | 1·8 | 2·7 | 0·3 |

**sidents** of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate
**ipal Zy**motic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public*
*which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Oct. 14, | 11·5 | 1·3 | 9 | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . |
| | „ 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | „ 11, | 12·8 | 1·3 | 10 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 18, | 20·5 | . | 16 | . | . | . | . | . | . | . | . | 2 | 3 | 1 |
| | „ 25, | 20·5 | 1·3 | 16 | . | . | . | . | . | 1 | . | 1 | 1 | 3 | . |
| | Dec. 2, | 21·7 | 1·3 | 17 | . | 1 | . | . | . | . | . | 2 | 2 | 4 | 2 |
| | „ 9, | 28·1 | 1·3 | 22 | . | . | . | . | . | 1 | . | 4 | 2 | 4 | . |
| | „ 16, | 17·9 | . | 14 | . | . | . | . | . | . | . | 1 | 1 | 5 | . |
| | Average, | 18·9 | 1·2 | 14·8 | . | 0·1 | . | 0·1 | . | 0·5 | 0·2 | 1·5 | 2·2 | 2·6 | 0·5 |
| **Rathmines.** | Oct. 14, | 17·0 | 4·9 | 7 | . | 1 | . | 1 | . | . | . | . | . | . | 1 |
| | „ 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | „ 11, | 12·2 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 18, | 29·2 | 2·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| | „ 25, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 38·9 | . | 16 | . | . | . | . | . | . | . | 4 | 2 | . | . |
| | „ 9, | 12·2 | 2·4 | 5 | . | . | 1 | . | . | . | . | . | 1 | 2 | . |
| | „ 16, | 19·5 | 2·4 | 8 | . | . | . | . | . | . | 1 | 1 | . | 1 | . |
| | Average, | 18·7 | 1·5 | 7·7 | . | 0·1 | 0·1 | 0·1 | . | 0·1 | 0·2 | 0·6 | 0·9 | 1·0 | 0·1 |
| **Donnybrook.** | Oct. 14, | 21·1 | 2·3 | 9 | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 |
| | „ 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 11, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 18, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 1 |
| | „ 25, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | 3 | 3 | . |
| | Dec. 2, | 14·0 | 2·3 | 6 | . | . | . | . | . | . | 1 | . | 1 | 2 | . |
| | „ 9, | 11·7 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | „ 16, | 4·7 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Average, | 17·6 | 1·2 | 7·5 | . | . | . | . | . | 0·4 | 0·1 | 0·4 | 1·0 | 0·9 | 0·4 |
| **Blackrock.** | Oct. 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 11, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 18, | 21·7 | . | 3 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 25, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 9, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | Average, | 15·2 | 0·7 | 2·1 | . | . | . | . | . | 0·1 | . | 0·3 | 0·3 | 0·1 | 0·1 |
| **Kingstown.** | Oct. 14, | 28·1 | 5·6 | 10 | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . |
| | „ 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | . | . | . | . | 1 | . | . | 2 | . |
| | „ 11, | 28·1 | 5·6 | 10 | . | . | 1 | . | . | 1 | . | . | 2 | . | 1 |
| | „ 18, | 36·5 | 5·6 | 13 | . | . | 1 | . | . | 1 | . | . | 1 | 2 | 1 |
| | „ 25, | 25·3 | 8·4 | 9 | . | . | 1 | . | . | 2 | . | 1 | 2 | 1 | 1 |
| | Dec. 2, | 14·0 | 2·8 | 5 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 9, | 19·7 | 2·8 | 7 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | . |
| | „ 16, | 28·1 | 8·4 | 10 | . | . | 1 | . | . | 2 | . | . | 1 | 1 | . |
| | Average, | 23·9 | 5·0 | 8·5 | . | . | 0·7 | 0·1 | . | 0·8 | 0·2 | 0·4 | 1·0 | 0·9 | 0·3 |
| **Total, Dublin Registration District.** | Oct. 14, | 18·2 | 3·0 | 110 | . | 4 | 2 | 3 | . | 6 | 3 | 15 | 15 | 14 | 8 |
| | „ 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | „ 11, | 20·2 | 3·1 | 122 | . | 2 | 6 | 2 | 1 | 7 | 1 | 11 | 14 | 26 | 4 |
| | „ 18, | 28·6 | 3·0 | 173 | 2 | 2 | 3 | . | 2 | 4 | 5 | 9 | 14 | 38 | 6 |
| | „ 25, | 23·5 | 4·8 | 142 | . | 4 | 7 | . | 6 | 9 | 3 | 10 | 14 | 30 | 4 |
| | Dec. 2, | 27·4 | 3·3 | 166 | 1 | 4 | 4 | . | 2 | 5 | 4 | 9 | 18 | 33 | 4 |
| | „ 9, | 24·1 | 2·8 | 146 | . | 2 | 3 | . | 2 | 7 | 3 | 8 | 16 | 29 | 6 |
| | „ 16, | 22·5 | 3·5 | 136 | . | 5 | 3 | . | 2 | 9 | 2 | 12 | 10 | 31 | |
| | Average, | 21·8 | 3·2 | 131·8 | 0·3 | 2·6 | 3·8 | 0·8 | 2·2 | 6·0 | 3·4 | 10·1 | 14·2 | 24·6 | 4·3 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DISTRICTS, Registered in the FIFTIETH WEEK, ending Saturday, 16th December, 1876; also the Deaths from each Di

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, Dec 15 1866 | Dec 14 1867 | Dec 13 1868 | Dec 19 1863 | Dec 17 1870 | Dec 16 1871 | Dec 14 1872 | Dec 13 1873 | Dec 19 1874 | Dec 18 1875 | Average in 10th Week of the 10 years 1866-75. | Week ending Saturday, Dec. 16th, Deaths of Persons of the Age. ALL AGES. | Under 5 years. | 5 and under 15. | 15 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 42·6 | ° 45·8 | ° 45·3 | ° 43·7 | ° 39·2 | ° 43·7 | ° 36·1 | ° 39·0 | ° 34·1 | ° 40·2 | ° 40·9 | Mean Temp. ° 44·6 | | | | | | |
| | **ALL CAUSES,** | 161 | 169 | 111 | 148 | 176 | 245 | 176 | 177 | 170 | 187 | 172·4 | 139 | 45 | 10 | 5 | 16 | 28 | 28 |
| | **SPECIFIED CAUSES,** | 159 | 167 | 110 | 148 | 174 | 247 | 173 | 177 | 167 | 185 | 170·8 | 137 | 44 | 10 | 5 | 17 | 28 | 28 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 39 | 34 | 27 | 26 | 31 | 65 | 29 | 36 | 33 | 28 | 34·8 | 27 | 15 | 3 | 4 | 2 | 2 | 1 |
| II. | CONSTITUTIONAL " | 24 | 30 | 29 | 31 | 31 | 40 | 27 | 37 | 25 | 25 | 28·0 | 21 | 4 | 3 | 1 | 4 | 4 | 4 |
| III. | LOCAL " | 72 | 95 | 50 | 67 | 92 | 108 | 88 | 86 | 85 | 95 | 83·8 | 68 | 19 | 4 | . | 9 | 9 | 9 |
| IV. | DEVELOPMENTAL " | 18 | 15 | 13 | 20 | 15 | 28 | 19 | 14 | 18 | 31 | 19·1 | 18 | 6 | . | . | 1 | 3 | 3 |
| V. | VIOLENT DEATHS, | 6 | 3 | . | 4 | 5 | 6 | 10 | 4 | 6 | 7 | 5·1 | 3 | . | . | . | 1 | 1 | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 26 | 3 | . | . | . | 2·9 | . | . | . | . | . | . | . |
| | 2. Measles, | 1 | 2 | . | 4 | 1 | . | 1 | 3 | 2 | 1 | 1·5 | 5 | 4 | 1 | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 5 | 10 | 11 | 12 | 9 | 9 | 3 | 12 | 17 | 2 | 9·0 | 3 | 3 | . | . | . | . | . |
| | 4. Diphtheria, | 1 | . | . | . | 1 | . | . | 2 | . | . | ·4 | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | 1 | . | . | . | . | . | . | 2 | ·3 | 1 | 1 | . | . | . | . | . |
| | 6. Croup, | . | 1 | 2 | . | 4 | 1 | 1 | 3 | 2 | 2 | 1·6 | 4 | 4 | . | . | . | . | . |
| | 7. Whooping Cough, | 1 | 5 | . | . | 6 | 4 | 4 | 3 | 2 | 8 | 3·3 | 2 | 2 | . | . | . | . | . |
| | 8. Typhus, | | | | 2 | 3 | 2 | 3 | 1 | 2 | 1 | | 2 | . | . | . | 1 | 1 | . |
| | – Enteric or Typhoid Fever, | 9 | 6 | 6 | 3 | 3 | 7 | 9 | 4 | 5 | 3 | 7·9 | 5 | . | 2 | 3 | . | . | . |
| | – Simple continued Fever, | | | | 1 | . | 4 | 1 | 1 | . | 3 | | 2 | . | . | . | 1 | . | . |
| | 9. Erysipelas, | . | 1 | 2 | . | . | 2 | 1 | 1 | 1 | . | ·8 | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 4 | . | . | 1 | 2 | 2 | 1 | 1 | . | . | 1·1 | . | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | 1 | . | . | . | . | . | . | . | 2 | ·3 | . | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 5 | 3 | 1 | 1 | . | 5 | 2 | . | . | 2 | 1·9 | 2 | 1 | . | . | . | 1 | . |
| | 15. Simple Cholera, | 12 | . | . | . | 1 | . | . | . | . | . | 1·3 | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | . | 1 | 1 | . | . | . | . | 3 | . | . | ·5 | . | . | . | . | . | . | . |
| | 19. Other Zymotic Disease, | . | 1 | 1 | 2 | . | 1 | . | . | 1 | . | ·6 | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | . | . | 1 | . | . | 1 | . | . | . | . | ·2 | 1 | . | . | 1 | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | 1 | 1 | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| | { Intemperance, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 2 | 1 | 2 | 6 | 3 | . | 1 | . | 1 | 1·9 | . | . | . | . | . | . | . |
| | 3. Cancer, | 1 | 2 | 3 | 1 | 2 | 6 | 3 | 7 | 2 | 3 | 3·0 | 4 | . | . | . | 1 | . | 1 |
| | 4. Cancrum Oris (Noma), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | 2 | . | . | 1 | 1 | 1 | 1 | . | 1 | 1 | ·8 | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | . | 1 | . | 2 | 1 | . | . | 1 | . | 1 | ·6 | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | . | 3 | 1 | 1 | 2 | 1 | 1 | 2 | 3 | 2 | 1·6 | . | . | . | . | . | . | . |
| | 3. Phthisis, | 17 | 10 | 12 | 23 | 17 | 26 | 19 | 21 | 14 | 14 | 17·3 | 11 | . | 1 | 1 | 3 | 5 | 1 |
| | 4. Hydrocephalus, | 1 | 2 | 3 | 1 | 2 | 3 | 3 | 5 | 5 | 3 | 2·8 | 6 | 4 | 2 | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | . | 1 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | . | 1·2 | 1 | . | 1 | . | . | . | . |
| | 2. Apoplexy, | 3 | 5 | 2 | 1 | 1 | 3 | 3 | . | 4 | 2 | 2·4 | 2 | . | . | . | 1 | . | 1 |
| | 3. Paralysis, | 2 | 5 | 3 | 1 | 4 | 2 | 2 | 2 | 6 | 3 | 3·0 | . | . | . | . | . | . | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | . | ·8 | . | . | . | . | . | . | . |
| | 7. Convulsions, | 12 | 9 | . | 7 | 11 | 17 | 9 | 9 | 2 | 6 | 8·2 | 12 | 12 | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 2 | 2 | 4 | 1 | 7 | 5 | 1 | 4 | 5 | 3 | 3·4 | 1 | . | . | . | 1 | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | 1 | . | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | 2 | . | . | . | 2 | . | . | . | . | ·4 | . | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 9 | 8 | 10 | 7 | 6 | 5 | 14 | 12 | 4 | 14 | 8·9 | 11 | . | 1 | . | 3 | . | 3 |
| | ORDER 3.—RESPIRATORY ORGANS | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 27 | 39 | 21 | 30 | 39 | 59 | 36 | 34 | 42 | 16 | 37·3 | 28 | 6 | 1 | . | 1 | 13 | 7 |
| | 3. Pleurisy, | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| | 4. Pneumonia, | 2 | 10 | 1 | 3 | 9 | 1 | 7 | 3 | 8 | 8 | 5·2 | 2 | . | . | . | 1 | 1 | . |
| | 5. Asthma, | 4 | 3 | . | . | . | . | 1 | 2 | 2 | . | 1·2 | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 1 | 2 | 3 | 3 | . | 1 | 3 | 6 | 2 | 4 | 2·5 | 1 | . | . | . | . | 1 | . |

**HMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, istered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.**

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of 10 years 1866-75 | Week ending Saturday, Dec. 16th, 1876. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Dec 15 1866 | Dec 14 1867 | Dec 12 1868 | Dec 18 1869 | Dec 17 1870 | Dec 16 1871 | Dec 14 1872 | Dec 13 1873 | Dec 19 1874 | Dec 18 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60 | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 42·0 | 45·8 | 45·5 | 43·7 | 39·2 | 43·7 | 36·1 | 38·6 | 31·1 | 40·2 | 40·9 | 44·6 | | | | | | | |
| I. | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| a. | 1. Gastritis, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 2 | 1 | . | . | 1 | . | . | . |
| | 2. Enteritis, | 1 | . | 1 | . | 1 | 1 | 1 | . | 1 | . | ·6 | 1 | . | 1 | . | . | . | . | . |
| | 3. Peritonitis, | . | . | . | 1 | . | . | 1 | . | 2 | . | ·4 | 1 | . | . | . | 1 | . | . | . |
| | 4. Ascites, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | 3 | . | 1 | . | 3 | . | 1 | . | 1 | . | ·9 | 1 | . | . | . | . | . | 1 | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 14. Jaundice, | . | . | . | 1 | 1 | 1 | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 2 | 4 | . | 4 | 3 | 1 | 3 | 3 | 2 | 1 | 2·3 | 3 | . | . | . | 2 | . | 1 | . |
| | 16. *Spleen Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | 1 | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | . | 2 | . | 1 | . | 2 | . | 3 | ·8 | . | . | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | . | 2 | . | 2 | 2 | 1 | 3 | 2 | . | 1 | 1·3 | 2 | . | . | . | 1 | . | 1 | . |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | 2 | . | . | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | 1 | 3 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | 1 | . | 1 | 2 | . | . | 1 | . | . | 2 | ·7 | . | . | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Teething, | . | 1 | . | . | . | 2 | 1 | 1 | . | 3 | ·8 | 2 | 2 | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | . | . | . | . | 2 | 2 | 1 | . | 1 | . | ·6 | 1 | . | . | . | 1 | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 9 | 3 | 7 | 12 | 10 | 18 | 9 | 9 | 7 | 15 | 9·9 | 9 | . | . | . | . | . | 4 | 5 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 8 | 11 | 5 | 6 | 3 | 6 | 6 | 4 | 10 | 11 | 7·0 | 6 | 4 | . | . | . | 1 | 1 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 3 | 1 | . | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 2·0 | 1 | . | . | . | . | 1 | . | . |
| | 2. Wounds, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 2 | . | . | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 1·2 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 5. Drowning, | 1 | 2 | . | 1 | 1 | 1 | 2 | 1 | . | 2 | 1·1 | 1 | . | . | . | 1 | . | . | . |
| | 6. Suffocation, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | 1 | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, / Cut, Stab, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | 2 | 1 | . | 2 | 2 | 3 | . | 3 | 1 | 1·5 | 2 | 1 | . | . | 1 | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 16th December, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 16TH DECEMBER, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,060 | 314,666 | 23 | 192 | 139 | 17 | 33 | . | 5 | 3 | . | 2 | 9 | 2 | 3 | 1 | 28 |
| BELFAST,* . . | 20,687 | 182,082 | 22 | 125 | 77 | 19 | 11 | . | . | 2 | . | 2 | 2 | 1 | 3 | . | 15 |
| CORK, . . | 13,816 | 91,966 | 28 | 56 | 49 | 7 | 12 | . | . | . | . | . | 2 | 1 | . | 5 | 15 |
| LIMERICK, . . | 8,509 | 44,209 | 18 | 23 | 15 | 2 | 8 | . | . | . | . | . | . | . | . | . | 7 |
| LONDONDERRY,† . | 21,865 | 30,884 | 12 | 15 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | |
| WATERFORD, . . | 17,209 | 30,626 | 25 | 17 | 15 | 3 | 5 | . | . | . | . | . | 1 | 1 | . | . | 6 |
| GALWAY, . . | 21,358 | 19,692 | 18 | 10 | 7 | 1 | 3 | . | . | . | . | . | . | 1 | 1 | 2 | 2 |
| SLIGO, . . . | 30,835 | 17,285 | 21 | 18 | 7 | . | 4 | . | . | . | . | . | . | 2 | . | 1 | 3 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 16th December, 1876.

| REGISTRARS' DISTRICTS. | | | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, | No. 1, | | 19,679 | 13 | 14 | 5 | 3 | . | . | . | 1 | . | . | . | . | 2 | . | . |
| | ,, | ,, 2, | | 17,938 | 26 | 9 | 9 | 3 | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 |
| | ,, | ,, 3, | | 39,311 | 24 | 26 | 18 | 4 | 1 | . | . | 1 | . | 1 | . | . | . | . | . |
| | ,, | ,, 4, | *W.* | 19,320 | 54 | 14 | 20 | 4 | 5 | . | . | . | . | . | . | . | . | . | 12 |
| | ,, | ,, 5, | | 19,616 | 27 | 15 | 10 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, | ,, 6, | | 26,652 | 13 | 22 | 9 | 2 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 9, | | 5,296 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 10, | | 8,115 | 13 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh | ,, 1, | | 16,155 | 13 | 18 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| CORK, | Cork, | No. 1, | | 10,156 | 36 | 11 | 7 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | | 11,555 | 14 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 3, | | 6,818 | 38 | 4 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 4, | | 6,227 | 17 | 2 | 2 | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 |
| | ,, | ,, 5, | | 11,289 | 9 | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | 2 | 1 |
| | ,, | ,, 6, | | 15,230 | 37 | 17 | 11 | 3 | 2 | . | . | . | . | . | . | 1 | . | 1 | 5 |
| | ,, | ,, 7, | | 7,586 | 21 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, | ,, 8, | *W.* | 18,364 | 42 | 2 | 15 | 2 | 5 | . | . | . | . | . | . | 1 | . | 1 | 9 |
| | ,, | ,, 9, | | 4,790 | 11 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, | No. 1, | | 7,918 | 7 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | *W.* | 8,992 | 58 | 3 | 10 | 1 | 7 | . | . | . | . | . | . | . | . | . | 7 |
| | ,, | ,, 3, | | 11,424 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 4, | | 15,875 | 13 | 14 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, | No. 1, | | 8,832 | 12 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | | 13,569 | 11 | 6 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, | | *W.* | 8,483 | 12 | 3 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, | | *W.* | 30,626 | 25 | 17 | 15 | 3 | 5 | . | . | . | . | . | 1 | 1 | . | . | 6 |
| GALWAY, | Galway, | No. 1, | | 10,700 | 19 | 7 | 4 | 1 | 1 | . | . | . | . | . | . | . | 1 | 1 | . |
| | ,, | ,, 2, | *W.* | 8,992 | 17 | 3 | 3 | . | 2 | . | . | . | . | . | 1 | . | 1 | 1 | 2 |
| SLIGO, | Sligo, | No. 1, | *W.* | 6,456 | 24 | 5 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 3 |
| | ,, | ,, 2, | | 10,829 | 19 | 13 | 4 | . | 2 | . | . | . | . | . | 2 | . | 1 | . | |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[2095.—300.—12/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN;**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

PUBLIC LIBRARY

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, DECEMBER 23, 1876. [No. 51.

*General Register Office, Charlemont House, Dublin, December 27th, 1876.*

The total deaths registered in the Dublin Registration District during the week ending 23rd December, 1876, represent an annual mortality of 22·8 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district, the rate was 21·2 per 1,000. In London the death-rate was 21·8 in every 1,000 of the estimated population, in Glasgow 23·8, and in Edinburgh 21·0.

In the Dublin Registration District the births registered during the week amounted to 152—75 boys and 77 girls,—and the deaths to 138—70 males and 68 females. The *average* numbers in the corresponding week of the previous ten years were—births, 156, and deaths, 162.

Thirty deaths from zymotic diseases were registered during the week: the average number in the corresponding week of the previous ten years was 30·5. The deaths from these diseases include 3 from small-pox—one, that of a female servant, aged 18 years, which occurred on the 18th inst.; "no trace of vaccination;" another, that of a female, aged 40 years, which took place on the 20th inst.; "stated to have been vaccinated when one month old—no cicatrix;" the third, that of a girl, aged 17 years, which occurred on the 19th inst.; no mention as to vaccination in the certificate; these 3 deaths occurred in hospital;—11 from fever (4 from typhus, 6 from typhoid or enteric fever, and 1 from simple continued fever), 3 from measles, 1 from scarlatina, 3 from diarrhœa, &c.

Convulsions was the assigned cause of 4 deaths.

Bronchitis caused 23 deaths; pneumonia or inflammation of the lungs 2; pleurisy 1, and lung disease unspecified 3.

Seven deaths were attributed to heart disease, 1 to apoplexy, 5 to paralysis, 1 to inflammation of the brain, and 1 to brain disease unspecified; 1 to Bright's disease, and 3 to kidney disease unspecified.

Phthisis or pulmonary consumption caused 13 deaths; water on the brain 2, scrofula 1, cancer 3, and dropsy 1.

Six accidental deaths and 2 cases of suicide were registered during the week.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under 1 year old); and 39 were aged 60 and upwards, including 20 persons aged 70 and upwards, of whom 1 (a woman) was stated to have been aged 91 years.

Fifty-two of the deaths registered occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin, and 7 in the South Dublin Union Workhouse.

Five deaths from whooping-cough, 2 from scarlatina, 2 from fever, and 3 from diarrhœa, were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 21·2 per 1,000; the rate in the city was 21·0 (24·5 on the North side and 18·2 on the South), and in the suburbs 21·8.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of [illegible] per 1,000 inhabitants, the rate for the city being 3·5 in the North City District and 2·4 in the South; and for the suburbs 1·8 per 1,000.

*No. 1, North City District Summer-hill.* The deaths registered in this district are equal to an annual rate of 20·4 per 1,000 persons. The deaths from zymotic diseases are—1 from small-pox, 3 from fever, all of the typhoid character, and 1 from diarrhœa.

*No. 2, North City District Dorset-street.* Of the 15 deaths registered for this district last week, 3 resulted from fever, 2 croups, and 1 simple continued fever.

*No. 3, North City District Blackhall-street.* The deaths are equal to an annual rate of 28·7 per 1,000 inhabitants. There were 3 deaths from fever.

*No. 1, South City District Meath-street.* The deaths registered in this district are equal to an annual rate of 27·7 per 1,000 inhabitants. There was one death from small-pox (in *Cork-street Hospital—no mention as to vaccination*).

*No. 2, South City District High-street.* The deaths (11) give a rate of 23·9 per 1,000 inhabitants. The only deaths from any of the seven principal zymotic diseases was 1 from whooping-cough.

*No. 3, South City District Peter-street.* The deaths registered last week afford an annual rate of 14·3 per 1,000 persons: average rate for the last ten weeks was 21·1.

*No. 4, South City District (Dennis-street and Grand Canal-street).* The deaths are equal to an annual rate of 19·9 per 1,000 persons. There was no death from any of the zymotic class.

*Suburban Districts.* The respective death-rates are—Rathmines, 14·6 per 1,000; Donnybrook, 25·3; Blackrock, 26·1; and Kingstown, 13·7. There were no deaths from any of the seven principal zymotic diseases in the suburban districts, with the exception of 1 death from typhoid or enteric fever in Donnybrook.

---

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·279 inches. The highest daily mean reading (29·369) occurred on Tuesday, and the lowest (29·141, on Wednesday.

The mean temperature during the week was 39·1° (being 2·6° under the average in the corresponding week of the previous ten years); the lowest daily mean (33·6°) occurred on Saturday, and the highest (43·6°) on Sunday.

The temperature was highest on Sunday, when the thermometer registered 52·5°, and was lowest on Saturday, the mercury having fallen to 27·5°. The highest reading of the barometer during the week (29·553) occurred on Sunday, at 9.30 A.M., wind S.E., and the lowest (29·106) on Wednesday, at 3.30 P.M., wind N.E. The mean of the Dry Bulb for the week was 40·2°; and of the Wet Bulb 38·6°. The mean humidity of the air was ·869; complete saturation being represented by 1·0. The rain-fall during the week measured 1·650 in.

At Greenwich the mean temperature of the week was 39·9°, and at Glasgow 37·4°. The rain-fall during the week at Greenwich measured 2·19 in., and at Glasgow ·96 in.*

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. Month and Day. | Barometer. | Thermometer. | | | Hygrometer. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Dec. 17, | 29·491 | 52·5 | 44·7 | 48·6 | 47·0 | 45·9 | ·917 | ·6 | 1·650 | S.E. | S.E. | S.E. Calm. |
| Monday, „ 18, | 29·311 | 48·0 | 34·0 | 41·0 | 44·5 | 43·4 | ·906 | ·1 | ·040 | S.E. | E. | S.E. |
| Tuesday, „ 19, | 29·369 | 46·0 | 40·7 | 43·3 | 42·6 | 40·2 | ·809 | ·5 | ·135 | S.E. | S.E. | S.E. Calm. |
| Wednesday, „ 20, | 29·141 | 39·2 | 36·4 | 37·3 | 42·4 | 41·2 | ·906 | ·4 | ·310 | N.E. | N.E. | N.W. |
| Thursday, „ 21, | 29·012 | 35·8 | 32·8 | 34·3 | 37·6 | 36·0 | ·861 | ·9 | ·115 | N. | N.W. | W. |
| Friday, „ 22, | 29·182 | 40·1 | 30·8 | 34·5 | 34·9 | 33·3 | ·832 | ·8 | ·000 | S.W. | S.W. | S.W. |
| Saturday, „ 23, | 29·347 | 39·8 | 27·5 | 33·6 | 33·0 | 31·5 | ·849 | ·5 | ·000 | S.W. | S.S.W. | S.W. |
| Mean, . . | 29·279 | 42·9 | 35·3 | 39·1 | 40·2 | 38·6 | ·869 | ·5 | Total, 1·650 | Prevailing wind, S.E. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Dec. 17, | A.M. Fine. | P.M. Raining. |
| Monday, „ 18, | A.M. Overcast. | P.M. Dull. |
| Tuesday, „ 19, | A.M. Gloomy. | P.M. Raining. |
| Wednesday, „ 20, | A.M. Raining. | P.M. Dull. |
| Thursday, „ 21, | A.M. Gloomy. | P.M. Overcast. |
| Friday, „ 22, | A.M. Dull. | P.M. Fine. |
| Saturday, „ 23, | A.M. Fine. | P.M. Clear and frosty. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

TABLE III.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal Boundary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGSTOWN, registered during the Week ending Saturday, 23rd December, 1876. *The Deaths in Public Institutions are assigned to the District from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4. R.&W. | | | | | | |
| Area in Statute Acres, | 1,868 | | | 1,940 | | | | 1,705 | 1,945 | 945 | 1,647 | 10,050 | — |
| Population, | 50,084 | 33,609 | 25,358 | 20,968 | 28,330 | 38,344 | 40,664 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| Deaths from all Causes, | 22 | 15 | 14 | 16 | 13 | 12 | 7 | 6 | 11 | 5 | 7 | 128 | 10 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | 1 |
| Measles, | . | 1 | . | 2 | . | . | . | . | . | . | . | 3 | . |
| Scarlet Fever (Scarlatina), | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Fever, | 3 | 3 | 2 | 1 | . | 1 | . | . | 1 | . | . | 11 | . |
| Diarrhœa, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 |
| Simple Cholera, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Other Zymotic Diseases, | 1 | 1 | 1 | 1 | 1 | 1 | . | . | . | . | 1 | 7 | . |
| Total, | 6 | 6 | 3 | 5 | 3 | 2 | . | . | 1 | . | 1 | 27 | 3 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, | . | . | . | . | 3 | 1 | . | . | 3 | 1 | 2 | 12 | 3 |
| Other Constitutional Diseases, | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | 5 | 2 |
| Total, | 2 | 1 | 1 | 1 | 3 | 1 | . | . | 3 | 1 | 2 | 15 | 5 |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Diseases of the Brain & Nervous System, | 2 | . | 2 | 1 | . | 1 | 2 | 2 | 1 | . | 1 | 12 | . |
| Heart and Circulatory Organs, | 1 | . | 1 | 1 | . | . | 1 | 2 | 1 | . | . | 7 | . |
| Respiratory Organs, | 3 | 4 | 3 | 7 | 4 | 4 | . | 1 | 1 | 1 | 1 | 29 | . |
| Digestive Organs, | 2 | . | 2 | . | . | 1 | . | 1 | . | . | 1 | 7 | . |
| Urinary Organs, | 1 | 1 | . | . | . | . | 2 | . | . | . | . | 4 | . |
| Organs of Generation, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Organs of Locomotion, | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 9 | 5 | 8 | 9 | 4 | 6 | 5 | 6 | 3 | 2 | 3 | 60 | . |
| DEVELOPMENTAL DISEASES, | 4 | 1 | 2 | 1 | 3 | 3 | 2 | . | 1 | 1 | . | 18 | 1 |
| VIOLENT DEATHS, | 1 | 1 | . | . | . | . | . | . | 3 | 1 | 1 | 7 | 1 |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| Annual Rate of Mortality in every 1,000 of the Population, represented by deaths registered during the week. | 22·8 | 23·9 | 28·7 | 27·7 | 23·9 | 16·3 | 9·0 | 14·6 | 25·9 | 36·1 | 19·7 | | — |
| | 24·5 | | | 18·2 | | | | | | | | | |
| | 21·0 | | | | | | | 21·8 | | | | 21·2 | |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 8 | 3 | 5 | 1 | 2 | 3 | 2 | . | 5 | . | . | 29 | 8 |
| Workhouse Hospitals, | 1 | 2 | 5 | 3 | . | 2 | . | . | . | . | . | 13 | 2 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Seaville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Berestord-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 30, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 22, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre o Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Showing for each of the last TEN WEEKS, and the average of those Weeks, the number of DEA per 1,000 of the Population of the respective Districts represented thereby and by the Deaths from *Institutions being assigned to the Distr*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| North City, No. 1. (*Office, Summer-hill.*) | Oct. 21, | 10·4 | 2·1 | 10 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 8·3 | 2·1 | 8 | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 |
| | Nov. 4, | 12·5 | 5·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | . | . |
| | „ 11, | 14·5 | 2·1 | 14 | . | . | . | . | . | 2 | . | 2 | . | 6 | . |
| | „ 18, | 24·9 | 2·1 | 24 | 1 | . | . | . | 1 | . | 2 | . | 2 | 1 | . |
| | „ 25, | 21·8 | 8·3 | 21 | . | . | . | . | 3 | 4 | 1 | 1 | 2 | 6 | . |
| | Dec. 2, | 30·1 | 6·2 | 29 | 1 | . | 3 | . | 1 | 1 | . | 1 | 2 | 8 | . |
| | „ 9, | 23·9 | 5·2 | 23 | . | . | . | . | 1 | 3 | 1 | 1 | 5 | 3 | 1 |
| | „ 16, | 16·6 | 2·1 | 16 | . | . | . | . | . | 1 | 1 | 2 | 1 | 3 | . |
| | „ 23, | 22·8 | 5·2 | 22 | 1 | . | . | . | . | 3 | 1 | 1 | . | 3 | 1 |
| | Average, | 18·6 | 4·1 | 17·9 | 0·3 | . | 0·4 | 0·1 | 0·8 | 1·5 | 0·8 | 1·0 | 1·8 | 3·8 | 0·1 |
| North City, No. 2. (*Office, Coleraine-street.*) | Oct. 21, | 17·5 | 3·2 | 11 | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | . |
| | „ 28, | 39·9 | 1·2 | 25 | . | . | 2 | . | 3 | 2 | . | 1 | 1 | 2 | . |
| | Nov. 4, | 23·9 | 18·0 | 15 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | . |
| | „ 11, | 33·5 | 6·4 | 21 | . | 1 | 2 | . | 1 | . | . | 2 | 1 | 3 | 1 |
| | „ 18, | 35·1 | 6·4 | 22 | 1 | . | 2 | . | 1 | . | . | 2 | 2 | 3 | 1 |
| | „ 25, | 31·9 | 11·2 | 20 | . | . | 3 | . | 3 | 1 | . | 3 | 1 | 2 | . |
| | Dec. 2, | 28·7 | 1·6 | 18 | . | . | . | . | 1 | . | . | . | 2 | 5 | . |
| | „ 9, | 28·7 | 3·2 | 18 | . | . | . | . | 1 | 1 | . | . | 1 | 4 | 1 |
| | „ 16, | 22·3 | 8·0 | 14 | . | 1 | 1 | . | 2 | 1 | . | . | 2 | 2 | . |
| | „ 23, | 23·9 | 8·0 | 15 | . | 1 | 1 | . | . | 3 | . | . | . | 4 | 1 |
| | Average, | 28·5 | 6·7 | 17·9 | 0·1 | 0·3 | 1·3 | 0·1 | 1·3 | 0·9 | 0·2 | 1·2 | 1·2 | 2·8 | 1·0 |
| North City, No. 3. (*Office, Blackhall-street.*) | Oct. 21, | 10·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 28, | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | 1 | . | 2 | 4 | 1 |
| | Nov. 4, | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . |
| | „ 11, | 43·1 | 8·2 | 21 | . | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 6 | . |
| | „ 18, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | . | 3 | 3 | . |
| | „ 25, | 32·8 | 6·2 | 16 | . | 1 | 1 | . | . | . | 1 | 2 | 1 | 4 | . |
| | Dec. 2, | 26·7 | 6·2 | 13 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 2 | . |
| | „ 9, | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | 1 | 1 | 2 | . |
| | „ 16, | 28·7 | 2·1 | 14 | . | 1 | . | . | . | . | . | 2 | . | 4 | . |
| | „ 23, | 28·7 | 4·1 | 14 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | Average, | 27·1 | 4·1 | 13·2 | . | 0·7 | 0·3 | 0·1 | . | 0·3 | 0·6 | 0·7 | 1·3 | 3·5 | 0·1 |
| South City, No. 1. (*Office, Meath-street.*) | Oct. 21, | 13·9 | 3·5 | 8 | . | . | . | . | . | 2 | . | . | . | 3 | . |
| | „ 28, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 |
| | Nov. 4, | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | „ 11, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | 2 | 2 | . |
| | „ 18, | 48·6 | 5·2 | 28 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 6 | . |
| | „ 25, | 20·8 | 8·7 | 12 | . | 3 | 1 | . | . | . | 1 | 2 | . | 3 | . |
| | Dec. 2, | 36·4 | 6·9 | 21 | . | 2 | . | . | . | 1 | 1 | . | 2 | 5 | . |
| | „ 9, | 34·7 | 5·2 | 20 | . | 1 | 1 | . | . | . | 1 | . | 1 | 5 | 1 |
| | „ 16, | 32·9 | 10·4 | 19 | . | 3 | 1 | . | . | 2 | . | 4 | . | 5 | . |
| | „ 23, | 27·7 | 6·9 | 16 | 1 | 2 | . | . | . | 1 | . | 1 | . | 7 | . |
| | Average, | 27·6 | 5·0 | 15·9 | 0·1 | 1·2 | 0·3 | . | . | 0·9 | 0·4 | 1·1 | 0·7 | 4·0 | 0·3 |
| South City, No. 2. (*Office, High-street.*) | Oct. 21, | 16·5 | 3·7 | 9 | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 28, | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | Nov. 4, | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | . | . | 1 | . |
| | „ 11, | 23·9 | 5·5 | 13 | . | . | 1 | 1 | . | 1 | . | 1 | . | 6 | . |
| | „ 18, | 33·0 | 5·5 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | 5 | . |
| | „ 25, | 23·9 | . | 13 | . | . | . | . | . | . | . | . | 2 | 4 | 1 |
| | Dec. 2, | 34·9 | 3·7 | 19 | . | . | . | . | . | 1 | 1 | 1 | 4 | 5 | 1 |
| | „ 9, | 23·9 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 16, | 25·7 | 5·5 | 14 | . | . | . | . | . | 3 | . | 1 | 2 | 5 | 1 |
| | „ 23, | 23·9 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | 3 | 4 | . |
| | Average, | 22·8 | 3·7 | 12·4 | . | 0·2 | 0·3 | 0·1 | 0·2 | 0·8 | 0·4 | 0·5 | 1·6 | 3·3 | 0·3 |
| South City, No. 3. (*Office, Peter-street.*) | Oct. 21, | 17·6 | 1·4 | 13 | . | . | . | . | . | 1 | . | 4 | 3 | . | . |
| | „ 28, | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | Nov. 4, | 14·9 | 1·4 | 11 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 11, | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 2 | 4 | 2 | . |
| | „ 18, | 20·3 | 1·4 | 15 | . | . | . | . | . | . | 1 | 2 | . | 4 | 1 |
| | „ 25, | 28·5 | 1·4 | 21 | . | . | 1 | . | . | . | . | . | 3 | 4 | 2 |
| | Dec. 2, | 25·8 | 1·4 | 19 | . | . | 1 | . | . | . | . | . | 2 | 2 | . |
| | „ 9, | 24·4 | 1·4 | 18 | . | . | 1 | . | . | . | . | . | 2 | 3 | . |
| | „ 16, | 31·2 | . | 23 | . | . | . | . | . | . | . | 1 | 2 | 5 | . |
| | „ 23, | 16·3 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 4 | . |
| | Average, | 21·1 | 1·1 | 15·6 | . | . | 0·4 | . | . | 0·3 | 0·1 | 1·4 | 1·8 | 2·9 | 0·3 |

sidents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate ipal Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public* which the deceased were admitted.

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Oct. 21, | 20·5 | 1·3 | 16 | . | . | . | 1 | . | . | . | 3 | 4 | . | 1 |
| | „ 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | „ 11, | 12·8 | 1·3 | 10 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 18, | 20·5 | . | 16 | . | . | . | . | . | . | . | . | 2 | 3 | 1 |
| | „ 25, | 20·5 | 1·3 | 16 | . | . | . | . | . | 1 | . | 1 | 1 | 3 | . |
| | Dec. 2, | 21·7 | 1·3 | 17 | . | 1 | . | . | . | . | . | 2 | 2 | 4 | 2 |
| | „ 9, | 28·1 | 1·3 | 22 | . | . | . | . | . | 1 | . | 4 | 2 | 4 | . |
| | „ 16, | 17·9 | . | 14 | . | . | . | . | . | . | . | 1 | 1 | 5 | . |
| | „ 23, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Average, | 18·7 | 1·0 | 14·6 | . | 0·1 | . | 0·1 | . | 0·4 | 0·2 | 1·5 | 1·9 | 2·5 | 0·5 |
| **Rathmines.** | Oct. 21, | 21·9 | 2·4 | 9 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | „ 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | „ 11, | 12·2 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 18, | 29·2 | 2·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| | „ 25, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 38·9 | . | 16 | . | . | . | . | . | . | . | 4 | 2 | . | . |
| | „ 9, | 12·2 | 2·4 | 5 | . | . | 1 | . | . | . | . | . | 1 | 2 | . |
| | „ 16, | 19·5 | 2·4 | 8 | . | . | . | . | . | . | 1 | 1 | . | 1 | . |
| | „ 23, | 14·6 | . | 6 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | Average, | 18·5 | 1·0 | 7·6 | . | . | 0·1 | . | . | 0·1 | 0·2 | 0·7 | 0·9 | 1·1 | . |
| **Donnybrook.** | Oct. 21, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 11, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 18, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 1 |
| | „ 25, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | 3 | 3 | . |
| | Dec. 2, | 14·0 | 2·3 | 6 | . | . | . | . | . | . | 1 | . | 1 | 2 | . |
| | „ 9, | 11·7 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | „ 16, | 4·7 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | 3 | 1 | 3 |
| | Average, | 18·0 | 1·2 | 7·7 | . | . | . | . | . | 0·4 | 0·1 | 0·3 | 1·1 | 1·0 | 0·6 |
| **Blackrock.** | Oct. 21, | 28·9 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 11, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 18, | 21·7 | . | 3 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 25, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 9, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 23, | 36·1 | . | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | Average, | 18·6 | 0·7 | 2·6 | . | . | . | . | . | 0·1 | . | 0·3 | 0·4 | 0·2 | 0·2 |
| **Kingstown.** | Oct. 21, | 16·8 | 5·6 | 6 | . | . | 1 | . | . | . | 1 | . | . | . | . |
| | „ 28, | 16·8 | . | 6 | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | . | . | . | . | 1 | . | . | 2 | . |
| | „ 11, | 28·1 | 5·6 | 10 | . | . | 1 | . | . | 1 | . | . | 2 | . | 1 |
| | „ 18, | 36·5 | 5·6 | 13 | . | . | 1 | . | . | 1 | . | . | 1 | 2 | 1 |
| | „ 25, | 25·3 | 8·4 | 9 | . | . | 1 | . | . | 2 | . | 1 | 2 | 1 | 1 |
| | Dec. 2, | 14·0 | 2·8 | 5 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 9, | 19·7 | 2·8 | 7 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | . |
| | „ 16, | 28·1 | 8·4 | 10 | . | . | 1 | . | . | 2 | . | . | 1 | 1 | . |
| | „ 23, | 19·7 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | 1 |
| | Average, | 23·0 | 4·5 | 8·2 | . | . | 0·6 | . | . | 0·8 | 0·2 | 0·3 | 1·0 | 1·0 | 0·4 |
| **Total, Dublin Registration District.** | Oct. 21, | 16·4 | 2·1 | 99 | . | 1 | 3 | 1 | . | 4 | 4 | 12 | 13 | 10 | 2 |
| | „ 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | „ 11, | 20·2 | 3·1 | 122 | . | 2 | 6 | 2 | 1 | 7 | 1 | 11 | 14 | 26 | 4 |
| | „ 18, | 28·6 | 3·0 | 173 | 2 | 2 | 3 | . | 2 | 4 | 5 | 9 | 14 | 38 | 6 |
| | „ 25, | 23·5 | 4·8 | 142 | . | 4 | 7 | . | 6 | 9 | 3 | 10 | 14 | 30 | 4 |
| | Dec. 2, | 27·4 | 3·3 | 166 | 1 | 4 | 4 | . | 2 | 5 | 4 | 9 | 18 | 33 | 4 |
| | „ 9, | 24·1 | 2·8 | 146 | . | 2 | 3 | . | 2 | 7 | 3 | 8 | 16 | 29 | 6 |
| | „ 16, | 22·5 | 3·5 | 136 | . | 5 | 3 | . | 3 | 9 | 2 | 12 | 10 | 31 | 2 |
| | „ 23, | 21·2 | 3·1 | 128 | 2 | 3 | 1 | . | 1 | 11 | 1 | 4 | 10 | 29 | 7 |
| | Average, | 22·1 | 3·2 | 133·6 | 0·5 | 2·5 | 3·7 | 0·5 | 2·3 | 6·5 | 3·2 | 9·0 | 13·7 | 26·1 | 4·2 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN DIST... Registered in the FIFTY-FIRST WEEK, ending Saturday, 23rd December, 1876; also the Deaths from each ...

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average of the 52 Weeks of the years 1866-75. | Week ending Saturday, Dec. 23rd, ... | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Age... | | | | | |
| | | Dec 22 1866 | Dec 21 1867 | Dec 19 1868 | Dec 25 1869 | Dec 24 1870 | Dec 23 1871 | Dec 21 1872 | Dec 20 1873 | Dec 26 1874 | Dec 25 1875 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 40. | 40 and under 60. | 60 and under ... |
| | Mean Temperature, | 42·3 | 44·0 | 45·8 | 36·5 | 34·5 | 44·6 | 39·9 | 44·2 | 33·6 | 45·1 | 41·1 | Mean Temp. 39·1 | | | | | |
| | **ALL CAUSES,** | 145 | 180 | 132 | 152 | 170 | 197 | 166 | 132 | 161 | 161 | 161·6 | 138 | 39 | 7 | 7 | 21 | 25 |
| | **SPECIFIED CAUSES,** | 144 | 180 | 130 | 147 | 170 | 190 | 162 | 131 | 158 | 158 | 159·0 | 137 | 38 | 7 | 7 | 21 | 25 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 31 | 32 | 26 | 19 | 43 | 49 | 22 | 25 | 32 | 26 | 30·6 | 30 | 13 | 2 | 4 | 5 | 3 |
| II. | CONSTITUTIONAL „ | 31 | 29 | 31 | 31 | 23 | 29 | 38 | 28 | 21 | 30 | 29·1 | 30 | 2 | 2 | 2 | 3 | 5 |
| III. | LOCAL „ | 62 | 93 | 56 | 79 | 83 | 83 | 90 | 57 | 85 | 79 | 76·7 | 60 | 14 | 2 | 1 | 11 | 11 |
| IV. | DEVELOPMENTAL „ | 13 | 20 | 13 | 15 | 17 | 26 | 24 | 15 | 19 | 27 | 18·9 | 19 | 6 | . | . | 2 | 1 |
| V. | VIOLENT DEATHS, | 7 | 6 | 4 | 3 | 4 | 3 | 8 | 6 | 1 | 6 | 4·8 | 8 | 3 | 1 | . | 1 | 1 |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 26 | . | . | . | . | 2·6 | 3 | . | . | 2 | . | 1 |
| | 2. Measles, | 1 | 1 | . | 1 | . | . | 2 | 3 | 1 | 6 | 1·5 | 3 | 3 | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 10 | 11 | 10 | 14 | 4 | 7 | 4 | 18 | 1 | 8·0 | 1 | . | 1 | . | . | . |
| | 4. Diphtheria, | . | . | 1 | . | 2 | . | . | . | . | . | ·3 | . | . | . | . | . | . |
| | 5. Quinsy, | . | . | . | . | . | 1 | 1 | . | 2 | . | ·4 | . | . | . | . | . | . |
| | 6. Croup, | 2 | 1 | 2 | . | 1 | 4 | 1 | 3 | 3 | 1 | 1·8 | 1 | 1 | . | . | . | . |
| | 7. Whooping Cough, | . | 5 | . | . | 9 | . | 4 | 1 | . | 4 | 2·3 | 1 | 1 | . | . | . | . |
| | 8. Typhus, | | | | | 4 | 1 | . | | | 2 | | 4 | 1 | 1 | . | 1 | 1 |
| | – Enteric or Typhoid Fever, | 7 | 4 | 3 | 1 | 3 | 4 | 2 | 5 | 1 | 5 | 5·0 | 6 | . | . | 2 | 2 | 1 |
| | – Simple continued Fever, | | | | 3 | . | 2 | . | 1 | 1 | 1 | | 1 | 1 | . | . | . | . |
| | 9. Erysipelas, | . | 2 | . | . | . | 2 | . | . | . | 1 | ·5 | 1 | 1 | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 2 | 4 | 1 | . | 3 | 1 | . | 1 | . | 1 | 1·3 | . | . | . | . | . | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . |
| | 13. Dysentery, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 6 | 2 | 6 | 2 | 6 | 2 | 2 | 2 | 3 | . | 3·1 | 3 | 1 | . | . | 1 | 1 |
| | 15. Simple Cholera, | 9 | . | . | . | . | 1 | . | . | . | . | 1·0 | 1 | 1 | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | 2 | . | . | . | . | . | 1 | . | 2 | ·6 | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | . | . | 1 | 1 | 1 | 1 | . | 1 | ·6 | . | . | . | . | . | . |
| | ORDER 2.—ESTHETIC DISEASES. | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | 1 | 1 | 1 | . | . | . | 2 | . | 1 | ·7 | 1 | 1 | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens / Intemperance, | 1 | . | 1 | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | 1 | . |
| | | 1 | . | . | . | . | . | . | 1 | 2 | . | ·4 | 1 | . | . | . | 1 | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | |
| | 1. Gout, | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . |
| | 2. Dropsy, | 3 | 1 | 5 | 3 | . | 1 | 3 | 1 | 1 | 2 | 2·0 | 1 | . | . | . | 1 | . |
| | 3. Cancer, | . | 3 | 3 | 6 | 1 | 4 | 2 | 1 | 1 | 1 | 2·1 | 3 | . | . | . | 3 | . |
| | 4. Cancrum Oris (Noma), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . |
| | 5. Mortification, | . | 2 | . | 1 | . | . | 1 | . | . | . | ·4 | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 2 | 3 | 1 | 1 | . | 2 | 3 | 3 | . | 1 | 1·6 | 1 | . | . | 1 | . | . |
| | 2. Tabes Mesenterica, | 3 | . | 1 | 3 | 3 | 1 | 3 | 3 | 2 | . | 1·9 | . | . | . | . | . | . |
| | 3. Phthisis, | 18 | 16 | 17 | 17 | 16 | 17 | 23 | 18 | 15 | 14 | 17·1 | 13 | . | 2 | 1 | 5 | 4 |
| | 4. Hydrocephalus, | 4 | 3 | 4 | 1 | 3 | 4 | 3 | 2 | 2 | 1 | 2·7 | 3 | 2 | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 2 | 3 | 1 | 1 | 1 | . | . | 1 | . | . | ·9 | 1 | . | . | . | 1 | . |
| | 2. Apoplexy, | 1 | 7 | 5 | 3 | 2 | 2 | 5 | 2 | 2 | 3 | 3·1 | 1 | . | . | . | . | 1 |
| | 3. Paralysis, | 8 | 2 | 1 | 2 | 4 | 3 | 2 | 4 | 5 | 4 | 3·5 | 5 | . | . | . | 1 | . |
| | 4. Insanity, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . |
| | 5. Chorea, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | . | 1 | 1 | 1 | . | . | 1 | . | . | 1 | ·5 | . | . | . | . | . | . |
| | 7. Convulsions, | 10 | 15 | 7 | 8 | 18 | 7 | 12 | 6 | 11 | 12 | 10·6 | 4 | 3 | 1 | . | . | . |
| | 8. *Brain Disease, &c.* | 3 | . | 3 | 5 | 2 | 3 | 8 | 3 | 3 | . | 3·0 | 1 | . | . | 1 | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | 2 | . | . | 2 | 1 | . | . | . | 2 | . | ·7 | . | . | . | . | . | . |
| | 3. *Heart Disease, &c.* | 6 | 8 | 4 | 11 | 7 | 11 | 5 | 7 | 7 | 7 | 7·2 | 7 | 1 | . | . | 1 | 1 |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . |
| | 2. Bronchitis, | 16 | 37 | 21 | 28 | 31 | 44 | 35 | 23 | 43 | 33 | 31·1 | 23 | 7 | 1 | . | 3 | 6 |
| | 3. Pleurisy, | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . |
| | 4. Pneumonia, | 3 | 11 | 3 | 7 | 6 | 2 | 3 | 4 | 2 | . | 4·1 | 3 | 1 | . | . | 1 | . |
| | 5. Asthma, | 1 | 1 | . | . | 2 | 2 | 1 | . | . | 1 | ·8 | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | 3 | 2 | 3 | . | . | 2 | 7 | 3 | 2 | 9 | 3·1 | 3 | . | . | 1 | . | 3 |

**MINES**, DONNYBROOK, BLACKROCK, and KINGSTOWN, from ALL CAUSES, at SEVEN PERIODS of LIFE, ered in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| | CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Week ending Saturday, Dec. 23rd, 1876. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | Deaths of Persons of the Ages | | | | | | |
| | | Dec 22 1866 | Dec 21 1867 | Dec 19 1868 | Dec 25 1869 | Dec 24 1870 | Dec 23 1871 | Dec 21 1872 | Dec 20 1873 | Dec 26 1874 | Dec 25 1875 | Average in Week of the 10 years 1866–75. | ALL AGES. Mean Temp. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40 | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | Mean Temperature, | 43·3 | 44·0 | 45·8 | 36·5 | 34·5 | 44·0 | 39·9 | 44·2 | 32·6 | 45·1 | 41·1 | 39·1 | | | | | | | |
| | ORDER 4.—DIGESTIVE ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis, | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | 1 | . | . | . | 1 | . | . | . |
| | 2. Enteritis, | . | . | . | 1 | . | . | 1 | . | 2 | 2 | ·6 | 2 | . | . | . | 1 | . | 1 | . |
| | 3. Peritonitis, | . | . | . | 2 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | 4. Ascites, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 5. Ulceration of Intestines, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| | 6. Hernia, | . | . | 1 | 1 | . | . | 2 | . | 1 | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 7. Ileus, | . | . | 1 | . | 2 | . | 1 | . | . | 1 | ·6 | . | . | . | . | . | . | . | . |
| | 8. Intussusception, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 9. Stricture of Intestines, | . | . | . | . | . | . | 1 | 1 | 2 | . | ·4 | . | . | . | . | . | . | . | . |
| | 10. Fistula, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 11. *Stomach Disease, &c.* | . | 1 | . | 1 | . | 1 | . | 1 | . | . | ·4 | 1 | . | . | . | . | . | 1 | . |
| | 12. *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 13. Hepatitis, | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | 14. Jaundice, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 15. *Liver Disease, &c.* | 2 | 1 | 4 | 2 | 4 | 3 | 1 | 1 | 1 | 3 | 2·2 | 2 | . | . | . | . | 1 | 1 | . |
| | 16. *Spleen Disease, &c.* | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | ORDER 5.—URINARY ORGANS. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 2. Ischuria, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 3. Bright's Disease (Nephria), | . | . | 1 | . | 1 | 1 | 1 | . | . | . | ·4 | 1 | 1 | . | . | . | . | . | . |
| | 4. Diabetes, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 5. Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 6. Cystitis, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 7. *Kidney Disease, &c.* | 3 | 2 | . | 3 | . | . | 2 | 1 | . | . | 1·1 | 3 | . | . | . | 1 | 1 | . | 1 |
| | ORD. 6.—ORGANS OF GENERATION. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 2. *Uterus Disease, &c.* | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | ORD. 7.—ORGANS OF LOCOMOTION. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis), | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 2. *Joint Disease, &c.* | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| | ORDER 8.—INTEGUMENTARY. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 2. Ulcer, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. *Skin Disease, &c.* | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| IV. | ORDER 1.—DEV. DIS. CHILDREN. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth, | . | 1 | 1 | . | . | 1 | . | . | . | 1 | ·4 | 2 | 2 | . | . | . | . | . | . |
| | 2. Cyanosis, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 3. Spina Bifida, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 4. Other Malformations, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 5. Teething, | 2 | 1 | . | . | . | 4 | 2 | . | . | 2 | 1·1 | . | . | . | . | . | . | . | . |
| | ORDER 2.—DEV. DIS. ADULTS. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 2. Childbirth (*see also* Puer. Fever), | 1 | 6 | . | . | 1 | . | . | 1 | 1 | . | 1·0 | . | . | . | . | . | . | . | . |
| | ORDER 3.—DEV. DIS. OLD PEOPLE. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age, | 4 | 8 | 9 | 11 | 12 | 16 | 13 | 9 | 16 | 20 | 11·8 | 10 | . | . | . | . | . | 6 | 4 |
| | ORDER 4.—NUTRITION. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility, | 6 | 4 | 3 | 4 | 4 | 5 | 9 | 5 | 2 | 4 | 4·6 | 7 | 4 | . | . | . | . | 3 | . |
| V. | ORDER 1.—(ACCIDENT OR NEGLIGENCE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions, | 1 | 2 | 1 | 2 | 2 | 1 | 6 | 2 | . | 2 | 1·9 | 1 | . | . | . | . | . | 1 | . |
| | 2. Wounds, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| | 3. Burns and Scalds, | 3 | . | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | 1·4 | . | . | . | . | . | . | . | . |
| | 4. Poison, | . | . | . | . | . | . | . | . | . | . | · | 1 | . | 1 | . | . | . | . | . |
| | 5. Drowning, | 3 | 2 | 1 | . | . | . | . | . | . | 1 | ·7 | 2 | 1 | . | . | . | . | 1 | . |
| | 6. Suffocation, | . | . | . | . | . | . | . | . | . | . | · | 1 | 1 | . | . | . | . | . | . |
| | 7. Otherwise, | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | 1 | . | . | . | . | . | . |
| | ORDER 3.—(HOMICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter, | . | . | . | . | 1 | 1 | . | . | . | . | 2 | . | . | . | . | . | . | . | . |
| | ORDER 4.—(SUICIDE.) | | | | | | | | | | | | | | | | | | | |
| | 1. Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | 1 | . | . | . |
| | 1. Wounds, { Cut, Stab, | . | 1 | . | . | . | . | . | . | . | . | · | 1 | . | . | . | . | 1 | . | . |
| | 2. Poison, | . | . | . | . | . | . | . | . | . | 1 | · | . | . | . | . | . | . | . | . |
| | 3. Drowning, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 4. Hanging, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | 5. Otherwise, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | ORDER 5.—(EXECUTION.) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging, | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | Other Violent Deaths (not classed), | . | . | 1 | . | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| | Sudden Deaths (Cause unascertd.), | . | . | . | . | . | . | . | . | . | . | · | . | . | . | . | . | . | . | . |
| | Causes not specified or ill-defined, | 1 | . | 3 | 5 | . | 7 | 4 | 1 | 3 | 3 | 2·6 | 1 | 1 | . | . | . | . | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths *registered* during the Week ending Saturday, 23rd December, 1876; the TOTAL Number of BIRTHS and DEATHS *registered* during the Week, with the Number of DEATHS at Certain AGES, and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION by the CENSUS of 1871. | WEEK ENDING SATURDAY, 23RD DECEMBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . | 10,050 | 314,666 | 23 | 152 | 138 | 24 | 39 | 3 | 3 | 1 | . | 1 | 11 | 3 | 8 | I | II |
| BELFAST,* . . | 20,687 | 182,082 | 24 | 103 | 83 | 20 | 11 | . | 1 | 2 | . | 5 | 2 | 3 | 4 | 3 | 1 |
| CORK, . . | 13,816 | 91,965 | 19 | 36 | 34 | 4 | 7 | . | . | . | . | . | . | 1 | . | 1 | 1 |
| LIMERICK, . . | 8,509 | 44,209 | 22 | 11 | 19 | 2 | 6 | . | . | . | . | 1 | . | 2 | . | 2 | 1 |
| LONDONDERRY,† . | 21,865 | 30,884 | 15 | 14 | 9 | 4 | 2 | . | . | . | . | . | . | . | . | 2 | . |
| WATERFORD, . . | 17,209 | 30,626 | 2 | 15 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, . . | 21,358 | 19,692 | 13 | 11 | 5 | 2 | 1 | . | . | 1 | . | . | 1 | . | . | . | 1 |
| SLIGO, . . . | 30,835 | 17,285 | 9 | 7 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 1 |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS *registered* in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 23rd December, 1876.

| REGISTRARS' DISTRICTS. | | POPULATION by the CENSUS of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| BELFAST, | Belfast, No. 1, | 19,679 | 26 | 9 | 10 | 3 | . | . | 1 | . | . | 2 | . | . | 1 | 3 | . |
| | ,, ,, 2, | 17,938 | 17 | 6 | 6 | 1 | 1 | . | . | 1 | . | . | . | . | 1 | . | 1 |
| | ,, ,, 3, | 39,311 | 25 | 30 | 19 | 7 | 3 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, *W.* | 19,320 | 38 | 11 | 14 | 2 | 2 | . | . | 1 | . | 1 | 1 | . | 2 | 2 | . |
| | ,, ,, 5, | 19,616 | 16 | 3 | 6 | . | 1 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 6, | 36,652 | 24 | 23 | 17 | 5 | 3 | . | . | . | . | 2 | . | . | . | . | . |
| | ,, ,, 9, | 5,296 | 49 | 3 | 5 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . |
| | ,, ,, 10, | 8,115 | 13 | 11 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh ,, 1, | 16,155 | 13 | 7 | 4 | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| CORK, | Cork, No. 1, | 10,156 | 5 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, ,, 2, | 11,555 | 9 | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 3, | 6,818 | 53 | 4 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | . | 2 |
| | ,, ,, 4, | 6,227 | 42 | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 5, | 11,289 | 37 | 5 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 6, | 15,230 | 17 | 10 | 5 | . | 2 | . | . | . | . | . | . | 1 | . | . | . |
| | ,, ,, 7, | 7,586 | 21 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 8, *W.* | 18,364 | 3 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| | ,, ,, 9, | 4,790 | 22 | 2 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | Limerick, No. 1, | 7,918 | 26 | 1 | 4 | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| | ,, ,, 2, *W.* | 8,992 | 64 | 2 | 11 | . | 5 | . | . | . | . | 1 | . | . | . | . | 2 |
| | ,, ,, 3, | 11,424 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 4, | 15,875 | 10 | 7 | 3 | 2 | . | . | . | . | . | . | . | 2 | . | . | . |
| LONDONDERRY, | Londonderry, No. 1, | 8,832 | 18 | 2 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 13,569 | 15 | 7 | 4 | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| | Glendermot, *W.* | 8,483 | 12 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | Waterford, *W.* | 30,626 | 2 | 15 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | Galway, No. 1, | 10,700 | 15 | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, *W.* | 8,992 | 12 | 5 | 2 | 1 | . | . | . | . | 1 | . | . | 1 | . | . | 1 |
| SLIGO, | Sligo, No. 1, *W.* | 6,456 | 8 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, ,, 2, | 10,829 | 10 | 4 | 2 | . | 1 | .. | . | . | . | . | . | . | . | . | 1 |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[2095.—300.—12/76.]

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN);**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

ROYAL DUBLIN SOCIETY LIBRARY

**By Authority of the Registrar-General.**

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] WEEK ENDING SATURDAY, DECEMBER 30, 1876. [No. 52.

*General Register Office, Charlemont House, Dublin, January 1st, 1877.*

The total deaths registered in the Dublin Registration District during the week ending 30th December, 1876, represent an annual mortality of 27·9 in every 1,000 of the population, by the Census of 1871; omitting the deaths of persons admitted into public institutions from localities outside the district, the rate was 26·9 per 1,000. In London the death-rate was 22·6 in every 1,000 of the estimated population.*

In the Dublin Registration District the births registered during the week amounted to 161—86 boys and 75 girls,—and the deaths to 169—80 males and 89 females. The *average* numbers in the corresponding week of the previous ten years were—births, 155, and deaths, 167.

The number of deaths from zymotic diseases registered during the week is 37: the average number for the corresponding week of the previous ten years was 30·5. The deaths from these diseases recorded last week include 1 from small-pox, 12 from fever (1 typhus, 6 typhoid or enteric, and 5 simple continued fever), 7 from measles, 4 each from scarlet fever and croup, 2 from diarrhœa, 1 from erysipelas, &c.

Seventeen children died from convulsions.

Bronchitis proved fatal in 25 instances, pneumonia or inflammation of the lungs in 5, pleurisy in 1, and lung disease unspecified in 4.

Heart disease caused 9 deaths, aneurism 1; apoplexy, paralysis, and brain disease unspecified, 3 each, cephalitis 2, epilepsy 1; liver disease 2, and spleen disease 1.

Nineteen deaths resulted from phthisis or pulmonary consumption, 1 each from mesenteric disease and hydrocephalus or water on the brain, and 4 from cancer.

Two accidental deaths were registered, viz., 1 each from fractures and scalds.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under 1 year old); and 42 were aged 60 and upwards, including 21 persons aged 70 and upwards, of whom 8 were octogenarians.

Forty-six of the deaths registered occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin, and 10 in the South Dublin Union Workhouse.

Three deaths from whooping-cough, 4 from measles, 2 from scarlatina, 2 from fever, 1 from diphtheria, and 6 from diarrhœa, were registered in Belfast during the week.

The following are the principal features of the Dublin District Returns for last week, Deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the District death-rates calculated on the mortality so corrected. [See Tables II. and III.]

As stated above, the death-rate for the entire Registration District was 26·9 per 1,000; the rate in the city was 28·6 (30·8 on the North side and 26·9 on the South), and in the suburbs 21·0.

The deaths from the seven principal zymotic diseases in the entire district equal an annual rate of 4·1 per 1,000 inhabitants, the rate for the city being 4·7 (5·8 in the North City Districts and 3·8 in the South), and for the suburbs 2·3 per 1,000.

*No.* 1, *North City District* (Summer-hill). The annual rate represented by the deaths of inhabitants of this district is 27·0 per 1,000. Of the 26 deaths, 2 resulted from fever, 2 from scarlatina, and 1 from whooping cough. Six deaths were caused by phthisis or pulmonary consumption, and 4 by convulsions. There have been 17 deaths from fever tabulated for this district in the last eight weeks.

* Return for Glasgow and Edinburgh not received.

*No.* 2, *North City District* (Coleraine-street). The deaths chargeable to this district are equal to an annual mortality of 30·3 per 1,000 persons. The deaths from zymotic diseases are—2 from measles and 1 each from scarlatina and typhoid fever, these 4 deaths being equal to an annual rate of 6·4 per 1,000. The average rate afforded by deaths from the seven principal zymotic diseases for the last ten weeks is 7·0 per 1,000.

*No.* 3, *North City District* (Blackhall-street). Death-rate, 39·0 per 1,000 persons against an average rate of 30·0 for the last ten weeks. Of the 19 deaths, 2 were caused by measles and 1 by typhus fever.

*No.* 1, *South City District* (Meath-street). The deaths tabulated for this district yield a rate of 39·9 per 1,000 persons. The only deaths from any of the seven principal zymotic diseases are—1 each from measles and diarrhœa. Eight deaths were caused by bronchitis.

*No.* 2, *South City District* (High-street). The death-rate is 33·0 per 1,000 persons: average rate for the last ten weeks, 24·4. Among the 18 deaths there are 4 from fever and 1 from measles; also 4 from bronchitis and 3 from phthisis.

*No.* 3, *South City District* (Peter-street). The deaths are equal to a rate of 21·7 per 1,000 inhabitants. There were no deaths from zymotic disease.

*No.* 4, *South City District* (Denzille-street and Grand Canal-street). Death-rate, 17·1 per 1,000. The 14 deaths chargeable to this district include 2 from fever, which are the only deaths from zymotic disease.

*Suburban Districts.* The respective death-rates are—Rathmines, 24·3 per 1,000; Donnybrook, 16·4; Blackrock, 21·7; and Kingstown, 22·5. The deaths from the seven principal zymotic diseases are—1 from fever in Donnybrook, 1 from scarlatina in Blackrock, and 1 from diarrhœa in Kingstown.

---

**At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·508 inches. The highest daily mean reading (29·829) occurred on Monday, and the lowest (29·118) on Saturday.**

**The mean temperature during the week was 44·4° (being 3·0° over the average in the corresponding week of the previous ten years); the lowest daily mean (37·9°) occurred on Sunday, and the highest (49·9°) on Saturday.**

**The temperature was highest on Wednesday, when the thermometer registered 56·0°, and was lowest on Sunday, the mercury having fallen to 34·6°. The highest reading of the barometer during the week (29·931) occurred on Monday, at 9.30 A.M., wind N.E., and the lowest (29·111) on Saturday, at 3.30 P.M., wind S.W. The mean of the Dry Bulb for the week was 43·9°; and of the Wet Bulb 42·0°. The mean humidity of the air was ·846; complete saturation being represented by 1·0. The rain-fall during the week measured 1·577 in.**

**At Greenwich the mean temperature of the week was 43·3°, and the rain-fall measured 1·23 in.***

---

TABLE I.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by Major C. W. Wilson, R.E., by direction of the Superintendent of the Ordnance Survey.*

| 1876. MONTH AND DAY. | BAROMETER. | THERMOMETER. | | | HYGROMETER. | | | Ozone. | Rain Gauge. | Direction of the Wind. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean daily reading corrected and reduced to 32 degrees Fahrenheit, and corrected for Altitude. | Maximum. | Minimum. | Mean. | Dry Bulb. | Wet Bulb. | Degree of Humidity, complete saturation being represented by 1·0. | 1·0. | | 9.30 A.M. | 3.30 P.M. | 9.30 P.M. |
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) In. | | | |
| Sunday, Dec. 24, | 29·559 | 41·3 | 34·6 | 37·9 | 35·8 | 34·3 | ·828 | ·3 | ·210 | N.E. | S.E. | N.E. |
| Monday, „ 25, | 29·829 | 40·2 | 36·0 | 38·1 | 37·6 | 35·7 | ·838 | ·6 | ·000 | N.E. | E. | N.E. |
| Tuesday, „ 26, | 29·738 | 54·0 | 37·0 | 45·5 | 42·5 | 41·0 | ·876 | ·8 | ·600 | S.E. | S.E. | S.E. |
| Wednesday, „ 27, | 29·390 | 56·0 | 42·5 | 49·3 | 45·8 | 44·0 | ·870 | ·9 | ·095 | N.W. | S.W. | S.W. |
| Thursday, „ 28, | 29·486 | 53·8 | 36·8 | 45·3 | 41·0 | 45·5 | ·758 | ·6 | ·000 | S.W. | W.S.W | S.W. |
| Friday, „ 29, | 29·438 | 51·8 | 37·5 | 44·6 | 46·5 | 45·2 | ·901 | ·4 | ·267 | E.S.E. | S. | W.S.W |
| Saturday, „ 30, | 29·118 | 55·0 | 41·8 | 49·9 | 50·3 | 48·2 | ·853 | ·9 | ·405 | S.E. | S.W. | S.S.W. |
| Mean, . . | 29·508 | 50·3 | 38·5 | 44·4 | 43·9 | 42·0 | ·846 | ·6 | Total, 1·577 | Prevailing wind, S.W. | | |

| Month and Day. | Observations on the Weather and any remarkable Circumstance. | |
|---|---|---|
| Sunday, Dec. 24, | A.M. Fine. | P.M. Dull. |
| Monday, „ 25, | A.M. Fine. | P.M. Dull. |
| Tuesday, „ 26, | A.M. Overcast. | P.M. Overcast. |
| Wednesday, „ 27, | A.M. Thick fog. | P.M. Fine. |
| Thursday, „ 28, | A.M. Overcast. | P.M. Fine. |
| Friday, „ 29, | A.M. Raining. | P.M. Dull. |
| Saturday, „ 30, | A.M. Raining. | P.M. Gloomy. |

*Note.*—The information in columns 1, 5, 6, and 7, is the mean of observations taken at 9.30 A.M., 3.30 and 9.30 P.M.

* Kindly furnished by the Registrar-General of England.

E II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY of DUBLIN (Municipal andary), and in the SUBURBAN DISTRICTS of RATHMINES, DONNYBROOK, BLACKROCK, and KINGS-WN, registered during the Week ending Saturday, 30th December, 1876. *The Deaths in Public Insti-ions are assigned to the District from which the deceased were admitted.*

| MES OF DISEASES, &c. | REGISTRARS' DISTRICTS. | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION DISTRICT. | Deaths in Institutions of Persons admitted from without the Registration District. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | NORTH CITY. Districts. | | | SOUTH CITY. Districts. | | | | RATHMINES. | DONNYBROOK | BLACKROCK. | KINGSTOWN. | | |
| | No. 1. | No. 2. | No. 3. | No. 1. | No. 2. | No. 3. | No. 4 E.&W. | | | | | | |
| a in Statute Acres, . . | 1,868 | | | 1,940 | | | | 1,705 | 1,94: | 945 | 1,647 | 10,050 | — |
| pulation, . . . . | 50,084 | 32,609 | 25,358 | 29,988 | 28,330 | 38,344 | 40,654 | 21,373 | 22,208 | 7,204 | 18,517 | 314,666 | — |
| eaths from all Causes, | 26 | 19 | 19 | 23 | 16 | 16 | 14 | 10 | 7 | 3 | 8 | 163 | 6 |
| ZYMOTIC DISEASES: | | | | | | | | | | | | | |
| Small Pox, . . . . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Measles, . . . . | . | 2 | 2 | 1 | 2 | . | . | . | . | . | . | 7 | . |
| Scarlet Fever (Scarlatina), . | 2 | 1 | . | . | . | . | . | . | . | 1 | . | 4 | . |
| Diphtheria, . . . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping Cough, . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Fever, . . . . . | 2 | 1 | 1 | . | 4 | . | 2 | . | 1 | . | . | 11 | 1 |
| Diarrhœa, . . . . | . | . | . | 1 | . | . | . | . | . | . | 1 | 2 | . |
| Simple Cholera, . . . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Other Zymotic Diseases, . | 2 | . | 2 | 3 | . | . | . | 1 | . | 1 | . | 9 | . |
| Total, . . . | 7 | 4 | 5 | 5 | 6 | . | 2 | 1 | 1 | 2 | 1 | 34 | 3 |
| CONSTITUTIONAL DISEASES: | | | | | | | | | | | | | |
| Phthisis, or Pulmonary Consumption, . . . . | 6 | . | 2 | 1 | 3 | 3 | 2 | 2 | . | . | . | 19 | . |
| Other Constitutional Diseases, | 1 | . | . | . | . | . | 1 | 3 | 1 | . | 1 | 7 | . |
| Total, . . . | 7 | . | 2 | 1 | 3 | 3 | 3 | 5 | 1 | . | 1 | 26 | . |
| LOCAL DISEASES: | | | | | | | | | | | | | |
| Brain & Nervous System, | 4 | 4 | 3 | 4 | 3 | 3 | 4 | 1 | . | . | 2 | 28 | 1 |
| Heart and Circulatory Organs, . . | 2 | 1 | 1 | . | . | . | . | . | 2 | 1 | 2 | 9 | 1 |
| Respiratory Organs, | 3 | 5 | 3 | 10 | 5 | 4 | 2 | 1 | . | . | 1 | 34 | 1 |
| Digestive Organs, . | 1 | 3 | 1 | . | . | 1 | 2 | . | . | . | . | 8 | . |
| Urinary Organs, . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Organs of Generation, . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Organs of Locomotion, . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of the | | | | | | | | | | | | | |
| Total, . . . | 10 | 13 | 8 | 14 | 8 | 8 | 8 | 2 | 2 | 1 | 5 | 79 | 3 |
| DEVELOPMENTAL DISEASES, . | 2 | 1 | 3 | 1 | . | 4 | 1 | 2 | 3 | . | 1 | 18 | . |
| VIOLENT DEATHS, . . . | . | 1 | . | . | . | 1 | . | . | . | . | . | 2 | . |
| CAUSES NOT SPECIFIED OR ILL-DEFINED, . . . . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | 4 | . |
| **Annual Rate of Mortality** in every 1,000 of the Population, represented by deaths registered during the week. | 27·0 | 30·3 | 39·0 | 39·9 | 33·0 | 21·7 | 17·9 | 24·3 | 16·4 | 21·7 | 22·5 | | — |
| | 30·8 | | | 26·9 | | | | | | | | | |
| | 28·6 | | | | | | | 21·0 | | | | 26·9 | |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, . . . | 4 | 3 | 2 | 2 | 4 | 3 | 2 | 1 | 1 | . | 1 | 23 | 5 |
| Workhouse Hospitals, . . | 3 | 2 | 3 | 6 | 2 | 1 | . | . | . | . | . | 17 | 1 |

CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 District extends from the extremity of the North-wall to Carlisle-bridge and comprises all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Office at 10, Summer-hill.

No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office at 36, Coleraine-street.

No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2 and within the Municipal Boundary.—Office at 32, Blackhall-street.

SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish through Ardee-street, Coombe, and Frances-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 91, Meath-street.

No. 2 District extends along the Liffey from the western point of Usher's Island to Carlisle-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Frances-street, where it joins No. 1 District.—Office, 53, High-street.

No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1, and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green, and King-street, South, to the corner of William-street, where it joins No. 2 District.—Office, 16, Peter-street.

No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Offices: Dispensary, Grand Canal-street, and 19, Denzille-street.

TABLE III.—Shewing for each of the last TEN WEEKS, and the average of those Weeks, the number of Deaths per 1,000 of the Populations of the respective Districts represented thereby and by the Deaths from Institutions being assigned to the Districts

| REGISTRAR'S DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. From All Causes. | From Seven Zymotic Diseases. | TOTAL DEATHS. | NUMBER OF DEATHS FROM SEVEN PRINCIPAL ZYMOTIC DISEASES. Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City, No. 1. (Office, Summer-hill.) | Oct. 28. | 9·3 | 2·1 | 9 | . | . | . | . | 1 | . | 1 | . | 2 | 1 |
| | Nov. 4. | 12·5 | 3·2 | 12 | . | . | . | 1 | 2 | . | 2 | . | 3 | . |
| | " 11. | 16·5 | 2·1 | 16 | . | . | . | . | . | . | . | 2 | . | . |
| | " 18. | 24·9 | 2·1 | 24 | 1 | . | . | . | . | 1 | . | . | 2 | . |
| | " 25. | 23·8 | 6·3 | 23 | . | . | . | . | 3 | 4 | 1 | 1 | 2 | . |
| | Dec. 2. | 33·1 | 6·2 | 25 | 1 | . | 3 | . | 1 | 1 | . | 1 | 2 | . |
| | " 9. | 22·9 | 3·2 | 22 | . | . | . | . | 1 | 3 | 1 | 1 | 5 | 1 |
| | " 16. | 16·6 | 2·1 | 16 | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 |
| | " 23. | 22·8 | 3·2 | 22 | 1 | . | . | . | . | 3 | 1 | 1 | 2 | 1 |
| | " 30. | 27·0 | 3·2 | 26 | . | . | 2 | . | 1 | 2 | . | 4 | 6 | 3 |
| | Average. | 20·2 | 4·4 | 19·5 | 0·3 | . | 0·5 | 0·1 | 0·9 | 1·7 | 0·7 | 1·2 | 2·3 | 0·6 |
| North City, No. 2. (Office, Coleraine-street.) | Oct. 28. | 35·9 | 1·3 | 25 | . | . | 1 | . | 3 | 2 | . | 1 | 1 | 2 |
| | Nov. 4. | 23·9 | 1·3 | 25 | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 |
| | " 11. | 23·5 | 6·4 | 21 | . | 2 | 2 | . | 1 | . | . | 2 | 1 | 3 |
| | " 18. | 31·1 | 6·4 | 22 | 1 | . | 2 | . | 1 | . | . | 2 | 2 | 3 |
| | " 25. | 31·4 | 11·2 | 20 | . | . | 3 | . | 3 | 1 | . | 3 | 1 | 2 |
| | Dec. 2. | 25·7 | 1·6 | 18 | . | . | . | . | 1 | . | . | . | 2 | 5 |
| | " 9. | 29·7 | 3·2 | 19 | . | . | . | . | 1 | 1 | . | . | 1 | 4 |
| | " 16. | 22·3 | 8·0 | 14 | . | 1 | 1 | . | 2 | 1 | . | . | 2 | 2 |
| | " 23. | 23·9 | 8·0 | 15 | . | 1 | 1 | . | . | 3 | . | . | . | 4 |
| | " 30. | 26·3 | 9·4 | 19 | . | 2 | 1 | . | . | 1 | . | 3 | . | 5 |
| | Average. | 29·8 | 7·0 | 18·7 | 0·1 | 0·5 | 1·3 | 0·1 | 1·3 | 1·0 | 0·1 | 1·3 | 1·1 | 3·2 |
| North City, No. 3. (Office, Blackhall-street.) | Oct. 28. | 22·6 | 2·1 | 11 | . | 1 | . | . | . | . | . | . | 2 | 4 |
| | Nov. 4. | 20·5 | 4·1 | 10 | . | . | 1 | . | . | . | 1 | . | 3 | 2 |
| | " 11. | 43·1 | 8·2 | 21 | . | 1 | 1 | 1 | . | . | 1 | 1 | 2 | 6 |
| | " 18. | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | . | 3 | 3 |
| | " 25. | 32·8 | 6·2 | 16 | . | 1 | 1 | . | . | . | 1 | 2 | 1 | 4 |
| | Dec. 2. | 26·7 | 6·2 | 13 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 2 |
| | " 9. | 28·7 | 4·1 | 14 | . | 1 | . | . | . | . | 1 | 1 | 1 | 3 |
| | " 16. | 28·7 | 2·1 | 14 | . | 1 | . | . | . | . | . | 2 | . | 4 |
| | " 23. | 28·7 | 4·1 | 14 | . | . | . | . | . | 2 | . | . | . | 3 |
| | " 30. | 39·0 | 6·2 | 19 | . | 2 | . | . | . | 1 | . | 2 | 2 | 3 |
| | Average. | 30·0 | 4·7 | 14·6 | . | 0·9 | 0·3 | 0·1 | . | 0·4 | 0·6 | 0·9 | 1·5 | 3·5 |
| South City, No. 1. (Office, Mount-street.) | Oct. 28. | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 2 | 1 | 2 |
| | Nov. 4. | 20·8 | 1·7 | 12 | . | . | . | . | . | 1 | . | 1 | . | 2 |
| | " 11. | 19·1 | . | 11 | . | . | . | . | . | . | . | . | 2 | 2 |
| | " 18. | 48·6 | 5·2 | 28 | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 6 |
| | " 25. | 20·8 | 8·7 | 12 | . | 3 | 1 | . | . | . | 1 | 2 | . | 3 |
| | Dec. 2. | 36·4 | 6·9 | 21 | . | 2 | . | . | . | 1 | 1 | . | 2 | 5 |
| | " 9. | 34·7 | 8·2 | 20 | . | 1 | 1 | . | . | 2 | 1 | . | 1 | 5 |
| | " 16. | 32·9 | 10·4 | 19 | . | 3 | 1 | . | . | 2 | . | 4 | . | 5 |
| | " 23. | 27·7 | 6·9 | 16 | 1 | 2 | . | . | . | 1 | . | 1 | . | 7 |
| | " 30. | 39·9 | 3·5 | 23 | . | 1 | . | . | . | . | 1 | 2 | 1 | 10 |
| | Average. | 30·2 | 5·0 | 17·4 | 0·1 | 1·3 | 0·3 | . | . | 0·7 | 0·5 | 1·3 | 0·8 | 4·7 |
| South City, No. 2. (Office, High-street.) | Oct. 28. | 7·3 | 1·8 | 4 | . | . | . | . | . | 1 | . | . | . | 1 |
| | Nov. 4. | 14·7 | 7·3 | 8 | . | 1 | 2 | . | . | . | 1 | . | . | 1 |
| | " 11. | 23·9 | 5·5 | 13 | . | . | 1 | 1 | . | 1 | . | 1 | . | 6 |
| | " 18. | 23·0 | 5·5 | 18 | . | . | . | . | 1 | . | 2 | 2 | 2 | 5 |
| | " 25. | 23·9 | . | 13 | . | . | . | . | . | 1 | . | . | 2 | 4 |
| | Dec. 2. | 34·9 | 3·7 | 19 | . | . | . | . | . | 1 | 1 | 1 | 4 | 5 |
| | " 9. | 23·9 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | 2 | 1 |
| | " 16. | 25·7 | 5·5 | 14 | . | . | . | . | . | 3 | . | 1 | 2 | 5 |
| | " 23. | 23·9 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | 3 | 4 |
| | " 30. | 33·0 | 11·0 | 18 | . | 2 | . | . | . | 4 | . | 2 | 3 | 5 |
| | Average. | 24·4 | 4·4 | 13·3 | . | 0·3 | 0·3 | 0·1 | 0·2 | 1·1 | 0·4 | 0·7 | 1·8 | 3·7 |
| South City, No. 3. (Office, Peter-street.) | Oct. 28. | 17·6 | . | 13 | . | . | . | . | . | . | . | 3 | . | 4 |
| | Nov. 4. | 14·9 | 1·4 | 11 | . | . | . | . | . | 1 | . | 2 | 2 | 1 |
| | " 11. | 14·9 | 1·4 | 11 | . | . | 1 | . | . | . | . | 2 | 4 | 2 |
| | " 18. | 20·3 | 1·4 | 15 | . | . | . | . | . | . | 1 | 2 | . | 4 |
| | " 25. | 28·5 | 1·4 | 21 | . | . | 1 | . | . | . | . | . | 2 | 4 |
| | Dec. 2. | 25·8 | 1·4 | 19 | . | . | 1 | . | . | . | . | . | 2 | 2 |
| | " 9. | 24·4 | 1·4 | 18 | . | . | 1 | . | . | . | . | . | 2 | 3 |
| | " 16. | 31·2 | . | 23 | . | . | . | . | . | . | . | 1 | 2 | 5 |
| | " 23. | 16·3 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 4 |
| | " 30. | 21·7 | . | 16 | . | . | . | . | . | . | . | 3 | 3 | 4 |
| | Average. | 21·6 | 1·0 | 15·9 | . | . | 0·4 | . | . | 0·2 | 0·1 | 1·3 | 1·8 | 3·3 |

**lents** of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate al Zymotic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public* hich *the deceased were admitted.*

| REGISTRARS' DISTRICTS. | 1876. Week ending | ANNUAL RATE OF MORTALITY PER 1,000 LIVING. | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| **South City, No. 4.** (*Offices, Denzille-street and Grand Canal-street.*) | Oct. 28, | 14·1 | . | 11 | . | . | . | . | . | . | . | 1 | 3 | 4 | . |
| | Nov. 4, | 21·7 | 3·8 | 17 | . | . | . | . | . | 1 | 2 | . | 2 | 1 | 1 |
| | „ 11, | 12·8 | 1·3 | 10 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . |
| | „ 18, | 20·5 | . | 16 | . | . | . | . | . | . | . | . | 2 | 3 | 1 |
| | „ 25, | 20·5 | 1·3 | 16 | . | . | . | . | . | 1 | . | 1 | 1 | 3 | . |
| | Dec. 2, | 21·7 | 1·3 | 17 | . | 1 | . | . | . | . | . | 2 | 2 | 4 | 2 |
| | „ 9, | 28·1 | 1·3 | 22 | . | . | . | . | . | 1 | . | 4 | 2 | 4 | . |
| | „ 16, | 17·9 | . | 14 | . | . | . | . | . | . | . | 1 | 1 | 5 | . |
| | „ 23, | 9·0 | . | 7 | . | . | . | . | . | . | . | 1 | . | . | . |
| | „ 30, | 17·9 | 2·6 | 14 | . | . | . | . | . | 2 | . | . | 2 | 2 | . |
| | Average, | 18·4 | 1·2 | 14·4 | . | 0·1 | . | . | . | 0·6 | 0·2 | 1·2 | 1·7 | 2·7 | 0·4 |
| **Rathmines.** | Oct. 28, | 14·6 | . | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | Nov. 4, | 17·0 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | „ 11, | 12·2 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 18, | 29·2 | 2·4 | 12 | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| | „ 25, | 4·9 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 38·9 | . | 16 | . | . | . | . | . | . | . | 4 | 2 | . | . |
| | „ 9, | 12·2 | 2·4 | 5 | . | . | 1 | . | . | . | . | . | 1 | 2 | . |
| | „ 16, | 19·5 | 2·4 | 8 | . | . | . | . | . | . | 1 | 1 | . | 1 | . |
| | „ 23, | 14·6 | . | 6 | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 30, | 24·3 | . | 10 | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| | Average, | 18·7 | 0·7 | 7·7 | . | . | 0·1 | . | . | 0·1 | 0·1 | 0·7 | 1·0 | 1·1 | . |
| **Donnybrook.** | Oct. 28, | 25·8 | . | 11 | . | . | . | . | . | . | . | 2 | 3 | 1 | . |
| | Nov. 4, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 11, | 9·4 | 2·3 | 4 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 18, | 18·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 1 |
| | „ 25, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | 3 | 3 | . |
| | Dec. 2, | 14·0 | 2·3 | 6 | . | . | . | . | . | . | 1 | . | 1 | 2 | . |
| | „ 9, | 11·7 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | „ 16, | 4·7 | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 23, | 25·8 | 2·3 | 11 | . | . | . | . | . | 1 | . | . | 3 | 1 | 3 |
| | „ 30, | 16·4 | 2·3 | 7 | . | . | . | . | . | 1 | . | . | . | . | . |
| | Average, | 17·3 | 1·4 | 7·6 | . | . | . | . | . | 0·5 | 0·1 | 0·3 | 1·0 | 1·0 | 0·6 |
| **Blackrock.** | Oct. 28, | 21·7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . |
| | Nov. 4, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 11, | 14·4 | 7·2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 18, | 21·7 | . | 3 | . | . | . | . | . | . | . | 2 | . | . | . |
| | „ 25, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Dec. 2, | 21·7 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 |
| | „ 9, | 7·2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 16, | 14·4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| | „ 23, | 36·1 | . | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 |
| | „ 30, | 21·7 | 7·2 | 3 | . | . | 1 | . | . | . | . | . | . | . | . |
| | Average, | 18·1 | 1·4 | 2·5 | . | . | 0·1 | . | . | 0·1 | . | 0·3 | 0·3 | 0·2 | 0·2 |
| **Kingstown.** | Oct. 28, | 16·8 | . | 6 | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | Nov. 4, | 25·3 | 5·6 | 9 | . | . | . | . | . | . | 1 | . | . | 2 | . |
| | „ 11, | 28·1 | 5·6 | 10 | . | . | 1 | . | . | 1 | . | . | 2 | . | 1 |
| | „ 18, | 36·5 | 5·6 | 13 | . | . | 1 | . | . | 1 | . | . | 1 | 2 | 1 |
| | „ 25, | 25·3 | 8·4 | 9 | . | . | 1 | . | . | 2 | . | 1 | 2 | 1 | 1 |
| | Dec. 2, | 14·0 | 2·8 | 5 | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 9, | 19·7 | 2·8 | 7 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | . |
| | „ 16, | 28·1 | 8·4 | 10 | . | . | 1 | . | . | 2 | . | . | 1 | 1 | . |
| | „ 23, | 19·7 | . | 7 | . | . | . | . | . | . | . | . | 2 | 1 | 1 |
| | „ 30, | 22·5 | 2·8 | 8 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Average, | 23·6 | 4·2 | 8·4 | . | . | 0·5 | . | . | 0·8 | 0·2 | 0·3 | 1·0 | 1·1 | 0·4 |
| **Total, Dublin Registration District.** | Oct. 28, | 18·2 | 2·0 | 110 | . | 1 | 2 | . | 4 | 4 | 1 | 10 | 14 | 22 | 4 |
| | Nov. 4, | 18·8 | 4·0 | 114 | . | 1 | 5 | 2 | 3 | 5 | 8 | 5 | 14 | 13 | 3 |
| | „ 11, | 20·2 | 3·1 | 122 | . | 2 | 6 | 2 | 1 | 7 | 1 | 11 | 14 | 26 | 4 |
| | „ 18, | 28·6 | 3·0 | 173 | 2 | 2 | 3 | . | 2 | 4 | 5 | 9 | 14 | 38 | 6 |
| | „ 25, | 23·5 | 4·8 | 142 | . | 4 | 7 | . | 6 | 9 | 3 | 10 | 14 | 20 | 4 |
| | Dec. 2, | 27·4 | 3·3 | 166 | 1 | 4 | 4 | . | 2 | 5 | 4 | 9 | 18 | 33 | 4 |
| | „ 9, | 24·1 | 2·8 | 146 | . | 2 | 3 | . | 2 | 7 | 3 | 8 | 16 | 29 | 6 |
| | „ 16, | 22·5 | 3·5 | 136 | . | 5 | 3 | . | 2 | 9 | 2 | 12 | 10 | 31 | 2 |
| | „ 23, | 21·2 | 3·1 | 128 | 2 | 3 | 1 | . | 1 | 11 | 1 | 4 | 10 | 29 | 7 |
| | „ 30, | 26·9 | 4·1 | 163 | . | 7 | 4 | . | 1 | 11 | 2 | 17 | 19 | 34 | 2 |
| | Average, | 23·1 | 3·4 | 140·0 | 0·5 | 3·1 | 3·8 | 0·4 | 2·4 | 7·2 | 3·0 | 9·5 | 14·3 | 28·5 | 4·2 |

TABLE IV.—DEATHS in the CITY of DUBLIN [MUNICIPAL BOUNDARY], and in the SUBURBAN Registered in the FIFTY-SECOND WEEK, ending Saturday, 30th December, 1876; also the Deaths from

| Class. | CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday, Dec 29 1866 | Dec 28 1867 | Dec 26 1868 | Jan. 1 1870 | Dec 31 1870 | Dec 30 1871 | Dec 28 1872 | Dec 27 1873 | Jan. 2 1875 | Jan. 1 1876 | Average in 52nd Week of the 10 years 1866-75. | Week ending Saturday, Deaths of Persons ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 30 | 30 and under 40 | 40 and under 50 | 50 and under 60 | 60 and under 70 | 70 and under 80 | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mean Temperature, | ° 45·5 | ° 41·9 | ° 44·3 | ° 37·4 | ° 30·0 | ° 42·6 | ° 47·5 | ° 43·6 | ° 36·1 | ° 43·0 | ° 41·4 | Mean Temp. ° 44·4 | | | | | | | | | |
| | **ALL CAUSES,** | 145 | 136 | 112 | 173 | 207 | 178 | 143 | 102 | 269 | 200 | 166·5 | 169 | 57 | 9 | 7 | 12 | 20 | 19 | 21 | 14 | 10 |
| | **SPECIFIED CAUSES,** | 142 | 135 | 111 | 170 | 204 | 178 | 143 | 100 | 259 | 195 | 163·7 | 165 | 55 | 9 | 6 | 12 | 20 | 19 | 21 | 14 | 9 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES, | 39 | 31 | 20 | 24 | 49 | 38 | 21 | 23 | 36 | 24 | 30·5 | 37 | 19 | 4 | 1 | 2 | 4 | 3 | 2 | 1 | 1 |
| II. | CONSTITUTIONAL „ | 23 | 20 | 20 | 38 | 33 | 19 | 28 | 14 | 41 | 33 | 26·9 | 26 | 2 | 2 | 1 | 1 | 2 | 5 | 6 | 5 | 2 |
| III. | LOCAL „ | 62 | 61 | 56 | 77 | 89 | 84 | 60 | 49 | 143 | 96 | 77·7 | 82 | 29 | 3 | 1 | 2 | 6 | 5 | 7 | 3 | 3 |
| IV. | DEVELOPMENTAL „ | 17 | 20 | 11 | 25 | 26 | 35 | 26 | 12 | 35 | 36 | 24·3 | 18 | 4 | . | . | . | 1 | 1 | 2 | 3 | 1 |
| V. | VIOLENT DEATHS, | 1 | 3 | 4 | 6 | 7 | 2 | 8 | 2 | 4 | 6 | 4·3 | 2 | 1 | . | . | . | . | . | 1 | 1 | . |
| I. | ORDER 1.—MIASMATIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Small Pox, | . | . | . | . | . | 25 | . | . | . | . | 2·5 | 1 | . | . | . | . | . | . | . | . | . |
| | 2. Measles, | 3 | 2 | . | . | 3 | . | 1 | . | 1 | 2 | 1·2 | 7 | 6 | 1 | . | . | . | . | . | . | . |
| | 3. Scarlet Fever (Scarlatina), | 1 | 4 | 7 | 9 | 14 | 3 | 5 | 8 | 11 | 2 | 6·4 | 4 | 2 | 1 | 1 | . | . | . | . | . | . |
| | 4. Diphtheria, | . | . | . | . | . | 1 | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . | . | . |
| | 5. Quinsy, | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . | . |
| | 6. Croup, | 1 | 2 | 1 | 3 | 1 | . | 3 | . | 1 | 2 | 1·4 | 4 | 4 | . | . | . | . | . | . | . | . |
| | 7. Whooping Cough, | 1 | 10 | . | 1 | 6 | 2 | 4 | . | 1 | 10 | 3·5 | 1 | 1 | . | . | . | . | . | . | . | . |
| | 8. Typhus, | 11 | 7 | 7 | 3 | 2 | . | 1 | 3 | . | . | 5·6 | 1 | . | . | . | . | . | . | . | . | . |
| | — Enteric or Typhoid Fever, | | | | 2 | 3 | 3 | 1 | 6 | 1 | 2 | | 6 | 2 | . | . | 1 | 1 | . | . | . | . |
| | — Simple continued Fever, | | | | . | 1 | 1 | . | . | 1 | 1 | | 5 | 3 | . | . | . | . | . | 1 | 1 | . |
| | 9. Erysipelas, | 1 | 1 | 3 | . | 2 | 1 | 1 | 1 | 6 | . | 1·6 | 1 | . | . | . | . | . | . | . | . | . |
| | 10. Puerperal Fever (Metria), | 1 | . | . | 1 | 10 | . | . | 1 | . | 1 | 1·4 | 2 | . | . | . | . | . | . | 1 | 1 | . |
| | 11. Carbuncle, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Influenza, | . | . | . | . | . | . | . | . | 4 | . | ·4 | . | . | . | . | . | . | . | . | . | . |
| | 13. Dysentery, | 2 | 1 | . | 2 | . | . | . | . | 1 | . | ·6 | . | . | . | . | . | . | . | . | . | . |
| | 14. Diarrhœa, | 7 | 3 | 2 | . | 3 | . | 3 | 1 | 3 | 2 | 2·4 | 2 | 2 | . | . | . | . | . | 1 | . | . |
| | 15. Simple Cholera, | 5 | . | . | . | . | . | . | . | . | . | ·5 | 1 | . | . | . | . | . | . | . | . | . |
| | 16. Ague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 17. Remittent Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 18. Rheumatism, | 1 | . | . | 1 | 1 | . | . | 1 | . | 1 | ·5 | . | . | . | . | . | . | . | . | . | . |
| | 19. Other Zymotic Diseases, | . | . | . | 1 | . | 1 | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . | . | . |
| | ORDER 2.—ENTHETIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis, | 1 | . | . | . | . | 1 | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . | . | . |
| | 2. Stricture of Urethra, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Hydrophobia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 4. Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ORDER 3.—DIETIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Privation, | . | . | . | . | 2 | . | . | . | 3 | . | ·5 | . | . | . | . | . | . | . | . | . | . |
| | 2. Want of Breast Milk, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Purpura and Scurvy, | . | . | . | . | . | . | 1 | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Delirium Tremens | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . | . |
| | 4. Alcoholism, { Intemperance, | 3 | . | . | . | . | . | . | . | . | . | ·3 | 1 | . | . | . | . | . | . | . | . | . |
| | ORDER 4.—PARASITIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush, | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . | . | . |
| | 2. Worms, &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | ORDER 1.—DIATHETIC DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Gout, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . | . |
| | 2. Dropsy, | 1 | 1 | 2 | 4 | 2 | 1 | 1 | . | 3 | 3 | 1·8 | . | . | . | . | . | . | 1 | 1 | . | . |
| | 3. Cancer, | 2 | 5 | 2 | 4 | 4 | 4 | 4 | 3 | 4 | 5 | 3·7 | 4 | . | . | . | . | 1 | 1 | 1 | 1 | . |
| | 4. Cancrum Oris (Noma), | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . | . |
| | 5. Mortification, | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | . | . | . | . | . | . |
| | ORDER 2.—TUBERCULAR DISEASES. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula, | 3 | . | . | . | 1 | . | 1 | . | 1 | 1 | ·7 | . | . | . | . | . | . | . | . | . | . |
| | 2. Tabes Mesenterica, | . | . | 1 | 2 | 2 | . | 1 | 1 | 2 | 5 | 1·4 | 1 | 1 | . | . | . | . | . | . | . | . |
| | 3. Phthisis, | 16 | 13 | 11 | 23 | 21 | 13 | 16 | 10 | 27 | 16 | 16·6 | 19 | . | 2 | 3 | 5 | 6 | 1 | . | . | . |
| | 4. Hydrocephalus, | 1 | 1 | 3 | 4 | 2 | 1 | 5 | . | 3 | 2 | 2·2 | 1 | 1 | . | . | . | . | . | . | . | . |
| III. | ORDER 1.—NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis, | 1 | . | 1 | . | 1 | 1 | 1 | 2 | 2 | . | ·9 | 2 | 1 | 1 | . | . | 1 | . | . | . | . |
| | 2. Apoplexy, | 1 | 2 | 1 | 3 | 3 | 3 | 4 | 3 | 8 | 3 | 3·1 | 3 | . | . | . | . | . | 1 | 1 | . | . |
| | 3. Paralysis, | 5 | 4 | 5 | 3 | 6 | 2 | 2 | 4 | 7 | 4 | 4·2 | 3 | . | . | . | . | . | . | . | . | . |
| | 4. Insanity, | . | . | . | . | . | . | 1 | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . | . | . |
| | 5. Chorea, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . | . |
| | 6. Epilepsy, | 1 | . | 1 | 1 | . | 1 | . | . | 2 | . | ·6 | 1 | . | . | . | . | . | 1 | . | . | . |
| | 7. Convulsions, | 8 | 7 | 4 | 8 | 14 | 16 | 3 | 6 | 12 | 13 | 9·1 | 17 | 16 | 1 | . | . | . | . | . | . | . |
| | 8. *Brain Disease, &c.* | 3 | . | 2 | 1 | 2 | 3 | 2 | 1 | 6 | 5 | 2·5 | 3 | . | . | . | . | . | . | . | . | . |
| | ORD. 2.—ORGANS OF CIRCULATION. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . | . |
| | 2. Aneurism, | . | . | . | 2 | 3 | 1 | . | . | 1 | . | ·7 | 1 | . | . | . | . | . | 1 | . | . | . |
| | 3. *Heart Disease, &c.* | 5 | 4 | 3 | 6 | 3 | 10 | 4 | 4 | 7 | 6 | 5·2 | 9 | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 1 |
| | ORDER 3.—RESPIRATORY ORGANS. | | | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis, | . | . | . | . | . | 1 | . | 1 | 1 | 1 | ·4 | . | . | . | . | . | . | . | . | . | . |
| | 2. Bronchitis, | 21 | 26 | 23 | 36 | 39 | 36 | 28 | 19 | 68 | 45 | 34·1 | 25 | 10 | . | 1 | 1 | 1 | 2 | 3 | 3 | 1 |
| | 3. Pleurisy, | . | . | . | . | 2 | . | . | . | 1 | . | ·3 | 1 | . | . | . | . | 1 | 1 | . | . | . |
| | 4. Pneumonia, | . | 5 | 5 | 4 | 4 | 4 | 3 | . | 12 | 4 | 4·1 | 5 | 1 | . | . | . | . | 1 | 1 | 1 | . |
| | 5. Asthma, | 2 | . | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . | . |
| | 6. *Lung Disease, &c.* | . | 3 | 3 | . | 1 | 2 | 1 | . | 6 | 3 | 1·9 | 4 | 1 | . | . | . | . | . | 1 | 1 | . |

s, Donnybrook, Blackrock, and Kingstown, from All Causes, at Seven Periods of Life, in the corresponding Week of the Ten Years 1866–75, and the Average Number in those Weeks.

| CAUSES OF DEATH. | Deaths from all Causes *Registered* in the Week ending Saturday, | | | | | | | | | | Average in 53rd Week of the 10 years 1866–75. | Week ending Saturday, Dec. 30th, 1876. Deaths of Persons of the Ages | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec 29 1866 | Dec 28 1867 | Dec 26 1868 | Jan. 1 1870 | Dec 31 1870 | Dec 30 1871 | Dec 28 1872 | Dec 27 1873 | Jan. 2 1875 | Jan. 1 1876 | | ALL AGES. | Under 5 Years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature, | ° 45·5 | ° 41·9 | ° 44·3 | ° 37·4 | ° 30·0 | ° 42·6 | ° 47·5 | ° 43·6 | ° 36·1 | ° 45·0 | ° 41·4 | ° 44·4 | | | | | | | |
| ORDER 4.—Digestive Organs. | | | | | | | | | | | | | | | | | | | |
| Gastritis, | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | 1 | . | . | . |
| Enteritis, | . | 1 | . | . | . | 1 | 1 | . | 1 | . | ·4 | 2 | . | . | . | . | 2 | . | . |
| Peritonitis, | . | . | 2 | 1 | . | . | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| Ascites, | 1 | 1 | . | . | . | . | 1 | . | . | 1 | ·4 | . | . | . | . | . | . | . | . |
| Ulceration of Intestines, | 1 | . | . | . | 2 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Hernia, | 1 | . | . | 2 | 1 | 1 | 1 | 1 | . | . | ·7 | 1 | . | . | . | . | 1 | . | . |
| Ileus, | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| Intussusception, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Stricture of Intestines, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Fistula, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Stomach Disease, &c.* | 1 | . | 1 | 1 | . | 2 | . | . | . | . | ·5 | 1 | . | . | . | . | . | 1 | . |
| *Pancreas Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Hepatitis, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| Jaundice, | . | . | 1 | 1 | 1 | . | . | . | 2 | . | ·5 | . | . | . | . | . | . | . | . |
| *Liver Disease, &c.* | 1 | 3 | . | 3 | 2 | . | 3 | . | 2 | 2 | 1·6 | 2 | . | . | . | 1 | . | 1 | . |
| *Spleen Disease, &c.* | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | . |
| ORDER 5.—Urinary Organs. | | | | | | | | | | | | | | | | | | | |
| Nephritis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ischuria, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Bright's Disease (Nephria), | 2 | 2 | . | 2 | 1 | . | 3 | 3 | . | 1 | 1·4 | . | . | . | . | . | . | . | . |
| Diabetes, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Calculus (Stone), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cystitis, | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| *Kidney Disease, &c.* | 3 | 1 | . | 1 | 1 | . | 2 | 3 | . | 1 | 1·2 | . | . | . | . | . | . | . | . |
| ORD. 6.—Organs of Generation. | | | | | | | | | | | | | | | | | | | |
| Ovarian Dropsy, | 1 | . | . | . | . | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| *Uterus Disease, &c.* | 1 | . | . | . | . | . | . | . | . | 2 | ·3 | . | . | . | . | . | . | . | . |
| ORD. 7.—Organs of Locomotion. | | | | | | | | | | | | | | | | | | | |
| Synovitis (Arthritis), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| *Joint Disease, &c.* | 1 | . | 1 | . | . | . | . | 1 | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| ORDER 8.—Integumentary. | | | | | | | | | | | | | | | | | | | |
| Phlegmon, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ulcer, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| *Skin Disease, &c.* | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 1.—Dev. Dis. Children. | | | | | | | | | | | | | | | | | | | |
| Premature Birth, | . | 3 | 1 | . | 3 | . | 2 | . | 1 | . | 1·0 | . | . | . | . | . | . | . | . |
| Cyanosis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Spina Bifida, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Malformations, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Teething, | . | 1 | 1 | . | 1 | . | 2 | 2 | 1 | . | ·8 | . | . | . | . | . | . | . | . |
| ORDER 2.—Dev. Dis. Adults. | | | | | | | | | | | | | | | | | | | |
| Paramenia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Childbirth (*see also* Puer. Fever), | 1 | . | 1 | 2 | 3 | 1 | 3 | 1 | 2 | . | 1·4 | . | . | . | . | . | . | . | . |
| ORDER 3.—Dev. Dis. Old People. | | | | | | | | | | | | | | | | | | | |
| Old Age, | 7 | 11 | 4 | 10 | 10 | 9 | 11 | 8 | 19 | 22 | 11·1 | 13 | . | . | . | . | . | 7 | 6 |
| ORDER 4.—Nutrition. | | | | | | | | | | | | | | | | | | | |
| Atrophy and Debility, | 9 | 5 | 4 | 13 | 9 | 25 | 8 | 1 | 12 | 14 | 10·0 | 5 | 4 | . | . | . | 1 | . | . |
| ORDER 1.—(Accident or Negligence.) | | | | | | | | | | | | | | | | | | | |
| Fractures and Contusions, | . | . | 2 | 5 | 2 | 2 | 3 | 1 | 2 | 4 | 2·1 | 1 | . | . | . | 1 | . | . | . |
| Wounds, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Burns and Scalds, | 1 | 2 | . | . | . | . | 4 | . | 2 | 2 | 1·1 | 1 | 1 | . | . | . | . | . | . |
| Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drowning, | . | 1 | 2 | . | 2 | . | 1 | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| Suffocation, | . | . | . | 1 | 2 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 3.—(Homicide.) | | | | | | | | | | | | | | | | | | | |
| Murder and Manslaughter, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 4.—(Suicide.) | | | | | | | | | | | | | | | | | | | |
| Wounds, { Gunshot, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Wounds, { Cut, Stab, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| Poison, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drowning, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Otherwise, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ORDER 5.—(Execution.) | | | | | | | | | | | | | | | | | | | |
| Hanging, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Violent Deaths (not classed), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sudden Deaths (Cause unascertd.), | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| Causes not specified or ill-defined, | 3 | 1 | 1 | 2 | 3 | . | . | 2 | 9 | 5 | 2·6 | 4 | 2 | . | 1 | . | 1 | . | . |

TABLE V.—Showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in STATUTE ACRES; the POPULATION by the CENSUS of 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the NUMBER of Deaths registered during the Week ending Saturday, 30th December, 1876; the TOTAL NUMBER of BIRTHS and DEATHS registered during the Week, with the NUMBER of DEATHS at CERTAIN AGES, and from SPECIFIED CAUSES, &c.

| TOWNS, &c. | Area, in Statute Acres. | Population by the Census of 1871. | WEEK ENDING SATURDAY, 30TH DECEMBER, 1876. | | | | | NUMBER OF DEATHS FROM | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 Inhabitants. | Total Births registered. | Total Deaths registered. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| DUBLIN, . . | 16,466 | 314,866 | 28 | 161 | 165 | 25 | 62 | 1 | 7 | 4 | . | 1 | 12 | 2 | 2 | . | 6 |
| BELFAST,* . . | 26,687 | 182,082 | 28 | 131 | 99 | 18 | 11 | . | 4 | 2 | 1 | 3 | 2 | 6 | 1 | 2 | 2 |
| CORK, . . | 13,616 | 91,565 | 27 | 25 | 46 | 5 | 23 | . | . | . | . | . | . | 2 | . | 1 | 11 |
| LIMERICK, . . | 8,999 | 44,269 | 24 | 14 | 20 | 2 | 9 | . | . | 1 | . | . | 1 | . | . | . | 3 |
| LONDONDERRY,† . | 21,826 | 30,884 | 16 | 17 | 6 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| WATERFORD, . . | 17,260 | 30,626 | 46 | 22 | 27 | 4 | 3 | . | . | . | . | . | 4 | . | 2 | 4 | 12 |
| GALWAY, . . | 21,266 | 19,692 | 26 | 6 | 10 | . | 4 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . . . | 20,226 | 17,285 | 3 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |

TABLE VI.—Showing by REGISTRARS' DISTRICTS the BIRTHS and DEATHS registered in BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, and SLIGO, during the Week ending Saturday, 30th December, 1876.

| REGISTRARS' DISTRICTS. | | | Population by the Census of 1871. | Annual rate of mortality per 1,000 inhabitants. | Total Births registered. | Total Deaths registered. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| BELFAST, | Belfast, | No. 1, | 19,679 | 21 | 20 | 8 | 4 | 1 | . | 1 | . | . | 1 | . | 2 | 11 | 11 | 12 |
| | ,, | ,, 2, | 17,938 | 61 | 11 | 21 | 3 | 1 | . | . | 1 | . | . | 1 | 2 | . | . | . |
| | ,, | ,, 3, | 39,311 | 20 | 20 | 15 | 1 | 1 | . | 2 | 1 | . | 2 | . | 1 | . | . | . |
| | ,, | ,, 4, W. | 19,320 | 57 | 14 | 21 | 5 | 4 | . | . | . | . | . | . | 1 | . | . | 9 |
| | ,, | ,, 5, | 19,616 | 27 | 11 | 10 | 2 | . | . | . | . | . | . | . | 1 | . | . | . |
| | ,, | ,, 6, | 26,652 | 21 | 27 | 15 | 3 | . | . | . | . | . | . | 1 | 2 | . | . | . |
| | ,, | ,, 9, | 9,496 | 39 | 7 | 4 | . | 1 | . | 1 | . | 1 | . | . | . | . | . | . |
| | ,, | ,, 10, | 8,110 | 6 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | Castlereagh | ,, 1, | 16,155 | 13 | 11 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| CORK, . | Cork, | No. 1, | 10,186 | 5 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 11,585 | 23 | 8 | 5 | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 3, | 6,818 | 31 | 3 | 4 | 2 | 1 | . | . | . | . | . | . | 1 | . | 1 | . |
| | ,, | ,, 4, | 6,227 | 25 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | 2 |
| | ,, | ,, 5, | 11,289 | 14 | 4 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 6, | 15,230 | 3 | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| | ,, | ,, 7, | 7,586 | 35 | . | 5 | 1 | 4 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 8, W. | 18,264 | 59 | 4 | 21 | 1 | 12 | . | . | . | . | . | . | 1 | . | . | 17 |
| | ,, | ,, 9, | 4,790 | 54 | . | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | 2 |
| LIMERICK, . | Limerick, | No. 1, | 7,918 | 13 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2 W. | 8,992 | 69 | 6 | 12 | . | 7 | . | . | . | . | . | 1 | . | . | . | 9 |
| | ,, | ,, 3, | 11,424 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 4, | 15,875 | 20 | 5 | 6 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| LONDONDERRY, | Londonderry, | No. 1, | 8,832 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 13,569 | 11 | 9 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | Glendermot, | W. | 8,485 | 18 | 5 | 3 | . | . | . | . | . | . | . | . | 1 | 2 | . | . |
| WATERFORD, . | Waterford, | W. | 30,626 | 46 | 22 | 27 | 4 | 3 | . | . | . | . | . | 4 | . | 2 | 4 | 12 |
| GALWAY, . | Galway, | No. 1, | 10,700 | 19 | 4 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, W. | 8,992 | 35 | 2 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | 2 |
| SLIGO, . | Sligo, | No. 1, W. | 6,456 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | ,, | ,, 2, | 10,829 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |

* Consisting of the Districts of Belfast, Nos. 1 to 6 and Nos. 9 and 10, and the District of Castlereagh, No. 1.
† Including Glendermot District. The letter *W* denotes that the Union Workhouse is situated in the District.
NOTE.—The high death-rates for some of the above Districts are owing to irregularity of registration, arrears being generally entered up in the last week of the quarter.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.
[9095.—200—12/76.]

# QUARTERLY SUMMARY

OF THE

## WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN

# DUBLIN,

(INCLUDING THE SUBURBAN DISTRICTS OF

**RATHMINES, DONNYBROOK, BLACKROCK, AND KINGSTOWN),**

AND IN THE TOWNS OF

**BELFAST, CORK, LIMERICK, LONDONDERRY, WATERFORD, GALWAY, AND SLIGO.**

By Authority of the Registrar-General.

PUBLISHED BY ALEXANDER THOM, 87 & 88, ABBEY-STREET, DUBLIN.

VOL. XIII.] QUARTER ENDING SATURDAY, DECEMBER 30, 1876. [No. 52A.

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, 5th January*, 1877.

**Births.**—In the Dublin Registration District (with an area of 10,050 statute acres, having a population of 314,666), the number of births registered during the quarter ended on Saturday, 30th December, 1876, amounted to 2,076—1,092 boys and 984 girls—being equal to an annual ratio of 1 in 37·9, or 26·4 in every 1,000 of the population.

The number of births registered in the City was 1,691, or 27·6 in every 1,000 of the population; and in the suburbs of Rathmines, Donnybrook, Blackrock, and Kingstown, 385, or only 22·2 in every 1,000 of the population.

There were registered in London during the same period 31,891 births—being equal to an annual birth-rate of 36·6 in every 1,000 of the estimated population; in Glasgow there were registered 5,010, being equal to 36·8 per 1,000; and in Edinburgh 1,674,—a number affording an annual birth-rate of 31·1 in every 1,000 of the estimated population.

**Deaths.**—The number of deaths registered in the Dublin Registration District during the quarter amounted to 1,759—866 males and 893 females—affording an annual ratio of 1 in 44·7, or 22·4 in every 1,000 of the population; the average number in the fourth quarter of the previous ten years was 2,036. Omitting the deaths (55) of persons admitted into Public Institutions from localities outside the district, the rate for last quarter was 21·7 per 1,000.

The number of deaths of inhabitants* of that portion of the City north of the Liffey registered last quarter was 642, affording an annual mortality of 23·8 in every 1,000 of the population; and the number in that portion south of the river was 732, or 21·3 in every 1,000 of the population. In the suburbs of Rathmines, Donnybrook,

* From the beginning of July last, deaths in Public Institutions in 'the Dublin Registration District,' have been assigned to the districts from which the dec ased were admitted. The various death-rates referring to the several Dublin Districts in this Summary have been calculated on the mortality for the respective districts so corrected.

Blackrock, and Kingstown, the number of deaths registered was 330, being equal to an annual death-rate of 19·0 in every 1,000 of the population.

The number of deaths registered in London during the same period was 18,799—a number equal to an annual mortality of 21·5 in every 1,000 of the inhabitants; in Glasgow the number was 3,150, equal to 23·1 in every 1,000; and in Edinburgh 980, affording an annual death-rate of 18·2 in every 1,000 of the estimated population.

*Public Institutions.*—Of the 1,759 deaths registered in the Dublin District during the quarter, 277 occurred in the various hospitals, prisons, and lunatic asylums; 100 in the North Dublin Union Workhouse, and 150 in the South Dublin Union Workhouse; making a total for public institutions of 527, or 30 per cent. of the total deaths.

**Diseases.**—*Dublin Registration District.*—The number of deaths from zymotic diseases registered during the quarter amounted to 345, or 19·6 per cent. of the total deaths, and equal to an annual rate of 4·4 in every 1,000 of the population. The number of deaths from zymotic diseases registered during the corresponding quarter of 1875 was 426.

Diarrhœa proved fatal in 48 instances: in the corresponding quarter of 1875 the deaths from this disease numbered 83.

Fever caused 94 deaths (20 typhus, 59 typhoid or enteric, and 15 simple continued fever); scarlatina was fatal in 46 instances; measles in 39; croup in 19; whooping cough in 26, against 76 in the corresponding quarter of the previous year.

Erysipelas was the cause of 10 deaths.

Eight deaths resulted from small-pox, 2 of which were registered during the 7th week of the quarter, 2 during the 9th, 3 in the 12th, and 1 in the last week of the quarter; there was one death from this disease registered during the previous quarter.

Convulsions proved fatal in 131 instances, or 7·4 per cent. of the total deaths registered: in the fourth quarter of the previous year 151 deaths were ascribed to convulsions.

Bronchitis caused 253 deaths, or 14·4 per cent. of the total deaths registered—in the corresponding quarter of the previous year 335 deaths were ascribed to this disease; pneumonia or inflammation of the lungs caused 43 deaths; pleurisy 7; asthma 3; inflammation of the windpipe 1; and lung disease unspecified 26.

Twenty-six deaths were ascribed to apoplexy; 32 to paralysis; 12 to cephalitis or inflammation of the brain; 5 to epilepsy; and 40 to brain disease unspecified.

To diseases of the liver were ascribed 31 deaths, including 2 from hepatitis and 1 from jaundice; 8 deaths were ascribed to gastritis; 8 to enteritis; 5 to peritonitis; 2 to ascites; 5 to hernia; 3 to ileus; 1 each to intussusception and stricture of intestines, and 10 to stomach disease unspecified; disease of the spleen caused 2 deaths.

Nephria or Bright's disease proved fatal in 10 instances; nephritis or inflammation of the kidneys, diabetes, and cystitis or inflammation of the bladder each in 1; and kidney disease unspecified in 27.

Phthisis or pulmonary consumption was the cause of 188 deaths, or 10·7 per cent. of the total deaths; cancer of 46; hydrocephalus or water on the brain of 27; scrofula of 15; mesenteric disease of 14; dropsy of 11; gout and mortification of 3 each; and noma of 2.

Fifty-three accidental deaths, 2 cases of manslaughter, and 2 of suicide, were registered.

**howing, for the Quarter ended 30th December, 1876,** the number of DEATHS of Residents several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION DISTRICT, the Annual Rate per 1,000 Population of the respective Districts represented thereby and by the Deaths from the principal tic Diseases; with the Mortality from each of the principal causes, *the Deaths in Public Institutions assigned to the Districts from which the deceased were admitted.*

| REGISTRARS' DISTRICTS. | POPULATION. | QUARTER ENDED 30TH DECEMBER, 1876. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS | | TOTAL DEATHS. | NUMBER OF DEATHS FROM | | | | | | | | | | | | |
| | | | | | SEVEN PRINCIPAL ZYMOTIC DISEASES. | | | | | | | | | | | | |
| | | FROM ALL CAUSES. | FROM SEVEN ZYMOTIC DISEASES. | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Convulsions. | Phthisis. | Diseases of the Respiratory Organs. | Violence (Accidental, Homicidal, and Suicidal). |
| TH CITY, No. 1, | 50,084 | 19·4 | 4·2 | 243 | 3 | . | 6 | 1 | 11 | 21 | 10 | 17 | 27 | 49 | 7 |
| " 2, | 32,609 | 27·4 | 5·9 | 223 | 1 | 5 | 16 | 1 | 13 | 10 | 2 | 20 | 15 | 37 | 16 |
| " 3, | 25,355 | 27·8 | 5·2 | 176 | . | 14 | 3 | 2 | . | 5 | 9 | 13 | 17 | 38 | 1 |
| TH CITY, No. 1, | 29,988 | 27·7 | 4·7 | 208 | 1 | 14 | 3 | . | . | 11 | 6 | 13 | 12 | 54 | 4 |
| " 2, | 28,330 | 22·4 | 3·8 | 159 | . | 4 | 3 | 1 | 2 | 13 | 4 | 8 | 19 | 45 | 4 |
| " 3, | 38,344 | 19·7 | 1·1 | 189 | . | . | 5 | . | . | 5 | 1 | 19 | 23 | 37 | 4 |
| " 4, | 40,654 | 17·3 | 1·4 | 176 | . | 1 | . | 1 | . | 9 | 3 | 16 | 25 | 28 | 5 |
| THMINES, | 21,373 | 17·8 | 1·1 | 95 | . | 1 | 1 | 1 | . | 1 | 2 | 8 | 11 | 12 | 2 |
| NYBROOK, | 22,208 | 17·5 | 1·3 | 97 | . | . | . | . | . | 6 | 1 | 5 | 13 | 10 | 7 |
| CKROCK, | 7,204 | 16·7 | 1·1 | 30 | . | . | 1 | . | . | 1 | . | 3 | 4 | 2 | 2 |
| GSTOWN, | 18,517 | 23·3 | 4·5 | 108 | . | . | 8 | 1 | . | 8 | 4 | 4 | 12 | 11 | 4 |
| AL CITY, North, | 108,048 | 23·8 | 4·9 | 642 | 4 | 19 | 25 | 4 | 24 | 36 | 21 | 50 | 59 | 124 | 24 |
| AL CITY, South, | 137,316 | 21·3 | 2·5 | 732 | 1 | 19 | 11 | 2 | 2 | 38 | 14 | 61 | 79 | 164 | 17 |
| AL CITY, N. & S., | 245,364 | 22·4 | 3·6 | 1,374 | 5 | 38 | 36 | 6 | 26 | 74 | 35 | 111 | 138 | 288 | 41 |
| AL SUBURBS, | 69,302 | 19·0 | 2·1 | 330 | . | 1 | 10 | 2 | . | 16 | 7 | 20 | 40 | 35 | 15 |
| AL REGISTRATION DISTRICT, | 314,666 | 21·7 | 3·3 | 1,704 | 5 | 39 | 46 | 8 | 26 | 90 | 42 | 131 | 178 | 323 | 56 |
| aths in Institutions of Persons admitted from without the Registration District (not included in above), | | | | 55 | 3 | . | . | . | . | 4 | 6 | . | 10 | 9 | 2 |

From the above table it will be seen that, excluding 55 deaths in Public Institutions not chargeable to the Dublin Registration District, the number of deaths registered during the quarter was 1,704, being equal to an annual mortality of 21·7 per 1,000 of the population, the deaths from the seven principal zymotic diseases representing an annual rate of 3·3 in every 1,000 persons. The annual rates represented by the deaths in the several Registrars' Districts ranged from 16·7 per 1,000 inhabitants in Blackrock to 27·8 per 1,000 in No. 3, North City (Blackhall-street) District, and the annual rates afforded by seven zymotic diseases varied from 1·1 per 1,000 inhabitants in Rathmines, Blackrock, and No. 3, South City (Peter-street) District respectively, to 5·9 per 1,000 in No. 2, North City (Coleraine-street) District.

The total death-rate for the city was 22·4, and for the suburbs 19·0; the rate represented by deaths from the seven principal zymotics being 3·6 per 1,000 inhabitants in the city (4·9 on the north side, and 2·5 on the south), and 2·1 per 1,000 in the suburbs.

**Ages.**—Of the 1,759 persons whose deaths were registered in the Dublin District during the quarter, 503 were under 5 years of age, this number being equal to an annual mortality of 60·4 in every 1,000 children living at that age;—102 were between the ages of 5 and 15, representing an annual death-rate of 7·1 per 1,000 persons of that age-period;—59, or 7·6 per 1,000 of persons aged 15 and under 20, the total number under 20 years being equal to an annual mortality of 21·8 per 1,000

of the population at that age;—270, or 10·0 per 1,000 persons, were between 20 and 40;—349, or 22·8 per 1,000, between 40 and 60;—414, or 73·8 per 1,000, between 60 and 80; and 62, or 162·5 per 1,000, were aged 80 and upwards, including 10 persons (2 males and 8 females) stated to have been nonagenarians.

**Provincial Towns.**—The following zymotic diseases proved fatal in Belfast during the quarter:—Whooping-cough in 57 instances, diarrhœa in 45, fever in 39, scarlatina in 33, measles in 7, and diphtheria in 3. There were 31 violent deaths. The annual rate of mortality afforded by the deaths registered in Belfast during the quarter was 23 per 1,000 inhabitants.

In Cork 16 deaths were caused by diarrhœa, 8 by fever, 3 by scarlatina, and 2 each by measles, diphtheria, and whooping-cough. The total deaths registered amounted to 519, representing an annual rate of mortality of 23 per 1,000.

There were 9 deaths from scarlatina, 10 from diarrhœa, 7 from fever, and 2 from whooping-cough registered in Limerick during the quarter. The annual death rate represented by the number of deaths registered was 21 per 1,000.

In Londonderry the death rate represented by the *registered* deaths was only 14 per 1,000; in Waterford the rate was 19; in Galway 17; and in Sligo 17. With the exception of 8 deaths from fever in Waterford, the deaths from zymotic diseases in those towns were few.

TABLE showing for EIGHT LARGE TOWN DISTRICTS, the AREA, in Statute Acres; the POPULATION in 1871; the ANNUAL RATE of MORTALITY per 1,000 Inhabitants, represented by the Number of Deaths registered during the Quarter ending Saturday, 30th December, 1876; the TOTAL Number of BIRTHS and DEATHS registered during the Quarter, with the Number of DEATHS at Certain AGES and from SEVERAL CAUSES, &c.

| TOWNS, &c. | AREA, in Statute Acres. | POPULATION in 1871. | QUARTER ENDING SATURDAY, 30TH DECEMBER, 1876. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual rate of mortality per 1,000 inhabitants. | Total BIRTHS *registered*. | Total DEATHS *registered*. | Deaths under 1 year of age. | Deaths at 60 years of age and upwards. | NUMBER OF DEATHS FROM | | | | | | | | No. of Inquest Cases. | No. of Deaths in Public Institutions. |
| | | | | | | | | Small Pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping Cough. | Fever. | Diarrhœa. | Violence. | | |
| DUBLIN, . . . | 10,050 | 314,666 | 22 | 2,076 | 1,759 | 254 | 476 | 8 | 39 | 46 | 8 | 26 | 94 | 48 | 58 | 51 | 323 |
| BELFAST, . . . | 20,687 | 182,082 | 23 | 1,562 | 1,059 | 229 | 137 | . | 7 | 33 | 3 | 57 | 39 | 45 | 31 | 28 | 155 |
| CORK, . . . | 13,816 | 91,965 | 23 | 618 | 519 | 73 | 144 | . | 2 | 3 | 2 | 2 | 8 | 16 | 4 | 24 | 108 |
| LIMERICK, . . | 8,509 | 44,209 | 21 | 237 | 229 | 38 | 77 | . | . | 9 | . | 2 | 7 | 10 | . | 8 | 91 |
| LONDONDERRY, . | 21,865 | 30,884 | 14 | 209 | 110 | 30 | 20 | . | 1 | . | . | 3 | 2 | . | 1 | 5 | 14 |
| WATERFORD, . . | 17,209 | 30,626 | 19 | 200 | 143 | 28 | 37 | . | . | 1 | . | . | 8 | 1 | 4 | 14 | 43 |
| GALWAY, . . | 21,358 | 19,692 | 17 | 104 | 86 | 15 | 34 | . | . | 1 | . | . | 2 | 2 | 1 | 2 | 28 |
| SLIGO, . . . | 30,835 | 17,285 | 17 | 103 | 72 | 3 | 27 | . | . | . | . | . | 2 | 4 | 3 | 5 | 20 |

**Weather.**—The mean of the mean weekly temperature for the quarter, as returned from the Ordnance Survey Office, Phœnix Park, was 47·0°; at Greenwich it was 47·0°; and at Glasgow, 43·8°.

The rainfall at Dublin during the thirteen weeks measured 13·388 inches; at Greenwich, 10·36 inches; and at Glasgow, 15·05 inches.

DUBLIN: Printed by ALEXANDER THOM, 87 & 88, Abbey-street,
Printer to the Queen's Most Excellent Majesty.
For Her Majesty's Stationery Office.

[2095.—300.—12/76.]